

UML 2.5.1 METAMODEL

2021x Refresh 1
User Guide

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

All material contained herein is considered proprietary information owned by No Magic, Inc. and is not to be shared, copied, or reproduced by any means. All information copyright 1998-2021 by No Magic, Incorporated, a Dassault Systèmes company. All Rights Reserved.

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

INTRODUCTION

This document presents the UML Meta Model structure and its representation in modeling tool. For more information about UML Meta Model, see the latest UML specification at https://www.omg.org/spec/UML/About-UML/.
The UML Meta Model document lists UML Meta Model elements in alphabetical order. The element description includes table with the following columns: attribute label, attribute name, attribute type, declaring class and sample template expression (VTL).
See the sample of the table below.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	BaseElement	$Abstraction[i].ID
Applied Stereotype Instance	appliedStereotypeInstance	InstanceSpecification	Element	$Abstraction[i].appliedStereotypeInstance
classType	classType	Class	BaseElement	$Abstraction[i].classType

Table – sample of UML Meta Model element description

Attribute Label
The Attribute Label column provides name of property used in the MagicDraw elements specification dialog box.

Attribute Name
The Attribute Name column provides name of property used in the UML Metamodel.

Attribute Type
The Attribute Type column provides name of property's type (another UML Metamodel element).

Declaring Class
The Declaring Class column provides name of property's owner in metamodel hierarchy. Some meta element properties are derived from super elements.

Sample Template Expression (VTL) for reports generation

Sample Template Expression (VTL) is the last column from the table, which gives the expression for reports generation. This expression allows to print value of the element's attribute in a report. For more information about VTL code, please see Template Variables section at https://docs.nomagic.com/display/MD2021xR1/Template+variables.

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

UML 2.5.1 META MODEL

Table of Contents

1. Abstraction 12
2. AcceptCallAction 13
3. AcceptEventAction 14
4. Action 15
5. ActionExecutionSpecification 16
6. ActionInputPin 18
7. Activity 19
8. ActivityEdge 22
9. ActivityFinalNode 23
10. ActivityGroup 24
11. ActivityNode 25
12. ActivityParameterNode 26
13. ActivityPartition 27
14. Actor 28
15. AddStructuralFeatureValueAction 30
16. AddVariableValueAction 32
17. AnyReceiveEvent 34
18. Artifact 35
19. Association 36
20. AssociationClass 38
21. Behavior 40
22. BehavioralFeature 43
23. BehavioredClassifier 44
24. BehaviorExecutionSpecification 46
25. BooleanTaggedValue 47
26. BroadcastSignalAction 48
27. CallAction 49
28. CallBehaviorAction 50

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

29. CallEvent ... 52
30. CallOperationAction ... 53
31. CentralBufferNode ... 54
32. ChangeEvent ... 55
33. Class ... 56
34. Classifier ... 58
35. ClassifierTemplateParameter ... 60
36. Clause ... 61
37. ClearAssociationAction ... 62
38. ClearStructuralFeatureAction ... 63
39. ClearVariableAction ... 65
40. Collaboration ... 66
41. CollaborationUse ... 68
42. com.nomagic.expressions.Operation ... 69
43. CombinedFragment ... 69
44. Comment ... 70
45. CommunicationPath ... 71
46. Component ... 73
47. ComponentRealization ... 75
48. ConditionalNode ... 76
49. ConnectableElement ... 78
50. ConnectableElementTemplateParameter ... 79
51. ConnectionPointReference ... 80
52. Connector ... 81
53. ConnectorEnd ... 82
54. ConsiderIgnoreFragment ... 83
55. Constraint ... 84
56. Continuation ... 85
57. ControlFlow ... 86
58. ControlNode ... 87
59. CreateLinkAction ... 88
60. CreateLinkObjectAction ... 90
61. CreateObjectAction ... 91
62. DataStoreNode ... 93
63. DataType ... 94

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

64. DecisionNode 95
65. Dependency 97
66. DeployedArtifact 98
67. Deployment 98
68. DeploymentSpecification 99
69. DeploymentTarget 102
70. DestroyLinkAction 102
71. DestroyObjectAction 104
72. DestructionOccurrenceSpecification 105
73. Device 107
74. Diagram 109
75. DirectedRelationship 110
76. Duration 110
77. DurationConstraint 111
78. DurationInterval 113
79. DurationObservation 114
80. Element 115
81. ElementImport 115
82. ElementTaggedValue 116
83. ElementValue 117
84. EncapsulatedClassifier 118
85. Enumeration 120
86. EnumerationLiteral 121
87. Event 123
88. ExceptionHandler 123
89. ExecutableNode 124
90. ExecutionEnvironment 125
91. ExecutionOccurrenceSpecification 127
92. ExecutionSpecification 129
93. ExpansionNode 130
94. ExpansionRegion 131
95. Expression 133
96. Extend 134
97. Extension 135
98. ExtensionEnd 137

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

99. ExtensionPoint 139
100. Feature 140
101. FinalNode 141
102. FinalState 142
103. FlowFinalNode 143
104. ForkNode 144
105. FunctionBehavior 145
106. Gate 148
107. Generalization 148
108. GeneralizationSet 149
109. GeneralOrdering 150
110. Image 151
111. Include 152
112. InformationFlow 153
113. InformationItem 154
114. InitialNode 155
115. InputPin 156
116. InstanceSpecification 158
117. InstanceValue 159
118. IntegerTaggedValue 160
119. Interaction 161
120. InteractionConstraint 163
121. InteractionFragment 164
122. InteractionOperand 165
123. InteractionUse 166
124. Interface 167
125. InterfaceRealization 169
126. InterruptibleActivityRegion 170
127. Interval 171
128. IntervalConstraint 173
129. InvocationAction 174
130. java.lang.Object 175
131. JoinNode 175
132. Lifeline 176
133. LinkAction 177

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

134. LinkEndCreationData 178
135. LinkEndData 179
136. LinkEndDestructionData 180
137. LiteralBoolean 181
138. LiteralInteger 182
139. LiteralNull 183
140. LiteralReal 184
141. LiteralSpecification 185
142. LiteralString 186
143. LiteralUnlimitedNatural 187
144. LoopNode 188
145. Manifestation 190
146. MergeNode 191
147. Message 192
148. MessageEnd 194
149. MessageEvent 194
150. MessageOccurrenceSpecification 195
151. Model 197
152. MultiplicityElement 198
153. NamedElement 199
154. Namespace 200
155. Node 201
156. ObjectFlow 203
157. ObjectNode 204
158. Observation 205
159. OccurrenceSpecification 206
160. OpaqueAction 207
161. OpaqueBehavior 208
162. OpaqueExpression 211
163. Operation 212
164. OperationTemplateParameter 214
165. OutputPin 215
166. Package 216
167. PackageableElement 217
168. PackageImport 218

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

169. PackageMerge ... 219
170. Parameter ... 220
171. ParameterableElement ... 221
172. ParameterSet ... 222
173. PartDecomposition ... 223
174. Pin ... 224
175. Port ... 225
176. PrimitiveType ... 227
177. Profile ... 229
178. ProfileApplication ... 230
179. Property ... 231
180. ProtocolConformance ... 232
181. ProtocolStateMachine ... 233
182. ProtocolTransition ... 236
183. Pseudostate ... 237
184. QualifierValue ... 238
185. RaiseExceptionAction ... 239
186. ReadExtentAction ... 240
187. ReadIsClassifiedObjectAction ... 241
188. ReadLinkAction ... 243
189. ReadLinkObjectEndAction ... 244
190. ReadLinkObjectEndQualifierAction ... 246
191. ReadSelfAction ... 248
192. ReadStructuralFeatureAction ... 250
193. ReadVariableAction ... 252
194. Realization ... 253
195. RealTaggedValue ... 254
196. Reception ... 255
197. ReclassifyObjectAction ... 256
198. RedefinableElement ... 257
199. RedefinableTemplateSignature ... 258
200. ReduceAction ... 260
201. Region ... 261
202. Relationship ... 262
203. RemoveStructuralFeatureValueAction ... 263

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

204. RemoveVariableValueAction ... 265
205. ReplyAction ... 267
206. SendObjectAction ... 269
207. SendSignalAction ... 270
208. SequenceNode ... 271
209. Signal ... 273
210. SignalEvent ... 275
211. Slot ... 276
212. StartClassifierBehaviorAction ... 276
213. StartObjectBehaviorAction ... 278
214. State ... 280
215. StateInvariant ... 281
216. StateMachine ... 282
217. Stereotype ... 284
218. StringExpression ... 286
219. StringTaggedValue ... 288
220. StructuralFeature ... 288
221. StructuralFeatureAction ... 290
222. StructuredActivityNode ... 291
223. StructuredClassifier ... 293
224. Substitution ... 295
225. TaggedValue ... 296
226. TemplateableElement ... 297
227. TemplateBinding ... 297
228. TemplateParameter ... 298
229. TemplateParameterSubstitution ... 299
230. TemplateSignature ... 300
231. TestIdentityAction ... 300
232. TimeConstraint ... 302
233. TimeEvent ... 303
234. TimeExpression ... 304
235. TimeInterval ... 305
236. TimeObservation ... 306
237. Transition ... 307
238. Trigger ... 308

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

239. Type 309
240. TypedElement 310
241. UnmarshallAction 311
242. Usage 312
243. UseCase 313
244. ValuePin 315
245. ValueSpecification 316
246. ValueSpecificationAction 317
247. Variable 319
248. VariableAction 320
249. Vertex 321
250. WriteLinkAction 322
251. WriteStructuralFeatureAction 324
252. WriteVariableAction 326
Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

1. Abstraction

Generalization

- Dependency

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Abstraction[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Abstraction[i].appliedStereotype
classType	classType	Class	BaseElement	$Abstraction[i].classType
Client	client	NamedElement[]	Dependency	$Abstraction[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$Abstraction[i].clientDependency
isEditable	editable	boolean	BaseElement	$Abstraction[i].editable
humanName	humanName	String	BaseElement	$Abstraction[i].humanName
humanType	humanType	String	BaseElement	$Abstraction[i].humanType
isInvalid	invalid	boolean	ModelObject	$Abstraction[i].invalid
localID	localID	String	ModelObject	$Abstraction[i].localID
Mapping	mapping	OpaqueExpression	Abstraction	$Abstraction[i].mapping
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Abstraction[i].mdExtensions
Name	name	String	NamedElement	$Abstraction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Abstraction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Abstraction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Abstraction[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Abstraction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Abstraction[i].ownedElement
Owner	owner	Element	Element	$Abstraction[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Abstraction[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Abstraction[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Abstraction[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Abstraction[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Abstraction[i].source
Supplier	supplier	NamedElement[]	Dependency	$Abstraction[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Abstraction[i].supplierDependency
Sync Element	syncElement	Element	Element	$Abstraction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Abstraction[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Abstraction[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Abstraction[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Abstraction[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

2. AcceptCallAction

Generalization

- AcceptEventAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$AcceptCallAction[i].ID
Activity	activity	Activity	ActivityNode	$AcceptCallAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$AcceptCallAction[i].appliedStereotype
classType	classType	Class	BaseElement	$AcceptCallAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$AcceptCallAction[i].clientDependency
Context	context	Classifier	Action	$AcceptCallAction[i].context
isEditable	editable	boolean	BaseElement	$AcceptCallAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$AcceptCallAction[i].handler
humanName	humanName	String	BaseElement	$AcceptCallAction[i].humanName
humanType	humanType	String	BaseElement	$AcceptCallAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$AcceptCallAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$AcceptCallAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$AcceptCallAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$AcceptCallAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$AcceptCallAction[i].incoming
Input	input	InputPin[]	Action	$AcceptCallAction[i].input
isInvalid	invalid	boolean	ModelObject	$AcceptCallAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$AcceptCallAction[i].leaf
localID	localID	String	ModelObject	$AcceptCallAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$AcceptCallAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$AcceptCallAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$AcceptCallAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$AcceptCallAction[i].mdExtensions
Name	name	String	NamedElement	$AcceptCallAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$AcceptCallAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$AcceptCallAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$AcceptCallAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$AcceptCallAction[i].outgoing
Output	output	OutputPin[]	Action	$AcceptCallAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$AcceptCallAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$AcceptCallAction[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$AcceptCallAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$AcceptCallAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$AcceptCallAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$AcceptCallAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$AcceptCallAction[i].redefinitionContext
Result	result	OutputPin[]	AcceptEventAction	$AcceptCallAction[i].result
Return Information	returnInformation	OutputPin	AcceptCallAction	$AcceptCallAction[i].returnInformation
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$AcceptCallAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$AcceptCallAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$AcceptCallAction[i].taggedValue
Trigger	trigger	Trigger[]	AcceptEventAction	$AcceptCallAction[i].trigger
Is Unmarshall	unmarshall	boolean	AcceptEventAction	$AcceptCallAction[i].unmarshall
Visibility	visibility	VisibilityKind	NamedElement	$AcceptCallAction[i].visibility

3. AcceptEventAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$AcceptEventAction[i].ID
Activity	activity	Activity	ActivityNode	$AcceptEventAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$AcceptEventAction[i].appliedStereotype
classType	classType	Class	BaseElement	$AcceptEventAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$AcceptEventAction[i].clientDependency
Context	context	Classifier	Action	$AcceptEventAction[i].context
isEditable	editable	boolean	BaseElement	$AcceptEventAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$AcceptEventAction[i].handler
humanName	humanName	String	BaseElement	$AcceptEventAction[i].humanName
humanType	humanType	String	BaseElement	$AcceptEventAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$AcceptEventAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$AcceptEventAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$AcceptEventAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$AcceptEventAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$AcceptEventAction[i].incoming
Input	input	InputPin[]	Action	$AcceptEventAction[i].input
isInvalid	invalid	boolean	ModelObject	$AcceptEventAction[i].invalid

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Leaf	leaf	boolean	RedefinableElement	$AcceptEventAction[i].leaf
localID	localID	String	ModelObject	$AcceptEventAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$AcceptEventAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$AcceptEventAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$AcceptEventAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$AcceptEventAction[i].mdExtensions
Name	name	String	NamedElement	$AcceptEventAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$AcceptEventAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$AcceptEventAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$AcceptEventAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$AcceptEventAction[i].outgoing
Output	output	OutputPin[]	Action	$AcceptEventAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$AcceptEventAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$AcceptEventAction[i].ownedElement
Owner	owner	Element	Element	$AcceptEventAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$AcceptEventAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$AcceptEventAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$AcceptEventAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$AcceptEventAction[i].redefinitionContext
Result	result	OutputPin[]	AcceptEventAction	$AcceptEventAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$AcceptEventAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$AcceptEventAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$AcceptEventAction[i].taggedValue
Trigger	trigger	Trigger[]	AcceptEventAction	$AcceptEventAction[i].trigger
Is Unmarshall	unmarshall	boolean	AcceptEventAction	$AcceptEventAction[i].unmarshall
Visibility	visibility	VisibilityKind	NamedElement	$AcceptEventAction[i].visibility

4. Action

Generalization

- ExecutableNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Action[i].ID
Activity	activity	Activity	ActivityNode	$Action[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Action[i].appliedStereotype
classType	classType	Class	BaseElement	$Action[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Action[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Context	context	Classifier	Action	$Action[i].context
isEditable	editable	boolean	BaseElement	$Action[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$Action[i].handler
humanName	humanName	String	BaseElement	$Action[i].humanName
humanType	humanType	String	BaseElement	$Action[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$Action[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$Action[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$Action[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$Action[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$Action[i].incoming
Input	input	InputPin[]	Action	$Action[i].input
isInvalid	invalid	boolean	ModelObject	$Action[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Action[i].leaf
localID	localID	String	ModelObject	$Action[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$Action[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$Action[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$Action[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Action[i].mdExtensions
Name	name	String	NamedElement	$Action[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Action[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Action[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Action[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$Action[i].outgoing
Output	output	OutputPin[]	Action	$Action[i].output
Owned Comment	ownedComment	Comment[]	Element	$Action[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Action[i].ownedElement
Owner	owner	Element	Element	$Action[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Action[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Action[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$Action[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Action[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Action[i].supplierDependency
Sync Element	syncElement	Element	Element	$Action[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Action[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Action[i].visibility

5. ActionExecutionSpecification

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- ExecutionSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActionExecutionSpecification[i].ID
Action	action	Action	ActionExecutionSpecification	$ActionExecutionSpecification[i].action
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActionExecutionSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$ActionExecutionSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ActionExecutionSpecification[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$ActionExecutionSpecification[i].covered
isEditable	editable	boolean	BaseElement	$ActionExecutionSpecification[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$ActionExecutionSpecification[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$ActionExecutionSpecification[i].enclosingOperand
Finish	finish	OccurrenceSpecification	ExecutionSpecification	$ActionExecutionSpecification[i].finish
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$ActionExecutionSpecification[i].generalOrdering
humanName	humanName	String	BaseElement	$ActionExecutionSpecification[i].humanName
humanType	humanType	String	BaseElement	$ActionExecutionSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$ActionExecutionSpecification[i].invalid
localID	localID	String	ModelObject	$ActionExecutionSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActionExecutionSpecification[i].mdExtensions
Name	name	String	NamedElement	$ActionExecutionSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActionExecutionSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActionExecutionSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ActionExecutionSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ActionExecutionSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ActionExecutionSpecification[i].ownedEle

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ment
Owner	owner	Element	Element	$ActionExecutionSpecification[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ActionExecutionSpecification[i].qualifiedName
Start	start	OccurrenceSpecification	ExecutionSpecification	$ActionExecutionSpecification[i].start
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActionExecutionSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActionExecutionSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActionExecutionSpecification[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ActionExecutionSpecification[i].visibility

6. ActionInputPin

Generalization

- InputPin

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActionInputPin[i].ID
Activity	activity	Activity	ActivityNode	$ActionInputPin[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActionInputPin[i].appliedStereotype
classType	classType	Class	BaseElement	$ActionInputPin[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ActionInputPin[i].clientDependency
Is Control	control	boolean	Pin	$ActionInputPin[i].control
Is Control Type	controlType	boolean	ObjectNode	$ActionInputPin[i].controlType
isEditable	editable	boolean	BaseElement	$ActionInputPin[i].editable
From Action	fromAction	Action	ActionInputPin	$ActionInputPin[i].fromAction
humanName	humanName	String	BaseElement	$ActionInputPin[i].humanName
humanType	humanType	String	BaseElement	$ActionInputPin[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ActionInputPin[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ActionInputPin[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ActionInputPin[i].inPartition
In State	inState	State[]	ObjectNode	$ActionInputPin[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ActionInputPin[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ActionInputPin[i].incoming
isInvalid	invalid	boolean	ModelObject	$ActionInputPin[i].invalid

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Leaf	leaf	boolean	RedefinableElement	$ActionInputPin[i].leaf
localID	localID	String	ModelObject	$ActionInputPin[i].localID
Lower	lower	int	MultiplicityElement	$ActionInputPin[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$ActionInputPin[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActionInputPin[i].mdExtensions
Name	name	String	NamedElement	$ActionInputPin[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActionInputPin[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActionInputPin[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ActionInputPin[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$ActionInputPin[i].ordered
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$ActionInputPin[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ActionInputPin[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ActionInputPin[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ActionInputPin[i].ownedElement
Owner	owner	Element	Element	$ActionInputPin[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ActionInputPin[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ActionInputPin[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ActionInputPin[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ActionInputPin[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$ActionInputPin[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActionInputPin[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActionInputPin[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActionInputPin[i].taggedValue
Type	type	Type	TypedElement	$ActionInputPin[i].type
Is Unique	unique	boolean	MultiplicityElement	$ActionInputPin[i].unique
Upper	upper	int	MultiplicityElement	$ActionInputPin[i].upper
Upper Bound	upperBound	ValueSpecification	ObjectNode	$ActionInputPin[i].upperBound
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$ActionInputPin[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$ActionInputPin[i].visibility

7. Activity

Generalization

- Behavior

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Activity[i].ID
Class	UMLClass	Class	Classifier	$Activity[i].UMLClass

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Abstract	abstract	boolean	Class	$Activity[i].abstract
Is Active	active	boolean	Class	$Activity[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Activity[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Activity[i].attribute
classType	classType	Class	BaseElement	$Activity[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Activity[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Activity[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Activity[i].collaborationUse
Context	context	BehavioredClassifier	Behavior	$Activity[i].context
Edge	edge	ActivityEdge[]	Activity	$Activity[i].edge
isEditable	editable	boolean	BaseElement	$Activity[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Activity[i].elementImport
Event	event	Event[]	Behavior	$Activity[i].event
Extension	extension	Extension[]	Class	$Activity[i].extension
Feature	feature	Feature[]	Classifier	$Activity[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Activity[i].finalSpecialization
General	general	Classifier[]	Classifier	$Activity[i].general
Generalization	generalization	Generalization[]	Classifier	$Activity[i].generalization
Group	group	ActivityGroup[]	Activity	$Activity[i].group
humanName	humanName	String	BaseElement	$Activity[i].humanName
humanType	humanType	String	BaseElement	$Activity[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Activity[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Activity[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Activity[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Activity[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Activity[i].leaf
localID	localID	String	ModelObject	$Activity[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Activity[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Activity[i].member
Name	name	String	NamedElement	$Activity[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Activity[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Activity[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Activity[i].nestedClassifier
Node	node	ActivityNode[]	Activity	$Activity[i].node
objectParent	objectParent	BaseElement	BaseElement	$Activity[i].objectParent
Observation	observation	Observation[]	Behavior	$Activity[i].observation
Owned Attribute	ownedAttribute	Property[]	Class	$Activity[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Activity[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Activity[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Activity[i].ownedConnector

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Activity[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Activity[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Activity[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Activity[i].ownedOperation
Owned Parameter	ownedParameter	Parameter[]	Behavior	$Activity[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	Behavior	$Activity[i].ownedParameterSet
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Activity[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$Activity[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Activity[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Activity[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Activity[i].ownedUseCase
Owner	owner	Element	Element	$Activity[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Activity[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Activity[i].owningTemplateParameter
Package	package	Package	Type	$Activity[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Activity[i].packageImport
Part	part	Property[]	StructuredClassifier	$Activity[i].part
Partition	partition	ActivityPartition[]	Activity	$Activity[i].partition
Postcondition	postcondition	Constraint[]	Behavior	$Activity[i].postcondition
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Activity[i].powertypeExtent
Precondition	precondition	Constraint[]	Behavior	$Activity[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$Activity[i].qualifiedName
Is Read Only	readOnly	boolean	Activity	$Activity[i].readOnly
Redefined Behavior	redefinedBehavior	Behavior[]	Behavior	$Activity[i].redefinedBehavior
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Activity[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Activity[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Activity[i].redefinitionContext
Is Reentrant	reentrant	boolean	Behavior	$Activity[i].reentrant
Representation	representation	CollaborationUse	Classifier	$Activity[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Activity[i].role
Is Single Execution	singleExecution	boolean	Activity	$Activity[i].singleExecution
Specification	specification	BehavioralFeature	Behavior	$Activity[i].specification
Structured Node	structuredNode	StructuredActivityNode[]	Activity	$Activity[i].structuredNode
Substitution	substitution	Substitution[]	Classifier	$Activity[i].substitution
Super Class	superClass	Class[]	Class	$Activity[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Activity[i].supplierDependency
Sync Element	syncElement	Element	Element	$Activity[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Activity[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Activity[i].templateBinding

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Activity[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Activity[i].useCase
Variable	variable	Variable[]	Activity	$Activity[i].variable
Visibility	visibility	VisibilityKind	PackageableElement	$Activity[i].visibility

8. ActivityEdge

Generalization

- RedefinableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActivityEdge[i].ID
Activity	activity	Activity	ActivityEdge	$ActivityEdge[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActivityEdge[i].appliedStereotype
classType	classType	Class	BaseElement	$ActivityEdge[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ActivityEdge[i].clientDependency
isEditable	editable	boolean	BaseElement	$ActivityEdge[i].editable
Guard	guard	ValueSpecification	ActivityEdge	$ActivityEdge[i].guard
humanName	humanName	String	BaseElement	$ActivityEdge[i].humanName
humanType	humanType	String	BaseElement	$ActivityEdge[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityEdge	$ActivityEdge[i].inGroup
In Partition	inPartition	ActivityPartition[]	ActivityEdge	$ActivityEdge[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityEdge	$ActivityEdge[i].inStructuredNode
Interrupts	interrupts	InterruptibleActivityRegion	ActivityEdge	$ActivityEdge[i].interrupts
isInvalid	invalid	boolean	ModelObject	$ActivityEdge[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ActivityEdge[i].leaf
localID	localID	String	ModelObject	$ActivityEdge[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActivityEdge[i].mdExtensions
Name	name	String	NamedElement	$ActivityEdge[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActivityEdge[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActivityEdge[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ActivityEdge[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ActivityEdge[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ActivityEdge[i].ownedElement
Owner	owner	Element	Element	$ActivityEdge[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ActivityEdge[i].qualifiedName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Redefined Edge	redefinedEdge	ActivityEdge[]	ActivityEdge	$ActivityEdge[i].redefinedEdge
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ActivityEdge[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ActivityEdge[i].redefinitionContext
Source	source	ActivityNode	ActivityEdge	$ActivityEdge[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActivityEdge[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActivityEdge[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActivityEdge[i].taggedValue
Target	target	ActivityNode	ActivityEdge	$ActivityEdge[i].target
Visibility	visibility	VisibilityKind	NamedElement	$ActivityEdge[i].visibility
Weight	weight	ValueSpecification	ActivityEdge	$ActivityEdge[i].weight

9. ActivityFinalNode

Generalization

- FinalNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActivityFinalNode[i].ID
Activity	activity	Activity	ActivityNode	$ActivityFinalNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActivityFinalNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ActivityFinalNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ActivityFinalNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$ActivityFinalNode[i].editable
humanName	humanName	String	BaseElement	$ActivityFinalNode[i].humanName
humanType	humanType	String	BaseElement	$ActivityFinalNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ActivityFinalNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ActivityFinalNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ActivityFinalNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ActivityFinalNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ActivityFinalNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$ActivityFinalNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ActivityFinalNode[i].leaf
localID	localID	String	ModelObject	$ActivityFinalNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActivityFinalNode[i].mdExtensions
Name	name	String	NamedElement	$ActivityFinalNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActivityFinalNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActivityFinalNode[i].namespace

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

objectParent	objectParent	BaseElement	BaseElement	$ActivityFinalNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ActivityFinalNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ActivityFinalNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ActivityFinalNode[i].ownedElement
Owner	owner	Element	Element	$ActivityFinalNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ActivityFinalNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ActivityFinalNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ActivityFinalNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ActivityFinalNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActivityFinalNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActivityFinalNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActivityFinalNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ActivityFinalNode[i].visibility

10. ActivityGroup

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActivityGroup[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActivityGroup[i].appliedStereotype
classType	classType	Class	BaseElement	$ActivityGroup[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ActivityGroup[i].clientDependency
Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$ActivityGroup[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$ActivityGroup[i].containedNode
isEditable	editable	boolean	BaseElement	$ActivityGroup[i].editable
humanName	humanName	String	BaseElement	$ActivityGroup[i].humanName
humanType	humanType	String	BaseElement	$ActivityGroup[i].humanType
In Activity	inActivity	Activity	ActivityGroup	$ActivityGroup[i].inActivity
isInvalid	invalid	boolean	ModelObject	$ActivityGroup[i].invalid
localID	localID	String	ModelObject	$ActivityGroup[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActivityGroup[i].mdExtensions
Name	name	String	NamedElement	$ActivityGroup[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActivityGroup[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActivityGroup[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ActivityGroup[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ActivityGroup[i].ownedComment

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Element	ownedElement	Element[]	Element	$ActivityGroup[i].ownedElement
Owner	owner	Element	Element	$ActivityGroup[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ActivityGroup[i].qualifiedName
Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$ActivityGroup[i].subgroup
Super Group	superGroup	ActivityGroup	ActivityGroup	$ActivityGroup[i].superGroup
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActivityGroup[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActivityGroup[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActivityGroup[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ActivityGroup[i].visibility

11. ActivityNode

Generalization

- RedefinableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActivityNode[i].ID
Activity	activity	Activity	ActivityNode	$ActivityNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActivityNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ActivityNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ActivityNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$ActivityNode[i].editable
humanName	humanName	String	BaseElement	$ActivityNode[i].humanName
humanType	humanType	String	BaseElement	$ActivityNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ActivityNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ActivityNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ActivityNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ActivityNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ActivityNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$ActivityNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ActivityNode[i].leaf
localID	localID	String	ModelObject	$ActivityNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActivityNode[i].mdExtensions
Name	name	String	NamedElement	$ActivityNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActivityNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActivityNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ActivityNode[i].objectParent

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ActivityNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ActivityNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ActivityNode[i].ownedElement
Owner	owner	Element	Element	$ActivityNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ActivityNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ActivityNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ActivityNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ActivityNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActivityNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActivityNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActivityNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ActivityNode[i].visibility

12. ActivityParameterNode

Generalization

- ObjectNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActivityParameterNode[i].ID
Activity	activity	Activity	ActivityNode	$ActivityParameterNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActivityParameterNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ActivityParameterNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ActivityParameterNode[i].clientDependency
Is Control Type	controlType	boolean	ObjectNode	$ActivityParameterNode[i].controlType
isEditable	editable	boolean	BaseElement	$ActivityParameterNode[i].editable
humanName	humanName	String	BaseElement	$ActivityParameterNode[i].humanName
humanType	humanType	String	BaseElement	$ActivityParameterNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ActivityParameterNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ActivityParameterNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ActivityParameterNode[i].inPartition
In State	inState	State[]	ObjectNode	$ActivityParameterNode[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ActivityParameterNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ActivityParameterNode[i].incoming

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$ActivityParameterNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ActivityParameterNode[i].leaf
localID	localID	String	ModelObject	$ActivityParameterNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActivityParameterNode[i].mdExtensions
Name	name	String	NamedElement	$ActivityParameterNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActivityParameterNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActivityParameterNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ActivityParameterNode[i].objectParent
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$ActivityParameterNode[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ActivityParameterNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ActivityParameterNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ActivityParameterNode[i].ownedElement
Owner	owner	Element	Element	$ActivityParameterNode[i].owner
Parameter	parameter	Parameter	ActivityParameterNode	$ActivityParameterNode[i].parameter
Qualified Name	qualifiedName	String	NamedElement	$ActivityParameterNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ActivityParameterNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ActivityParameterNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ActivityParameterNode[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$ActivityParameterNode[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActivityParameterNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActivityParameterNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActivityParameterNode[i].taggedValue
Type	type	Type	TypedElement	$ActivityParameterNode[i].type
Upper Bound	upperBound	ValueSpecification	ObjectNode	$ActivityParameterNode[i].upperBound
Visibility	visibility	VisibilityKind	NamedElement	$ActivityParameterNode[i].visibility

13. ActivityPartition

Generalization

- ActivityGroup

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ActivityPartition[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ActivityPartition[i].appliedStereotype
classType	classType	Class	BaseElement	$ActivityPartition[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Client Dependency	clientDependency	Dependency[]	NamedElement	$ActivityPartition[i].clientDependency
Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$ActivityPartition[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$ActivityPartition[i].containedNode
Is Dimension	dimension	boolean	ActivityPartition	$ActivityPartition[i].dimension
Edge	edge	ActivityEdge[]	ActivityPartition	$ActivityPartition[i].edge
isEditable	editable	boolean	BaseElement	$ActivityPartition[i].editable
Is External	external	boolean	ActivityPartition	$ActivityPartition[i].external
humanName	humanName	String	BaseElement	$ActivityPartition[i].humanName
humanType	humanType	String	BaseElement	$ActivityPartition[i].humanType
In Activity	inActivity	Activity	ActivityGroup	$ActivityPartition[i].inActivity
isInvalid	invalid	boolean	ModelObject	$ActivityPartition[i].invalid
localID	localID	String	ModelObject	$ActivityPartition[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ActivityPartition[i].mdExtensions
Name	name	String	NamedElement	$ActivityPartition[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ActivityPartition[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ActivityPartition[i].namespace
Node	node	ActivityNode[]	ActivityPartition	$ActivityPartition[i].node
objectParent	objectParent	BaseElement	BaseElement	$ActivityPartition[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ActivityPartition[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ActivityPartition[i].ownedElement
Owner	owner	Element	Element	$ActivityPartition[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ActivityPartition[i].qualifiedName
Represents	represents	Element	ActivityPartition	$ActivityPartition[i].represents
Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$ActivityPartition[i].subgroup
Subpartition	subpartition	ActivityPartition[]	ActivityPartition	$ActivityPartition[i].subpartition
Super Group	superGroup	ActivityGroup	ActivityGroup	$ActivityPartition[i].superGroup
Super Partition	superPartition	ActivityPartition	ActivityPartition	$ActivityPartition[i].superPartition
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ActivityPartition[i].supplierDependency
Sync Element	syncElement	Element	Element	$ActivityPartition[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ActivityPartition[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ActivityPartition[i].visibility

14. Actor

Generalization

- BehavioredClassifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

ID	ID	String	MDObject	$Actor[i].ID
Class	UMLClass	Class	Classifier	$Actor[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Actor[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Actor[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Actor[i].attribute
classType	classType	Class	BaseElement	$Actor[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Actor[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Actor[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Actor[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Actor[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Actor[i].elementImport
Feature	feature	Feature[]	Classifier	$Actor[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Actor[i].finalSpecialization
General	general	Classifier[]	Classifier	$Actor[i].general
Generalization	generalization	Generalization[]	Classifier	$Actor[i].generalization
humanName	humanName	String	BaseElement	$Actor[i].humanName
humanType	humanType	String	BaseElement	$Actor[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Actor[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Actor[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Actor[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Actor[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Actor[i].leaf
localID	localID	String	ModelObject	$Actor[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Actor[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Actor[i].member
Name	name	String	NamedElement	$Actor[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Actor[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Actor[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Actor[i].objectParent
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Actor[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Actor[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Actor[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Actor[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Actor[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Actor[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Actor[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Actor[i].ownedUseCase
Owner	owner	Element	Element	$Actor[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Actor[i].owningPackage

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Actor[i].owningTemplateParameter
Package	package	Package	Type	$Actor[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Actor[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Actor[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Actor[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Actor[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Actor[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Actor[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Actor[i].representation
Substitution	substitution	Substitution[]	Classifier	$Actor[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Actor[i].supplierDependency
Sync Element	syncElement	Element	Element	$Actor[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Actor[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Actor[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Actor[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Actor[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Actor[i].visibility

15. AddStructuralFeatureValueAction

Generalization

- WriteStructuralFeatureAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$AddStructuralFeatureValueAction[i].ID
Activity	activity	Activity	ActivityNode	$AddStructuralFeatureValueAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$AddStructuralFeatureValueAction[i].appliedStereotype
classType	classType	Class	BaseElement	$AddStructuralFeatureValueAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$AddStructuralFeatureValueAction[i].clientDependency
Context	context	Classifier	Action	$AddStructuralFeatureValueAction[i].context
isEditable	editable	boolean	BaseElement	$AddStructuralFeatureValueAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$AddStructuralFeatureValueAction[i].handle

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				r
humanName	humanName	String	BaseElement	$AddStructuralFeatureValueAction[i].humanName
humanType	humanType	String	BaseElement	$AddStructuralFeatureValueAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$AddStructuralFeatureValueAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$AddStructuralFeatureValueAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$AddStructuralFeatureValueAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$AddStructuralFeatureValueAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$AddStructuralFeatureValueAction[i].incoming
Input	input	InputPin[]	Action	$AddStructuralFeatureValueAction[i].input
Insert At	insertAt	InputPin	AddStructuralFeatureValueAction	$AddStructuralFeatureValueAction[i].insertAt
isInvalid	invalid	boolean	ModelObject	$AddStructuralFeatureValueAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$AddStructuralFeatureValueAction[i].leaf
localID	localID	String	ModelObject	$AddStructuralFeatureValueAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$AddStructuralFeatureValueAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$AddStructuralFeatureValueAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$AddStructuralFeatureValueAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$AddStructuralFeatureValueAction[i].mdExtensions
Name	name	String	NamedElement	$AddStructuralFeatureValueAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$AddStructuralFeatureValueAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$AddStructuralFeatureValueAction[i].namespace
Object	object	InputPin	StructuralFeatureAction	$AddStructuralFeatureValueAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$AddStructuralFeatureValueAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$AddStructuralFeatureValueAction[i].outgoing
Output	output	OutputPin[]	Action	$AddStructuralFeatureValueAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$AddStructuralFeatureValueAction[i].owned

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				Comment
Owned Element	ownedElement	Element[]	Element	$AddStructuralFeatureValueAction[i].ownedElement
Owner	owner	Element	Element	$AddStructuralFeatureValueAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$AddStructuralFeatureValueAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$AddStructuralFeatureValueAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$AddStructuralFeatureValueAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$AddStructuralFeatureValueAction[i].redefinitionContext
Is Replace All	replaceAll	boolean	AddStructuralFeatureValueAction	$AddStructuralFeatureValueAction[i].replaceAll
Result	result	OutputPin	WriteStructuralFeatureAction	$AddStructuralFeatureValueAction[i].result
Structural Feature	structuralFeature	StructuralFeature	StructuralFeatureAction	$AddStructuralFeatureValueAction[i].structuralFeature
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$AddStructuralFeatureValueAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$AddStructuralFeatureValueAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$AddStructuralFeatureValueAction[i].taggedValue
Value	value	InputPin	WriteStructuralFeatureAction	$AddStructuralFeatureValueAction[i].value
Visibility	visibility	VisibilityKind	NamedElement	$AddStructuralFeatureValueAction[i].visibility

16. AddVariableValueAction

Generalization

- WriteVariableAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$AddVariableValueAction[i].ID
Activity	activity	Activity	ActivityNode	$AddVariableValueAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$AddVariableValueAction[i].appliedStereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

classType	classType	Class	BaseElement	$AddVariableValueAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$AddVariableValueAction[i].clientDependency
Context	context	Classifier	Action	$AddVariableValueAction[i].context
isEditable	editable	boolean	BaseElement	$AddVariableValueAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$AddVariableValueAction[i].handler
humanName	humanName	String	BaseElement	$AddVariableValueAction[i].humanName
humanType	humanType	String	BaseElement	$AddVariableValueAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$AddVariableValueAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$AddVariableValueAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$AddVariableValueAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$AddVariableValueAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$AddVariableValueAction[i].incoming
Input	input	InputPin[]	Action	$AddVariableValueAction[i].input
Insert At	insertAt	InputPin	AddVariableValueAction	$AddVariableValueAction[i].insertAt
isInvalid	invalid	boolean	ModelObject	$AddVariableValueAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$AddVariableValueAction[i].leaf
localID	localID	String	ModelObject	$AddVariableValueAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$AddVariableValueAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$AddVariableValueAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$AddVariableValueAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$AddVariableValueAction[i].mdExtensions
Name	name	String	NamedElement	$AddVariableValueAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$AddVariableValueAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$AddVariableValueAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$AddVariableValueAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$AddVariableValueAction[i].outgoing
Output	output	OutputPin[]	Action	$AddVariableValueAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$AddVariableValueAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$AddVariableValueAction[i].ownedElement
Owner	owner	Element	Element	$AddVariableValueAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$AddVariableValueAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$AddVariableValueAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$AddVariableValueAction[i].redefinedNode

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$AddVariableValueAction[i].redefinitionContext
Is Replace All	replaceAll	boolean	AddVariableValueAction	$AddVariableValueAction[i].replaceAll
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$AddVariableValueAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$AddVariableValueAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$AddVariableValueAction[i].taggedValue
Value	value	InputPin	WriteVariableAction	$AddVariableValueAction[i].value
Variable	variable	Variable	VariableAction	$AddVariableValueAction[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$AddVariableValueAction[i].visibility

17. AnyReceiveEvent

Generalization

- MessageEvent

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$AnyReceiveEvent[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$AnyReceiveEvent[i].appliedStereotype
Behavior	behavior	Behavior	Event	$AnyReceiveEvent[i].behavior
classType	classType	Class	BaseElement	$AnyReceiveEvent[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$AnyReceiveEvent[i].clientDependency
isEditable	editable	boolean	BaseElement	$AnyReceiveEvent[i].editable
humanName	humanName	String	BaseElement	$AnyReceiveEvent[i].humanName
humanType	humanType	String	BaseElement	$AnyReceiveEvent[i].humanType
isInvalid	invalid	boolean	ModelObject	$AnyReceiveEvent[i].invalid
localID	localID	String	ModelObject	$AnyReceiveEvent[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$AnyReceiveEvent[i].mdExtensions
Name	name	String	NamedElement	$AnyReceiveEvent[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$AnyReceiveEvent[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$AnyReceiveEvent[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$AnyReceiveEvent[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$AnyReceiveEvent[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$AnyReceiveEvent[i].ownedElement
Owner	owner	Element	Element	$AnyReceiveEvent[i].owner
Owning Package	owningPackage	Package	PackageableElement	$AnyReceiveEvent[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$AnyReceiveEvent[i].owningTemplateParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Qualified Name	qualifiedName	String	NamedElement	$AnyReceiveEvent[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$AnyReceiveEvent[i].supplierDependency
Sync Element	syncElement	Element	Element	$AnyReceiveEvent[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$AnyReceiveEvent[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$AnyReceiveEvent[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$AnyReceiveEvent[i].visibility

18. Artifact

Generalization

- Classifier
- DeployedArtifact

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Artifact[i].ID
Class	UMLClass	Class	Classifier	$Artifact[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Artifact[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Artifact[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Artifact[i].attribute
classType	classType	Class	BaseElement	$Artifact[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Artifact[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Artifact[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Artifact[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Artifact[i].elementImport
Feature	feature	Feature[]	Classifier	$Artifact[i].feature
File Name	fileName	String	Artifact	$Artifact[i].fileName
Is Final Specialization	finalSpecialization	boolean	Classifier	$Artifact[i].finalSpecialization
General	general	Classifier[]	Classifier	$Artifact[i].general
Generalization	generalization	Generalization[]	Classifier	$Artifact[i].generalization
humanName	humanName	String	BaseElement	$Artifact[i].humanName
humanType	humanType	String	BaseElement	$Artifact[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Artifact[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Artifact[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$Artifact[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Artifact[i].leaf
localID	localID	String	ModelObject	$Artifact[i].localID
Manifestation	manifestation	Manifestation[]	Artifact	$Artifact[i].manifestation
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Artifact[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Member	member	NamedElement[]	Namespace	$Artifact[i].member
Name	name	String	NamedElement	$Artifact[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Artifact[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Artifact[i].namespace
Nested Artifact	nestedArtifact	Artifact[]	Artifact	$Artifact[i].nestedArtifact
objectParent	objectParent	BaseElement	BaseElement	$Artifact[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Artifact	$Artifact[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$Artifact[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Artifact[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Artifact[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Artifact[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Artifact	$Artifact[i].ownedOperation
Owned Rule	ownedRule	Constraint[]	Namespace	$Artifact[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Artifact[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Artifact[i].ownedUseCase
Owner	owner	Element	Element	$Artifact[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Artifact[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Artifact[i].owningTemplateParameter
Package	package	Package	Type	$Artifact[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Artifact[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Artifact[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Artifact[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Artifact[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Artifact[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Artifact[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Artifact[i].representation
Substitution	substitution	Substitution[]	Classifier	$Artifact[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Artifact[i].supplierDependency
Sync Element	syncElement	Element	Element	$Artifact[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Artifact[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Artifact[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Artifact[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Artifact[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Artifact[i].visibility

19. Association

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- Classifier
- Relationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Association[i].ID
Class	UMLClass	Class	Classifier	$Association[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Association[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Association[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Association[i].attribute
classType	classType	Class	BaseElement	$Association[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Association[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Association[i].collaborationUse
Is Derived	derived	boolean	Association	$Association[i].derived
isEditable	editable	boolean	BaseElement	$Association[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Association[i].elementImport
End Type	endType	Type[]	Association	$Association[i].endType
Feature	feature	Feature[]	Classifier	$Association[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Association[i].finalSpecialization
General	general	Classifier[]	Classifier	$Association[i].general
Generalization	generalization	Generalization[]	Classifier	$Association[i].generalization
humanName	humanName	String	BaseElement	$Association[i].humanName
humanType	humanType	String	BaseElement	$Association[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Association[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Association[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$Association[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Association[i].leaf
localID	localID	String	ModelObject	$Association[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Association[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Association[i].member
Member End	memberEnd	Property[]	Association	$Association[i].memberEnd
Name	name	String	NamedElement	$Association[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Association[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Association[i].namespace
Navigable Owned End	navigableOwnedEnd	Property[]	Association	$Association[i].navigableOwnedEnd
objectParent	objectParent	BaseElement	BaseElement	$Association[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Association[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Association[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Association[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned End	ownedEnd	Property[]	Association	$Association[i].ownedEnd
Owned Member	ownedMember	NamedElement[]	Namespace	$Association[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Association[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Association[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Association[i].ownedUseCase
Owner	owner	Element	Element	$Association[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Association[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Association[i].owningTemplateParameter
Package	package	Package	Type	$Association[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Association[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Association[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Association[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Association[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Association[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Association[i].redefinitionContext
Related Element	relatedElement	Element[]	Relationship	$Association[i].relatedElement
Representation	representation	CollaborationUse	Classifier	$Association[i].representation
Substitution	substitution	Substitution[]	Classifier	$Association[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Association[i].supplierDependency
Sync Element	syncElement	Element	Element	$Association[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Association[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Association[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Association[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Association[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Association[i].visibility

20. AssociationClass

Generalization

- Association
- Class

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$AssociationClass[i].ID
Class	UMLClass	Class	Classifier	$AssociationClass[i].UMLClass
Is Abstract	abstract	boolean	Class	$AssociationClass[i].abstract

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Active	active	boolean	Class	$AssociationClass[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$AssociationClass[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$AssociationClass[i].attribute
classType	classType	Class	BaseElement	$AssociationClass[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$AssociationClass[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$AssociationClass[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$AssociationClass[i].collaborationUse
Is Derived	derived	boolean	Association	$AssociationClass[i].derived
isEditable	editable	boolean	BaseElement	$AssociationClass[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$AssociationClass[i].elementImport
End Type	endType	Type[]	Association	$AssociationClass[i].endType
Extension	extension	Extension[]	Class	$AssociationClass[i].extension
Feature	feature	Feature[]	Classifier	$AssociationClass[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$AssociationClass[i].finalSpecialization
General	general	Classifier[]	Classifier	$AssociationClass[i].general
Generalization	generalization	Generalization[]	Classifier	$AssociationClass[i].generalization
humanName	humanName	String	BaseElement	$AssociationClass[i].humanName
humanType	humanType	String	BaseElement	$AssociationClass[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$AssociationClass[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$AssociationClass[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$AssociationClass[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$AssociationClass[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$AssociationClass[i].leaf
localID	localID	String	ModelObject	$AssociationClass[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$AssociationClass[i].mdExtensions
Member	member	NamedElement[]	Namespace	$AssociationClass[i].member
Member End	memberEnd	Property[]	Association	$AssociationClass[i].memberEnd
Name	name	String	NamedElement	$AssociationClass[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$AssociationClass[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$AssociationClass[i].namespace
Navigable Owned End	navigableOwnedEnd	Property[]	Association	$AssociationClass[i].navigableOwnedEnd
Nested Classifier	nestedClassifier	Classifier[]	Class	$AssociationClass[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$AssociationClass[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Class	$AssociationClass[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$AssociationClass[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$AssociationClass[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$AssociationClass[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$AssociationClass[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$AssociationClass[i].ownedElement
Owned End	ownedEnd	Property[]	Association	$AssociationClass[i].ownedEnd

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Member	ownedMember	NamedElement[]	Namespace	$AssociationClass[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$AssociationClass[i].ownedOperation
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$AssociationClass[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$AssociationClass[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$AssociationClass[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$AssociationClass[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$AssociationClass[i].ownedUseCase
Owner	owner	Element	Element	$AssociationClass[i].owner
Owning Package	owningPackage	Package	PackageableElement	$AssociationClass[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$AssociationClass[i].owningTemplateParameter
Package	package	Package	Type	$AssociationClass[i].package
Package Import	packageImport	PackageImport[]	Namespace	$AssociationClass[i].packageImport
Part	part	Property[]	StructuredClassifier	$AssociationClass[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$AssociationClass[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$AssociationClass[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$AssociationClass[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$AssociationClass[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$AssociationClass[i].redefinitionContext
Related Element	relatedElement	Element[]	Relationship	$AssociationClass[i].relatedElement
Representation	representation	CollaborationUse	Classifier	$AssociationClass[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$AssociationClass[i].role
Substitution	substitution	Substitution[]	Classifier	$AssociationClass[i].substitution
Super Class	superClass	Class[]	Class	$AssociationClass[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$AssociationClass[i].supplierDependency
Sync Element	syncElement	Element	Element	$AssociationClass[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$AssociationClass[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$AssociationClass[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$AssociationClass[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$AssociationClass[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$AssociationClass[i].visibility

21. Behavior

Generalization

- Class

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Behavior[i].ID
Class	UMLClass	Class	Classifier	$Behavior[i].UMLClass
Is Abstract	abstract	boolean	Class	$Behavior[i].abstract
Is Active	active	boolean	Class	$Behavior[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Behavior[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Behavior[i].attribute
classType	classType	Class	BaseElement	$Behavior[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Behavior[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Behavior[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Behavior[i].collaborationUse
Context	context	BehavioredClassifier	Behavior	$Behavior[i].context
isEditable	editable	boolean	BaseElement	$Behavior[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Behavior[i].elementImport
Event	event	Event[]	Behavior	$Behavior[i].event
Extension	extension	Extension[]	Class	$Behavior[i].extension
Feature	feature	Feature[]	Classifier	$Behavior[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Behavior[i].finalSpecialization
General	general	Classifier[]	Classifier	$Behavior[i].general
Generalization	generalization	Generalization[]	Classifier	$Behavior[i].generalization
humanName	humanName	String	BaseElement	$Behavior[i].humanName
humanType	humanType	String	BaseElement	$Behavior[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Behavior[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Behavior[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Behavior[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Behavior[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Behavior[i].leaf
localID	localID	String	ModelObject	$Behavior[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Behavior[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Behavior[i].member
Name	name	String	NamedElement	$Behavior[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Behavior[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Behavior[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Behavior[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$Behavior[i].objectParent
Observation	observation	Observation[]	Behavior	$Behavior[i].observation
Owned Attribute	ownedAttribute	Property[]	Class	$Behavior[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Behavior[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Behavior[i].ownedComment

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Behavior[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Behavior[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Behavior[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Behavior[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Behavior[i].ownedOperation
Owned Parameter	ownedParameter	Parameter[]	Behavior	$Behavior[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	Behavior	$Behavior[i].ownedParameterSet
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Behavior[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$Behavior[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Behavior[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Behavior[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Behavior[i].ownedUseCase
Owner	owner	Element	Element	$Behavior[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Behavior[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Behavior[i].owningTemplateParameter
Package	package	Package	Type	$Behavior[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Behavior[i].packageImport
Part	part	Property[]	StructuredClassifier	$Behavior[i].part
Postcondition	postcondition	Constraint[]	Behavior	$Behavior[i].postcondition
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Behavior[i].powertypeExtent
Precondition	precondition	Constraint[]	Behavior	$Behavior[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$Behavior[i].qualifiedName
Redefined Behavior	redefinedBehavior	Behavior[]	Behavior	$Behavior[i].redefinedBehavior
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Behavior[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Behavior[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Behavior[i].redefinitionContext
Is Reentrant	reentrant	boolean	Behavior	$Behavior[i].reentrant
Representation	representation	CollaborationUse	Classifier	$Behavior[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Behavior[i].role
Specification	specification	BehavioralFeature	Behavior	$Behavior[i].specification
Substitution	substitution	Substitution[]	Classifier	$Behavior[i].substitution
Super Class	superClass	Class[]	Class	$Behavior[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Behavior[i].supplierDependency
Sync Element	syncElement	Element	Element	$Behavior[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Behavior[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Behavior[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Behavior[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Behavior[i].useCase

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	PackageableElement	$Behavior[i].visibility

22. BehavioralFeature

Generalization

- Feature
- Namespace

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$BehavioralFeature[i].ID
Is Abstract	abstract	boolean	BehavioralFeature	$BehavioralFeature[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$BehavioralFeature[i].appliedStereotype
classType	classType	Class	BaseElement	$BehavioralFeature[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$BehavioralFeature[i].clientDependency
Concurrency	concurrency	CallConcurrencyKind	BehavioralFeature	$BehavioralFeature[i].concurrency
isEditable	editable	boolean	BaseElement	$BehavioralFeature[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$BehavioralFeature[i].elementImport
Featuring Classifier	featuringClassifier	Classifier	Feature	$BehavioralFeature[i].featuringClassifier
humanName	humanName	String	BaseElement	$BehavioralFeature[i].humanName
humanType	humanType	String	BaseElement	$BehavioralFeature[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$BehavioralFeature[i].importedMember
isInvalid	invalid	boolean	ModelObject	$BehavioralFeature[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$BehavioralFeature[i].leaf
localID	localID	String	ModelObject	$BehavioralFeature[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$BehavioralFeature[i].mdExtensions
Member	member	NamedElement[]	Namespace	$BehavioralFeature[i].member
Method	method	Behavior[]	BehavioralFeature	$BehavioralFeature[i].method
Name	name	String	NamedElement	$BehavioralFeature[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$BehavioralFeature[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$BehavioralFeature[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$BehavioralFeature[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$BehavioralFeature[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$BehavioralFeature[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$BehavioralFeature[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$BehavioralFeature[i].ownedMember
Owned Parameter	ownedParameter	Parameter[]	BehavioralFeature	$BehavioralFeature[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	BehavioralFeature	$BehavioralFeature[i].ownedParameterSet
Owned Rule	ownedRule	Constraint[]	Namespace	$BehavioralFeature[i].ownedRule

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$BehavioralFeature[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$BehavioralFeature[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$BehavioralFeature[i].qualifiedName
Raised Exception	raisedException	Type[]	BehavioralFeature	$BehavioralFeature[i].raisedException
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$BehavioralFeature[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$BehavioralFeature[i].redefinitionContext
Is Static	static	boolean	Feature	$BehavioralFeature[i].static
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$BehavioralFeature[i].supplierDependency
Sync Element	syncElement	Element	Element	$BehavioralFeature[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$BehavioralFeature[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$BehavioralFeature[i].visibility

23. BehavioredClassifier

Generalization

- Classifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$BehavioredClassifier[i].ID
Class	UMLClass	Class	Classifier	$BehavioredClassifier[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$BehavioredClassifier[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$BehavioredClassifier[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$BehavioredClassifier[i].attribute
classType	classType	Class	BaseElement	$BehavioredClassifier[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$BehavioredClassifier[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$BehavioredClassifier[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$BehavioredClassifier[i].collaborationUse
isEditable	editable	boolean	BaseElement	$BehavioredClassifier[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$BehavioredClassifier[i].elementImport
Feature	feature	Feature[]	Classifier	$BehavioredClassifier[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$BehavioredClassifier[i].finalSpecialization
General	general	Classifier[]	Classifier	$BehavioredClassifier[i].general
Generalization	generalization	Generalization[]	Classifier	$BehavioredClassifier[i].generalization
humanName	humanName	String	BaseElement	$BehavioredClassifier[i].humanName
humanType	humanType	String	BaseElement	$BehavioredClassifier[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$BehavioredClassifier[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$BehavioredClassifier[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$BehavioredClassifier[i].interfaceRealization

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$BehavioredClassifier[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$BehavioredClassifier[i].leaf
localID	localID	String	ModelObject	$BehavioredClassifier[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$BehavioredClassifier[i].mdExtensions
Member	member	NamedElement[]	Namespace	$BehavioredClassifier[i].member
Name	name	String	NamedElement	$BehavioredClassifier[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$BehavioredClassifier[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$BehavioredClassifier[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$BehavioredClassifier[i].objectParent
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$BehavioredClassifier[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$BehavioredClassifier[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$BehavioredClassifier[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$BehavioredClassifier[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$BehavioredClassifier[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$BehavioredClassifier[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$BehavioredClassifier[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$BehavioredClassifier[i].ownedUseCase
Owner	owner	Element	Element	$BehavioredClassifier[i].owner
Owning Package	owningPackage	Package	PackageableElement	$BehavioredClassifier[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$BehavioredClassifier[i].owningTemplateParameter
Package	package	Package	Type	$BehavioredClassifier[i].package
Package Import	packageImport	PackageImport[]	Namespace	$BehavioredClassifier[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$BehavioredClassifier[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$BehavioredClassifier[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$BehavioredClassifier[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$BehavioredClassifier[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$BehavioredClassifier[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$BehavioredClassifier[i].representation
Substitution	substitution	Substitution[]	Classifier	$BehavioredClassifier[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$BehavioredClassifier[i].supplierDependency
Sync Element	syncElement	Element	Element	$BehavioredClassifier[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$BehavioredClassifier[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$BehavioredClassifier[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$BehavioredClassifier[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$BehavioredClassifier[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$BehavioredClassifier[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

24. BehaviorExecutionSpecification

Generalization

- ExecutionSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$BehaviorExecutionSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$BehaviorExecutionSpecification[i].appliedStereotype
Behavior	behavior	Behavior	BehaviorExecutionSpecification	$BehaviorExecutionSpecification[i].behavior
classType	classType	Class	BaseElement	$BehaviorExecutionSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$BehaviorExecutionSpecification[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$BehaviorExecutionSpecification[i].covered
isEditable	editable	boolean	BaseElement	$BehaviorExecutionSpecification[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$BehaviorExecutionSpecification[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$BehaviorExecutionSpecification[i].enclosingOperand
Finish	finish	OccurrenceSpecification	ExecutionSpecification	$BehaviorExecutionSpecification[i].finish
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$BehaviorExecutionSpecification[i].generalOrdering
humanName	humanName	String	BaseElement	$BehaviorExecutionSpecification[i].humanName
humanType	humanType	String	BaseElement	$BehaviorExecutionSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$BehaviorExecutionSpecification[i].invalid
localID	localID	String	ModelObject	$BehaviorExecutionSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$BehaviorExecutionSpecification[i].mdExtensions
Name	name	String	NamedElement	$BehaviorExecutionSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$BehaviorExecutionSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$BehaviorExecutionSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$BehaviorExecutionSpecification[i].objectParent

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Comment	ownedComment	Comment[]	Element	$BehaviorExecutionSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$BehaviorExecutionSpecification[i].ownedElement
Owner	owner	Element	Element	$BehaviorExecutionSpecification[i].owner
Qualified Name	qualifiedName	String	NamedElement	$BehaviorExecutionSpecification[i].qualifiedName
Start	start	OccurrenceSpecification	ExecutionSpecification	$BehaviorExecutionSpecification[i].start
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$BehaviorExecutionSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$BehaviorExecutionSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$BehaviorExecutionSpecification[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$BehaviorExecutionSpecification[i].visibility

25. BooleanTaggedValue

Generalization

- TaggedValue

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$BooleanTaggedValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$BooleanTaggedValue[i].appliedStereotype
classType	classType	Class	BaseElement	$BooleanTaggedValue[i].classType
isEditable	editable	boolean	BaseElement	$BooleanTaggedValue[i].editable
humanName	humanName	String	BaseElement	$BooleanTaggedValue[i].humanName
humanType	humanType	String	BaseElement	$BooleanTaggedValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$BooleanTaggedValue[i].invalid
localID	localID	String	ModelObject	$BooleanTaggedValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$BooleanTaggedValue[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$BooleanTaggedValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$BooleanTaggedValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$BooleanTaggedValue[i].ownedElement
Owner	owner	Element	Element	$BooleanTaggedValue[i].owner
Sync Element	syncElement	Element	Element	$BooleanTaggedValue[i].syncElement
Tag Definition	tagDefinition	Property	TaggedValue	$BooleanTaggedValue[i].tagDefinition
Tagged Value	taggedValue	TaggedValue[]	Element	$BooleanTaggedValue[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Tagged Value Owner	taggedValueOwner	Element	TaggedValue	$BooleanTaggedValue[i].taggedValueOwner
Value	value	Boolean[]	BooleanTaggedValue	$BooleanTaggedValue[i].value

26. BroadcastSignalAction

Generalization

- InvocationAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$BroadcastSignalAction[i].ID
Activity	activity	Activity	ActivityNode	$BroadcastSignalAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$BroadcastSignalAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$BroadcastSignalAction[i].argument
classType	classType	Class	BaseElement	$BroadcastSignalAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$BroadcastSignalAction[i].clientDependency
Context	context	Classifier	Action	$BroadcastSignalAction[i].context
isEditable	editable	boolean	BaseElement	$BroadcastSignalAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$BroadcastSignalAction[i].handler
humanName	humanName	String	BaseElement	$BroadcastSignalAction[i].humanName
humanType	humanType	String	BaseElement	$BroadcastSignalAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$BroadcastSignalAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$BroadcastSignalAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$BroadcastSignalAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$BroadcastSignalAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$BroadcastSignalAction[i].incoming
Input	input	InputPin[]	Action	$BroadcastSignalAction[i].input
isInvalid	invalid	boolean	ModelObject	$BroadcastSignalAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$BroadcastSignalAction[i].leaf
localID	localID	String	ModelObject	$BroadcastSignalAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$BroadcastSignalAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$BroadcastSignalAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$BroadcastSignalAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$BroadcastSignalAction[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name	name	String	NamedElement	$BroadcastSignalAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$BroadcastSignalAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$BroadcastSignalAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$BroadcastSignalAction[i].objectParent
On Port	onPort	Port	InvocationAction	$BroadcastSignalAction[i].onPort
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$BroadcastSignalAction[i].outgoing
Output	output	OutputPin[]	Action	$BroadcastSignalAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$BroadcastSignalAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$BroadcastSignalAction[i].ownedElement
Owner	owner	Element	Element	$BroadcastSignalAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$BroadcastSignalAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$BroadcastSignalAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$BroadcastSignalAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$BroadcastSignalAction[i].redefinitionContext
Signal	signal	Signal	BroadcastSignalAction	$BroadcastSignalAction[i].signal
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$BroadcastSignalAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$BroadcastSignalAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$BroadcastSignalAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$BroadcastSignalAction[i].visibility

27. CallAction

Generalization

- InvocationAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CallAction[i].ID
Activity	activity	Activity	ActivityNode	$CallAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CallAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$CallAction[i].argument
classType	classType	Class	BaseElement	$CallAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CallAction[i].clientDependency
Context	context	Classifier	Action	$CallAction[i].context
isEditable	editable	boolean	BaseElement	$CallAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$CallAction[i].handler
humanName	humanName	String	BaseElement	$CallAction[i].humanName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanType	humanType	String	BaseElement	$CallAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$CallAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$CallAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$CallAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$CallAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$CallAction[i].incoming
Input	input	InputPin[]	Action	$CallAction[i].input
isInvalid	invalid	boolean	ModelObject	$CallAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CallAction[i].leaf
localID	localID	String	ModelObject	$CallAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$CallAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$CallAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$CallAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CallAction[i].mdExtensions
Name	name	String	NamedElement	$CallAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CallAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CallAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CallAction[i].objectParent
On Port	onPort	Port	InvocationAction	$CallAction[i].onPort
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$CallAction[i].outgoing
Output	output	OutputPin[]	Action	$CallAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$CallAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CallAction[i].ownedElement
Owner	owner	Element	Element	$CallAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CallAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CallAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$CallAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CallAction[i].redefinitionContext
Result	result	OutputPin[]	CallAction	$CallAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CallAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$CallAction[i].syncElement
Is Synchronous	synchronous	boolean	CallAction	$CallAction[i].synchronous
Tagged Value	taggedValue	TaggedValue[]	Element	$CallAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$CallAction[i].visibility

28. CallBehaviorAction

Generalization

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

- CallAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CallBehaviorAction[i].ID
Activity	activity	Activity	ActivityNode	$CallBehaviorAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CallBehaviorAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$CallBehaviorAction[i].argument
Behavior	behavior	Behavior	CallBehaviorAction	$CallBehaviorAction[i].behavior
classType	classType	Class	BaseElement	$CallBehaviorAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CallBehaviorAction[i].clientDependency
Context	context	Classifier	Action	$CallBehaviorAction[i].context
isEditable	editable	boolean	BaseElement	$CallBehaviorAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$CallBehaviorAction[i].handler
humanName	humanName	String	BaseElement	$CallBehaviorAction[i].humanName
humanType	humanType	String	BaseElement	$CallBehaviorAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$CallBehaviorAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$CallBehaviorAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$CallBehaviorAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$CallBehaviorAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$CallBehaviorAction[i].incoming
Input	input	InputPin[]	Action	$CallBehaviorAction[i].input
isInvalid	invalid	boolean	ModelObject	$CallBehaviorAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CallBehaviorAction[i].leaf
localID	localID	String	ModelObject	$CallBehaviorAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$CallBehaviorAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$CallBehaviorAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$CallBehaviorAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CallBehaviorAction[i].mdExtensions
Name	name	String	NamedElement	$CallBehaviorAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CallBehaviorAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CallBehaviorAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CallBehaviorAction[i].objectParent
On Port	onPort	Port	InvocationAction	$CallBehaviorAction[i].onPort
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$CallBehaviorAction[i].outgoing
Output	output	OutputPin[]	Action	$CallBehaviorAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$CallBehaviorAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CallBehaviorAction[i].ownedElement
Owner	owner	Element	Element	$CallBehaviorAction[i].owner

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Qualified Name	qualifiedName	String	NamedElement	$CallBehaviorAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CallBehaviorAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$CallBehaviorAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CallBehaviorAction[i].redefinitionContext
Result	result	OutputPin[]	CallAction	$CallBehaviorAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CallBehaviorAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$CallBehaviorAction[i].syncElement
Is Synchronous	synchronous	boolean	CallAction	$CallBehaviorAction[i].synchronous
Tagged Value	taggedValue	TaggedValue[]	Element	$CallBehaviorAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$CallBehaviorAction[i].visibility

29. CallEvent

Generalization

- MessageEvent

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CallEvent[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CallEvent[i].appliedStereotype
Behavior	behavior	Behavior	Event	$CallEvent[i].behavior
classType	classType	Class	BaseElement	$CallEvent[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CallEvent[i].clientDependency
isEditable	editable	boolean	BaseElement	$CallEvent[i].editable
humanName	humanName	String	BaseElement	$CallEvent[i].humanName
humanType	humanType	String	BaseElement	$CallEvent[i].humanType
isInvalid	invalid	boolean	ModelObject	$CallEvent[i].invalid
localID	localID	String	ModelObject	$CallEvent[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CallEvent[i].mdExtensions
Name	name	String	NamedElement	$CallEvent[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CallEvent[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CallEvent[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CallEvent[i].objectParent
Operation	operation	Operation	CallEvent	$CallEvent[i].operation
Owned Comment	ownedComment	Comment[]	Element	$CallEvent[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CallEvent[i].ownedElement
Owner	owner	Element	Element	$CallEvent[i].owner
Owning Package	owningPackage	Package	PackageableElement	$CallEvent[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$CallEvent[i].owningTemplateParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Qualified Name	qualifiedName	String	NamedElement	$CallEvent[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CallEvent[i].supplierDependency
Sync Element	syncElement	Element	Element	$CallEvent[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CallEvent[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$CallEvent[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$CallEvent[i].visibility

30. CallOperationAction

Generalization

- CallAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CallOperationAction[i].ID
Activity	activity	Activity	ActivityNode	$CallOperationAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CallOperationAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$CallOperationAction[i].argument
classType	classType	Class	BaseElement	$CallOperationAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CallOperationAction[i].clientDependency
Context	context	Classifier	Action	$CallOperationAction[i].context
isEditable	editable	boolean	BaseElement	$CallOperationAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$CallOperationAction[i].handler
humanName	humanName	String	BaseElement	$CallOperationAction[i].humanName
humanType	humanType	String	BaseElement	$CallOperationAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$CallOperationAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$CallOperationAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$CallOperationAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$CallOperationAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$CallOperationAction[i].incoming
Input	input	InputPin[]	Action	$CallOperationAction[i].input
isInvalid	invalid	boolean	ModelObject	$CallOperationAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CallOperationAction[i].leaf
localID	localID	String	ModelObject	$CallOperationAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$CallOperationAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$CallOperationAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$CallOperationAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CallOperationAction[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name	name	String	NamedElement	$CallOperationAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CallOperationAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CallOperationAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CallOperationAction[i].objectParent
On Port	onPort	Port	InvocationAction	$CallOperationAction[i].onPort
Operation	operation	Operation	CallOperationAction	$CallOperationAction[i].operation
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$CallOperationAction[i].outgoing
Output	output	OutputPin[]	Action	$CallOperationAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$CallOperationAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CallOperationAction[i].ownedElement
Owner	owner	Element	Element	$CallOperationAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CallOperationAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CallOperationAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$CallOperationAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CallOperationAction[i].redefinitionContext
Result	result	OutputPin[]	CallAction	$CallOperationAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CallOperationAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$CallOperationAction[i].syncElement
Is Synchronous	synchronous	boolean	CallAction	$CallOperationAction[i].synchronous
Tagged Value	taggedValue	TaggedValue[]	Element	$CallOperationAction[i].taggedValue
Target	target	InputPin	CallOperationAction	$CallOperationAction[i].target
Visibility	visibility	VisibilityKind	NamedElement	$CallOperationAction[i].visibility

31. CentralBufferNode

Generalization

- ObjectNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CentralBufferNode[i].ID
Activity	activity	Activity	ActivityNode	$CentralBufferNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CentralBufferNode[i].appliedStereotype
classType	classType	Class	BaseElement	$CentralBufferNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CentralBufferNode[i].clientDependency
Is Control Type	controlType	boolean	ObjectNode	$CentralBufferNode[i].controlType
isEditable	editable	boolean	BaseElement	$CentralBufferNode[i].editable
humanName	humanName	String	BaseElement	$CentralBufferNode[i].humanName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanType	humanType	String	BaseElement	$CentralBufferNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$CentralBufferNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$CentralBufferNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$CentralBufferNode[i].inPartition
In State	inState	State[]	ObjectNode	$CentralBufferNode[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$CentralBufferNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$CentralBufferNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$CentralBufferNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CentralBufferNode[i].leaf
localID	localID	String	ModelObject	$CentralBufferNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CentralBufferNode[i].mdExtensions
Name	name	String	NamedElement	$CentralBufferNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CentralBufferNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CentralBufferNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CentralBufferNode[i].objectParent
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$CentralBufferNode[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$CentralBufferNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$CentralBufferNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CentralBufferNode[i].ownedElement
Owner	owner	Element	Element	$CentralBufferNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CentralBufferNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CentralBufferNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$CentralBufferNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CentralBufferNode[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$CentralBufferNode[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CentralBufferNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$CentralBufferNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CentralBufferNode[i].taggedValue
Type	type	Type	TypedElement	$CentralBufferNode[i].type
Upper Bound	upperBound	ValueSpecification	ObjectNode	$CentralBufferNode[i].upperBound
Visibility	visibility	VisibilityKind	NamedElement	$CentralBufferNode[i].visibility

32. ChangeEvent

Generalization

- Event

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

			Owner)	
ID	ID	String	MDObject	$ChangeEvent[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ChangeEvent[i].appliedStereotype
Behavior	behavior	Behavior	Event	$ChangeEvent[i].behavior
Change Expression	changeExpression	ValueSpecification	ChangeEvent	$ChangeEvent[i].changeExpression
classType	classType	Class	BaseElement	$ChangeEvent[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ChangeEvent[i].clientDependency
isEditable	editable	boolean	BaseElement	$ChangeEvent[i].editable
humanName	humanName	String	BaseElement	$ChangeEvent[i].humanName
humanType	humanType	String	BaseElement	$ChangeEvent[i].humanType
isInvalid	invalid	boolean	ModelObject	$ChangeEvent[i].invalid
localID	localID	String	ModelObject	$ChangeEvent[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ChangeEvent[i].mdExtensions
Name	name	String	NamedElement	$ChangeEvent[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ChangeEvent[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ChangeEvent[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ChangeEvent[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ChangeEvent[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ChangeEvent[i].ownedElement
Owner	owner	Element	Element	$ChangeEvent[i].owner
Owning Package	owningPackage	Package	PackageableElement	$ChangeEvent[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ChangeEvent[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$ChangeEvent[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ChangeEvent[i].supplierDependency
Sync Element	syncElement	Element	Element	$ChangeEvent[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ChangeEvent[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$ChangeEvent[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$ChangeEvent[i].visibility

33. Class

Generalization

- BehavioredClassifier
- EncapsulatedClassifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Class[i].ID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Class	UMLClass	Class	Classifier	$Class[i].UMLClass
Is Abstract	abstract	boolean	Class	$Class[i].abstract
Is Active	active	boolean	Class	$Class[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Class[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Class[i].attribute
classType	classType	Class	BaseElement	$Class[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Class[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Class[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Class[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Class[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Class[i].elementImport
Extension	extension	Extension[]	Class	$Class[i].extension
Feature	feature	Feature[]	Classifier	$Class[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Class[i].finalSpecialization
General	general	Classifier[]	Classifier	$Class[i].general
Generalization	generalization	Generalization[]	Classifier	$Class[i].generalization
humanName	humanName	String	BaseElement	$Class[i].humanName
humanType	humanType	String	BaseElement	$Class[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Class[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Class[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Class[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Class[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Class[i].leaf
localID	localID	String	ModelObject	$Class[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Class[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Class[i].member
Name	name	String	NamedElement	$Class[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Class[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Class[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Class[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$Class[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Class	$Class[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Class[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Class[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Class[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Class[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Class[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Class[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Class[i].ownedOperation
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Class[i].ownedPort

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Reception	ownedReception	Reception[]	Class	$Class[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Class[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Class[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Class[i].ownedUseCase
Owner	owner	Element	Element	$Class[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Class[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Class[i].owningTemplateParameter
Package	package	Package	Type	$Class[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Class[i].packageImport
Part	part	Property[]	StructuredClassifier	$Class[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Class[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Class[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Class[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Class[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Class[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Class[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Class[i].role
Substitution	substitution	Substitution[]	Classifier	$Class[i].substitution
Super Class	superClass	Class[]	Class	$Class[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Class[i].supplierDependency
Sync Element	syncElement	Element	Element	$Class[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Class[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Class[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Class[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Class[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Class[i].visibility

34. Classifier

Generalization

- Namespace
- RedefinableElement
- TemplateableElement
- Type

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

ID	ID	String	MDObject	$Classifier[i].ID
Class	UMLClass	Class	Classifier	$Classifier[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Classifier[i].isAbstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Classifier[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Classifier[i].attribute
classType	classType	Class	BaseElement	$Classifier[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Classifier[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Classifier[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Classifier[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Classifier[i].elementImport
Feature	feature	Feature[]	Classifier	$Classifier[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Classifier[i].finalSpecialization
General	general	Classifier[]	Classifier	$Classifier[i].general
Generalization	generalization	Generalization[]	Classifier	$Classifier[i].generalization
humanName	humanName	String	BaseElement	$Classifier[i].humanName
humanType	humanType	String	BaseElement	$Classifier[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Classifier[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Classifier[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$Classifier[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Classifier[i].leaf
localID	localID	String	ModelObject	$Classifier[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Classifier[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Classifier[i].member
Name	name	String	NamedElement	$Classifier[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Classifier[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Classifier[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Classifier[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Classifier[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Classifier[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Classifier[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Classifier[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Classifier[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Classifier[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Classifier[i].ownedUseCase
Owner	owner	Element	Element	$Classifier[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Classifier[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Classifier[i].owningTemplateParameter
Package	package	Package	Type	$Classifier[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Classifier[i].packageImport

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Classifier[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Classifier[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Classifier[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Classifier[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Classifier[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Classifier[i].representation
Substitution	substitution	Substitution[]	Classifier	$Classifier[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Classifier[i].supplierDependency
Sync Element	syncElement	Element	Element	$Classifier[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Classifier[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Classifier[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Classifier[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Classifier[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Classifier[i].visibility

35. ClassifierTemplateParameter

Generalization

- TemplateParameter

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ClassifierTemplateParameter[i].ID
isAllowSubstitutable	allowSubstitutable	boolean	ClassifierTemplateParameter	$ClassifierTemplateParameter[i].allowSubstitutable
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ClassifierTemplateParameter[i].appliedStereotype
classType	classType	Class	BaseElement	$ClassifierTemplateParameter[i].classType
Constraining Classifier	constrainingClassifier	Classifier[]	ClassifierTemplateParameter	$ClassifierTemplateParameter[i].constrainingClassifier
Default	default	ParameterableElement	TemplateParameter	$ClassifierTemplateParameter[i].default
isEditable	editable	boolean	BaseElement	$ClassifierTemplateParameter[i].editable
humanName	humanName	String	BaseElement	$ClassifierTemplateParameter[i].humanName
humanType	humanType	String	BaseElement	$ClassifierTemplateParameter[i].humanType
isInvalid	invalid	boolean	ModelObject	$ClassifierTemplateParameter[i].invalid
localID	localID	String	ModelObject	$ClassifierTemplateParameter[i].localID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

mdExtensions	mdExtensions	MDExtension[]	MDObject	$ClassifierTemplateParameter[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ClassifierTemplateParameter[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ClassifierTemplateParameter[i].ownedComment
Owned Default	ownedDefault	ParameterableElement	TemplateParameter	$ClassifierTemplateParameter[i].ownedDefault
Owned Element	ownedElement	Element[]	Element	$ClassifierTemplateParameter[i].ownedElement
Owned Parametered Element	ownedParameteredElement	ParameterableElement	TemplateParameter	$ClassifierTemplateParameter[i].ownedParameteredElement
Owner	owner	Element	Element	$ClassifierTemplateParameter[i].owner
Parametered Element	parameteredElement	Classifier	ClassifierTemplateParameter	$ClassifierTemplateParameter[i].parameteredElement
Signature	signature	TemplateSignature	TemplateParameter	$ClassifierTemplateParameter[i].signature
Sync Element	syncElement	Element	Element	$ClassifierTemplateParameter[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ClassifierTemplateParameter[i].taggedValue

36. Clause

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Clause[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Clause[i].appliedStereotype
Body	body	ExecutableNode[]	Clause	$Clause[i].body
Body Output	bodyOutput	OutputPin[]	Clause	$Clause[i].bodyOutput
classType	classType	Class	BaseElement	$Clause[i].classType
Decider	decider	OutputPin	Clause	$Clause[i].decider
isEditable	editable	boolean	BaseElement	$Clause[i].editable
humanName	humanName	String	BaseElement	$Clause[i].humanName
humanType	humanType	String	BaseElement	$Clause[i].humanType
isInvalid	invalid	boolean	ModelObject	$Clause[i].invalid
localID	localID	String	ModelObject	$Clause[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Clause[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

objectParent	objectParent	BaseElement	BaseElement	$Clause[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Clause[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Clause[i].ownedElement
Owner	owner	Element	Element	$Clause[i].owner
Predecessor Clause	predecessorClause	Clause[]	Clause	$Clause[i].predecessorClause
Successor Clause	successorClause	Clause[]	Clause	$Clause[i].successorClause
Sync Element	syncElement	Element	Element	$Clause[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Clause[i].taggedValue
Test	test	ExecutableNode[]	Clause	$Clause[i].test

37. ClearAssociationAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ClearAssociationAction[i].ID
Activity	activity	Activity	ActivityNode	$ClearAssociationAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ClearAssociationAction[i].appliedStereotype
Association	association	Association	ClearAssociationAction	$ClearAssociationAction[i].association
classType	classType	Class	BaseElement	$ClearAssociationAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ClearAssociationAction[i].clientDependency
Context	context	Classifier	Action	$ClearAssociationAction[i].context
isEditable	editable	boolean	BaseElement	$ClearAssociationAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ClearAssociationAction[i].handler
humanName	humanName	String	BaseElement	$ClearAssociationAction[i].humanName
humanType	humanType	String	BaseElement	$ClearAssociationAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ClearAssociationAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ClearAssociationAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ClearAssociationAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ClearAssociationAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ClearAssociationAction[i].incoming
Input	input	InputPin[]	Action	$ClearAssociationAction[i].input
isInvalid	invalid	boolean	ModelObject	$ClearAssociationAction[i].invalid

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Leaf	leaf	boolean	RedefinableElement	$ClearAssociationAction[i].leaf
localID	localID	String	ModelObject	$ClearAssociationAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ClearAssociationAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ClearAssociationAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ClearAssociationAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ClearAssociationAction[i].mdExtensions
Name	name	String	NamedElement	$ClearAssociationAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ClearAssociationAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ClearAssociationAction[i].namespace
Object	object	InputPin	ClearAssociationAction	$ClearAssociationAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$ClearAssociationAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ClearAssociationAction[i].outgoing
Output	output	OutputPin[]	Action	$ClearAssociationAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ClearAssociationAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ClearAssociationAction[i].ownedElement
Owner	owner	Element	Element	$ClearAssociationAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ClearAssociationAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ClearAssociationAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ClearAssociationAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ClearAssociationAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ClearAssociationAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ClearAssociationAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ClearAssociationAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ClearAssociationAction[i].visibility

38. ClearStructuralFeatureAction

Generalization

- StructuralFeatureAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ClearStructuralFeatureAction[i].ID
Activity	activity	Activity	ActivityNode	$ClearStructuralFeatureAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ClearStructuralFeatureAction[i].appliedSter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				eotype
classType	classType	Class	BaseElement	$ClearStructuralFeatureAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ClearStructuralFeatureAction[i].clientDependency
Context	context	Classifier	Action	$ClearStructuralFeatureAction[i].context
isEditable	editable	boolean	BaseElement	$ClearStructuralFeatureAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ClearStructuralFeatureAction[i].handler
humanName	humanName	String	BaseElement	$ClearStructuralFeatureAction[i].humanName
humanType	humanType	String	BaseElement	$ClearStructuralFeatureAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ClearStructuralFeatureAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ClearStructuralFeatureAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ClearStructuralFeatureAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ClearStructuralFeatureAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ClearStructuralFeatureAction[i].incoming
Input	input	InputPin[]	Action	$ClearStructuralFeatureAction[i].input
isInvalid	invalid	boolean	ModelObject	$ClearStructuralFeatureAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ClearStructuralFeatureAction[i].leaf
localID	localID	String	ModelObject	$ClearStructuralFeatureAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ClearStructuralFeatureAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ClearStructuralFeatureAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ClearStructuralFeatureAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ClearStructuralFeatureAction[i].mdExtensions
Name	name	String	NamedElement	$ClearStructuralFeatureAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ClearStructuralFeatureAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ClearStructuralFeatureAction[i].namespace
Object	object	InputPin	StructuralFeatureAction	$ClearStructuralFeatureAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$ClearStructuralFeatureAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ClearStructuralFeatureAction[i].outgoing
Output	output	OutputPin[]	Action	$ClearStructuralFeatureAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ClearStructuralFeatureAction[i].ownedCom

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ment
Owned Element	ownedElement	Element[]	Element	$ClearStructuralFeatureAction[i].ownedElement
Owner	owner	Element	Element	$ClearStructuralFeatureAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ClearStructuralFeatureAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ClearStructuralFeatureAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ClearStructuralFeatureAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ClearStructuralFeatureAction[i].redefinitionContext
Result	result	OutputPin	ClearStructuralFeatureAction	$ClearStructuralFeatureAction[i].result
Structural Feature	structuralFeature	StructuralFeature	StructuralFeatureAction	$ClearStructuralFeatureAction[i].structuralFeature
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ClearStructuralFeatureAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ClearStructuralFeatureAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ClearStructuralFeatureAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ClearStructuralFeatureAction[i].visibility

39. ClearVariableAction

Generalization

- VariableAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ClearVariableAction[i].ID
Activity	activity	Activity	ActivityNode	$ClearVariableAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ClearVariableAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ClearVariableAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ClearVariableAction[i].clientDependency
Context	context	Classifier	Action	$ClearVariableAction[i].context
isEditable	editable	boolean	BaseElement	$ClearVariableAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ClearVariableAction[i].handler
humanName	humanName	String	BaseElement	$ClearVariableAction[i].humanName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanType	humanType	String	BaseElement	$ClearVariableAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ClearVariableAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ClearVariableAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ClearVariableAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ClearVariableAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ClearVariableAction[i].incoming
Input	input	InputPin[]	Action	$ClearVariableAction[i].input
isInvalid	invalid	boolean	ModelObject	$ClearVariableAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ClearVariableAction[i].leaf
localID	localID	String	ModelObject	$ClearVariableAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ClearVariableAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ClearVariableAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ClearVariableAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ClearVariableAction[i].mdExtensions
Name	name	String	NamedElement	$ClearVariableAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ClearVariableAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ClearVariableAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ClearVariableAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ClearVariableAction[i].outgoing
Output	output	OutputPin[]	Action	$ClearVariableAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ClearVariableAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ClearVariableAction[i].ownedElement
Owner	owner	Element	Element	$ClearVariableAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ClearVariableAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ClearVariableAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ClearVariableAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ClearVariableAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ClearVariableAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ClearVariableAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ClearVariableAction[i].taggedValue
Variable	variable	Variable	VariableAction	$ClearVariableAction[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$ClearVariableAction[i].visibility

40. Collaboration

Generalization

- BehavioredClassifier
- StructuredClassifier

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Collaboration[i].ID
Class	UMLClass	Class	Classifier	$Collaboration[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Collaboration[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Collaboration[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Collaboration[i].attribute
classType	classType	Class	BaseElement	$Collaboration[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Collaboration[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Collaboration[i].clientDependency
Collaboration Role	collaborationRole	ConnectableElement[]	Collaboration	$Collaboration[i].collaborationRole
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Collaboration[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Collaboration[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Collaboration[i].elementImport
Feature	feature	Feature[]	Classifier	$Collaboration[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Collaboration[i].finalSpecialization
General	general	Classifier[]	Classifier	$Collaboration[i].general
Generalization	generalization	Generalization[]	Classifier	$Collaboration[i].generalization
humanName	humanName	String	BaseElement	$Collaboration[i].humanName
humanType	humanType	String	BaseElement	$Collaboration[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Collaboration[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Collaboration[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Collaboration[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Collaboration[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Collaboration[i].leaf
localID	localID	String	ModelObject	$Collaboration[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Collaboration[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Collaboration[i].member
Name	name	String	NamedElement	$Collaboration[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Collaboration[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Collaboration[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Collaboration[i].objectParent
Owned Attribute	ownedAttribute	Property[]	StructuredClassifier	$Collaboration[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Collaboration[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Collaboration[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Collaboration[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Collaboration[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Collaboration[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Collaboration[i].ownedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Rule	ownedRule	Constraint[]	Namespace	$Collaboration[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Collaboration[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Collaboration[i].ownedUseCase
Owner	owner	Element	Element	$Collaboration[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Collaboration[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Collaboration[i].owningTemplateParameter
Package	package	Package	Type	$Collaboration[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Collaboration[i].packageImport
Part	part	Property[]	StructuredClassifier	$Collaboration[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Collaboration[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Collaboration[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Collaboration[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Collaboration[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Collaboration[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Collaboration[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Collaboration[i].role
Substitution	substitution	Substitution[]	Classifier	$Collaboration[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Collaboration[i].supplierDependency
Sync Element	syncElement	Element	Element	$Collaboration[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Collaboration[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Collaboration[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Collaboration[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Collaboration[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Collaboration[i].visibility

41. CollaborationUse

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CollaborationUse[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CollaborationUse[i].appliedStereotype
classType	classType	Class	BaseElement	$CollaborationUse[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CollaborationUse[i].clientDependency
isEditable	editable	boolean	BaseElement	$CollaborationUse[i].editable

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanName	humanName	String	BaseElement	$CollaborationUse[i].humanName
humanType	humanType	String	BaseElement	$CollaborationUse[i].humanType
isInvalid	invalid	boolean	ModelObject	$CollaborationUse[i].invalid
localID	localID	String	ModelObject	$CollaborationUse[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CollaborationUse[i].mdExtensions
Name	name	String	NamedElement	$CollaborationUse[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CollaborationUse[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CollaborationUse[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CollaborationUse[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$CollaborationUse[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CollaborationUse[i].ownedElement
Owner	owner	Element	Element	$CollaborationUse[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CollaborationUse[i].qualifiedName
Role Binding	roleBinding	Dependency[]	CollaborationUse	$CollaborationUse[i].roleBinding
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CollaborationUse[i].supplierDependency
Sync Element	syncElement	Element	Element	$CollaborationUse[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CollaborationUse[i].taggedValue
Type	type	Collaboration	CollaborationUse	$CollaborationUse[i].type
Visibility	visibility	VisibilityKind	NamedElement	$CollaborationUse[i].visibility

42. com.nomagic.expressions.Operation

Generalization

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

43. CombinedFragment

Generalization

- InteractionFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CombinedFragment[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CombinedFragment[i].appliedStereotype
Cfragment Gate	cfragmentGate	Gate[]	CombinedFragment	$CombinedFragment[i].cfragmentGate
classType	classType	Class	BaseElement	$CombinedFragment[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Client Dependency	clientDependency	Dependency[]	NamedElement	$CombinedFragment[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$CombinedFragment[i].covered
isEditable	editable	boolean	BaseElement	$CombinedFragment[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$CombinedFragment[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$CombinedFragment[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$CombinedFragment[i].generalOrdering
humanName	humanName	String	BaseElement	$CombinedFragment[i].humanName
humanType	humanType	String	BaseElement	$CombinedFragment[i].humanType
Interaction Operator	interactionOperator	InteractionOperatorKind	CombinedFragment	$CombinedFragment[i].interactionOperator
isInvalid	invalid	boolean	ModelObject	$CombinedFragment[i].invalid
localID	localID	String	ModelObject	$CombinedFragment[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CombinedFragment[i].mdExtensions
Name	name	String	NamedElement	$CombinedFragment[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CombinedFragment[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CombinedFragment[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CombinedFragment[i].objectParent
Operand	operand	InteractionOperand[]	CombinedFragment	$CombinedFragment[i].operand
Owned Comment	ownedComment	Comment[]	Element	$CombinedFragment[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CombinedFragment[i].ownedElement
Owner	owner	Element	Element	$CombinedFragment[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CombinedFragment[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CombinedFragment[i].supplierDependency
Sync Element	syncElement	Element	Element	$CombinedFragment[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CombinedFragment[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$CombinedFragment[i].visibility

44. Comment

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Comment[i].ID
Annotated Element	annotatedElement	Element[]	Comment	$Comment[i].annotatedElement
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Comment[i].appliedStereotype
Body	body	String	Comment	$Comment[i].body
classType	classType	Class	BaseElement	$Comment[i].classType
isEditable	editable	boolean	BaseElement	$Comment[i].editable

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanName	humanName	String	BaseElement	$Comment[i].humanName
humanType	humanType	String	BaseElement	$Comment[i].humanType
isInvalid	invalid	boolean	ModelObject	$Comment[i].invalid
localID	localID	String	ModelObject	$Comment[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Comment[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$Comment[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Comment[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Comment[i].ownedElement
Owner	owner	Element	Element	$Comment[i].owner
Owning Element	owningElement	Element	Comment	$Comment[i].owningElement
Sync Element	syncElement	Element	Element	$Comment[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Comment[i].taggedValue

45. CommunicationPath

Generalization

- Association

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CommunicationPath[i].ID
Class	UMLClass	Class	Classifier	$CommunicationPath[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$CommunicationPath[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CommunicationPath[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$CommunicationPath[i].attribute
classType	classType	Class	BaseElement	$CommunicationPath[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CommunicationPath[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$CommunicationPath[i].collaborationUse
Is Derived	derived	boolean	Association	$CommunicationPath[i].derived
isEditable	editable	boolean	BaseElement	$CommunicationPath[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$CommunicationPath[i].elementImport
End Type	endType	Type[]	Association	$CommunicationPath[i].endType
Feature	feature	Feature[]	Classifier	$CommunicationPath[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$CommunicationPath[i].finalSpecialization
General	general	Classifier[]	Classifier	$CommunicationPath[i].general
Generalization	generalization	Generalization[]	Classifier	$CommunicationPath[i].generalization
humanName	humanName	String	BaseElement	$CommunicationPath[i].humanName
humanType	humanType	String	BaseElement	$CommunicationPath[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$CommunicationPath[i].importedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Inherited Member	inheritedMember	NamedElement[]	Classifier	$CommunicationPath[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$CommunicationPath[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CommunicationPath[i].leaf
localID	localID	String	ModelObject	$CommunicationPath[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CommunicationPath[i].mdExtensions
Member	member	NamedElement[]	Namespace	$CommunicationPath[i].member
Member End	memberEnd	Property[]	Association	$CommunicationPath[i].memberEnd
Name	name	String	NamedElement	$CommunicationPath[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CommunicationPath[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CommunicationPath[i].namespace
Navigable Owned End	navigableOwnedEnd	Property[]	Association	$CommunicationPath[i].navigableOwnedEnd
objectParent	objectParent	BaseElement	BaseElement	$CommunicationPath[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$CommunicationPath[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$CommunicationPath[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$CommunicationPath[i].ownedElement
Owned End	ownedEnd	Property[]	Association	$CommunicationPath[i].ownedEnd
Owned Member	ownedMember	NamedElement[]	Namespace	$CommunicationPath[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$CommunicationPath[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$CommunicationPath[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$CommunicationPath[i].ownedUseCase
Owner	owner	Element	Element	$CommunicationPath[i].owner
Owning Package	owningPackage	Package	PackageableElement	$CommunicationPath[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$CommunicationPath[i].owningTemplateParameter
Package	package	Package	Type	$CommunicationPath[i].package
Package Import	packageImport	PackageImport[]	Namespace	$CommunicationPath[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$CommunicationPath[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$CommunicationPath[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$CommunicationPath[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CommunicationPath[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CommunicationPath[i].redefinitionContext
Related Element	relatedElement	Element[]	Relationship	$CommunicationPath[i].relatedElement
Representation	representation	CollaborationUse	Classifier	$CommunicationPath[i].representation
Substitution	substitution	Substitution[]	Classifier	$CommunicationPath[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CommunicationPath[i].supplierDependency
Sync Element	syncElement	Element	Element	$CommunicationPath[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CommunicationPath[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$CommunicationPath[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$CommunicationPath[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$CommunicationPath[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$CommunicationPath[i].visibility

46. Component

Generalization

- Class

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Component[i].ID
Class	UMLClass	Class	Classifier	$Component[i].UMLClass
Is Abstract	abstract	boolean	Class	$Component[i].abstract
Is Active	active	boolean	Class	$Component[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Component[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Component[i].attribute
classType	classType	Class	BaseElement	$Component[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Component[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Component[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Component[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Component[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Component[i].elementImport
Extension	extension	Extension[]	Class	$Component[i].extension
Feature	feature	Feature[]	Classifier	$Component[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Component[i].finalSpecialization
General	general	Classifier[]	Classifier	$Component[i].general
Generalization	generalization	Generalization[]	Classifier	$Component[i].generalization
humanName	humanName	String	BaseElement	$Component[i].humanName
humanType	humanType	String	BaseElement	$Component[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Component[i].importedMember
Is Indirectly Instantiated	indirectlyInstantiated	boolean	Component	$Component[i].indirectlyInstantiated
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Component[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Component[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Component[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Component[i].leaf
localID	localID	String	ModelObject	$Component[i].localID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

mdExtensions	mdExtensions	MDExtension[]	MDObject	$Component[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Component[i].member
Name	name	String	NamedElement	$Component[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Component[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Component[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Component[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$Component[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Class	$Component[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Component[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Component[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Component[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Component[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Component[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Component[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Component[i].ownedOperation
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Component[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$Component[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Component[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Component[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Component[i].ownedUseCase
Owner	owner	Element	Element	$Component[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Component[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Component[i].owningTemplateParameter
Package	package	Package	Type	$Component[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Component[i].packageImport
Packaged Element	packagedElement	PackageableElement[]	Component	$Component[i].packagedElement
Part	part	Property[]	StructuredClassifier	$Component[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Component[i].powertypeExtent
Provided	provided	Interface[]	Component	$Component[i].provided
Qualified Name	qualifiedName	String	NamedElement	$Component[i].qualifiedName
Realization	realization	ComponentRealization[]	Component	$Component[i].realization
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Component[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Component[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Component[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Component[i].representation
Required	required	Interface[]	Component	$Component[i].required
Role	role	ConnectableElement[]	StructuredClassifier	$Component[i].role
Substitution	substitution	Substitution[]	Classifier	$Component[i].substitution
Super Class	superClass	Class[]	Class	$Component[i].superClass

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Component[i].supplierDependency
Sync Element	syncElement	Element	Element	$Component[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Component[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Component[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Component[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Component[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Component[i].visibility

47. ComponentRealization

Generalization

- Realization

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ComponentRealization[i].ID
Abstraction	abstraction	Component	ComponentRealization	$ComponentRealization[i].abstraction
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ComponentRealization[i].appliedStereotype
classType	classType	Class	BaseElement	$ComponentRealization[i].classType
Client	client	NamedElement[]	Dependency	$ComponentRealization[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$ComponentRealization[i].clientDependency
isEditable	editable	boolean	BaseElement	$ComponentRealization[i].editable
humanName	humanName	String	BaseElement	$ComponentRealization[i].humanName
humanType	humanType	String	BaseElement	$ComponentRealization[i].humanType
isInvalid	invalid	boolean	ModelObject	$ComponentRealization[i].invalid
localID	localID	String	ModelObject	$ComponentRealization[i].localID
Mapping	mapping	OpaqueExpression	Abstraction	$ComponentRealization[i].mapping
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ComponentRealization[i].mdExtensions
Name	name	String	NamedElement	$ComponentRealization[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ComponentRealization[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ComponentRealization[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ComponentRealization[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ComponentRealization[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ComponentRealization[i].ownedElement
Owner	owner	Element	Element	$ComponentRealization[i].owner
Owning Package	owningPackage	Package	PackageableElement	$ComponentRealization[i].owningPackage

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ComponentRealization[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$ComponentRealization[i].qualifiedName
Realizing Classifier	realizingClassifier	Classifier[]	ComponentRealization	$ComponentRealization[i].realizingClassifier
Related Element	relatedElement	Element[]	Relationship	$ComponentRealization[i].relatedElement
Source	source	Element[]	DirectedRelationship	$ComponentRealization[i].source
Supplier	supplier	NamedElement[]	Dependency	$ComponentRealization[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ComponentRealization[i].supplierDependency
Sync Element	syncElement	Element	Element	$ComponentRealization[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ComponentRealization[i].taggedValue
Target	target	Element[]	DirectedRelationship	$ComponentRealization[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$ComponentRealization[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$ComponentRealization[i].visibility

48. ConditionalNode

Generalization

- StructuredActivityNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ConditionalNode[i].ID
Activity	activity	Activity	StructuredActivityNode	$ConditionalNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ConditionalNode[i].appliedStereotype
Is Assured	assured	boolean	ConditionalNode	$ConditionalNode[i].assured
classType	classType	Class	BaseElement	$ConditionalNode[i].classType
Clause	clause	Clause[]	ConditionalNode	$ConditionalNode[i].clause
Client Dependency	clientDependency	Dependency[]	NamedElement	$ConditionalNode[i].clientDependency
Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$ConditionalNode[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$ConditionalNode[i].containedNode
Context	context	Classifier	Action	$ConditionalNode[i].context
Is Determinate	determinate	boolean	ConditionalNode	$ConditionalNode[i].determinate
Edge	edge	ActivityEdge[]	StructuredActivityNode	$ConditionalNode[i].edge
isEditable	editable	boolean	BaseElement	$ConditionalNode[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$ConditionalNode[i].elementImport
Handler	handler	ExceptionHandler[]	ExecutableNode	$ConditionalNode[i].handler
humanName	humanName	String	BaseElement	$ConditionalNode[i].humanName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanType	humanType	String	BaseElement	$ConditionalNode[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$ConditionalNode[i].importedMember
In Activity	inActivity	Activity	ActivityGroup	$ConditionalNode[i].inActivity
In Group	inGroup	ActivityGroup[]	ActivityNode	$ConditionalNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ConditionalNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ConditionalNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ConditionalNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ConditionalNode[i].incoming
Input	input	InputPin[]	Action	$ConditionalNode[i].input
isInvalid	invalid	boolean	ModelObject	$ConditionalNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ConditionalNode[i].leaf
localID	localID	String	ModelObject	$ConditionalNode[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ConditionalNode[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ConditionalNode[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ConditionalNode[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ConditionalNode[i].mdExtensions
Member	member	NamedElement[]	Namespace	$ConditionalNode[i].member
isMustIsolate	mustIsolate	boolean	StructuredActivityNode	$ConditionalNode[i].mustIsolate
Name	name	String	NamedElement	$ConditionalNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ConditionalNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ConditionalNode[i].namespace
Node	node	ActivityNode[]	StructuredActivityNode	$ConditionalNode[i].node
objectParent	objectParent	BaseElement	BaseElement	$ConditionalNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ConditionalNode[i].outgoing
Output	output	OutputPin[]	Action	$ConditionalNode[i].output
Owned Comment	ownedComment	Comment[]	Element	$ConditionalNode[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$ConditionalNode[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$ConditionalNode[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$ConditionalNode[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$ConditionalNode[i].ownedRule
Owner	owner	Element	Element	$ConditionalNode[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$ConditionalNode[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$ConditionalNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ConditionalNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ConditionalNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ConditionalNode[i].redefinitionContext
Result	result	OutputPin[]	ConditionalNode	$ConditionalNode[i].result
Structured Node Input	structuredNodeInput	InputPin[]	StructuredActivityNode	$ConditionalNode[i].structuredNodeInput
Structured Node Output	structuredNodeOutput	OutputPin[]	StructuredActivityNode	$ConditionalNode[i].structuredNodeOutput

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$ConditionalNode[i].subgroup
Super Group	superGroup	ActivityGroup	ActivityGroup	$ConditionalNode[i].superGroup
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ConditionalNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ConditionalNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ConditionalNode[i].taggedValue
Variable	variable	Variable[]	StructuredActivityNode	$ConditionalNode[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$ConditionalNode[i].visibility

49. ConnectableElement

Generalization

- ParameterableElement
- TypedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ConnectableElement[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ConnectableElement[i].appliedStereotype
classType	classType	Class	BaseElement	$ConnectableElement[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ConnectableElement[i].clientDependency
isEditable	editable	boolean	BaseElement	$ConnectableElement[i].editable
End	end	ConnectorEnd[]	ConnectableElement	$ConnectableElement[i].end
humanName	humanName	String	BaseElement	$ConnectableElement[i].humanName
humanType	humanType	String	BaseElement	$ConnectableElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$ConnectableElement[i].invalid
localID	localID	String	ModelObject	$ConnectableElement[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ConnectableElement[i].mdExtensions
Name	name	String	NamedElement	$ConnectableElement[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ConnectableElement[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ConnectableElement[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ConnectableElement[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ConnectableElement[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ConnectableElement[i].ownedElement
Owner	owner	Element	Element	$ConnectableElement[i].owner
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ConnectableElement[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$ConnectableElement[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ConnectableElement[i].supplierDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Sync Element	syncElement	Element	Element	$ConnectableElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ConnectableElement[i].taggedValue
Template Parameter	templateParameter	ConnectableElementTemplateParameter	ConnectableElement	$ConnectableElement[i].templateParameter
Type	type	Type	TypedElement	$ConnectableElement[i].type
Visibility	visibility	VisibilityKind	NamedElement	$ConnectableElement[i].visibility

50. ConnectableElementTemplateParameter

Generalization

- TemplateParameter

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ConnectableElementTemplateParameter[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ConnectableElementTemplateParameter[i].appliedStereotype
classType	classType	Class	BaseElement	$ConnectableElementTemplateParameter[i].classType
Default	default	ParameterableElement	TemplateParameter	$ConnectableElementTemplateParameter[i].default
isEditable	editable	boolean	BaseElement	$ConnectableElementTemplateParameter[i].editable
humanName	humanName	String	BaseElement	$ConnectableElementTemplateParameter[i].humanName
humanType	humanType	String	BaseElement	$ConnectableElementTemplateParameter[i].humanType
isInvalid	invalid	boolean	ModelObject	$ConnectableElementTemplateParameter[i].invalid
localID	localID	String	ModelObject	$ConnectableElementTemplateParameter[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ConnectableElementTemplateParameter[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ConnectableElementTemplateParameter[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ConnectableElementTemplateParameter[i].ownedComment
Owned Default	ownedDefault	ParameterableElement	TemplateParameter	$ConnectableElementTemplateParameter[i].ownedDefault

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Element	ownedElement	Element[]	Element	$ConnectableElementTemplateParameter[i].ownedElement
Owned Parametered Element	ownedParameteredElement	ParameterableElement	TemplateParameter	$ConnectableElementTemplateParameter[i].ownedParameteredElement
Owner	owner	Element	Element	$ConnectableElementTemplateParameter[i].owner
Parametered Element	parameteredElement	ConnectableElement	ConnectableElementTemplateParameter	$ConnectableElementTemplateParameter[i].parameteredElement
Signature	signature	TemplateSignature	TemplateParameter	$ConnectableElementTemplateParameter[i].signature
Sync Element	syncElement	Element	Element	$ConnectableElementTemplateParameter[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ConnectableElementTemplateParameter[i].taggedValue

51. ConnectionPointReference

Generalization

- Vertex

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ConnectionPointReference[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ConnectionPointReference[i].appliedStereotype
classType	classType	Class	BaseElement	$ConnectionPointReference[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ConnectionPointReference[i].clientDependency
Container	container	Region	Vertex	$ConnectionPointReference[i].container
isEditable	editable	boolean	BaseElement	$ConnectionPointReference[i].editable
Entry	entry	Pseudostate[]	ConnectionPointReference	$ConnectionPointReference[i].entry
Exit	exit	Pseudostate[]	ConnectionPointReference	$ConnectionPointReference[i].exit
humanName	humanName	String	BaseElement	$ConnectionPointReference[i].humanName
humanType	humanType	String	BaseElement	$ConnectionPointReference[i].humanType
Incoming	incoming	Transition[]	Vertex	$ConnectionPointReference[i].incoming
isInvalid	invalid	boolean	ModelObject	$ConnectionPointReference[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ConnectionPointReference[i].leaf
localID	localID	String	ModelObject	$ConnectionPointReference[i].localID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

mdExtensions	mdExtensions	MDExtension[]	MDObject	$ConnectionPointReference[i].mdExtensions
Name	name	String	NamedElement	$ConnectionPointReference[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ConnectionPointReference[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ConnectionPointReference[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ConnectionPointReference[i].objectParent
Outgoing	outgoing	Transition[]	Vertex	$ConnectionPointReference[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ConnectionPointReference[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ConnectionPointReference[i].ownedElement
Owner	owner	Element	Element	$ConnectionPointReference[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ConnectionPointReference[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ConnectionPointReference[i].redefinedElement
Redefined Vertex	redefinedVertex	Vertex	Vertex	$ConnectionPointReference[i].redefinedVertex
Redefinition Context	redefinitionContext	Classifier[]	Vertex	$ConnectionPointReference[i].redefinitionContext
State	state	State	ConnectionPointReference	$ConnectionPointReference[i].state
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ConnectionPointReference[i].supplierDependency
Sync Element	syncElement	Element	Element	$ConnectionPointReference[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ConnectionPointReference[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ConnectionPointReference[i].visibility

52. Connector

Generalization

- Feature

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Connector[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Connector[i].appliedStereotype
classType	classType	Class	BaseElement	$Connector[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Connector[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Contract	contract	Behavior[]	Connector	$Connector[i].contract
isEditable	editable	boolean	BaseElement	$Connector[i].editable
End	end	ConnectorEnd[]	Connector	$Connector[i].end
Featuring Classifier	featuringClassifier	Classifier	Feature	$Connector[i].featuringClassifier
humanName	humanName	String	BaseElement	$Connector[i].humanName
humanType	humanType	String	BaseElement	$Connector[i].humanType
isInvalid	invalid	boolean	ModelObject	$Connector[i].invalid
Kind	kind	ConnectorKind	Connector	$Connector[i].kind
Is Leaf	leaf	boolean	RedefinableElement	$Connector[i].leaf
localID	localID	String	ModelObject	$Connector[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Connector[i].mdExtensions
Name	name	String	NamedElement	$Connector[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Connector[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Connector[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Connector[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Connector[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Connector[i].ownedElement
Owner	owner	Element	Element	$Connector[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Connector[i].qualifiedName
Redefined Connector	redefinedConnector	Connector[]	Connector	$Connector[i].redefinedConnector
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Connector[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Connector[i].redefinitionContext
Is Static	static	boolean	Feature	$Connector[i].static
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Connector[i].supplierDependency
Sync Element	syncElement	Element	Element	$Connector[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Connector[i].taggedValue
Type	type	Association	Connector	$Connector[i].type
Visibility	visibility	VisibilityKind	NamedElement	$Connector[i].visibility

53. ConnectorEnd

Generalization

- MultiplicityElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ConnectorEnd[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ConnectorEnd[i].appliedStereotype
classType	classType	Class	BaseElement	$ConnectorEnd[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Defining End	definingEnd	Property	ConnectorEnd	$ConnectorEnd[i].definingEnd
isEditable	editable	boolean	BaseElement	$ConnectorEnd[i].editable
humanName	humanName	String	BaseElement	$ConnectorEnd[i].humanName
humanType	humanType	String	BaseElement	$ConnectorEnd[i].humanType
isInvalid	invalid	boolean	ModelObject	$ConnectorEnd[i].invalid
localID	localID	String	ModelObject	$ConnectorEnd[i].localID
Lower	lower	int	MultiplicityElement	$ConnectorEnd[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$ConnectorEnd[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ConnectorEnd[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ConnectorEnd[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$ConnectorEnd[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$ConnectorEnd[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ConnectorEnd[i].ownedElement
Owner	owner	Element	Element	$ConnectorEnd[i].owner
Part With Port	partWithPort	Property	ConnectorEnd	$ConnectorEnd[i].partWithPort
Role	role	ConnectableElement	ConnectorEnd	$ConnectorEnd[i].role
Sync Element	syncElement	Element	Element	$ConnectorEnd[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ConnectorEnd[i].taggedValue
Is Unique	unique	boolean	MultiplicityElement	$ConnectorEnd[i].unique
Upper	upper	int	MultiplicityElement	$ConnectorEnd[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$ConnectorEnd[i].upperValue

54. ConsiderIgnoreFragment

Generalization

- CombinedFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ConsiderIgnoreFragment[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ConsiderIgnoreFragment[i].appliedStereotype
Cfragment Gate	cfragmentGate	Gate[]	CombinedFragment	$ConsiderIgnoreFragment[i].cfragmentGate
classType	classType	Class	BaseElement	$ConsiderIgnoreFragment[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ConsiderIgnoreFragment[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$ConsiderIgnoreFragment[i].covered
isEditable	editable	boolean	BaseElement	$ConsiderIgnoreFragment[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$ConsiderIgnoreFragment[i].enclosingIntera

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$ConsiderIgnoreFragment[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$ConsiderIgnoreFragment[i].generalOrdering
humanName	humanName	String	BaseElement	$ConsiderIgnoreFragment[i].humanName
humanType	humanType	String	BaseElement	$ConsiderIgnoreFragment[i].humanType
Interaction Operator	interactionOperator	InteractionOperatorKind	CombinedFragment	$ConsiderIgnoreFragment[i].interactionOperator
isInvalid	invalid	boolean	ModelObject	$ConsiderIgnoreFragment[i].invalid
localID	localID	String	ModelObject	$ConsiderIgnoreFragment[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ConsiderIgnoreFragment[i].mdExtensions
Message	message	NamedElement[]	ConsiderIgnoreFragment	$ConsiderIgnoreFragment[i].message
Name	name	String	NamedElement	$ConsiderIgnoreFragment[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ConsiderIgnoreFragment[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ConsiderIgnoreFragment[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ConsiderIgnoreFragment[i].objectParent
Operand	operand	InteractionOperand[]	CombinedFragment	$ConsiderIgnoreFragment[i].operand
Owned Comment	ownedComment	Comment[]	Element	$ConsiderIgnoreFragment[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ConsiderIgnoreFragment[i].ownedElement
Owner	owner	Element	Element	$ConsiderIgnoreFragment[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ConsiderIgnoreFragment[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ConsiderIgnoreFragment[i].supplierDependency
Sync Element	syncElement	Element	Element	$ConsiderIgnoreFragment[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ConsiderIgnoreFragment[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ConsiderIgnoreFragment[i].visibility

55. Constraint

Generalization

- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Constraint[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Constraint[i].appliedStereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Body Context	bodyContext	Operation	Constraint	$Constraint[i].bodyContext
classType	classType	Class	BaseElement	$Constraint[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Constraint[i].clientDependency
Constrained Element	constrainedElement	Element[]	Constraint	$Constraint[i].constrainedElement
Context	context	Namespace	Constraint	$Constraint[i].context
isEditable	editable	boolean	BaseElement	$Constraint[i].editable
humanName	humanName	String	BaseElement	$Constraint[i].humanName
humanType	humanType	String	BaseElement	$Constraint[i].humanType
isInvalid	invalid	boolean	ModelObject	$Constraint[i].invalid
localID	localID	String	ModelObject	$Constraint[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Constraint[i].mdExtensions
Name	name	String	NamedElement	$Constraint[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Constraint[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Constraint[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Constraint[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Constraint[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Constraint[i].ownedElement
Owner	owner	Element	Element	$Constraint[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Constraint[i].owningPackage
Owning State	owningState	State	Constraint	$Constraint[i].owningState
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Constraint[i].owningTemplateParameter
Owning Transition	owningTransition	ProtocolTransition	Constraint	$Constraint[i].owningTransition
Post Context	postContext	Operation	Constraint	$Constraint[i].postContext
Pre Context	preContext	Operation	Constraint	$Constraint[i].preContext
Qualified Name	qualifiedName	String	NamedElement	$Constraint[i].qualifiedName
Specification	specification	ValueSpecification	Constraint	$Constraint[i].specification
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Constraint[i].supplierDependency
Sync Element	syncElement	Element	Element	$Constraint[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Constraint[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Constraint[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Constraint[i].visibility

56. Continuation

Generalization

- InteractionFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

ID	ID	String	MDObject	$Continuation[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Continuation[i].appliedStereotype
classType	classType	Class	BaseElement	$Continuation[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Continuation[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$Continuation[i].covered
isEditable	editable	boolean	BaseElement	$Continuation[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$Continuation[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$Continuation[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$Continuation[i].generalOrdering
humanName	humanName	String	BaseElement	$Continuation[i].humanName
humanType	humanType	String	BaseElement	$Continuation[i].humanType
isInvalid	invalid	boolean	ModelObject	$Continuation[i].invalid
localID	localID	String	ModelObject	$Continuation[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Continuation[i].mdExtensions
Name	name	String	NamedElement	$Continuation[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Continuation[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Continuation[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Continuation[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Continuation[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Continuation[i].ownedElement
Owner	owner	Element	Element	$Continuation[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Continuation[i].qualifiedName
isSetting	setting	boolean	Continuation	$Continuation[i].setting
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Continuation[i].supplierDependency
Sync Element	syncElement	Element	Element	$Continuation[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Continuation[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Continuation[i].visibility

57. ControlFlow

Generalization

- ActivityEdge

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ControlFlow[i].ID
Activity	activity	Activity	ActivityEdge	$ControlFlow[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ControlFlow[i].appliedStereotype
classType	classType	Class	BaseElement	$ControlFlow[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Client Dependency	clientDependency	Dependency[]	NamedElement	$ControlFlow[i].clientDependency
isEditable	editable	boolean	BaseElement	$ControlFlow[i].editable
Guard	guard	ValueSpecification	ActivityEdge	$ControlFlow[i].guard
humanName	humanName	String	BaseElement	$ControlFlow[i].humanName
humanType	humanType	String	BaseElement	$ControlFlow[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityEdge	$ControlFlow[i].inGroup
In Partition	inPartition	ActivityPartition[]	ActivityEdge	$ControlFlow[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityEdge	$ControlFlow[i].inStructuredNode
Interrupts	interrupts	InterruptibleActivityRegion	ActivityEdge	$ControlFlow[i].interrupts
isInvalid	invalid	boolean	ModelObject	$ControlFlow[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ControlFlow[i].leaf
localID	localID	String	ModelObject	$ControlFlow[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ControlFlow[i].mdExtensions
Name	name	String	NamedElement	$ControlFlow[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ControlFlow[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ControlFlow[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ControlFlow[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ControlFlow[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ControlFlow[i].ownedElement
Owner	owner	Element	Element	$ControlFlow[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ControlFlow[i].qualifiedName
Redefined Edge	redefinedEdge	ActivityEdge[]	ActivityEdge	$ControlFlow[i].redefinedEdge
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ControlFlow[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ControlFlow[i].redefinitionContext
Source	source	ActivityNode	ActivityEdge	$ControlFlow[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ControlFlow[i].supplierDependency
Sync Element	syncElement	Element	Element	$ControlFlow[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ControlFlow[i].taggedValue
Target	target	ActivityNode	ActivityEdge	$ControlFlow[i].target
Visibility	visibility	VisibilityKind	NamedElement	$ControlFlow[i].visibility
Weight	weight	ValueSpecification	ActivityEdge	$ControlFlow[i].weight

58. ControlNode

Generalization

- ActivityNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

			Owner)	
ID	ID	String	MDObject	$ControlNode[i].ID
Activity	activity	Activity	ActivityNode	$ControlNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ControlNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ControlNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ControlNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$ControlNode[i].editable
humanName	humanName	String	BaseElement	$ControlNode[i].humanName
humanType	humanType	String	BaseElement	$ControlNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ControlNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ControlNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ControlNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ControlNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ControlNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$ControlNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ControlNode[i].leaf
localID	localID	String	ModelObject	$ControlNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ControlNode[i].mdExtensions
Name	name	String	NamedElement	$ControlNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ControlNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ControlNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ControlNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ControlNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ControlNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ControlNode[i].ownedElement
Owner	owner	Element	Element	$ControlNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ControlNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ControlNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ControlNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ControlNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ControlNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ControlNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ControlNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ControlNode[i].visibility

59. CreateLinkAction

Generalization

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

- WriteLinkAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CreateLinkAction[i].ID
Activity	activity	Activity	ActivityNode	$CreateLinkAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CreateLinkAction[i].appliedStereotype
classType	classType	Class	BaseElement	$CreateLinkAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CreateLinkAction[i].clientDependency
Context	context	Classifier	Action	$CreateLinkAction[i].context
isEditable	editable	boolean	BaseElement	$CreateLinkAction[i].editable
End Data	endData	LinkEndData[]	CreateLinkAction	$CreateLinkAction[i].endData
Handler	handler	ExceptionHandler[]	ExecutableNode	$CreateLinkAction[i].handler
humanName	humanName	String	BaseElement	$CreateLinkAction[i].humanName
humanType	humanType	String	BaseElement	$CreateLinkAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$CreateLinkAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$CreateLinkAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$CreateLinkAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$CreateLinkAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$CreateLinkAction[i].incoming
Input	input	InputPin[]	Action	$CreateLinkAction[i].input
Input Value	inputValue	InputPin[]	LinkAction	$CreateLinkAction[i].inputValue
isInvalid	invalid	boolean	ModelObject	$CreateLinkAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CreateLinkAction[i].leaf
localID	localID	String	ModelObject	$CreateLinkAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$CreateLinkAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$CreateLinkAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$CreateLinkAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CreateLinkAction[i].mdExtensions
Name	name	String	NamedElement	$CreateLinkAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CreateLinkAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CreateLinkAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CreateLinkAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$CreateLinkAction[i].outgoing
Output	output	OutputPin[]	Action	$CreateLinkAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$CreateLinkAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CreateLinkAction[i].ownedElement
Owner	owner	Element	Element	$CreateLinkAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CreateLinkAction[i].qualifiedName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CreateLinkAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$CreateLinkAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CreateLinkAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CreateLinkAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$CreateLinkAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CreateLinkAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$CreateLinkAction[i].visibility

60. CreateLinkObjectAction

Generalization

- CreateLinkAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CreateLinkObjectAction[i].ID
Activity	activity	Activity	ActivityNode	$CreateLinkObjectAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CreateLinkObjectAction[i].appliedStereotype
classType	classType	Class	BaseElement	$CreateLinkObjectAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$CreateLinkObjectAction[i].clientDependency
Context	context	Classifier	Action	$CreateLinkObjectAction[i].context
isEditable	editable	boolean	BaseElement	$CreateLinkObjectAction[i].editable
End Data	endData	LinkEndData[]	CreateLinkAction	$CreateLinkObjectAction[i].endData
Handler	handler	ExceptionHandler[]	ExecutableNode	$CreateLinkObjectAction[i].handler
humanName	humanName	String	BaseElement	$CreateLinkObjectAction[i].humanName
humanType	humanType	String	BaseElement	$CreateLinkObjectAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$CreateLinkObjectAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$CreateLinkObjectAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$CreateLinkObjectAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$CreateLinkObjectAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$CreateLinkObjectAction[i].incoming
Input	input	InputPin[]	Action	$CreateLinkObjectAction[i].input
Input Value	inputValue	InputPin[]	LinkAction	$CreateLinkObjectAction[i].inputValue
isInvalid	invalid	boolean	ModelObject	$CreateLinkObjectAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CreateLinkObjectAction[i].leaf

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

localID	localID	String	ModelObject	$CreateLinkObjectAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$CreateLinkObjectAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$CreateLinkObjectAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$CreateLinkObjectAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CreateLinkObjectAction[i].mdExtensions
Name	name	String	NamedElement	$CreateLinkObjectAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CreateLinkObjectAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CreateLinkObjectAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CreateLinkObjectAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$CreateLinkObjectAction[i].outgoing
Output	output	OutputPin[]	Action	$CreateLinkObjectAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$CreateLinkObjectAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CreateLinkObjectAction[i].ownedElement
Owner	owner	Element	Element	$CreateLinkObjectAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CreateLinkObjectAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CreateLinkObjectAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$CreateLinkObjectAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CreateLinkObjectAction[i].redefinitionContext
Result	result	OutputPin	CreateLinkObjectAction	$CreateLinkObjectAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CreateLinkObjectAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$CreateLinkObjectAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CreateLinkObjectAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$CreateLinkObjectAction[i].visibility

61. CreateObjectAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$CreateObjectAction[i].ID
Activity	activity	Activity	ActivityNode	$CreateObjectAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$CreateObjectAction[i].appliedStereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

classType	classType	Class	BaseElement	$CreateObjectAction[i].classType
Classifier	classifier	Classifier	CreateObjectAction	$CreateObjectAction[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$CreateObjectAction[i].clientDependency
Context	context	Classifier	Action	$CreateObjectAction[i].context
isEditable	editable	boolean	BaseElement	$CreateObjectAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$CreateObjectAction[i].handler
humanName	humanName	String	BaseElement	$CreateObjectAction[i].humanName
humanType	humanType	String	BaseElement	$CreateObjectAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$CreateObjectAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$CreateObjectAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$CreateObjectAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$CreateObjectAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$CreateObjectAction[i].incoming
Input	input	InputPin[]	Action	$CreateObjectAction[i].input
isInvalid	invalid	boolean	ModelObject	$CreateObjectAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$CreateObjectAction[i].leaf
localID	localID	String	ModelObject	$CreateObjectAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$CreateObjectAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$CreateObjectAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$CreateObjectAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$CreateObjectAction[i].mdExtensions
Name	name	String	NamedElement	$CreateObjectAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$CreateObjectAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$CreateObjectAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$CreateObjectAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$CreateObjectAction[i].outgoing
Output	output	OutputPin[]	Action	$CreateObjectAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$CreateObjectAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$CreateObjectAction[i].ownedElement
Owner	owner	Element	Element	$CreateObjectAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$CreateObjectAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$CreateObjectAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$CreateObjectAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$CreateObjectAction[i].redefinitionContext
Result	result	OutputPin	CreateObjectAction	$CreateObjectAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$CreateObjectAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$CreateObjectAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$CreateObjectAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$CreateObjectAction[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

62. DataStoreNode

Generalization

- CentralBufferNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DataStoreNode[i].ID
Activity	activity	Activity	ActivityNode	$DataStoreNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DataStoreNode[i].appliedStereotype
classType	classType	Class	BaseElement	$DataStoreNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DataStoreNode[i].clientDependency
Is Control Type	controlType	boolean	ObjectNode	$DataStoreNode[i].controlType
isEditable	editable	boolean	BaseElement	$DataStoreNode[i].editable
humanName	humanName	String	BaseElement	$DataStoreNode[i].humanName
humanType	humanType	String	BaseElement	$DataStoreNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$DataStoreNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$DataStoreNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$DataStoreNode[i].inPartition
In State	inState	State[]	ObjectNode	$DataStoreNode[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$DataStoreNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$DataStoreNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$DataStoreNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$DataStoreNode[i].leaf
localID	localID	String	ModelObject	$DataStoreNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DataStoreNode[i].mdExtensions
Name	name	String	NamedElement	$DataStoreNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DataStoreNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DataStoreNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DataStoreNode[i].objectParent
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$DataStoreNode[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$DataStoreNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$DataStoreNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DataStoreNode[i].ownedElement
Owner	owner	Element	Element	$DataStoreNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$DataStoreNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$DataStoreNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$DataStoreNode[i].redefinedNode

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$DataStoreNode[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$DataStoreNode[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DataStoreNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$DataStoreNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DataStoreNode[i].taggedValue
Type	type	Type	TypedElement	$DataStoreNode[i].type
Upper Bound	upperBound	ValueSpecification	ObjectNode	$DataStoreNode[i].upperBound
Visibility	visibility	VisibilityKind	NamedElement	$DataStoreNode[i].visibility

63. DataType

Generalization

- Classifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DataType[i].ID
Class	UMLClass	Class	Classifier	$DataType[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$DataType[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DataType[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$DataType[i].attribute
classType	classType	Class	BaseElement	$DataType[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DataType[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$DataType[i].collaborationUse
isEditable	editable	boolean	BaseElement	$DataType[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$DataType[i].elementImport
Feature	feature	Feature[]	Classifier	$DataType[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$DataType[i].finalSpecialization
General	general	Classifier[]	Classifier	$DataType[i].general
Generalization	generalization	Generalization[]	Classifier	$DataType[i].generalization
humanName	humanName	String	BaseElement	$DataType[i].humanName
humanType	humanType	String	BaseElement	$DataType[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$DataType[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$DataType[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$DataType[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$DataType[i].leaf
localID	localID	String	ModelObject	$DataType[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DataType[i].mdExtensions
Member	member	NamedElement[]	Namespace	$DataType[i].member

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name	name	String	NamedElement	$DataType[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DataType[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DataType[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DataType[i].objectParent
Owned Attribute	ownedAttribute	Property[]	DataType	$DataType[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$DataType[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$DataType[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$DataType[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$DataType[i].ownedMember
Owned Operation	ownedOperation	Operation[]	DataType	$DataType[i].ownedOperation
Owned Rule	ownedRule	Constraint[]	Namespace	$DataType[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$DataType[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$DataType[i].ownedUseCase
Owner	owner	Element	Element	$DataType[i].owner
Owning Package	owningPackage	Package	PackageableElement	$DataType[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$DataType[i].owningTemplateParameter
Package	package	Package	Type	$DataType[i].package
Package Import	packageImport	PackageImport[]	Namespace	$DataType[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$DataType[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$DataType[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$DataType[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$DataType[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$DataType[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$DataType[i].representation
Substitution	substitution	Substitution[]	Classifier	$DataType[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DataType[i].supplierDependency
Sync Element	syncElement	Element	Element	$DataType[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DataType[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$DataType[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$DataType[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$DataType[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$DataType[i].visibility

64. DecisionNode

Generalization

- ControlNode

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DecisionNode[i].ID
Activity	activity	Activity	ActivityNode	$DecisionNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DecisionNode[i].appliedStereotype
classType	classType	Class	BaseElement	$DecisionNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DecisionNode[i].clientDependency
Decision Input	decisionInput	Behavior	DecisionNode	$DecisionNode[i].decisionInput
Decision Input Flow	decisionInputFlow	ObjectFlow	DecisionNode	$DecisionNode[i].decisionInputFlow
isEditable	editable	boolean	BaseElement	$DecisionNode[i].editable
humanName	humanName	String	BaseElement	$DecisionNode[i].humanName
humanType	humanType	String	BaseElement	$DecisionNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$DecisionNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$DecisionNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$DecisionNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$DecisionNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$DecisionNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$DecisionNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$DecisionNode[i].leaf
localID	localID	String	ModelObject	$DecisionNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DecisionNode[i].mdExtensions
Name	name	String	NamedElement	$DecisionNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DecisionNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DecisionNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DecisionNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$DecisionNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$DecisionNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DecisionNode[i].ownedElement
Owner	owner	Element	Element	$DecisionNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$DecisionNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$DecisionNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$DecisionNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$DecisionNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DecisionNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$DecisionNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DecisionNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$DecisionNode[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

65. Dependency

Generalization

- DirectedRelationship
- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Dependency[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Dependency[i].appliedStereotype
classType	classType	Class	BaseElement	$Dependency[i].classType
Client	client	NamedElement[]	Dependency	$Dependency[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$Dependency[i].clientDependency
isEditable	editable	boolean	BaseElement	$Dependency[i].editable
humanName	humanName	String	BaseElement	$Dependency[i].humanName
humanType	humanType	String	BaseElement	$Dependency[i].humanType
isInvalid	invalid	boolean	ModelObject	$Dependency[i].invalid
localID	localID	String	ModelObject	$Dependency[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Dependency[i].mdExtensions
Name	name	String	NamedElement	$Dependency[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Dependency[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Dependency[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Dependency[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Dependency[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Dependency[i].ownedElement
Owner	owner	Element	Element	$Dependency[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Dependency[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Dependency[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Dependency[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Dependency[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Dependency[i].source
Supplier	supplier	NamedElement[]	Dependency	$Dependency[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Dependency[i].supplierDependency
Sync Element	syncElement	Element	Element	$Dependency[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Dependency[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Dependency[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Dependency[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Dependency[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

66. DeployedArtifact

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DeployedArtifact[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DeployedArtifact[i].appliedStereotype
classType	classType	Class	BaseElement	$DeployedArtifact[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DeployedArtifact[i].clientDependency
isEditable	editable	boolean	BaseElement	$DeployedArtifact[i].editable
humanName	humanName	String	BaseElement	$DeployedArtifact[i].humanName
humanType	humanType	String	BaseElement	$DeployedArtifact[i].humanType
isInvalid	invalid	boolean	ModelObject	$DeployedArtifact[i].invalid
localID	localID	String	ModelObject	$DeployedArtifact[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DeployedArtifact[i].mdExtensions
Name	name	String	NamedElement	$DeployedArtifact[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DeployedArtifact[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DeployedArtifact[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DeployedArtifact[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$DeployedArtifact[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DeployedArtifact[i].ownedElement
Owner	owner	Element	Element	$DeployedArtifact[i].owner
Qualified Name	qualifiedName	String	NamedElement	$DeployedArtifact[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DeployedArtifact[i].supplierDependency
Sync Element	syncElement	Element	Element	$DeployedArtifact[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DeployedArtifact[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$DeployedArtifact[i].visibility

67. Deployment

Generalization

- Dependency

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Deployment[i].ID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Deployment[i].appliedStereotype
classType	classType	Class	BaseElement	$Deployment[i].classType
Client	client	NamedElement[]	Dependency	$Deployment[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$Deployment[i].clientDependency
Configuration	configuration	DeploymentSpecification[ ]	Deployment	$Deployment[i].configuration
Deployed Artifact	deployedArtifact	DeployedArtifact[]	Deployment	$Deployment[i].deployedArtifact
isEditable	editable	boolean	BaseElement	$Deployment[i].editable
humanName	humanName	String	BaseElement	$Deployment[i].humanName
humanType	humanType	String	BaseElement	$Deployment[i].humanType
isInvalid	invalid	boolean	ModelObject	$Deployment[i].invalid
localID	localID	String	ModelObject	$Deployment[i].localID
Location	location	DeploymentTarget	Deployment	$Deployment[i].location
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Deployment[i].mdExtensions
Name	name	String	NamedElement	$Deployment[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Deployment[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Deployment[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Deployment[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Deployment[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Deployment[i].ownedElement
Owner	owner	Element	Element	$Deployment[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Deployment[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Deployment[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Deployment[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Deployment[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Deployment[i].source
Supplier	supplier	NamedElement[]	Dependency	$Deployment[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Deployment[i].supplierDependency
Sync Element	syncElement	Element	Element	$Deployment[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Deployment[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Deployment[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Deployment[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Deployment[i].visibility

68. DeploymentSpecification

Generalization

- Artifact

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DeploymentSpecification[i].ID
Class	UMLClass	Class	Classifier	$DeploymentSpecification[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$DeploymentSpecification[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DeploymentSpecification[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$DeploymentSpecification[i].attribute
classType	classType	Class	BaseElement	$DeploymentSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DeploymentSpecification[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$DeploymentSpecification[i].collaborationUse
Deployment	deployment	Deployment	DeploymentSpecification	$DeploymentSpecification[i].deployment
Deployment Location	deploymentLocation	String	DeploymentSpecification	$DeploymentSpecification[i].deploymentLocation
isEditable	editable	boolean	BaseElement	$DeploymentSpecification[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$DeploymentSpecification[i].elementImport
Execution Location	executionLocation	String	DeploymentSpecification	$DeploymentSpecification[i].executionLocation
Feature	feature	Feature[]	Classifier	$DeploymentSpecification[i].feature
File Name	fileName	String	Artifact	$DeploymentSpecification[i].fileName
Is Final Specialization	finalSpecialization	boolean	Classifier	$DeploymentSpecification[i].finalSpecialization
General	general	Classifier[]	Classifier	$DeploymentSpecification[i].general
Generalization	generalization	Generalization[]	Classifier	$DeploymentSpecification[i].generalization
humanName	humanName	String	BaseElement	$DeploymentSpecification[i].humanName
humanType	humanType	String	BaseElement	$DeploymentSpecification[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$DeploymentSpecification[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$DeploymentSpecification[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$DeploymentSpecification[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$DeploymentSpecification[i].leaf
localID	localID	String	ModelObject	$DeploymentSpecification[i].localID
Manifestation	manifestation	Manifestation[]	Artifact	$DeploymentSpecification[i].manifestation
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DeploymentSpecification[i].mdExtensions
Member	member	NamedElement[]	Namespace	$DeploymentSpecification[i].member
Name	name	String	NamedElement	$DeploymentSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DeploymentSpecification[i].nameExpression

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Namespace	namespace	Namespace	NamedElement	$DeploymentSpecification[i].namespace
Nested Artifact	nestedArtifact	Artifact[]	Artifact	$DeploymentSpecification[i].nestedArtifact
objectParent	objectParent	BaseElement	BaseElement	$DeploymentSpecification[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Artifact	$DeploymentSpecification[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$DeploymentSpecification[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$DeploymentSpecification[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$DeploymentSpecification[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$DeploymentSpecification[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Artifact	$DeploymentSpecification[i].ownedOperation
Owned Rule	ownedRule	Constraint[]	Namespace	$DeploymentSpecification[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$DeploymentSpecification[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$DeploymentSpecification[i].ownedUseCase
Owner	owner	Element	Element	$DeploymentSpecification[i].owner
Owning Package	owningPackage	Package	PackageableElement	$DeploymentSpecification[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$DeploymentSpecification[i].owningTemplateParameter
Package	package	Package	Type	$DeploymentSpecification[i].package
Package Import	packageImport	PackageImport[]	Namespace	$DeploymentSpecification[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$DeploymentSpecification[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$DeploymentSpecification[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$DeploymentSpecification[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$DeploymentSpecification[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$DeploymentSpecification[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$DeploymentSpecification[i].representation
Substitution	substitution	Substitution[]	Classifier	$DeploymentSpecification[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DeploymentSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$DeploymentSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DeploymentSpecification[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$DeploymentSpecification[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParam	Classifier	$DeploymentSpecification[i].templateParam

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

		eter		eter
Use Case	useCase	UseCase[]	Classifier	$DeploymentSpecification[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$DeploymentSpecification[i].visibility

69. DeploymentTarget

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DeploymentTarget[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DeploymentTarget[i].appliedStereotype
classType	classType	Class	BaseElement	$DeploymentTarget[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DeploymentTarget[i].clientDependency
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$DeploymentTarget[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$DeploymentTarget[i].deployment
isEditable	editable	boolean	BaseElement	$DeploymentTarget[i].editable
humanName	humanName	String	BaseElement	$DeploymentTarget[i].humanName
humanType	humanType	String	BaseElement	$DeploymentTarget[i].humanType
isInvalid	invalid	boolean	ModelObject	$DeploymentTarget[i].invalid
localID	localID	String	ModelObject	$DeploymentTarget[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DeploymentTarget[i].mdExtensions
Name	name	String	NamedElement	$DeploymentTarget[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DeploymentTarget[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DeploymentTarget[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DeploymentTarget[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$DeploymentTarget[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DeploymentTarget[i].ownedElement
Owner	owner	Element	Element	$DeploymentTarget[i].owner
Qualified Name	qualifiedName	String	NamedElement	$DeploymentTarget[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DeploymentTarget[i].supplierDependency
Sync Element	syncElement	Element	Element	$DeploymentTarget[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DeploymentTarget[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$DeploymentTarget[i].visibility

70. DestroyLinkAction

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- WriteLinkAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DestroyLinkAction[i].ID
Activity	activity	Activity	ActivityNode	$DestroyLinkAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DestroyLinkAction[i].appliedStereotype
classType	classType	Class	BaseElement	$DestroyLinkAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DestroyLinkAction[i].clientDependency
Context	context	Classifier	Action	$DestroyLinkAction[i].context
isEditable	editable	boolean	BaseElement	$DestroyLinkAction[i].editable
End Data	endData	LinkEndData[]	DestroyLinkAction	$DestroyLinkAction[i].endData
Handler	handler	ExceptionHandler[]	ExecutableNode	$DestroyLinkAction[i].handler
humanName	humanName	String	BaseElement	$DestroyLinkAction[i].humanName
humanType	humanType	String	BaseElement	$DestroyLinkAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$DestroyLinkAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$DestroyLinkAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$DestroyLinkAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$DestroyLinkAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$DestroyLinkAction[i].incoming
Input	input	InputPin[]	Action	$DestroyLinkAction[i].input
Input Value	inputValue	InputPin[]	LinkAction	$DestroyLinkAction[i].inputValue
isInvalid	invalid	boolean	ModelObject	$DestroyLinkAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$DestroyLinkAction[i].leaf
localID	localID	String	ModelObject	$DestroyLinkAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$DestroyLinkAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$DestroyLinkAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$DestroyLinkAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DestroyLinkAction[i].mdExtensions
Name	name	String	NamedElement	$DestroyLinkAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DestroyLinkAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DestroyLinkAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DestroyLinkAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$DestroyLinkAction[i].outgoing
Output	output	OutputPin[]	Action	$DestroyLinkAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$DestroyLinkAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DestroyLinkAction[i].ownedElement
Owner	owner	Element	Element	$DestroyLinkAction[i].owner

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Qualified Name	qualifiedName	String	NamedElement	$DestroyLinkAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$DestroyLinkAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$DestroyLinkAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$DestroyLinkAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DestroyLinkAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$DestroyLinkAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DestroyLinkAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$DestroyLinkAction[i].visibility

71. DestroyObjectAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DestroyObjectAction[i].ID
Activity	activity	Activity	ActivityNode	$DestroyObjectAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DestroyObjectAction[i].appliedStereotype
classType	classType	Class	BaseElement	$DestroyObjectAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DestroyObjectAction[i].clientDependency
Context	context	Classifier	Action	$DestroyObjectAction[i].context
Is Destroy Links	destroyLinks	boolean	DestroyObjectAction	$DestroyObjectAction[i].destroyLinks
Is Destroy Owned Objects	destroyOwnedObjects	boolean	DestroyObjectAction	$DestroyObjectAction[i].destroyOwnedObjects
isEditable	editable	boolean	BaseElement	$DestroyObjectAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$DestroyObjectAction[i].handler
humanName	humanName	String	BaseElement	$DestroyObjectAction[i].humanName
humanType	humanType	String	BaseElement	$DestroyObjectAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$DestroyObjectAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$DestroyObjectAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$DestroyObjectAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$DestroyObjectAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$DestroyObjectAction[i].incoming
Input	input	InputPin[]	Action	$DestroyObjectAction[i].input
isInvalid	invalid	boolean	ModelObject	$DestroyObjectAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$DestroyObjectAction[i].leaf
localID	localID	String	ModelObject	$DestroyObjectAction[i].localID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Local Postcondition	localPostcondition	Constraint[]	Action	$DestroyObjectAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$DestroyObjectAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$DestroyObjectAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DestroyObjectAction[i].mdExtensions
Name	name	String	NamedElement	$DestroyObjectAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DestroyObjectAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DestroyObjectAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DestroyObjectAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$DestroyObjectAction[i].outgoing
Output	output	OutputPin[]	Action	$DestroyObjectAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$DestroyObjectAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DestroyObjectAction[i].ownedElement
Owner	owner	Element	Element	$DestroyObjectAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$DestroyObjectAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$DestroyObjectAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$DestroyObjectAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$DestroyObjectAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DestroyObjectAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$DestroyObjectAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DestroyObjectAction[i].taggedValue
Target	target	InputPin	DestroyObjectAction	$DestroyObjectAction[i].target
Visibility	visibility	VisibilityKind	NamedElement	$DestroyObjectAction[i].visibility

72. DestructionOccurrenceSpecification

Generalization

- MessageOccurrenceSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DestructionOccurrenceSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DestructionOccurrenceSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$DestructionOccurrenceSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DestructionOccurrenceSpecification[i].clientDependency
Covered	covered	Lifeline[]	OccurrenceSpecification	$DestructionOccurrenceSpecification[i].cov

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ered
isEditable	editable	boolean	BaseElement	$DestructionOccurrenceSpecification[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$DestructionOccurrenceSpecification[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$DestructionOccurrenceSpecification[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$DestructionOccurrenceSpecification[i].generalOrdering
humanName	humanName	String	BaseElement	$DestructionOccurrenceSpecification[i].humanName
humanType	humanType	String	BaseElement	$DestructionOccurrenceSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$DestructionOccurrenceSpecification[i].invalid
localID	localID	String	ModelObject	$DestructionOccurrenceSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DestructionOccurrenceSpecification[i].mdExtensions
Message	message	Message	MessageEnd	$DestructionOccurrenceSpecification[i].message
Name	name	String	NamedElement	$DestructionOccurrenceSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DestructionOccurrenceSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DestructionOccurrenceSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DestructionOccurrenceSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$DestructionOccurrenceSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DestructionOccurrenceSpecification[i].ownedElement
Owner	owner	Element	Element	$DestructionOccurrenceSpecification[i].owner
Qualified Name	qualifiedName	String	NamedElement	$DestructionOccurrenceSpecification[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DestructionOccurrenceSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$DestructionOccurrenceSpecification[i].syncElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Tagged Value	taggedValue	TaggedValue[]	Element	$DestructionOccurrenceSpecification[i].taggedValue
To After	toAfter	GeneralOrdering[]	OccurrenceSpecification	$DestructionOccurrenceSpecification[i].toAfter
To Before	toBefore	GeneralOrdering[]	OccurrenceSpecification	$DestructionOccurrenceSpecification[i].toBefore
Visibility	visibility	VisibilityKind	NamedElement	$DestructionOccurrenceSpecification[i].visibility

73. Device

Generalization

- Node

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Device[i].ID
Class	UMLClass	Class	Classifier	$Device[i].UMLClass
Is Abstract	abstract	boolean	Class	$Device[i].abstract
Is Active	active	boolean	Class	$Device[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Device[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Device[i].attribute
classType	classType	Class	BaseElement	$Device[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Device[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Device[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Device[i].collaborationUse
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$Device[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$Device[i].deployment
isEditable	editable	boolean	BaseElement	$Device[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Device[i].elementImport
Extension	extension	Extension[]	Class	$Device[i].extension
Feature	feature	Feature[]	Classifier	$Device[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Device[i].finalSpecialization
General	general	Classifier[]	Classifier	$Device[i].general
Generalization	generalization	Generalization[]	Classifier	$Device[i].generalization
humanName	humanName	String	BaseElement	$Device[i].humanName
humanType	humanType	String	BaseElement	$Device[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Device[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Device[i].inheritedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Device[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Device[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Device[i].leaf
localID	localID	String	ModelObject	$Device[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Device[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Device[i].member
Name	name	String	NamedElement	$Device[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Device[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Device[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Device[i].nestedClassifier
Nested Node	nestedNode	Node[]	Node	$Device[i].nestedNode
objectParent	objectParent	BaseElement	BaseElement	$Device[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Class	$Device[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Device[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Device[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Device[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Device[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Device[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Device[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Device[i].ownedOperation
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Device[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$Device[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Device[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Device[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Device[i].ownedUseCase
Owner	owner	Element	Element	$Device[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Device[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Device[i].owningTemplateParameter
Package	package	Package	Type	$Device[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Device[i].packageImport
Part	part	Property[]	StructuredClassifier	$Device[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Device[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Device[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Device[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Device[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Device[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Device[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Device[i].role
Substitution	substitution	Substitution[]	Classifier	$Device[i].substitution

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Super Class	superClass	Class[]	Class	$Device[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Device[i].supplierDependency
Sync Element	syncElement	Element	Element	$Device[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Device[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Device[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Device[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Device[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Device[i].visibility

74. Diagram

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Diagram[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Diagram[i].appliedStereotype
classType	classType	Class	BaseElement	$Diagram[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Diagram[i].clientDependency
Context	context	Element	Diagram	$Diagram[i].context
isEditable	editable	boolean	BaseElement	$Diagram[i].editable
humanName	humanName	String	BaseElement	$Diagram[i].humanName
humanType	humanType	String	BaseElement	$Diagram[i].humanType
isInvalid	invalid	boolean	ModelObject	$Diagram[i].invalid
localID	localID	String	ModelObject	$Diagram[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Diagram[i].mdExtensions
Name	name	String	NamedElement	$Diagram[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Diagram[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Diagram[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Diagram[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Diagram[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Diagram[i].ownedElement
Owner	owner	Element	Element	$Diagram[i].owner
Owner Of Diagram	ownerOfDiagram	Namespace	Diagram	$Diagram[i].ownerOfDiagram
Qualified Name	qualifiedName	String	NamedElement	$Diagram[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Diagram[i].supplierDependency
Sync Element	syncElement	Element	Element	$Diagram[i].syncElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Tagged Value	taggedValue	TaggedValue[]	Element	$Diagram[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Diagram[i].visibility

75. DirectedRelationship

Generalization

- Relationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DirectedRelationship[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DirectedRelationship[i].appliedStereotype
classType	classType	Class	BaseElement	$DirectedRelationship[i].classType
isEditable	editable	boolean	BaseElement	$DirectedRelationship[i].editable
humanName	humanName	String	BaseElement	$DirectedRelationship[i].humanName
humanType	humanType	String	BaseElement	$DirectedRelationship[i].humanType
isInvalid	invalid	boolean	ModelObject	$DirectedRelationship[i].invalid
localID	localID	String	ModelObject	$DirectedRelationship[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DirectedRelationship[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$DirectedRelationship[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$DirectedRelationship[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DirectedRelationship[i].ownedElement
Owner	owner	Element	Element	$DirectedRelationship[i].owner
Related Element	relatedElement	Element[]	Relationship	$DirectedRelationship[i].relatedElement
Source	source	Element[]	DirectedRelationship	$DirectedRelationship[i].source
Sync Element	syncElement	Element	Element	$DirectedRelationship[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DirectedRelationship[i].taggedValue
Target	target	Element[]	DirectedRelationship	$DirectedRelationship[i].target

76. Duration

Generalization

- ValueSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Duration[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Duration[i].appliedStereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

classType	classType	Class	BaseElement	$Duration[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Duration[i].clientDependency
isEditable	editable	boolean	BaseElement	$Duration[i].editable
Expr	expr	ValueSpecification	Duration	$Duration[i].expr
Expression	expression	Expression	ValueSpecification	$Duration[i].expression
humanName	humanName	String	BaseElement	$Duration[i].humanName
humanType	humanType	String	BaseElement	$Duration[i].humanType
isInvalid	invalid	boolean	ModelObject	$Duration[i].invalid
localID	localID	String	ModelObject	$Duration[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Duration[i].mdExtensions
Name	name	String	NamedElement	$Duration[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Duration[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Duration[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Duration[i].objectParent
Observation	observation	Observation[]	Duration	$Duration[i].observation
Owned Comment	ownedComment	Comment[]	Element	$Duration[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Duration[i].ownedElement
Owner	owner	Element	Element	$Duration[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$Duration[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$Duration[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$Duration[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$Duration[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$Duration[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$Duration[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$Duration[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Duration[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$Duration[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$Duration[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Duration[i].supplierDependency
Sync Element	syncElement	Element	Element	$Duration[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Duration[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Duration[i].templateParameter
Type	type	Type	TypedElement	$Duration[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$Duration[i].visibility

77. DurationConstraint

Generalization

- IntervalConstraint

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DurationConstraint[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DurationConstraint[i].appliedStereotype
Body Context	bodyContext	Operation	Constraint	$DurationConstraint[i].bodyContext
classType	classType	Class	BaseElement	$DurationConstraint[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DurationConstraint[i].clientDependency
Constrained Element	constrainedElement	Element[]	Constraint	$DurationConstraint[i].constrainedElement
Context	context	Namespace	Constraint	$DurationConstraint[i].context
isEditable	editable	boolean	BaseElement	$DurationConstraint[i].editable
First Event	firstEvent	Boolean[]	DurationConstraint	$DurationConstraint[i].firstEvent
humanName	humanName	String	BaseElement	$DurationConstraint[i].humanName
humanType	humanType	String	BaseElement	$DurationConstraint[i].humanType
isInvalid	invalid	boolean	ModelObject	$DurationConstraint[i].invalid
localID	localID	String	ModelObject	$DurationConstraint[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DurationConstraint[i].mdExtensions
Name	name	String	NamedElement	$DurationConstraint[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DurationConstraint[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DurationConstraint[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DurationConstraint[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$DurationConstraint[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DurationConstraint[i].ownedElement
Owner	owner	Element	Element	$DurationConstraint[i].owner
Owning Package	owningPackage	Package	PackageableElement	$DurationConstraint[i].owningPackage
Owning State	owningState	State	Constraint	$DurationConstraint[i].owningState
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$DurationConstraint[i].owningTemplateParameter
Owning Transition	owningTransition	ProtocolTransition	Constraint	$DurationConstraint[i].owningTransition
Post Context	postContext	Operation	Constraint	$DurationConstraint[i].postContext
Pre Context	preContext	Operation	Constraint	$DurationConstraint[i].preContext
Qualified Name	qualifiedName	String	NamedElement	$DurationConstraint[i].qualifiedName
Specification	specification	DurationInterval	DurationConstraint	$DurationConstraint[i].specification
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DurationConstraint[i].supplierDependency
Sync Element	syncElement	Element	Element	$DurationConstraint[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DurationConstraint[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$DurationConstraint[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$DurationConstraint[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

78. DurationInterval

Generalization

- Interval

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DurationInterval[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DurationInterval[i].appliedStereotype
classType	classType	Class	BaseElement	$DurationInterval[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DurationInterval[i].clientDependency
isEditable	editable	boolean	BaseElement	$DurationInterval[i].editable
Expression	expression	Expression	ValueSpecification	$DurationInterval[i].expression
humanName	humanName	String	BaseElement	$DurationInterval[i].humanName
humanType	humanType	String	BaseElement	$DurationInterval[i].humanType
isInvalid	invalid	boolean	ModelObject	$DurationInterval[i].invalid
localID	localID	String	ModelObject	$DurationInterval[i].localID
Max	max	Duration	DurationInterval	$DurationInterval[i].max
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DurationInterval[i].mdExtensions
Min	min	Duration	DurationInterval	$DurationInterval[i].min
Name	name	String	NamedElement	$DurationInterval[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DurationInterval[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DurationInterval[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DurationInterval[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$DurationInterval[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DurationInterval[i].ownedElement
Owner	owner	Element	Element	$DurationInterval[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$DurationInterval[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$DurationInterval[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$DurationInterval[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$DurationInterval[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$DurationInterval[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$DurationInterval[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$DurationInterval[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$DurationInterval[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$DurationInterval[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$DurationInterval[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DurationInterval[i].supplierDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Sync Element	syncElement	Element	Element	$DurationInterval[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DurationInterval[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$DurationInterval[i].templateParameter
Type	type	Type	TypedElement	$DurationInterval[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$DurationInterval[i].visibility

79. DurationObservation

Generalization

- Observation

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$DurationObservation[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$DurationObservation[i].appliedStereotype
Behavior	behavior	Behavior	Observation	$DurationObservation[i].behavior
classType	classType	Class	BaseElement	$DurationObservation[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$DurationObservation[i].clientDependency
isEditable	editable	boolean	BaseElement	$DurationObservation[i].editable
Event	event	NamedElement[]	DurationObservation	$DurationObservation[i].event
First Event	firstEvent	Boolean[]	DurationObservation	$DurationObservation[i].firstEvent
humanName	humanName	String	BaseElement	$DurationObservation[i].humanName
humanType	humanType	String	BaseElement	$DurationObservation[i].humanType
isInvalid	invalid	boolean	ModelObject	$DurationObservation[i].invalid
localID	localID	String	ModelObject	$DurationObservation[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$DurationObservation[i].mdExtensions
Name	name	String	NamedElement	$DurationObservation[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$DurationObservation[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$DurationObservation[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$DurationObservation[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$DurationObservation[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$DurationObservation[i].ownedElement
Owner	owner	Element	Element	$DurationObservation[i].owner
Owning Package	owningPackage	Package	PackageableElement	$DurationObservation[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$DurationObservation[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$DurationObservation[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$DurationObservation[i].supplierDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Sync Element	syncElement	Element	Element	$DurationObservation[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$DurationObservation[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$DurationObservation[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$DurationObservation[i].visibility

80. Element

Generalization

- ModelObject

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Element[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Element[i].appliedStereotype
classType	classType	Class	BaseElement	$Element[i].classType
isEditable	editable	boolean	BaseElement	$Element[i].editable
humanName	humanName	String	BaseElement	$Element[i].humanName
humanType	humanType	String	BaseElement	$Element[i].humanType
isInvalid	invalid	boolean	ModelObject	$Element[i].invalid
localID	localID	String	ModelObject	$Element[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Element[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$Element[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Element[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Element[i].ownedElement
Owner	owner	Element	Element	$Element[i].owner
Sync Element	syncElement	Element	Element	$Element[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Element[i].taggedValue

81. ElementImport

Generalization

- DirectedRelationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ElementImport[i].ID
Alias	alias	String	ElementImport	$ElementImport[i].alias
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ElementImport[i].appliedStereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

classType	classType	Class	BaseElement	$ElementImport[i].classType
isEditable	editable	boolean	BaseElement	$ElementImport[i].editable
humanName	humanName	String	BaseElement	$ElementImport[i].humanName
humanType	humanType	String	BaseElement	$ElementImport[i].humanType
Imported Element	importedElement	PackageableElement	ElementImport	$ElementImport[i].importedElement
Importing Namespace	importingNamespace	Namespace	ElementImport	$ElementImport[i].importingNamespace
isInvalid	invalid	boolean	ModelObject	$ElementImport[i].invalid
localID	localID	String	ModelObject	$ElementImport[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ElementImport[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ElementImport[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ElementImport[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ElementImport[i].ownedElement
Owner	owner	Element	Element	$ElementImport[i].owner
Related Element	relatedElement	Element[]	Relationship	$ElementImport[i].relatedElement
Source	source	Element[]	DirectedRelationship	$ElementImport[i].source
Sync Element	syncElement	Element	Element	$ElementImport[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ElementImport[i].taggedValue
Target	target	Element[]	DirectedRelationship	$ElementImport[i].target
Visibility	visibility	VisibilityKind	ElementImport	$ElementImport[i].visibility

82. ElementTaggedValue

Generalization

- TaggedValue

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ElementTaggedValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ElementTaggedValue[i].appliedStereotype
classType	classType	Class	BaseElement	$ElementTaggedValue[i].classType
isEditable	editable	boolean	BaseElement	$ElementTaggedValue[i].editable
humanName	humanName	String	BaseElement	$ElementTaggedValue[i].humanName
humanType	humanType	String	BaseElement	$ElementTaggedValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$ElementTaggedValue[i].invalid
localID	localID	String	ModelObject	$ElementTaggedValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ElementTaggedValue[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ElementTaggedValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ElementTaggedValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ElementTaggedValue[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$ElementTaggedValue[i].owner
Sync Element	syncElement	Element	Element	$ElementTaggedValue[i].syncElement
Tag Definition	tagDefinition	Property	TaggedValue	$ElementTaggedValue[i].tagDefinition
Tagged Value	taggedValue	TaggedValue[]	Element	$ElementTaggedValue[i].taggedValue
Tagged Value Owner	taggedValueOwner	Element	TaggedValue	$ElementTaggedValue[i].taggedValueOwner
Value	value	Element[]	ElementTaggedValue	$ElementTaggedValue[i].value

83. ElementValue

Generalization

- ValueSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ElementValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ElementValue[i].appliedStereotype
classType	classType	Class	BaseElement	$ElementValue[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ElementValue[i].clientDependency
isEditable	editable	boolean	BaseElement	$ElementValue[i].editable
Element	element	Element	ElementValue	$ElementValue[i].element
Expression	expression	Expression	ValueSpecification	$ElementValue[i].expression
humanName	humanName	String	BaseElement	$ElementValue[i].humanName
humanType	humanType	String	BaseElement	$ElementValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$ElementValue[i].invalid
localID	localID	String	ModelObject	$ElementValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ElementValue[i].mdExtensions
Name	name	String	NamedElement	$ElementValue[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ElementValue[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ElementValue[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ElementValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ElementValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ElementValue[i].ownedElement
Owner	owner	Element	Element	$ElementValue[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$ElementValue[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$ElementValue[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$ElementValue[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$ElementValue[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$ElementValue[i].owningParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Property	owningProperty	Property	ValueSpecification	$ElementValue[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$ElementValue[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ElementValue[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$ElementValue[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$ElementValue[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ElementValue[i].supplierDependency
Sync Element	syncElement	Element	Element	$ElementValue[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ElementValue[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$ElementValue[i].templateParameter
Type	type	Type	TypedElement	$ElementValue[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$ElementValue[i].visibility

84. EncapsulatedClassifier

Generalization

- StructuredClassifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$EncapsulatedClassifier[i].ID
Class	UMLClass	Class	Classifier	$EncapsulatedClassifier[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$EncapsulatedClassifier[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$EncapsulatedClassifier[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$EncapsulatedClassifier[i].attribute
classType	classType	Class	BaseElement	$EncapsulatedClassifier[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$EncapsulatedClassifier[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$EncapsulatedClassifier[i].collaborationUse
isEditable	editable	boolean	BaseElement	$EncapsulatedClassifier[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$EncapsulatedClassifier[i].elementImport
Feature	feature	Feature[]	Classifier	$EncapsulatedClassifier[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$EncapsulatedClassifier[i].finalSpecialization
General	general	Classifier[]	Classifier	$EncapsulatedClassifier[i].general
Generalization	generalization	Generalization[]	Classifier	$EncapsulatedClassifier[i].generalization
humanName	humanName	String	BaseElement	$EncapsulatedClassifier[i].humanName
humanType	humanType	String	BaseElement	$EncapsulatedClassifier[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Imported Member	importedMember	PackageableElement[]	Namespace	$EncapsulatedClassifier[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$EncapsulatedClassifier[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$EncapsulatedClassifier[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$EncapsulatedClassifier[i].leaf
localID	localID	String	ModelObject	$EncapsulatedClassifier[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$EncapsulatedClassifier[i].mdExtensions
Member	member	NamedElement[]	Namespace	$EncapsulatedClassifier[i].member
Name	name	String	NamedElement	$EncapsulatedClassifier[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$EncapsulatedClassifier[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$EncapsulatedClassifier[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$EncapsulatedClassifier[i].objectParent
Owned Attribute	ownedAttribute	Property[]	StructuredClassifier	$EncapsulatedClassifier[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$EncapsulatedClassifier[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$EncapsulatedClassifier[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$EncapsulatedClassifier[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$EncapsulatedClassifier[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$EncapsulatedClassifier[i].ownedMember
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$EncapsulatedClassifier[i].ownedPort
Owned Rule	ownedRule	Constraint[]	Namespace	$EncapsulatedClassifier[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$EncapsulatedClassifier[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$EncapsulatedClassifier[i].ownedUseCase
Owner	owner	Element	Element	$EncapsulatedClassifier[i].owner
Owning Package	owningPackage	Package	PackageableElement	$EncapsulatedClassifier[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$EncapsulatedClassifier[i].owningTemplateParameter
Package	package	Package	Type	$EncapsulatedClassifier[i].package
Package Import	packageImport	PackageImport[]	Namespace	$EncapsulatedClassifier[i].packageImport
Part	part	Property[]	StructuredClassifier	$EncapsulatedClassifier[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$EncapsulatedClassifier[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$EncapsulatedClassifier[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$EncapsulatedClassifier[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$EncapsulatedClassifier[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$EncapsulatedClassifier[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$EncapsulatedClassifier[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$EncapsulatedClassifier[i].role
Substitution	substitution	Substitution[]	Classifier	$EncapsulatedClassifier[i].substitution

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$EncapsulatedClassifier[i].supplierDependency
Sync Element	syncElement	Element	Element	$EncapsulatedClassifier[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$EncapsulatedClassifier[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$EncapsulatedClassifier[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$EncapsulatedClassifier[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$EncapsulatedClassifier[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$EncapsulatedClassifier[i].visibility

85. Enumeration

Generalization

- DataType

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Enumeration[i].ID
Class	UMLClass	Class	Classifier	$Enumeration[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Enumeration[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Enumeration[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Enumeration[i].attribute
classType	classType	Class	BaseElement	$Enumeration[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Enumeration[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Enumeration[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Enumeration[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Enumeration[i].elementImport
Feature	feature	Feature[]	Classifier	$Enumeration[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Enumeration[i].finalSpecialization
General	general	Classifier[]	Classifier	$Enumeration[i].general
Generalization	generalization	Generalization[]	Classifier	$Enumeration[i].generalization
humanName	humanName	String	BaseElement	$Enumeration[i].humanName
humanType	humanType	String	BaseElement	$Enumeration[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Enumeration[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Enumeration[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$Enumeration[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Enumeration[i].leaf
localID	localID	String	ModelObject	$Enumeration[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Enumeration[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Member	member	NamedElement[]	Namespace	$Enumeration[i].member
Name	name	String	NamedElement	$Enumeration[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Enumeration[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Enumeration[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Enumeration[i].objectParent
Owned Attribute	ownedAttribute	Property[]	DataType	$Enumeration[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$Enumeration[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Enumeration[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Enumeration[i].ownedElement
Owned Literal	ownedLiteral	EnumerationLiteral[]	Enumeration	$Enumeration[i].ownedLiteral
Owned Member	ownedMember	NamedElement[]	Namespace	$Enumeration[i].ownedMember
Owned Operation	ownedOperation	Operation[]	DataType	$Enumeration[i].ownedOperation
Owned Rule	ownedRule	Constraint[]	Namespace	$Enumeration[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Enumeration[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Enumeration[i].ownedUseCase
Owner	owner	Element	Element	$Enumeration[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Enumeration[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Enumeration[i].owningTemplateParameter
Package	package	Package	Type	$Enumeration[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Enumeration[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Enumeration[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Enumeration[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Enumeration[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Enumeration[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Enumeration[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Enumeration[i].representation
Substitution	substitution	Substitution[]	Classifier	$Enumeration[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Enumeration[i].supplierDependency
Sync Element	syncElement	Element	Element	$Enumeration[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Enumeration[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Enumeration[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Enumeration[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Enumeration[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Enumeration[i].visibility

86. EnumerationLiteral

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- InstanceSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$EnumerationLiteral[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$EnumerationLiteral[i].appliedStereotype
classType	classType	Class	BaseElement	$EnumerationLiteral[i].classType
Classifier	classifier	Classifier[]	EnumerationLiteral	$EnumerationLiteral[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$EnumerationLiteral[i].clientDependency
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$EnumerationLiteral[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$EnumerationLiteral[i].deployment
isEditable	editable	boolean	BaseElement	$EnumerationLiteral[i].editable
Enumeration	enumeration	Enumeration	EnumerationLiteral	$EnumerationLiteral[i].enumeration
humanName	humanName	String	BaseElement	$EnumerationLiteral[i].humanName
humanType	humanType	String	BaseElement	$EnumerationLiteral[i].humanType
isInvalid	invalid	boolean	ModelObject	$EnumerationLiteral[i].invalid
localID	localID	String	ModelObject	$EnumerationLiteral[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$EnumerationLiteral[i].mdExtensions
Name	name	String	NamedElement	$EnumerationLiteral[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$EnumerationLiteral[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$EnumerationLiteral[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$EnumerationLiteral[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$EnumerationLiteral[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$EnumerationLiteral[i].ownedElement
Owner	owner	Element	Element	$EnumerationLiteral[i].owner
Owning Package	owningPackage	Package	PackageableElement	$EnumerationLiteral[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$EnumerationLiteral[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$EnumerationLiteral[i].qualifiedName
Slot	slot	Slot[]	InstanceSpecification	$EnumerationLiteral[i].slot
Specification	specification	ValueSpecification	InstanceSpecification	$EnumerationLiteral[i].specification
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$EnumerationLiteral[i].supplierDependency
Sync Element	syncElement	Element	Element	$EnumerationLiteral[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$EnumerationLiteral[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$EnumerationLiteral[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$EnumerationLiteral[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

87. Event

Generalization

- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Event[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Event[i].appliedStereotype
Behavior	behavior	Behavior	Event	$Event[i].behavior
classType	classType	Class	BaseElement	$Event[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Event[i].clientDependency
isEditable	editable	boolean	BaseElement	$Event[i].editable
humanName	humanName	String	BaseElement	$Event[i].humanName
humanType	humanType	String	BaseElement	$Event[i].humanType
isInvalid	invalid	boolean	ModelObject	$Event[i].invalid
localID	localID	String	ModelObject	$Event[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Event[i].mdExtensions
Name	name	String	NamedElement	$Event[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Event[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Event[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Event[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Event[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Event[i].ownedElement
Owner	owner	Element	Element	$Event[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Event[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Event[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Event[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Event[i].supplierDependency
Sync Element	syncElement	Element	Element	$Event[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Event[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Event[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Event[i].visibility

88. ExceptionHandler

Generalization

- Element

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExceptionHandler[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExceptionHandler[i].appliedStereotype
classType	classType	Class	BaseElement	$ExceptionHandler[i].classType
isEditable	editable	boolean	BaseElement	$ExceptionHandler[i].editable
Exception Input	exceptionInput	ObjectNode	ExceptionHandler	$ExceptionHandler[i].exceptionInput
Exception Type	exceptionType	Classifier[]	ExceptionHandler	$ExceptionHandler[i].exceptionType
Handler Body	handlerBody	ExecutableNode	ExceptionHandler	$ExceptionHandler[i].handlerBody
humanName	humanName	String	BaseElement	$ExceptionHandler[i].humanName
humanType	humanType	String	BaseElement	$ExceptionHandler[i].humanType
isInvalid	invalid	boolean	ModelObject	$ExceptionHandler[i].invalid
localID	localID	String	ModelObject	$ExceptionHandler[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExceptionHandler[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ExceptionHandler[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ExceptionHandler[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ExceptionHandler[i].ownedElement
Owner	owner	Element	Element	$ExceptionHandler[i].owner
Protected Node	protectedNode	ExecutableNode	ExceptionHandler	$ExceptionHandler[i].protectedNode
Sync Element	syncElement	Element	Element	$ExceptionHandler[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExceptionHandler[i].taggedValue

89. ExecutableNode

Generalization

- ActivityNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExecutableNode[i].ID
Activity	activity	Activity	ActivityNode	$ExecutableNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExecutableNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ExecutableNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExecutableNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$ExecutableNode[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ExecutableNode[i].handler
humanName	humanName	String	BaseElement	$ExecutableNode[i].humanName
humanType	humanType	String	BaseElement	$ExecutableNode[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

In Group	inGroup	ActivityGroup[]	ActivityNode	$ExecutableNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ExecutableNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ExecutableNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ExecutableNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ExecutableNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$ExecutableNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ExecutableNode[i].leaf
localID	localID	String	ModelObject	$ExecutableNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExecutableNode[i].mdExtensions
Name	name	String	NamedElement	$ExecutableNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExecutableNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExecutableNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ExecutableNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ExecutableNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ExecutableNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ExecutableNode[i].ownedElement
Owner	owner	Element	Element	$ExecutableNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ExecutableNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ExecutableNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ExecutableNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ExecutableNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExecutableNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExecutableNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExecutableNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ExecutableNode[i].visibility

90. ExecutionEnvironment

Generalization

- Node

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExecutionEnvironment[i].ID
Class	UMLClass	Class	Classifier	$ExecutionEnvironment[i].UMLClass
Is Abstract	abstract	boolean	Class	$ExecutionEnvironment[i].abstract
Is Active	active	boolean	Class	$ExecutionEnvironment[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExecutionEnvironment[i].appliedStereotyp

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				e
Attribute	attribute	Property[]	Classifier	$ExecutionEnvironment[i].attribute
classType	classType	Class	BaseElement	$ExecutionEnvironment[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$ExecutionEnvironment[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExecutionEnvironment[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$ExecutionEnvironment[i].collaborationUse
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$ExecutionEnvironment[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$ExecutionEnvironment[i].deployment
isEditable	editable	boolean	BaseElement	$ExecutionEnvironment[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$ExecutionEnvironment[i].elementImport
Extension	extension	Extension[]	Class	$ExecutionEnvironment[i].extension
Feature	feature	Feature[]	Classifier	$ExecutionEnvironment[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$ExecutionEnvironment[i].finalSpecialization
General	general	Classifier[]	Classifier	$ExecutionEnvironment[i].general
Generalization	generalization	Generalization[]	Classifier	$ExecutionEnvironment[i].generalization
humanName	humanName	String	BaseElement	$ExecutionEnvironment[i].humanName
humanType	humanType	String	BaseElement	$ExecutionEnvironment[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$ExecutionEnvironment[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$ExecutionEnvironment[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$ExecutionEnvironment[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$ExecutionEnvironment[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ExecutionEnvironment[i].leaf
localID	localID	String	ModelObject	$ExecutionEnvironment[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExecutionEnvironment[i].mdExtensions
Member	member	NamedElement[]	Namespace	$ExecutionEnvironment[i].member
Name	name	String	NamedElement	$ExecutionEnvironment[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExecutionEnvironment[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExecutionEnvironment[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$ExecutionEnvironment[i].nestedClassifier
Nested Node	nestedNode	Node[]	Node	$ExecutionEnvironment[i].nestedNode
objectParent	objectParent	BaseElement	BaseElement	$ExecutionEnvironment[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Class	$ExecutionEnvironment[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$ExecutionEnvironment[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$ExecutionEnvironment[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$ExecutionEnvironment[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$ExecutionEnvironment[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$ExecutionEnvironment[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$ExecutionEnvironment[i].ownedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Operation	ownedOperation	Operation[]	Class	$ExecutionEnvironment[i].ownedOperation
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$ExecutionEnvironment[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$ExecutionEnvironment[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$ExecutionEnvironment[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$ExecutionEnvironment[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$ExecutionEnvironment[i].ownedUseCase
Owner	owner	Element	Element	$ExecutionEnvironment[i].owner
Owning Package	owningPackage	Package	PackageableElement	$ExecutionEnvironment[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ExecutionEnvironment[i].owningTemplateParameter
Package	package	Package	Type	$ExecutionEnvironment[i].package
Package Import	packageImport	PackageImport[]	Namespace	$ExecutionEnvironment[i].packageImport
Part	part	Property[]	StructuredClassifier	$ExecutionEnvironment[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$ExecutionEnvironment[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$ExecutionEnvironment[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$ExecutionEnvironment[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ExecutionEnvironment[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ExecutionEnvironment[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$ExecutionEnvironment[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$ExecutionEnvironment[i].role
Substitution	substitution	Substitution[]	Classifier	$ExecutionEnvironment[i].substitution
Super Class	superClass	Class[]	Class	$ExecutionEnvironment[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExecutionEnvironment[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExecutionEnvironment[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExecutionEnvironment[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$ExecutionEnvironment[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$ExecutionEnvironment[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$ExecutionEnvironment[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$ExecutionEnvironment[i].visibility

91. ExecutionOccurrenceSpecification

Generalization

- OccurrenceSpecification

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExecutionOccurrenceSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExecutionOccurrenceSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$ExecutionOccurrenceSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExecutionOccurrenceSpecification[i].clientDependency
Covered	covered	Lifeline[]	OccurrenceSpecification	$ExecutionOccurrenceSpecification[i].covered
isEditable	editable	boolean	BaseElement	$ExecutionOccurrenceSpecification[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$ExecutionOccurrenceSpecification[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$ExecutionOccurrenceSpecification[i].enclosingOperand
Execution	execution	ExecutionSpecification	ExecutionOccurrenceSpecification	$ExecutionOccurrenceSpecification[i].execution
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$ExecutionOccurrenceSpecification[i].generalOrdering
humanName	humanName	String	BaseElement	$ExecutionOccurrenceSpecification[i].humanName
humanType	humanType	String	BaseElement	$ExecutionOccurrenceSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$ExecutionOccurrenceSpecification[i].invalid
localID	localID	String	ModelObject	$ExecutionOccurrenceSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExecutionOccurrenceSpecification[i].mdExtensions
Name	name	String	NamedElement	$ExecutionOccurrenceSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExecutionOccurrenceSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExecutionOccurrenceSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ExecutionOccurrenceSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ExecutionOccurrenceSpecification[i].ownedComment

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Element	ownedElement	Element[]	Element	$ExecutionOccurrenceSpecification[i].ownedElement
Owner	owner	Element	Element	$ExecutionOccurrenceSpecification[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ExecutionOccurrenceSpecification[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExecutionOccurrenceSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExecutionOccurrenceSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExecutionOccurrenceSpecification[i].taggedValue
To After	toAfter	GeneralOrdering[]	OccurrenceSpecification	$ExecutionOccurrenceSpecification[i].toAfter
To Before	toBefore	GeneralOrdering[]	OccurrenceSpecification	$ExecutionOccurrenceSpecification[i].toBefore
Visibility	visibility	VisibilityKind	NamedElement	$ExecutionOccurrenceSpecification[i].visibility

92. ExecutionSpecification

Generalization

- InteractionFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExecutionSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExecutionSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$ExecutionSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExecutionSpecification[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$ExecutionSpecification[i].covered
isEditable	editable	boolean	BaseElement	$ExecutionSpecification[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$ExecutionSpecification[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$ExecutionSpecification[i].enclosingOperand
Finish	finish	OccurrenceSpecification	ExecutionSpecification	$ExecutionSpecification[i].finish
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$ExecutionSpecification[i].generalOrdering
humanName	humanName	String	BaseElement	$ExecutionSpecification[i].humanName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanType	humanType	String	BaseElement	$ExecutionSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$ExecutionSpecification[i].invalid
localID	localID	String	ModelObject	$ExecutionSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExecutionSpecification[i].mdExtensions
Name	name	String	NamedElement	$ExecutionSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExecutionSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExecutionSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ExecutionSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ExecutionSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ExecutionSpecification[i].ownedElement
Owner	owner	Element	Element	$ExecutionSpecification[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ExecutionSpecification[i].qualifiedName
Start	start	OccurrenceSpecification	ExecutionSpecification	$ExecutionSpecification[i].start
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExecutionSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExecutionSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExecutionSpecification[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ExecutionSpecification[i].visibility

93. ExpansionNode

Generalization

- ObjectNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExpansionNode[i].ID
Activity	activity	Activity	ActivityNode	$ExpansionNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExpansionNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ExpansionNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExpansionNode[i].clientDependency
Is Control Type	controlType	boolean	ObjectNode	$ExpansionNode[i].controlType
isEditable	editable	boolean	BaseElement	$ExpansionNode[i].editable
humanName	humanName	String	BaseElement	$ExpansionNode[i].humanName
humanType	humanType	String	BaseElement	$ExpansionNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ExpansionNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ExpansionNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ExpansionNode[i].inPartition

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

In State	inState	State[]	ObjectNode	$ExpansionNode[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ExpansionNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ExpansionNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$ExpansionNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ExpansionNode[i].leaf
localID	localID	String	ModelObject	$ExpansionNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExpansionNode[i].mdExtensions
Name	name	String	NamedElement	$ExpansionNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExpansionNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExpansionNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ExpansionNode[i].objectParent
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$ExpansionNode[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ExpansionNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ExpansionNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ExpansionNode[i].ownedElement
Owner	owner	Element	Element	$ExpansionNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ExpansionNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ExpansionNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ExpansionNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ExpansionNode[i].redefinitionContext
Region As Input	regionAsInput	ExpansionRegion	ExpansionNode	$ExpansionNode[i].regionAsInput
Region As Output	regionAsOutput	ExpansionRegion	ExpansionNode	$ExpansionNode[i].regionAsOutput
Selection	selection	Behavior	ObjectNode	$ExpansionNode[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExpansionNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExpansionNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExpansionNode[i].taggedValue
Type	type	Type	TypedElement	$ExpansionNode[i].type
Upper Bound	upperBound	ValueSpecification	ObjectNode	$ExpansionNode[i].upperBound
Visibility	visibility	VisibilityKind	NamedElement	$ExpansionNode[i].visibility

94. ExpansionRegion

Generalization

- StructuredActivityNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExpansionRegion[i].ID
Activity	activity	Activity	StructuredActivityNode	$ExpansionRegion[i].activity

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExpansionRegion[i].appliedStereotype
classType	classType	Class	BaseElement	$ExpansionRegion[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExpansionRegion[i].clientDependency
Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$ExpansionRegion[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$ExpansionRegion[i].containedNode
Context	context	Classifier	Action	$ExpansionRegion[i].context
Edge	edge	ActivityEdge[]	StructuredActivityNode	$ExpansionRegion[i].edge
isEditable	editable	boolean	BaseElement	$ExpansionRegion[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$ExpansionRegion[i].elementImport
Handler	handler	ExceptionHandler[]	ExecutableNode	$ExpansionRegion[i].handler
humanName	humanName	String	BaseElement	$ExpansionRegion[i].humanName
humanType	humanType	String	BaseElement	$ExpansionRegion[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$ExpansionRegion[i].importedMember
In Activity	inActivity	Activity	ActivityGroup	$ExpansionRegion[i].inActivity
In Group	inGroup	ActivityGroup[]	ActivityNode	$ExpansionRegion[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ExpansionRegion[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ExpansionRegion[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ExpansionRegion[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ExpansionRegion[i].incoming
Input	input	InputPin[]	Action	$ExpansionRegion[i].input
Input Element	inputElement	ExpansionNode[]	ExpansionRegion	$ExpansionRegion[i].inputElement
isInvalid	invalid	boolean	ModelObject	$ExpansionRegion[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ExpansionRegion[i].leaf
localID	localID	String	ModelObject	$ExpansionRegion[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ExpansionRegion[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ExpansionRegion[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ExpansionRegion[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExpansionRegion[i].mdExtensions
Member	member	NamedElement[]	Namespace	$ExpansionRegion[i].member
Mode	mode	ExpansionKind	ExpansionRegion	$ExpansionRegion[i].mode
isMustIsolate	mustIsolate	boolean	StructuredActivityNode	$ExpansionRegion[i].mustIsolate
Name	name	String	NamedElement	$ExpansionRegion[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExpansionRegion[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExpansionRegion[i].namespace
Node	node	ActivityNode[]	StructuredActivityNode	$ExpansionRegion[i].node
objectParent	objectParent	BaseElement	BaseElement	$ExpansionRegion[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ExpansionRegion[i].outgoing
Output	output	OutputPin[]	Action	$ExpansionRegion[i].output
Output Element	outputElement	ExpansionNode[]	ExpansionRegion	$ExpansionRegion[i].outputElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Comment	ownedComment	Comment[]	Element	$ExpansionRegion[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$ExpansionRegion[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$ExpansionRegion[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$ExpansionRegion[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$ExpansionRegion[i].ownedRule
Owner	owner	Element	Element	$ExpansionRegion[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$ExpansionRegion[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$ExpansionRegion[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ExpansionRegion[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ExpansionRegion[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ExpansionRegion[i].redefinitionContext
Structured Node Input	structuredNodeInput	InputPin[]	StructuredActivityNode	$ExpansionRegion[i].structuredNodeInput
Structured Node Output	structuredNodeOutput	OutputPin[]	StructuredActivityNode	$ExpansionRegion[i].structuredNodeOutput
Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$ExpansionRegion[i].subgroup
Super Group	superGroup	ActivityGroup	ActivityGroup	$ExpansionRegion[i].superGroup
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExpansionRegion[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExpansionRegion[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExpansionRegion[i].taggedValue
Variable	variable	Variable[]	StructuredActivityNode	$ExpansionRegion[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$ExpansionRegion[i].visibility

95. Expression

Generalization

- ValueSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Expression[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Expression[i].appliedStereotype
classType	classType	Class	BaseElement	$Expression[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Expression[i].clientDependency
isEditable	editable	boolean	BaseElement	$Expression[i].editable
Expression	expression	Expression	ValueSpecification	$Expression[i].expression
humanName	humanName	String	BaseElement	$Expression[i].humanName
humanType	humanType	String	BaseElement	$Expression[i].humanType
isInvalid	invalid	boolean	ModelObject	$Expression[i].invalid
localID	localID	String	ModelObject	$Expression[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Expression[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name	name	String	NamedElement	$Expression[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Expression[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Expression[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Expression[i].objectParent
Operand	operand	ValueSpecification[]	Expression	$Expression[i].operand
Owned Comment	ownedComment	Comment[]	Element	$Expression[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Expression[i].ownedElement
Owner	owner	Element	Element	$Expression[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$Expression[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$Expression[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$Expression[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$Expression[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$Expression[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$Expression[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$Expression[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Expression[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$Expression[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$Expression[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Expression[i].supplierDependency
Symbol	symbol	String	Expression	$Expression[i].symbol
Sync Element	syncElement	Element	Element	$Expression[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Expression[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Expression[i].templateParameter
Type	type	Type	TypedElement	$Expression[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$Expression[i].visibility

96. Extend

Generalization

- DirectedRelationship
- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Extend[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Extend[i].appliedStereotype
classType	classType	Class	BaseElement	$Extend[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Extend[i].clientDependency
Condition	condition	Constraint	Extend	$Extend[i].condition

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isEditable	editable	boolean	BaseElement	$Extend[i].editable
Extended Case	extendedCase	UseCase	Extend	$Extend[i].extendedCase
Extension	extension	UseCase	Extend	$Extend[i].extension
Extension Location	extensionLocation	ExtensionPoint[]	Extend	$Extend[i].extensionLocation
humanName	humanName	String	BaseElement	$Extend[i].humanName
humanType	humanType	String	BaseElement	$Extend[i].humanType
isInvalid	invalid	boolean	ModelObject	$Extend[i].invalid
localID	localID	String	ModelObject	$Extend[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Extend[i].mdExtensions
Name	name	String	NamedElement	$Extend[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Extend[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Extend[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Extend[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Extend[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Extend[i].ownedElement
Owner	owner	Element	Element	$Extend[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Extend[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Extend[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Extend[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Extend[i].supplierDependency
Sync Element	syncElement	Element	Element	$Extend[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Extend[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Extend[i].target
Visibility	visibility	VisibilityKind	NamedElement	$Extend[i].visibility

97. Extension

Generalization

- Association

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Extension[i].ID
Class	UMLClass	Class	Classifier	$Extension[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Extension[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Extension[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Extension[i].attribute
classType	classType	Class	BaseElement	$Extension[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Extension[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Extension[i].collaborationUse
Is Derived	derived	boolean	Association	$Extension[i].derived
isEditable	editable	boolean	BaseElement	$Extension[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Extension[i].elementImport
End Type	endType	Type[]	Association	$Extension[i].endType
Feature	feature	Feature[]	Classifier	$Extension[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Extension[i].finalSpecialization
General	general	Classifier[]	Classifier	$Extension[i].general
Generalization	generalization	Generalization[]	Classifier	$Extension[i].generalization
humanName	humanName	String	BaseElement	$Extension[i].humanName
humanType	humanType	String	BaseElement	$Extension[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Extension[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Extension[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$Extension[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Extension[i].leaf
localID	localID	String	ModelObject	$Extension[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Extension[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Extension[i].member
Member End	memberEnd	Property[]	Association	$Extension[i].memberEnd
Metaclass	metaclass	Class	Extension	$Extension[i].metaclass
Name	name	String	NamedElement	$Extension[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Extension[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Extension[i].namespace
Navigable Owned End	navigableOwnedEnd	Property[]	Association	$Extension[i].navigableOwnedEnd
objectParent	objectParent	BaseElement	BaseElement	$Extension[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Extension[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Extension[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Extension[i].ownedElement
Owned End	ownedEnd	Property[]	Extension	$Extension[i].ownedEnd
Owned Member	ownedMember	NamedElement[]	Namespace	$Extension[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Extension[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Extension[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Extension[i].ownedUseCase
Owner	owner	Element	Element	$Extension[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Extension[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Extension[i].owningTemplateParameter
Package	package	Package	Type	$Extension[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Extension[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Extension[i].powertypeExtent

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Qualified Name	qualifiedName	String	NamedElement	$Extension[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Extension[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Extension[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Extension[i].redefinitionContext
Related Element	relatedElement	Element[]	Relationship	$Extension[i].relatedElement
Representation	representation	CollaborationUse	Classifier	$Extension[i].representation
Is Required	required	boolean	Extension	$Extension[i].required
Substitution	substitution	Substitution[]	Classifier	$Extension[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Extension[i].supplierDependency
Sync Element	syncElement	Element	Element	$Extension[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Extension[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Extension[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Extension[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Extension[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Extension[i].visibility

98. ExtensionEnd

Generalization

- Property

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExtensionEnd[i].ID
Class	UMLClass	Class	Property	$ExtensionEnd[i].UMLClass
Aggregation	aggregation	AggregationKind	Property	$ExtensionEnd[i].aggregation
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExtensionEnd[i].appliedStereotype
Association	association	Association	Property	$ExtensionEnd[i].association
Association End	associationEnd	Property	Property	$ExtensionEnd[i].associationEnd
classType	classType	Class	BaseElement	$ExtensionEnd[i].classType
Classifier	classifier	Classifier	Property	$ExtensionEnd[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExtensionEnd[i].clientDependency
Is Composite	composite	boolean	Property	$ExtensionEnd[i].composite
Datatype	datatype	DataType	Property	$ExtensionEnd[i].datatype
Default Value	defaultValue	ValueSpecification	Property	$ExtensionEnd[i].defaultValue
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$ExtensionEnd[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$ExtensionEnd[i].deployment
Is Derived	derived	boolean	Property	$ExtensionEnd[i].derived

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Derived Union	derivedUnion	boolean	Property	$ExtensionEnd[i].derivedUnion
isEditable	editable	boolean	BaseElement	$ExtensionEnd[i].editable
End	end	ConnectorEnd[]	ConnectableElement	$ExtensionEnd[i].end
Featuring Classifier	featuringClassifier	Classifier	Feature	$ExtensionEnd[i].featuringClassifier
humanName	humanName	String	BaseElement	$ExtensionEnd[i].humanName
humanType	humanType	String	BaseElement	$ExtensionEnd[i].humanType
Interface	interface	Interface	Property	$ExtensionEnd[i].interface
isInvalid	invalid	boolean	ModelObject	$ExtensionEnd[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ExtensionEnd[i].leaf
localID	localID	String	ModelObject	$ExtensionEnd[i].localID
Lower	lower	int	ExtensionEnd	$ExtensionEnd[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$ExtensionEnd[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExtensionEnd[i].mdExtensions
Name	name	String	NamedElement	$ExtensionEnd[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExtensionEnd[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExtensionEnd[i].namespace
isNavigable	navigable	boolean	Property	$ExtensionEnd[i].navigable
objectParent	objectParent	BaseElement	BaseElement	$ExtensionEnd[i].objectParent
Opposite	opposite	Property	Property	$ExtensionEnd[i].opposite
Is Ordered	ordered	boolean	MultiplicityElement	$ExtensionEnd[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$ExtensionEnd[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ExtensionEnd[i].ownedElement
Owner	owner	Element	Element	$ExtensionEnd[i].owner
Owning Association	owningAssociation	Association	Property	$ExtensionEnd[i].owningAssociation
Owning Signal	owningSignal	Signal	Property	$ExtensionEnd[i].owningSignal
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ExtensionEnd[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$ExtensionEnd[i].qualifiedName
Qualifier	qualifier	Property[]	Property	$ExtensionEnd[i].qualifier
Is Read Only	readOnly	boolean	StructuralFeature	$ExtensionEnd[i].readOnly
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ExtensionEnd[i].redefinedElement
Redefined Property	redefinedProperty	Property[]	Property	$ExtensionEnd[i].redefinedProperty
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ExtensionEnd[i].redefinitionContext
Is Static	static	boolean	Feature	$ExtensionEnd[i].static
Subsetted Property	subsettedProperty	Property[]	Property	$ExtensionEnd[i].subsettedProperty
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExtensionEnd[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExtensionEnd[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExtensionEnd[i].taggedValue
Template Parameter	templateParameter	ConnectableElementTemplateParameter	ConnectableElement	$ExtensionEnd[i].templateParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Type	type	Stereotype	ExtensionEnd	$ExtensionEnd[i].type
Is Unique	unique	boolean	MultiplicityElement	$ExtensionEnd[i].unique
Upper	upper	int	MultiplicityElement	$ExtensionEnd[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$ExtensionEnd[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$ExtensionEnd[i].visibility

99. ExtensionPoint

Generalization

- RedefinableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ExtensionPoint[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ExtensionPoint[i].appliedStereotype
classType	classType	Class	BaseElement	$ExtensionPoint[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ExtensionPoint[i].clientDependency
isEditable	editable	boolean	BaseElement	$ExtensionPoint[i].editable
Extension	extension	Extend[]	ExtensionPoint	$ExtensionPoint[i].extension
humanName	humanName	String	BaseElement	$ExtensionPoint[i].humanName
humanType	humanType	String	BaseElement	$ExtensionPoint[i].humanType
isInvalid	invalid	boolean	ModelObject	$ExtensionPoint[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ExtensionPoint[i].leaf
localID	localID	String	ModelObject	$ExtensionPoint[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ExtensionPoint[i].mdExtensions
Name	name	String	NamedElement	$ExtensionPoint[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ExtensionPoint[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ExtensionPoint[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ExtensionPoint[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ExtensionPoint[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ExtensionPoint[i].ownedElement
Owner	owner	Element	Element	$ExtensionPoint[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ExtensionPoint[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ExtensionPoint[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ExtensionPoint[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ExtensionPoint[i].supplierDependency
Sync Element	syncElement	Element	Element	$ExtensionPoint[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ExtensionPoint[i].taggedValue
Use Case	useCase	UseCase	ExtensionPoint	$ExtensionPoint[i].useCase

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	NamedElement	$ExtensionPoint[i].visibility

100. Feature

Generalization

- RedefinableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Feature[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Feature[i].appliedStereotype
classType	classType	Class	BaseElement	$Feature[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Feature[i].clientDependency
isEditable	editable	boolean	BaseElement	$Feature[i].editable
Featuring Classifier	featuringClassifier	Classifier	Feature	$Feature[i].featuringClassifier
humanName	humanName	String	BaseElement	$Feature[i].humanName
humanType	humanType	String	BaseElement	$Feature[i].humanType
isInvalid	invalid	boolean	ModelObject	$Feature[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Feature[i].leaf
localID	localID	String	ModelObject	$Feature[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Feature[i].mdExtensions
Name	name	String	NamedElement	$Feature[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Feature[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Feature[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Feature[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Feature[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Feature[i].ownedElement
Owner	owner	Element	Element	$Feature[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Feature[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Feature[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Feature[i].redefinitionContext
Is Static	static	boolean	Feature	$Feature[i].static
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Feature[i].supplierDependency
Sync Element	syncElement	Element	Element	$Feature[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Feature[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Feature[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

101. FinalNode

Generalization

- ControlNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$FinalNode[i].ID
Activity	activity	Activity	ActivityNode	$FinalNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$FinalNode[i].appliedStereotype
classType	classType	Class	BaseElement	$FinalNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$FinalNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$FinalNode[i].editable
humanName	humanName	String	BaseElement	$FinalNode[i].humanName
humanType	humanType	String	BaseElement	$FinalNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$FinalNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$FinalNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$FinalNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$FinalNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$FinalNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$FinalNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$FinalNode[i].leaf
localID	localID	String	ModelObject	$FinalNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$FinalNode[i].mdExtensions
Name	name	String	NamedElement	$FinalNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$FinalNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$FinalNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$FinalNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$FinalNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$FinalNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$FinalNode[i].ownedElement
Owner	owner	Element	Element	$FinalNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$FinalNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$FinalNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$FinalNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$FinalNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$FinalNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$FinalNode[i].syncElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Tagged Value	taggedValue	TaggedValue[]	Element	$FinalNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$FinalNode[i].visibility

102. FinalState

Generalization

- State

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$FinalState[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$FinalState[i].appliedStereotype
classType	classType	Class	BaseElement	$FinalState[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$FinalState[i].clientDependency
Is Composite	composite	boolean	State	$FinalState[i].composite
Connection	connection	ConnectionPointReference[]	State	$FinalState[i].connection
Connection Point	connectionPoint	Pseudostate[]	State	$FinalState[i].connectionPoint
Container	container	Region	Vertex	$FinalState[i].container
Deferrable Trigger	deferrableTrigger	Trigger[]	State	$FinalState[i].deferrableTrigger
Do Activity	doActivity	Behavior	State	$FinalState[i].doActivity
isEditable	editable	boolean	BaseElement	$FinalState[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$FinalState[i].elementImport
Entry	entry	Behavior	State	$FinalState[i].entry
Exit	exit	Behavior	State	$FinalState[i].exit
humanName	humanName	String	BaseElement	$FinalState[i].humanName
humanType	humanType	String	BaseElement	$FinalState[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$FinalState[i].importedMember
Incoming	incoming	Transition[]	Vertex	$FinalState[i].incoming
isInvalid	invalid	boolean	ModelObject	$FinalState[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$FinalState[i].leaf
localID	localID	String	ModelObject	$FinalState[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$FinalState[i].mdExtensions
Member	member	NamedElement[]	Namespace	$FinalState[i].member
Name	name	String	NamedElement	$FinalState[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$FinalState[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$FinalState[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$FinalState[i].objectParent
Is Orthogonal	orthogonal	boolean	State	$FinalState[i].orthogonal

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Outgoing	outgoing	Transition[]	Vertex	$FinalState[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$FinalState[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$FinalState[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$FinalState[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$FinalState[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$FinalState[i].ownedRule
Owner	owner	Element	Element	$FinalState[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$FinalState[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$FinalState[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$FinalState[i].redefinedElement
Redefined Vertex	redefinedVertex	Vertex	Vertex	$FinalState[i].redefinedVertex
Redefinition Context	redefinitionContext	Classifier[]	Vertex	$FinalState[i].redefinitionContext
Region	region	Region[]	State	$FinalState[i].region
Is Simple	simple	boolean	State	$FinalState[i].simple
State Invariant	stateInvariant	Constraint	State	$FinalState[i].stateInvariant
Submachine	submachine	StateMachine	State	$FinalState[i].submachine
Is Submachine State	submachineState	boolean	State	$FinalState[i].submachineState
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$FinalState[i].supplierDependency
Sync Element	syncElement	Element	Element	$FinalState[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$FinalState[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$FinalState[i].visibility

103. FlowFinalNode

Generalization

- FinalNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$FlowFinalNode[i].ID
Activity	activity	Activity	ActivityNode	$FlowFinalNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$FlowFinalNode[i].appliedStereotype
classType	classType	Class	BaseElement	$FlowFinalNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$FlowFinalNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$FlowFinalNode[i].editable
humanName	humanName	String	BaseElement	$FlowFinalNode[i].humanName
humanType	humanType	String	BaseElement	$FlowFinalNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$FlowFinalNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegio	ActivityNode	$FlowFinalNode[i].inInterruptibleRegion

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

		n[]		
In Partition	inPartition	ActivityPartition[]	ActivityNode	$FlowFinalNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$FlowFinalNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$FlowFinalNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$FlowFinalNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$FlowFinalNode[i].leaf
localID	localID	String	ModelObject	$FlowFinalNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$FlowFinalNode[i].mdExtensions
Name	name	String	NamedElement	$FlowFinalNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$FlowFinalNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$FlowFinalNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$FlowFinalNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$FlowFinalNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$FlowFinalNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$FlowFinalNode[i].ownedElement
Owner	owner	Element	Element	$FlowFinalNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$FlowFinalNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$FlowFinalNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$FlowFinalNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$FlowFinalNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$FlowFinalNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$FlowFinalNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$FlowFinalNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$FlowFinalNode[i].visibility

104. ForkNode

Generalization

- ControlNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ForkNode[i].ID
Activity	activity	Activity	ActivityNode	$ForkNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ForkNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ForkNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ForkNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$ForkNode[i].editable
humanName	humanName	String	BaseElement	$ForkNode[i].humanName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanType	humanType	String	BaseElement	$ForkNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ForkNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ForkNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ForkNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ForkNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ForkNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$ForkNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ForkNode[i].leaf
localID	localID	String	ModelObject	$ForkNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ForkNode[i].mdExtensions
Name	name	String	NamedElement	$ForkNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ForkNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ForkNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ForkNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ForkNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ForkNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ForkNode[i].ownedElement
Owner	owner	Element	Element	$ForkNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ForkNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ForkNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ForkNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ForkNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ForkNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ForkNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ForkNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ForkNode[i].visibility

105. FunctionBehavior

Generalization

- OpaqueBehavior

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$FunctionBehavior[i].ID
Class	UMLClass	Class	Classifier	$FunctionBehavior[i].UMLClass
Is Abstract	abstract	boolean	Class	$FunctionBehavior[i].abstract
Is Active	active	boolean	Class	$FunctionBehavior[i].active

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Applied Stereotype	appliedStereotype	Stereotype[]	Element	$FunctionBehavior[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$FunctionBehavior[i].attribute
Body	body	String[]	OpaqueBehavior	$FunctionBehavior[i].body
classType	classType	Class	BaseElement	$FunctionBehavior[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$FunctionBehavior[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$FunctionBehavior[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$FunctionBehavior[i].collaborationUse
Context	context	BehavioredClassifier	Behavior	$FunctionBehavior[i].context
isEditable	editable	boolean	BaseElement	$FunctionBehavior[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$FunctionBehavior[i].elementImport
Event	event	Event[]	Behavior	$FunctionBehavior[i].event
Extension	extension	Extension[]	Class	$FunctionBehavior[i].extension
Feature	feature	Feature[]	Classifier	$FunctionBehavior[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$FunctionBehavior[i].finalSpecialization
General	general	Classifier[]	Classifier	$FunctionBehavior[i].general
Generalization	generalization	Generalization[]	Classifier	$FunctionBehavior[i].generalization
humanName	humanName	String	BaseElement	$FunctionBehavior[i].humanName
humanType	humanType	String	BaseElement	$FunctionBehavior[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$FunctionBehavior[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$FunctionBehavior[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$FunctionBehavior[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$FunctionBehavior[i].invalid
Language	language	String[]	OpaqueBehavior	$FunctionBehavior[i].language
Is Leaf	leaf	boolean	RedefinableElement	$FunctionBehavior[i].leaf
localID	localID	String	ModelObject	$FunctionBehavior[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$FunctionBehavior[i].mdExtensions
Member	member	NamedElement[]	Namespace	$FunctionBehavior[i].member
Name	name	String	NamedElement	$FunctionBehavior[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$FunctionBehavior[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$FunctionBehavior[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$FunctionBehavior[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$FunctionBehavior[i].objectParent
Observation	observation	Observation[]	Behavior	$FunctionBehavior[i].observation
Owned Attribute	ownedAttribute	Property[]	Class	$FunctionBehavior[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$FunctionBehavior[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$FunctionBehavior[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$FunctionBehavior[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$FunctionBehavior[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$FunctionBehavior[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$FunctionBehavior[i].ownedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Operation	ownedOperation	Operation[]	Class	$FunctionBehavior[i].ownedOperation
Owned Parameter	ownedParameter	Parameter[]	Behavior	$FunctionBehavior[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	Behavior	$FunctionBehavior[i].ownedParameterSet
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$FunctionBehavior[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$FunctionBehavior[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$FunctionBehavior[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$FunctionBehavior[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$FunctionBehavior[i].ownedUseCase
Owner	owner	Element	Element	$FunctionBehavior[i].owner
Owning Package	owningPackage	Package	PackageableElement	$FunctionBehavior[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$FunctionBehavior[i].owningTemplateParameter
Package	package	Package	Type	$FunctionBehavior[i].package
Package Import	packageImport	PackageImport[]	Namespace	$FunctionBehavior[i].packageImport
Part	part	Property[]	StructuredClassifier	$FunctionBehavior[i].part
Postcondition	postcondition	Constraint[]	Behavior	$FunctionBehavior[i].postcondition
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$FunctionBehavior[i].powertypeExtent
Precondition	precondition	Constraint[]	Behavior	$FunctionBehavior[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$FunctionBehavior[i].qualifiedName
Redefined Behavior	redefinedBehavior	Behavior[]	Behavior	$FunctionBehavior[i].redefinedBehavior
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$FunctionBehavior[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$FunctionBehavior[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$FunctionBehavior[i].redefinitionContext
Is Reentrant	reentrant	boolean	Behavior	$FunctionBehavior[i].reentrant
Representation	representation	CollaborationUse	Classifier	$FunctionBehavior[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$FunctionBehavior[i].role
Specification	specification	BehavioralFeature	Behavior	$FunctionBehavior[i].specification
Substitution	substitution	Substitution[]	Classifier	$FunctionBehavior[i].substitution
Super Class	superClass	Class[]	Class	$FunctionBehavior[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$FunctionBehavior[i].supplierDependency
Sync Element	syncElement	Element	Element	$FunctionBehavior[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$FunctionBehavior[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$FunctionBehavior[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$FunctionBehavior[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$FunctionBehavior[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$FunctionBehavior[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

106. Gate

Generalization

- MessageEnd

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Gate[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Gate[i].appliedStereotype
classType	classType	Class	BaseElement	$Gate[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Gate[i].clientDependency
isEditable	editable	boolean	BaseElement	$Gate[i].editable
Formal Gate	formalGate	Gate	Gate	$Gate[i].formalGate
humanName	humanName	String	BaseElement	$Gate[i].humanName
humanType	humanType	String	BaseElement	$Gate[i].humanType
isInvalid	invalid	boolean	ModelObject	$Gate[i].invalid
localID	localID	String	ModelObject	$Gate[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Gate[i].mdExtensions
Message	message	Message	MessageEnd	$Gate[i].message
Name	name	String	NamedElement	$Gate[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Gate[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Gate[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Gate[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Gate[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Gate[i].ownedElement
Owner	owner	Element	Element	$Gate[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Gate[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Gate[i].supplierDependency
Sync Element	syncElement	Element	Element	$Gate[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Gate[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Gate[i].visibility

107. Generalization

Generalization

- DirectedRelationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

			Owner)	
ID	ID	String	MDObject	$Generalization[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Generalization[i].appliedStereotype
classType	classType	Class	BaseElement	$Generalization[i].classType
isEditable	editable	boolean	BaseElement	$Generalization[i].editable
General	general	Classifier	Generalization	$Generalization[i].general
Generalization Set	generalizationSet	GeneralizationSet[]	Generalization	$Generalization[i].generalizationSet
humanName	humanName	String	BaseElement	$Generalization[i].humanName
humanType	humanType	String	BaseElement	$Generalization[i].humanType
isInvalid	invalid	boolean	ModelObject	$Generalization[i].invalid
localID	localID	String	ModelObject	$Generalization[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Generalization[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$Generalization[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Generalization[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Generalization[i].ownedElement
Owner	owner	Element	Element	$Generalization[i].owner
Related Element	relatedElement	Element[]	Relationship	$Generalization[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Generalization[i].source
Specific	specific	Classifier	Generalization	$Generalization[i].specific
Is Substitutable	substitutable	boolean	Generalization	$Generalization[i].substitutable
Sync Element	syncElement	Element	Element	$Generalization[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Generalization[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Generalization[i].target

108. GeneralizationSet

Generalization

- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$GeneralizationSet[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$GeneralizationSet[i].appliedStereotype
classType	classType	Class	BaseElement	$GeneralizationSet[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$GeneralizationSet[i].clientDependency
Is Covering	covering	boolean	GeneralizationSet	$GeneralizationSet[i].covering
Is Disjoint	disjoint	boolean	GeneralizationSet	$GeneralizationSet[i].disjoint
isEditable	editable	boolean	BaseElement	$GeneralizationSet[i].editable
Generalization	generalization	Generalization[]	GeneralizationSet	$GeneralizationSet[i].generalization

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanName	humanName	String	BaseElement	$GeneralizationSet[i].humanName
humanType	humanType	String	BaseElement	$GeneralizationSet[i].humanType
isInvalid	invalid	boolean	ModelObject	$GeneralizationSet[i].invalid
localID	localID	String	ModelObject	$GeneralizationSet[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$GeneralizationSet[i].mdExtensions
Name	name	String	NamedElement	$GeneralizationSet[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$GeneralizationSet[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$GeneralizationSet[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$GeneralizationSet[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$GeneralizationSet[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$GeneralizationSet[i].ownedElement
Owner	owner	Element	Element	$GeneralizationSet[i].owner
Owning Package	owningPackage	Package	PackageableElement	$GeneralizationSet[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$GeneralizationSet[i].owningTemplateParameter
Powertype	powertype	Classifier	GeneralizationSet	$GeneralizationSet[i].powertype
Qualified Name	qualifiedName	String	NamedElement	$GeneralizationSet[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$GeneralizationSet[i].supplierDependency
Sync Element	syncElement	Element	Element	$GeneralizationSet[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$GeneralizationSet[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$GeneralizationSet[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$GeneralizationSet[i].visibility

109. GeneralOrdering

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$GeneralOrdering[i].ID
After	after	OccurrenceSpecification	GeneralOrdering	$GeneralOrdering[i].after
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$GeneralOrdering[i].appliedStereotype
Before	before	OccurrenceSpecification	GeneralOrdering	$GeneralOrdering[i].before
classType	classType	Class	BaseElement	$GeneralOrdering[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$GeneralOrdering[i].clientDependency
isEditable	editable	boolean	BaseElement	$GeneralOrdering[i].editable
humanName	humanName	String	BaseElement	$GeneralOrdering[i].humanName
humanType	humanType	String	BaseElement	$GeneralOrdering[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$GeneralOrdering[i].invalid
localID	localID	String	ModelObject	$GeneralOrdering[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$GeneralOrdering[i].mdExtensions
Name	name	String	NamedElement	$GeneralOrdering[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$GeneralOrdering[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$GeneralOrdering[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$GeneralOrdering[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$GeneralOrdering[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$GeneralOrdering[i].ownedElement
Owner	owner	Element	Element	$GeneralOrdering[i].owner
Qualified Name	qualifiedName	String	NamedElement	$GeneralOrdering[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$GeneralOrdering[i].supplierDependency
Sync Element	syncElement	Element	Element	$GeneralOrdering[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$GeneralOrdering[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$GeneralOrdering[i].visibility

110. Image

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Image[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Image[i].appliedStereotype
classType	classType	Class	BaseElement	$Image[i].classType
Content	content	String	Image	$Image[i].content
isEditable	editable	boolean	BaseElement	$Image[i].editable
Format	format	String	Image	$Image[i].format
humanName	humanName	String	BaseElement	$Image[i].humanName
humanType	humanType	String	BaseElement	$Image[i].humanType
isInvalid	invalid	boolean	ModelObject	$Image[i].invalid
localID	localID	String	ModelObject	$Image[i].localID
Location	location	String	Image	$Image[i].location
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Image[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$Image[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Image[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Image[i].ownedElement
Owner	owner	Element	Element	$Image[i].owner

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Sync Element	syncElement	Element	Element	$Image[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Image[i].taggedValue

111. Include

Generalization

- DirectedRelationship
- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Include[i].ID
Addition	addition	UseCase	Include	$Include[i].addition
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Include[i].appliedStereotype
classType	classType	Class	BaseElement	$Include[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Include[i].clientDependency
isEditable	editable	boolean	BaseElement	$Include[i].editable
humanName	humanName	String	BaseElement	$Include[i].humanName
humanType	humanType	String	BaseElement	$Include[i].humanType
Including Case	includingCase	UseCase	Include	$Include[i].includingCase
isInvalid	invalid	boolean	ModelObject	$Include[i].invalid
localID	localID	String	ModelObject	$Include[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Include[i].mdExtensions
Name	name	String	NamedElement	$Include[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Include[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Include[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Include[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Include[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Include[i].ownedElement
Owner	owner	Element	Element	$Include[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Include[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Include[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Include[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Include[i].supplierDependency
Sync Element	syncElement	Element	Element	$Include[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Include[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Include[i].target
Visibility	visibility	VisibilityKind	NamedElement	$Include[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

112. InformationFlow

Generalization

- DirectedRelationship
- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InformationFlow[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InformationFlow[i].appliedStereotype
classType	classType	Class	BaseElement	$InformationFlow[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InformationFlow[i].clientDependency
Conveyed	conveyed	Classifier[]	InformationFlow	$InformationFlow[i].conveyed
isEditable	editable	boolean	BaseElement	$InformationFlow[i].editable
humanName	humanName	String	BaseElement	$InformationFlow[i].humanName
humanType	humanType	String	BaseElement	$InformationFlow[i].humanType
Information Source	informationSource	NamedElement[]	InformationFlow	$InformationFlow[i].informationSource
Information Target	informationTarget	NamedElement[]	InformationFlow	$InformationFlow[i].informationTarget
isInvalid	invalid	boolean	ModelObject	$InformationFlow[i].invalid
localID	localID	String	ModelObject	$InformationFlow[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InformationFlow[i].mdExtensions
Name	name	String	NamedElement	$InformationFlow[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InformationFlow[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InformationFlow[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InformationFlow[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InformationFlow[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InformationFlow[i].ownedElement
Owner	owner	Element	Element	$InformationFlow[i].owner
Owning Package	owningPackage	Package	PackageableElement	$InformationFlow[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$InformationFlow[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$InformationFlow[i].qualifiedName
Realization	realization	Relationship[]	InformationFlow	$InformationFlow[i].realization
Realizing Activity Edge	realizingActivityEdge	ActivityEdge[]	InformationFlow	$InformationFlow[i].realizingActivityEdge
Realizing Connector	realizingConnector	Connector[]	InformationFlow	$InformationFlow[i].realizingConnector
Realizing Message	realizingMessage	Message[]	InformationFlow	$InformationFlow[i].realizingMessage
Related Element	relatedElement	Element[]	Relationship	$InformationFlow[i].relatedElement
Source	source	Element[]	DirectedRelationship	$InformationFlow[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InformationFlow[i].supplierDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Sync Element	syncElement	Element	Element	$InformationFlow[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InformationFlow[i].taggedValue
Target	target	Element[]	DirectedRelationship	$InformationFlow[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$InformationFlow[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$InformationFlow[i].visibility

113. InformationItem

Generalization

- Classifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InformationItem[i].ID
Class	UMLClass	Class	Classifier	$InformationItem[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$InformationItem[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InformationItem[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$InformationItem[i].attribute
classType	classType	Class	BaseElement	$InformationItem[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InformationItem[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$InformationItem[i].collaborationUse
isEditable	editable	boolean	BaseElement	$InformationItem[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$InformationItem[i].elementImport
Feature	feature	Feature[]	Classifier	$InformationItem[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$InformationItem[i].finalSpecialization
General	general	Classifier[]	Classifier	$InformationItem[i].general
Generalization	generalization	Generalization[]	Classifier	$InformationItem[i].generalization
humanName	humanName	String	BaseElement	$InformationItem[i].humanName
humanType	humanType	String	BaseElement	$InformationItem[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$InformationItem[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$InformationItem[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$InformationItem[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$InformationItem[i].leaf
localID	localID	String	ModelObject	$InformationItem[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InformationItem[i].mdExtensions
Member	member	NamedElement[]	Namespace	$InformationItem[i].member
Name	name	String	NamedElement	$InformationItem[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InformationItem[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InformationItem[i].namespace

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

objectParent	objectParent	BaseElement	BaseElement	$InformationItem[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InformationItem[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$InformationItem[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$InformationItem[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$InformationItem[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$InformationItem[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$InformationItem[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$InformationItem[i].ownedUseCase
Owner	owner	Element	Element	$InformationItem[i].owner
Owning Package	owningPackage	Package	PackageableElement	$InformationItem[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$InformationItem[i].owningTemplateParameter
Package	package	Package	Type	$InformationItem[i].package
Package Import	packageImport	PackageImport[]	Namespace	$InformationItem[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$InformationItem[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$InformationItem[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$InformationItem[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$InformationItem[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$InformationItem[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$InformationItem[i].representation
Represented	represented	Classifier[]	InformationItem	$InformationItem[i].represented
Substitution	substitution	Substitution[]	Classifier	$InformationItem[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InformationItem[i].supplierDependency
Sync Element	syncElement	Element	Element	$InformationItem[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InformationItem[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$InformationItem[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$InformationItem[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$InformationItem[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$InformationItem[i].visibility

114. InitialNode

Generalization

- ControlNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

ID	ID	String	MDObject	$InitialNode[i].ID
Activity	activity	Activity	ActivityNode	$InitialNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InitialNode[i].appliedStereotype
classType	classType	Class	BaseElement	$InitialNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InitialNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$InitialNode[i].editable
humanName	humanName	String	BaseElement	$InitialNode[i].humanName
humanType	humanType	String	BaseElement	$InitialNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$InitialNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$InitialNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$InitialNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$InitialNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$InitialNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$InitialNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$InitialNode[i].leaf
localID	localID	String	ModelObject	$InitialNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InitialNode[i].mdExtensions
Name	name	String	NamedElement	$InitialNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InitialNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InitialNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InitialNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$InitialNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$InitialNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InitialNode[i].ownedElement
Owner	owner	Element	Element	$InitialNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$InitialNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$InitialNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$InitialNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$InitialNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InitialNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$InitialNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InitialNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$InitialNode[i].visibility

115. InputPin

Generalization

- Pin

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InputPin[i].ID
Activity	activity	Activity	ActivityNode	$InputPin[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InputPin[i].appliedStereotype
classType	classType	Class	BaseElement	$InputPin[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InputPin[i].clientDependency
Is Control	control	boolean	Pin	$InputPin[i].control
Is Control Type	controlType	boolean	ObjectNode	$InputPin[i].controlType
isEditable	editable	boolean	BaseElement	$InputPin[i].editable
humanName	humanName	String	BaseElement	$InputPin[i].humanName
humanType	humanType	String	BaseElement	$InputPin[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$InputPin[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$InputPin[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$InputPin[i].inPartition
In State	inState	State[]	ObjectNode	$InputPin[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$InputPin[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$InputPin[i].incoming
isInvalid	invalid	boolean	ModelObject	$InputPin[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$InputPin[i].leaf
localID	localID	String	ModelObject	$InputPin[i].localID
Lower	lower	int	MultiplicityElement	$InputPin[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$InputPin[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InputPin[i].mdExtensions
Name	name	String	NamedElement	$InputPin[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InputPin[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InputPin[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InputPin[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$InputPin[i].ordered
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$InputPin[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$InputPin[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$InputPin[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InputPin[i].ownedElement
Owner	owner	Element	Element	$InputPin[i].owner
Qualified Name	qualifiedName	String	NamedElement	$InputPin[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$InputPin[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$InputPin[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$InputPin[i].redefinitionContext

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Selection	selection	Behavior	ObjectNode	$InputPin[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InputPin[i].supplierDependency
Sync Element	syncElement	Element	Element	$InputPin[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InputPin[i].taggedValue
Type	type	Type	TypedElement	$InputPin[i].type
Is Unique	unique	boolean	MultiplicityElement	$InputPin[i].unique
Upper	upper	int	MultiplicityElement	$InputPin[i].upper
Upper Bound	upperBound	ValueSpecification	ObjectNode	$InputPin[i].upperBound
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$InputPin[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$InputPin[i].visibility

116. InstanceSpecification

Generalization

- DeployedArtifact
- DeploymentTarget
- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InstanceSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InstanceSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$InstanceSpecification[i].classType
Classifier	classifier	Classifier[]	InstanceSpecification	$InstanceSpecification[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$InstanceSpecification[i].clientDependency
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$InstanceSpecification[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$InstanceSpecification[i].deployment
isEditable	editable	boolean	BaseElement	$InstanceSpecification[i].editable
humanName	humanName	String	BaseElement	$InstanceSpecification[i].humanName
humanType	humanType	String	BaseElement	$InstanceSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$InstanceSpecification[i].invalid
localID	localID	String	ModelObject	$InstanceSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InstanceSpecification[i].mdExtensions
Name	name	String	NamedElement	$InstanceSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InstanceSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InstanceSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InstanceSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InstanceSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InstanceSpecification[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$InstanceSpecification[i].owner
Owning Package	owningPackage	Package	PackageableElement	$InstanceSpecification[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$InstanceSpecification[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$InstanceSpecification[i].qualifiedName
Slot	slot	Slot[]	InstanceSpecification	$InstanceSpecification[i].slot
Specification	specification	ValueSpecification	InstanceSpecification	$InstanceSpecification[i].specification
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InstanceSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$InstanceSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InstanceSpecification[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$InstanceSpecification[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$InstanceSpecification[i].visibility

117. InstanceValue

Generalization

- ValueSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InstanceValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InstanceValue[i].appliedStereotype
classType	classType	Class	BaseElement	$InstanceValue[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InstanceValue[i].clientDependency
isEditable	editable	boolean	BaseElement	$InstanceValue[i].editable
Expression	expression	Expression	ValueSpecification	$InstanceValue[i].expression
humanName	humanName	String	BaseElement	$InstanceValue[i].humanName
humanType	humanType	String	BaseElement	$InstanceValue[i].humanType
Instance	instance	InstanceSpecification	InstanceValue	$InstanceValue[i].instance
isInvalid	invalid	boolean	ModelObject	$InstanceValue[i].invalid
localID	localID	String	ModelObject	$InstanceValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InstanceValue[i].mdExtensions
Name	name	String	NamedElement	$InstanceValue[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InstanceValue[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InstanceValue[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InstanceValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InstanceValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InstanceValue[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$InstanceValue[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$InstanceValue[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$InstanceValue[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$InstanceValue[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$InstanceValue[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$InstanceValue[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$InstanceValue[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$InstanceValue[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$InstanceValue[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$InstanceValue[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$InstanceValue[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InstanceValue[i].supplierDependency
Sync Element	syncElement	Element	Element	$InstanceValue[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InstanceValue[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$InstanceValue[i].templateParameter
Type	type	Type	TypedElement	$InstanceValue[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$InstanceValue[i].visibility

118. IntegerTaggedValue

Generalization

- TaggedValue

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$IntegerTaggedValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$IntegerTaggedValue[i].appliedStereotype
classType	classType	Class	BaseElement	$IntegerTaggedValue[i].classType
isEditable	editable	boolean	BaseElement	$IntegerTaggedValue[i].editable
humanName	humanName	String	BaseElement	$IntegerTaggedValue[i].humanName
humanType	humanType	String	BaseElement	$IntegerTaggedValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$IntegerTaggedValue[i].invalid
localID	localID	String	ModelObject	$IntegerTaggedValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$IntegerTaggedValue[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$IntegerTaggedValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$IntegerTaggedValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$IntegerTaggedValue[i].ownedElement
Owner	owner	Element	Element	$IntegerTaggedValue[i].owner

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Sync Element	syncElement	Element	Element	$IntegerTaggedValue[i].syncElement
Tag Definition	tagDefinition	Property	TaggedValue	$IntegerTaggedValue[i].tagDefinition
Tagged Value	taggedValue	TaggedValue[]	Element	$IntegerTaggedValue[i].taggedValue
Tagged Value Owner	taggedValueOwner	Element	TaggedValue	$IntegerTaggedValue[i].taggedValueOwner
Value	value	Integer[]	IntegerTaggedValue	$IntegerTaggedValue[i].value

119. Interaction

Generalization

- Behavior
- InteractionFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Interaction[i].ID
Class	UMLClass	Class	Classifier	$Interaction[i].UMLClass
Is Abstract	abstract	boolean	Class	$Interaction[i].abstract
Action	action	Action[]	Interaction	$Interaction[i].action
Is Active	active	boolean	Class	$Interaction[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Interaction[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Interaction[i].attribute
classType	classType	Class	BaseElement	$Interaction[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Interaction[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Interaction[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Interaction[i].collaborationUse
Context	context	BehavioredClassifier	Behavior	$Interaction[i].context
Covered	covered	Lifeline[]	InteractionFragment	$Interaction[i].covered
isEditable	editable	boolean	BaseElement	$Interaction[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Interaction[i].elementImport
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$Interaction[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$Interaction[i].enclosingOperand
Event	event	Event[]	Behavior	$Interaction[i].event
Extension	extension	Extension[]	Class	$Interaction[i].extension
Feature	feature	Feature[]	Classifier	$Interaction[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Interaction[i].finalSpecialization
Formal Gate	formalGate	Gate[]	Interaction	$Interaction[i].formalGate
Fragment	fragment	InteractionFragment[]	Interaction	$Interaction[i].fragment
General	general	Classifier[]	Classifier	$Interaction[i].general
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$Interaction[i].generalOrdering

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization	generalization	Generalization[]	Classifier	$Interaction[i].generalization
humanName	humanName	String	BaseElement	$Interaction[i].humanName
humanType	humanType	String	BaseElement	$Interaction[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Interaction[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Interaction[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Interaction[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Interaction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Interaction[i].leaf
Lifeline	lifeline	Lifeline[]	Interaction	$Interaction[i].lifeline
localID	localID	String	ModelObject	$Interaction[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Interaction[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Interaction[i].member
Message	message	Message[]	Interaction	$Interaction[i].message
Name	name	String	NamedElement	$Interaction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Interaction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Interaction[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Interaction[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$Interaction[i].objectParent
Observation	observation	Observation[]	Behavior	$Interaction[i].observation
Owned Attribute	ownedAttribute	Property[]	Class	$Interaction[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Interaction[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Interaction[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Interaction[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Interaction[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Interaction[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Interaction[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Interaction[i].ownedOperation
Owned Parameter	ownedParameter	Parameter[]	Behavior	$Interaction[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	Behavior	$Interaction[i].ownedParameterSet
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Interaction[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$Interaction[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Interaction[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Interaction[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Interaction[i].ownedUseCase
Owner	owner	Element	Element	$Interaction[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Interaction[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Interaction[i].owningTemplateParameter
Package	package	Package	Type	$Interaction[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Interaction[i].packageImport

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Part	part	Property[]	StructuredClassifier	$Interaction[i].part
Postcondition	postcondition	Constraint[]	Behavior	$Interaction[i].postcondition
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Interaction[i].powertypeExtent
Precondition	precondition	Constraint[]	Behavior	$Interaction[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$Interaction[i].qualifiedName
Redefined Behavior	redefinedBehavior	Behavior[]	Behavior	$Interaction[i].redefinedBehavior
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Interaction[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Interaction[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Interaction[i].redefinitionContext
Is Reentrant	reentrant	boolean	Behavior	$Interaction[i].reentrant
Representation	representation	CollaborationUse	Classifier	$Interaction[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Interaction[i].role
Specification	specification	BehavioralFeature	Behavior	$Interaction[i].specification
Substitution	substitution	Substitution[]	Classifier	$Interaction[i].substitution
Super Class	superClass	Class[]	Class	$Interaction[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Interaction[i].supplierDependency
Sync Element	syncElement	Element	Element	$Interaction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Interaction[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Interaction[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Interaction[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Interaction[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Interaction[i].visibility

120. InteractionConstraint

Generalization

- Constraint

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InteractionConstraint[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InteractionConstraint[i].appliedStereotype
Body Context	bodyContext	Operation	Constraint	$InteractionConstraint[i].bodyContext
classType	classType	Class	BaseElement	$InteractionConstraint[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InteractionConstraint[i].clientDependency
Constrained Element	constrainedElement	Element[]	Constraint	$InteractionConstraint[i].constrainedElement
Context	context	Namespace	Constraint	$InteractionConstraint[i].context

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isEditable	editable	boolean	BaseElement	$InteractionConstraint[i].editable
humanName	humanName	String	BaseElement	$InteractionConstraint[i].humanName
humanType	humanType	String	BaseElement	$InteractionConstraint[i].humanType
isInvalid	invalid	boolean	ModelObject	$InteractionConstraint[i].invalid
localID	localID	String	ModelObject	$InteractionConstraint[i].localID
Maxint	maxint	ValueSpecification	InteractionConstraint	$InteractionConstraint[i].maxint
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InteractionConstraint[i].mdExtensions
Minint	minint	ValueSpecification	InteractionConstraint	$InteractionConstraint[i].minint
Name	name	String	NamedElement	$InteractionConstraint[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InteractionConstraint[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InteractionConstraint[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InteractionConstraint[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InteractionConstraint[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InteractionConstraint[i].ownedElement
Owner	owner	Element	Element	$InteractionConstraint[i].owner
Owning Package	owningPackage	Package	PackageableElement	$InteractionConstraint[i].owningPackage
Owning State	owningState	State	Constraint	$InteractionConstraint[i].owningState
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$InteractionConstraint[i].owningTemplateParameter
Owning Transition	owningTransition	ProtocolTransition	Constraint	$InteractionConstraint[i].owningTransition
Post Context	postContext	Operation	Constraint	$InteractionConstraint[i].postContext
Pre Context	preContext	Operation	Constraint	$InteractionConstraint[i].preContext
Qualified Name	qualifiedName	String	NamedElement	$InteractionConstraint[i].qualifiedName
Specification	specification	ValueSpecification	Constraint	$InteractionConstraint[i].specification
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InteractionConstraint[i].supplierDependency
Sync Element	syncElement	Element	Element	$InteractionConstraint[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InteractionConstraint[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$InteractionConstraint[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$InteractionConstraint[i].visibility

121. InteractionFragment

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InteractionFragment[i].ID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InteractionFragment[i].appliedStereotype
classType	classType	Class	BaseElement	$InteractionFragment[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InteractionFragment[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$InteractionFragment[i].covered
isEditable	editable	boolean	BaseElement	$InteractionFragment[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$InteractionFragment[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$InteractionFragment[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$InteractionFragment[i].generalOrdering
humanName	humanName	String	BaseElement	$InteractionFragment[i].humanName
humanType	humanType	String	BaseElement	$InteractionFragment[i].humanType
isInvalid	invalid	boolean	ModelObject	$InteractionFragment[i].invalid
localID	localID	String	ModelObject	$InteractionFragment[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InteractionFragment[i].mdExtensions
Name	name	String	NamedElement	$InteractionFragment[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InteractionFragment[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InteractionFragment[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InteractionFragment[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InteractionFragment[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InteractionFragment[i].ownedElement
Owner	owner	Element	Element	$InteractionFragment[i].owner
Qualified Name	qualifiedName	String	NamedElement	$InteractionFragment[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InteractionFragment[i].supplierDependency
Sync Element	syncElement	Element	Element	$InteractionFragment[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InteractionFragment[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$InteractionFragment[i].visibility

122. InteractionOperand

Generalization

- InteractionFragment
- Namespace

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InteractionOperand[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InteractionOperand[i].appliedStereotype
classType	classType	Class	BaseElement	$InteractionOperand[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InteractionOperand[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Covered	covered	Lifeline[]	InteractionFragment	$InteractionOperand[i].covered
isEditable	editable	boolean	BaseElement	$InteractionOperand[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$InteractionOperand[i].elementImport
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$InteractionOperand[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$InteractionOperand[i].enclosingOperand
Fragment	fragment	InteractionFragment[]	InteractionOperand	$InteractionOperand[i].fragment
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$InteractionOperand[i].generalOrdering
Guard	guard	InteractionConstraint	InteractionOperand	$InteractionOperand[i].guard
humanName	humanName	String	BaseElement	$InteractionOperand[i].humanName
humanType	humanType	String	BaseElement	$InteractionOperand[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$InteractionOperand[i].importedMember
isInvalid	invalid	boolean	ModelObject	$InteractionOperand[i].invalid
localID	localID	String	ModelObject	$InteractionOperand[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InteractionOperand[i].mdExtensions
Member	member	NamedElement[]	Namespace	$InteractionOperand[i].member
Name	name	String	NamedElement	$InteractionOperand[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InteractionOperand[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InteractionOperand[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InteractionOperand[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InteractionOperand[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$InteractionOperand[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$InteractionOperand[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$InteractionOperand[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$InteractionOperand[i].ownedRule
Owner	owner	Element	Element	$InteractionOperand[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$InteractionOperand[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$InteractionOperand[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InteractionOperand[i].supplierDependency
Sync Element	syncElement	Element	Element	$InteractionOperand[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InteractionOperand[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$InteractionOperand[i].visibility

123. InteractionUse

Generalization

- InteractionFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

ID	ID	String	MDObject	$InteractionUse[i].ID
Actual Gate	actualGate	Gate[]	InteractionUse	$InteractionUse[i].actualGate
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InteractionUse[i].appliedStereotype
Argument	argument	ValueSpecification[]	InteractionUse	$InteractionUse[i].argument
classType	classType	Class	BaseElement	$InteractionUse[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InteractionUse[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$InteractionUse[i].covered
isEditable	editable	boolean	BaseElement	$InteractionUse[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$InteractionUse[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$InteractionUse[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$InteractionUse[i].generalOrdering
humanName	humanName	String	BaseElement	$InteractionUse[i].humanName
humanType	humanType	String	BaseElement	$InteractionUse[i].humanType
isInvalid	invalid	boolean	ModelObject	$InteractionUse[i].invalid
localID	localID	String	ModelObject	$InteractionUse[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InteractionUse[i].mdExtensions
Name	name	String	NamedElement	$InteractionUse[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InteractionUse[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InteractionUse[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InteractionUse[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InteractionUse[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InteractionUse[i].ownedElement
Owner	owner	Element	Element	$InteractionUse[i].owner
Qualified Name	qualifiedName	String	NamedElement	$InteractionUse[i].qualifiedName
Refers To	refersTo	Interaction	InteractionUse	$InteractionUse[i].refersTo
Return Value	returnValue	ValueSpecification	InteractionUse	$InteractionUse[i].returnValue
Return Value Recipient	returnValueRecipient	Property	InteractionUse	$InteractionUse[i].returnValueRecipient
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InteractionUse[i].supplierDependency
Sync Element	syncElement	Element	Element	$InteractionUse[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InteractionUse[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$InteractionUse[i].visibility

124. Interface

Generalization

- Classifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

ID	ID	String	MDObject	$Interface[i].ID
Class	UMLClass	Class	Classifier	$Interface[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Interface[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Interface[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Interface[i].attribute
classType	classType	Class	BaseElement	$Interface[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Interface[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Interface[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Interface[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Interface[i].elementImport
Feature	feature	Feature[]	Classifier	$Interface[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Interface[i].finalSpecialization
General	general	Classifier[]	Classifier	$Interface[i].general
Generalization	generalization	Generalization[]	Classifier	$Interface[i].generalization
humanName	humanName	String	BaseElement	$Interface[i].humanName
humanType	humanType	String	BaseElement	$Interface[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Interface[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Interface[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$Interface[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Interface[i].leaf
localID	localID	String	ModelObject	$Interface[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Interface[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Interface[i].member
Name	name	String	NamedElement	$Interface[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Interface[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Interface[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Interface	$Interface[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$Interface[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Interface	$Interface[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$Interface[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Interface[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Interface[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Interface[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Interface	$Interface[i].ownedOperation
Owned Reception	ownedReception	Reception[]	Interface	$Interface[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Interface[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Interface[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Interface[i].ownedUseCase
Owner	owner	Element	Element	$Interface[i].owner

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Package	owningPackage	Package	PackageableElement	$Interface[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Interface[i].owningTemplateParameter
Package	package	Package	Type	$Interface[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Interface[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Interface[i].powertypeExtent
Protocol	protocol	ProtocolStateMachine	Interface	$Interface[i].protocol
Qualified Name	qualifiedName	String	NamedElement	$Interface[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Interface[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Interface[i].redefinedElement
Redefined Interface	redefinedInterface	Interface[]	Interface	$Interface[i].redefinedInterface
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Interface[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Interface[i].representation
Substitution	substitution	Substitution[]	Classifier	$Interface[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Interface[i].supplierDependency
Sync Element	syncElement	Element	Element	$Interface[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Interface[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Interface[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Interface[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Interface[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Interface[i].visibility

125. InterfaceRealization

Generalization

- Realization

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InterfaceRealization[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InterfaceRealization[i].appliedStereotype
classType	classType	Class	BaseElement	$InterfaceRealization[i].classType
Client	client	NamedElement[]	Dependency	$InterfaceRealization[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$InterfaceRealization[i].clientDependency
Contract	contract	Interface	InterfaceRealization	$InterfaceRealization[i].contract
isEditable	editable	boolean	BaseElement	$InterfaceRealization[i].editable
humanName	humanName	String	BaseElement	$InterfaceRealization[i].humanName
humanType	humanType	String	BaseElement	$InterfaceRealization[i].humanType
Implementing Classifier	implementingClassifier	BehavioredClassifier	InterfaceRealization	$InterfaceRealization[i].implementingClassif

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ier
isInvalid	invalid	boolean	ModelObject	$InterfaceRealization[i].invalid
localID	localID	String	ModelObject	$InterfaceRealization[i].localID
Mapping	mapping	OpaqueExpression	Abstraction	$InterfaceRealization[i].mapping
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InterfaceRealization[i].mdExtensions
Name	name	String	NamedElement	$InterfaceRealization[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InterfaceRealization[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InterfaceRealization[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InterfaceRealization[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InterfaceRealization[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InterfaceRealization[i].ownedElement
Owner	owner	Element	Element	$InterfaceRealization[i].owner
Owning Package	owningPackage	Package	PackageableElement	$InterfaceRealization[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$InterfaceRealization[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$InterfaceRealization[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$InterfaceRealization[i].relatedElement
Source	source	Element[]	DirectedRelationship	$InterfaceRealization[i].source
Supplier	supplier	NamedElement[]	Dependency	$InterfaceRealization[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InterfaceRealization[i].supplierDependency
Sync Element	syncElement	Element	Element	$InterfaceRealization[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InterfaceRealization[i].taggedValue
Target	target	Element[]	DirectedRelationship	$InterfaceRealization[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$InterfaceRealization[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$InterfaceRealization[i].visibility

126. InterruptibleActivityRegion

Generalization

- ActivityGroup

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InterruptibleActivityRegion[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InterruptibleActivityRegion[i].appliedStereotype
classType	classType	Class	BaseElement	$InterruptibleActivityRegion[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InterruptibleActivityRegion[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$InterruptibleActivityRegion[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$InterruptibleActivityRegion[i].containedNode
isEditable	editable	boolean	BaseElement	$InterruptibleActivityRegion[i].editable
humanName	humanName	String	BaseElement	$InterruptibleActivityRegion[i].humanName
humanType	humanType	String	BaseElement	$InterruptibleActivityRegion[i].humanType
In Activity	inActivity	Activity	ActivityGroup	$InterruptibleActivityRegion[i].inActivity
Interrupting Edge	interruptingEdge	ActivityEdge[]	InterruptibleActivityRegion	$InterruptibleActivityRegion[i].interruptingEdge
isInvalid	invalid	boolean	ModelObject	$InterruptibleActivityRegion[i].invalid
localID	localID	String	ModelObject	$InterruptibleActivityRegion[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InterruptibleActivityRegion[i].mdExtensions
Name	name	String	NamedElement	$InterruptibleActivityRegion[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InterruptibleActivityRegion[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InterruptibleActivityRegion[i].namespace
Node	node	ActivityNode[]	InterruptibleActivityRegion	$InterruptibleActivityRegion[i].node
objectParent	objectParent	BaseElement	BaseElement	$InterruptibleActivityRegion[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$InterruptibleActivityRegion[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InterruptibleActivityRegion[i].ownedElement
Owner	owner	Element	Element	$InterruptibleActivityRegion[i].owner
Qualified Name	qualifiedName	String	NamedElement	$InterruptibleActivityRegion[i].qualifiedName
Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$InterruptibleActivityRegion[i].subgroup
Super Group	superGroup	ActivityGroup	ActivityGroup	$InterruptibleActivityRegion[i].superGroup
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InterruptibleActivityRegion[i].supplierDependency
Sync Element	syncElement	Element	Element	$InterruptibleActivityRegion[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InterruptibleActivityRegion[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$InterruptibleActivityRegion[i].visibility

127. Interval

Generalization

- ValueSpecification

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Interval[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Interval[i].appliedStereotype
classType	classType	Class	BaseElement	$Interval[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Interval[i].clientDependency
isEditable	editable	boolean	BaseElement	$Interval[i].editable
Expression	expression	Expression	ValueSpecification	$Interval[i].expression
humanName	humanName	String	BaseElement	$Interval[i].humanName
humanType	humanType	String	BaseElement	$Interval[i].humanType
isInvalid	invalid	boolean	ModelObject	$Interval[i].invalid
localID	localID	String	ModelObject	$Interval[i].localID
Max	max	ValueSpecification	Interval	$Interval[i].max
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Interval[i].mdExtensions
Min	min	ValueSpecification	Interval	$Interval[i].min
Name	name	String	NamedElement	$Interval[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Interval[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Interval[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Interval[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Interval[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Interval[i].ownedElement
Owner	owner	Element	Element	$Interval[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$Interval[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$Interval[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$Interval[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$Interval[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$Interval[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$Interval[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$Interval[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Interval[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$Interval[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$Interval[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Interval[i].supplierDependency
Sync Element	syncElement	Element	Element	$Interval[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Interval[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Interval[i].templateParameter
Type	type	Type	TypedElement	$Interval[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$Interval[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

128. IntervalConstraint

Generalization

- Constraint

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$IntervalConstraint[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$IntervalConstraint[i].appliedStereotype
Body Context	bodyContext	Operation	Constraint	$IntervalConstraint[i].bodyContext
classType	classType	Class	BaseElement	$IntervalConstraint[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$IntervalConstraint[i].clientDependency
Constrained Element	constrainedElement	Element[]	Constraint	$IntervalConstraint[i].constrainedElement
Context	context	Namespace	Constraint	$IntervalConstraint[i].context
isEditable	editable	boolean	BaseElement	$IntervalConstraint[i].editable
humanName	humanName	String	BaseElement	$IntervalConstraint[i].humanName
humanType	humanType	String	BaseElement	$IntervalConstraint[i].humanType
isInvalid	invalid	boolean	ModelObject	$IntervalConstraint[i].invalid
localID	localID	String	ModelObject	$IntervalConstraint[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$IntervalConstraint[i].mdExtensions
Name	name	String	NamedElement	$IntervalConstraint[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$IntervalConstraint[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$IntervalConstraint[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$IntervalConstraint[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$IntervalConstraint[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$IntervalConstraint[i].ownedElement
Owner	owner	Element	Element	$IntervalConstraint[i].owner
Owning Package	owningPackage	Package	PackageableElement	$IntervalConstraint[i].owningPackage
Owning State	owningState	State	Constraint	$IntervalConstraint[i].owningState
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$IntervalConstraint[i].owningTemplateParameter
Owning Transition	owningTransition	ProtocolTransition	Constraint	$IntervalConstraint[i].owningTransition
Post Context	postContext	Operation	Constraint	$IntervalConstraint[i].postContext
Pre Context	preContext	Operation	Constraint	$IntervalConstraint[i].preContext
Qualified Name	qualifiedName	String	NamedElement	$IntervalConstraint[i].qualifiedName
Specification	specification	Interval	IntervalConstraint	$IntervalConstraint[i].specification
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$IntervalConstraint[i].supplierDependency
Sync Element	syncElement	Element	Element	$IntervalConstraint[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$IntervalConstraint[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$IntervalConstraint[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$IntervalConstraint[i].visibility

129. InvocationAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$InvocationAction[i].ID
Activity	activity	Activity	ActivityNode	$InvocationAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$InvocationAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$InvocationAction[i].argument
classType	classType	Class	BaseElement	$InvocationAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$InvocationAction[i].clientDependency
Context	context	Classifier	Action	$InvocationAction[i].context
isEditable	editable	boolean	BaseElement	$InvocationAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$InvocationAction[i].handler
humanName	humanName	String	BaseElement	$InvocationAction[i].humanName
humanType	humanType	String	BaseElement	$InvocationAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$InvocationAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$InvocationAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$InvocationAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$InvocationAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$InvocationAction[i].incoming
Input	input	InputPin[]	Action	$InvocationAction[i].input
isInvalid	invalid	boolean	ModelObject	$InvocationAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$InvocationAction[i].leaf
localID	localID	String	ModelObject	$InvocationAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$InvocationAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$InvocationAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$InvocationAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$InvocationAction[i].mdExtensions
Name	name	String	NamedElement	$InvocationAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$InvocationAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$InvocationAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$InvocationAction[i].objectParent

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

On Port	onPort	Port	InvocationAction	$InvocationAction[i].onPort
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$InvocationAction[i].outgoing
Output	output	OutputPin[]	Action	$InvocationAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$InvocationAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$InvocationAction[i].ownedElement
Owner	owner	Element	Element	$InvocationAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$InvocationAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$InvocationAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$InvocationAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$InvocationAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$InvocationAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$InvocationAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$InvocationAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$InvocationAction[i].visibility

130. java.lang.Object

Generalization

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

131. JoinNode

Generalization

- ControlNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$JoinNode[i].ID
Activity	activity	Activity	ActivityNode	$JoinNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$JoinNode[i].appliedStereotype
classType	classType	Class	BaseElement	$JoinNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$JoinNode[i].clientDependency
Is Combine Duplicate	combineDuplicate	boolean	JoinNode	$JoinNode[i].combineDuplicate
isEditable	editable	boolean	BaseElement	$JoinNode[i].editable
humanName	humanName	String	BaseElement	$JoinNode[i].humanName
humanType	humanType	String	BaseElement	$JoinNode[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

In Group	inGroup	ActivityGroup[]	ActivityNode	$JoinNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$JoinNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$JoinNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$JoinNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$JoinNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$JoinNode[i].invalid
Join Spec	joinSpec	ValueSpecification	JoinNode	$JoinNode[i].joinSpec
Is Leaf	leaf	boolean	RedefinableElement	$JoinNode[i].leaf
localID	localID	String	ModelObject	$JoinNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$JoinNode[i].mdExtensions
Name	name	String	NamedElement	$JoinNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$JoinNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$JoinNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$JoinNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$JoinNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$JoinNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$JoinNode[i].ownedElement
Owner	owner	Element	Element	$JoinNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$JoinNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$JoinNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$JoinNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$JoinNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$JoinNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$JoinNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$JoinNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$JoinNode[i].visibility

132. Lifeline

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Lifeline[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Lifeline[i].appliedStereotype
classType	classType	Class	BaseElement	$Lifeline[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Lifeline[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Covered By	coveredBy	InteractionFragment[]	Lifeline	$Lifeline[i].coveredBy
Decomposed As	decomposedAs	PartDecomposition	Lifeline	$Lifeline[i].decomposedAs
isEditable	editable	boolean	BaseElement	$Lifeline[i].editable
humanName	humanName	String	BaseElement	$Lifeline[i].humanName
humanType	humanType	String	BaseElement	$Lifeline[i].humanType
Interaction	interaction	Interaction	Lifeline	$Lifeline[i].interaction
isInvalid	invalid	boolean	ModelObject	$Lifeline[i].invalid
localID	localID	String	ModelObject	$Lifeline[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Lifeline[i].mdExtensions
Name	name	String	NamedElement	$Lifeline[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Lifeline[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Lifeline[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Lifeline[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Lifeline[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Lifeline[i].ownedElement
Owner	owner	Element	Element	$Lifeline[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Lifeline[i].qualifiedName
Represents	represents	ConnectableElement	Lifeline	$Lifeline[i].represents
Selector	selector	ValueSpecification	Lifeline	$Lifeline[i].selector
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Lifeline[i].supplierDependency
Sync Element	syncElement	Element	Element	$Lifeline[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Lifeline[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Lifeline[i].visibility

133. LinkAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LinkAction[i].ID
Activity	activity	Activity	ActivityNode	$LinkAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LinkAction[i].appliedStereotype
classType	classType	Class	BaseElement	$LinkAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LinkAction[i].clientDependency
Context	context	Classifier	Action	$LinkAction[i].context
isEditable	editable	boolean	BaseElement	$LinkAction[i].editable
End Data	endData	LinkEndData[]	LinkAction	$LinkAction[i].endData

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Handler	handler	ExceptionHandler[]	ExecutableNode	$LinkAction[i].handler
humanName	humanName	String	BaseElement	$LinkAction[i].humanName
humanType	humanType	String	BaseElement	$LinkAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$LinkAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$LinkAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$LinkAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$LinkAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$LinkAction[i].incoming
Input	input	InputPin[]	Action	$LinkAction[i].input
Input Value	inputValue	InputPin[]	LinkAction	$LinkAction[i].inputValue
isInvalid	invalid	boolean	ModelObject	$LinkAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$LinkAction[i].leaf
localID	localID	String	ModelObject	$LinkAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$LinkAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$LinkAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$LinkAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LinkAction[i].mdExtensions
Name	name	String	NamedElement	$LinkAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LinkAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LinkAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LinkAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$LinkAction[i].outgoing
Output	output	OutputPin[]	Action	$LinkAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$LinkAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LinkAction[i].ownedElement
Owner	owner	Element	Element	$LinkAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$LinkAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$LinkAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$LinkAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$LinkAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LinkAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$LinkAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LinkAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$LinkAction[i].visibility

134. LinkEndCreationData

Generalization

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

- LinkEndData

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LinkEndCreationData[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LinkEndCreationData[i].appliedStereotype
classType	classType	Class	BaseElement	$LinkEndCreationData[i].classType
isEditable	editable	boolean	BaseElement	$LinkEndCreationData[i].editable
End	end	Property	LinkEndData	$LinkEndCreationData[i].end
humanName	humanName	String	BaseElement	$LinkEndCreationData[i].humanName
humanType	humanType	String	BaseElement	$LinkEndCreationData[i].humanType
Insert At	insertAt	InputPin	LinkEndCreationData	$LinkEndCreationData[i].insertAt
isInvalid	invalid	boolean	ModelObject	$LinkEndCreationData[i].invalid
localID	localID	String	ModelObject	$LinkEndCreationData[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LinkEndCreationData[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$LinkEndCreationData[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LinkEndCreationData[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LinkEndCreationData[i].ownedElement
Owner	owner	Element	Element	$LinkEndCreationData[i].owner
Qualifier	qualifier	QualifierValue[]	LinkEndData	$LinkEndCreationData[i].qualifier
Is Replace All	replaceAll	boolean	LinkEndCreationData	$LinkEndCreationData[i].replaceAll
Sync Element	syncElement	Element	Element	$LinkEndCreationData[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LinkEndCreationData[i].taggedValue
Value	value	InputPin	LinkEndData	$LinkEndCreationData[i].value

135. LinkEndData

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LinkEndData[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LinkEndData[i].appliedStereotype
classType	classType	Class	BaseElement	$LinkEndData[i].classType
isEditable	editable	boolean	BaseElement	$LinkEndData[i].editable
End	end	Property	LinkEndData	$LinkEndData[i].end
humanName	humanName	String	BaseElement	$LinkEndData[i].humanName
humanType	humanType	String	BaseElement	$LinkEndData[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$LinkEndData[i].invalid
localID	localID	String	ModelObject	$LinkEndData[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LinkEndData[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$LinkEndData[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LinkEndData[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LinkEndData[i].ownedElement
Owner	owner	Element	Element	$LinkEndData[i].owner
Qualifier	qualifier	QualifierValue[]	LinkEndData	$LinkEndData[i].qualifier
Sync Element	syncElement	Element	Element	$LinkEndData[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LinkEndData[i].taggedValue
Value	value	InputPin	LinkEndData	$LinkEndData[i].value

136. LinkEndDestructionData

Generalization

- LinkEndData

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LinkEndDestructionData[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LinkEndDestructionData[i].appliedStereotype
classType	classType	Class	BaseElement	$LinkEndDestructionData[i].classType
Destroy At	destroyAt	InputPin	LinkEndDestructionData	$LinkEndDestructionData[i].destroyAt
Is Destroy Duplicates	destroyDuplicates	boolean	LinkEndDestructionData	$LinkEndDestructionData[i].destroyDuplicates
isEditable	editable	boolean	BaseElement	$LinkEndDestructionData[i].editable
End	end	Property	LinkEndData	$LinkEndDestructionData[i].end
humanName	humanName	String	BaseElement	$LinkEndDestructionData[i].humanName
humanType	humanType	String	BaseElement	$LinkEndDestructionData[i].humanType
isInvalid	invalid	boolean	ModelObject	$LinkEndDestructionData[i].invalid
localID	localID	String	ModelObject	$LinkEndDestructionData[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LinkEndDestructionData[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$LinkEndDestructionData[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LinkEndDestructionData[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LinkEndDestructionData[i].ownedElement
Owner	owner	Element	Element	$LinkEndDestructionData[i].owner
Qualifier	qualifier	QualifierValue[]	LinkEndData	$LinkEndDestructionData[i].qualifier

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Sync Element	syncElement	Element	Element	$LinkEndDestructionData[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LinkEndDestructionData[i].taggedValue
Value	value	InputPin	LinkEndData	$LinkEndDestructionData[i].value

137. LiteralBoolean

Generalization

- LiteralSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LiteralBoolean[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LiteralBoolean[i].appliedStereotype
classType	classType	Class	BaseElement	$LiteralBoolean[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LiteralBoolean[i].clientDependency
isEditable	editable	boolean	BaseElement	$LiteralBoolean[i].editable
Expression	expression	Expression	ValueSpecification	$LiteralBoolean[i].expression
humanName	humanName	String	BaseElement	$LiteralBoolean[i].humanName
humanType	humanType	String	BaseElement	$LiteralBoolean[i].humanType
isInvalid	invalid	boolean	ModelObject	$LiteralBoolean[i].invalid
localID	localID	String	ModelObject	$LiteralBoolean[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LiteralBoolean[i].mdExtensions
Name	name	String	NamedElement	$LiteralBoolean[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LiteralBoolean[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LiteralBoolean[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LiteralBoolean[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LiteralBoolean[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LiteralBoolean[i].ownedElement
Owner	owner	Element	Element	$LiteralBoolean[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$LiteralBoolean[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$LiteralBoolean[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$LiteralBoolean[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$LiteralBoolean[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$LiteralBoolean[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$LiteralBoolean[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$LiteralBoolean[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$LiteralBoolean[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$LiteralBoolean[i].owningUpper

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Qualified Name	qualifiedName	String	NamedElement	$LiteralBoolean[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LiteralBoolean[i].supplierDependency
Sync Element	syncElement	Element	Element	$LiteralBoolean[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LiteralBoolean[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$LiteralBoolean[i].templateParameter
Type	type	Type	TypedElement	$LiteralBoolean[i].type
isValue	value	boolean	LiteralBoolean	$LiteralBoolean[i].value
Visibility	visibility	VisibilityKind	PackageableElement	$LiteralBoolean[i].visibility

138. LiteralInteger

Generalization

- LiteralSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LiteralInteger[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LiteralInteger[i].appliedStereotype
classType	classType	Class	BaseElement	$LiteralInteger[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LiteralInteger[i].clientDependency
isEditable	editable	boolean	BaseElement	$LiteralInteger[i].editable
Expression	expression	Expression	ValueSpecification	$LiteralInteger[i].expression
humanName	humanName	String	BaseElement	$LiteralInteger[i].humanName
humanType	humanType	String	BaseElement	$LiteralInteger[i].humanType
isInvalid	invalid	boolean	ModelObject	$LiteralInteger[i].invalid
localID	localID	String	ModelObject	$LiteralInteger[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LiteralInteger[i].mdExtensions
Name	name	String	NamedElement	$LiteralInteger[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LiteralInteger[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LiteralInteger[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LiteralInteger[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LiteralInteger[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LiteralInteger[i].ownedElement
Owner	owner	Element	Element	$LiteralInteger[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$LiteralInteger[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$LiteralInteger[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$LiteralInteger[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$LiteralInteger[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$LiteralInteger[i].owningParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Property	owningProperty	Property	ValueSpecification	$LiteralInteger[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$LiteralInteger[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$LiteralInteger[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$LiteralInteger[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$LiteralInteger[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LiteralInteger[i].supplierDependency
Sync Element	syncElement	Element	Element	$LiteralInteger[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LiteralInteger[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$LiteralInteger[i].templateParameter
Type	type	Type	TypedElement	$LiteralInteger[i].type
Value	value	int	LiteralInteger	$LiteralInteger[i].value
Visibility	visibility	VisibilityKind	PackageableElement	$LiteralInteger[i].visibility

139. LiteralNull

Generalization

- LiteralSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LiteralNull[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LiteralNull[i].appliedStereotype
classType	classType	Class	BaseElement	$LiteralNull[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LiteralNull[i].clientDependency
isEditable	editable	boolean	BaseElement	$LiteralNull[i].editable
Expression	expression	Expression	ValueSpecification	$LiteralNull[i].expression
humanName	humanName	String	BaseElement	$LiteralNull[i].humanName
humanType	humanType	String	BaseElement	$LiteralNull[i].humanType
isInvalid	invalid	boolean	ModelObject	$LiteralNull[i].invalid
localID	localID	String	ModelObject	$LiteralNull[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LiteralNull[i].mdExtensions
Name	name	String	NamedElement	$LiteralNull[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LiteralNull[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LiteralNull[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LiteralNull[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LiteralNull[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LiteralNull[i].ownedElement
Owner	owner	Element	Element	$LiteralNull[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$LiteralNull[i].owningConstraint

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$LiteralNull[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$LiteralNull[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$LiteralNull[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$LiteralNull[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$LiteralNull[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$LiteralNull[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$LiteralNull[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$LiteralNull[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$LiteralNull[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LiteralNull[i].supplierDependency
Sync Element	syncElement	Element	Element	$LiteralNull[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LiteralNull[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$LiteralNull[i].templateParameter
Type	type	Type	TypedElement	$LiteralNull[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$LiteralNull[i].visibility

140. LiteralReal

Generalization

- LiteralSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LiteralReal[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LiteralReal[i].appliedStereotype
classType	classType	Class	BaseElement	$LiteralReal[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LiteralReal[i].clientDependency
isEditable	editable	boolean	BaseElement	$LiteralReal[i].editable
Expression	expression	Expression	ValueSpecification	$LiteralReal[i].expression
humanName	humanName	String	BaseElement	$LiteralReal[i].humanName
humanType	humanType	String	BaseElement	$LiteralReal[i].humanType
isInvalid	invalid	boolean	ModelObject	$LiteralReal[i].invalid
localID	localID	String	ModelObject	$LiteralReal[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LiteralReal[i].mdExtensions
Name	name	String	NamedElement	$LiteralReal[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LiteralReal[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LiteralReal[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LiteralReal[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LiteralReal[i].ownedComment

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Element	ownedElement	Element[]	Element	$LiteralReal[i].ownedElement
Owner	owner	Element	Element	$LiteralReal[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$LiteralReal[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$LiteralReal[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$LiteralReal[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$LiteralReal[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$LiteralReal[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$LiteralReal[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$LiteralReal[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$LiteralReal[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$LiteralReal[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$LiteralReal[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LiteralReal[i].supplierDependency
Sync Element	syncElement	Element	Element	$LiteralReal[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LiteralReal[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$LiteralReal[i].templateParameter
Type	type	Type	TypedElement	$LiteralReal[i].type
Value	value	double	LiteralReal	$LiteralReal[i].value
Visibility	visibility	VisibilityKind	PackageableElement	$LiteralReal[i].visibility

141. LiteralSpecification

Generalization

- ValueSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LiteralSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LiteralSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$LiteralSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LiteralSpecification[i].clientDependency
isEditable	editable	boolean	BaseElement	$LiteralSpecification[i].editable
Expression	expression	Expression	ValueSpecification	$LiteralSpecification[i].expression
humanName	humanName	String	BaseElement	$LiteralSpecification[i].humanName
humanType	humanType	String	BaseElement	$LiteralSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$LiteralSpecification[i].invalid
localID	localID	String	ModelObject	$LiteralSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LiteralSpecification[i].mdExtensions
Name	name	String	NamedElement	$LiteralSpecification[i].name

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name Expression	nameExpression	StringExpression	NamedElement	$LiteralSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LiteralSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LiteralSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LiteralSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LiteralSpecification[i].ownedElement
Owner	owner	Element	Element	$LiteralSpecification[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$LiteralSpecification[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$LiteralSpecification[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$LiteralSpecification[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$LiteralSpecification[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$LiteralSpecification[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$LiteralSpecification[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$LiteralSpecification[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$LiteralSpecification[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$LiteralSpecification[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$LiteralSpecification[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LiteralSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$LiteralSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LiteralSpecification[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$LiteralSpecification[i].templateParameter
Type	type	Type	TypedElement	$LiteralSpecification[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$LiteralSpecification[i].visibility

142. LiteralString

Generalization

- LiteralSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LiteralString[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LiteralString[i].appliedStereotype
classType	classType	Class	BaseElement	$LiteralString[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LiteralString[i].clientDependency
isEditable	editable	boolean	BaseElement	$LiteralString[i].editable
Expression	expression	Expression	ValueSpecification	$LiteralString[i].expression
humanName	humanName	String	BaseElement	$LiteralString[i].humanName
humanType	humanType	String	BaseElement	$LiteralString[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$LiteralString[i].invalid
localID	localID	String	ModelObject	$LiteralString[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LiteralString[i].mdExtensions
Name	name	String	NamedElement	$LiteralString[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LiteralString[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LiteralString[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LiteralString[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LiteralString[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LiteralString[i].ownedElement
Owner	owner	Element	Element	$LiteralString[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$LiteralString[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$LiteralString[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$LiteralString[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$LiteralString[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$LiteralString[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$LiteralString[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$LiteralString[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$LiteralString[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$LiteralString[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$LiteralString[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LiteralString[i].supplierDependency
Sync Element	syncElement	Element	Element	$LiteralString[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LiteralString[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$LiteralString[i].templateParameter
Type	type	Type	TypedElement	$LiteralString[i].type
Value	value	String	LiteralString	$LiteralString[i].value
Visibility	visibility	VisibilityKind	PackageableElement	$LiteralString[i].visibility

143. LiteralUnlimitedNatural

Generalization

- LiteralSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LiteralUnlimitedNatural[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LiteralUnlimitedNatural[i].appliedStereotype
classType	classType	Class	BaseElement	$LiteralUnlimitedNatural[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Client Dependency	clientDependency	Dependency[]	NamedElement	$LiteralUnlimitedNatural[i].clientDependency
isEditable	editable	boolean	BaseElement	$LiteralUnlimitedNatural[i].editable
Expression	expression	Expression	ValueSpecification	$LiteralUnlimitedNatural[i].expression
humanName	humanName	String	BaseElement	$LiteralUnlimitedNatural[i].humanName
humanType	humanType	String	BaseElement	$LiteralUnlimitedNatural[i].humanType
isInvalid	invalid	boolean	ModelObject	$LiteralUnlimitedNatural[i].invalid
localID	localID	String	ModelObject	$LiteralUnlimitedNatural[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LiteralUnlimitedNatural[i].mdExtensions
Name	name	String	NamedElement	$LiteralUnlimitedNatural[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LiteralUnlimitedNatural[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LiteralUnlimitedNatural[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$LiteralUnlimitedNatural[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$LiteralUnlimitedNatural[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$LiteralUnlimitedNatural[i].ownedElement
Owner	owner	Element	Element	$LiteralUnlimitedNatural[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$LiteralUnlimitedNatural[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$LiteralUnlimitedNatural[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$LiteralUnlimitedNatural[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$LiteralUnlimitedNatural[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$LiteralUnlimitedNatural[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$LiteralUnlimitedNatural[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$LiteralUnlimitedNatural[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$LiteralUnlimitedNatural[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$LiteralUnlimitedNatural[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$LiteralUnlimitedNatural[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LiteralUnlimitedNatural[i].supplierDependency
Sync Element	syncElement	Element	Element	$LiteralUnlimitedNatural[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LiteralUnlimitedNatural[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$LiteralUnlimitedNatural[i].templateParameter
Type	type	Type	TypedElement	$LiteralUnlimitedNatural[i].type
Value	value	int	LiteralUnlimitedNatural	$LiteralUnlimitedNatural[i].value
Visibility	visibility	VisibilityKind	PackageableElement	$LiteralUnlimitedNatural[i].visibility

144. LoopNode

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- StructuredActivityNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$LoopNode[i].ID
Activity	activity	Activity	StructuredActivityNode	$LoopNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$LoopNode[i].appliedStereotype
Body Output	bodyOutput	OutputPin[]	LoopNode	$LoopNode[i].bodyOutput
Body Part	bodyPart	ExecutableNode[]	LoopNode	$LoopNode[i].bodyPart
classType	classType	Class	BaseElement	$LoopNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$LoopNode[i].clientDependency
Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$LoopNode[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$LoopNode[i].containedNode
Context	context	Classifier	Action	$LoopNode[i].context
Decider	decider	OutputPin	LoopNode	$LoopNode[i].decider
Edge	edge	ActivityEdge[]	StructuredActivityNode	$LoopNode[i].edge
isEditable	editable	boolean	BaseElement	$LoopNode[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$LoopNode[i].elementImport
Handler	handler	ExceptionHandler[]	ExecutableNode	$LoopNode[i].handler
humanName	humanName	String	BaseElement	$LoopNode[i].humanName
humanType	humanType	String	BaseElement	$LoopNode[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$LoopNode[i].importedMember
In Activity	inActivity	Activity	ActivityGroup	$LoopNode[i].inActivity
In Group	inGroup	ActivityGroup[]	ActivityNode	$LoopNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$LoopNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$LoopNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$LoopNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$LoopNode[i].incoming
Input	input	InputPin[]	Action	$LoopNode[i].input
isInvalid	invalid	boolean	ModelObject	$LoopNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$LoopNode[i].leaf
localID	localID	String	ModelObject	$LoopNode[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$LoopNode[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$LoopNode[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$LoopNode[i].locallyReentrant
Loop Variable	loopVariable	OutputPin[]	LoopNode	$LoopNode[i].loopVariable
Loop Variable Input	loopVariableInput	InputPin[]	LoopNode	$LoopNode[i].loopVariableInput
mdExtensions	mdExtensions	MDExtension[]	MDObject	$LoopNode[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Member	member	NamedElement[]	Namespace	$LoopNode[i].member
isMustIsolate	mustIsolate	boolean	StructuredActivityNode	$LoopNode[i].mustIsolate
Name	name	String	NamedElement	$LoopNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$LoopNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$LoopNode[i].namespace
Node	node	ActivityNode[]	StructuredActivityNode	$LoopNode[i].node
objectParent	objectParent	BaseElement	BaseElement	$LoopNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$LoopNode[i].outgoing
Output	output	OutputPin[]	Action	$LoopNode[i].output
Owned Comment	ownedComment	Comment[]	Element	$LoopNode[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$LoopNode[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$LoopNode[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$LoopNode[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$LoopNode[i].ownedRule
Owner	owner	Element	Element	$LoopNode[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$LoopNode[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$LoopNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$LoopNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$LoopNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$LoopNode[i].redefinitionContext
Result	result	OutputPin[]	LoopNode	$LoopNode[i].result
Setup Part	setupPart	ExecutableNode[]	LoopNode	$LoopNode[i].setupPart
Structured Node Input	structuredNodeInput	InputPin[]	StructuredActivityNode	$LoopNode[i].structuredNodeInput
Structured Node Output	structuredNodeOutput	OutputPin[]	StructuredActivityNode	$LoopNode[i].structuredNodeOutput
Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$LoopNode[i].subgroup
Super Group	superGroup	ActivityGroup	ActivityGroup	$LoopNode[i].superGroup
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$LoopNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$LoopNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$LoopNode[i].taggedValue
Test	test	ExecutableNode[]	LoopNode	$LoopNode[i].test
Is Tested First	testedFirst	boolean	LoopNode	$LoopNode[i].testedFirst
Variable	variable	Variable[]	StructuredActivityNode	$LoopNode[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$LoopNode[i].visibility

145. Manifestation

Generalization

- Abstraction

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Manifestation[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Manifestation[i].appliedStereotype
classType	classType	Class	BaseElement	$Manifestation[i].classType
Client	client	NamedElement[]	Dependency	$Manifestation[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$Manifestation[i].clientDependency
isEditable	editable	boolean	BaseElement	$Manifestation[i].editable
humanName	humanName	String	BaseElement	$Manifestation[i].humanName
humanType	humanType	String	BaseElement	$Manifestation[i].humanType
isInvalid	invalid	boolean	ModelObject	$Manifestation[i].invalid
localID	localID	String	ModelObject	$Manifestation[i].localID
Mapping	mapping	OpaqueExpression	Abstraction	$Manifestation[i].mapping
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Manifestation[i].mdExtensions
Name	name	String	NamedElement	$Manifestation[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Manifestation[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Manifestation[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Manifestation[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Manifestation[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Manifestation[i].ownedElement
Owner	owner	Element	Element	$Manifestation[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Manifestation[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Manifestation[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Manifestation[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Manifestation[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Manifestation[i].source
Supplier	supplier	NamedElement[]	Dependency	$Manifestation[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Manifestation[i].supplierDependency
Sync Element	syncElement	Element	Element	$Manifestation[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Manifestation[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Manifestation[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Manifestation[i].templateParameter
Utilized Element	utilizedElement	PackageableElement	Manifestation	$Manifestation[i].utilizedElement
Visibility	visibility	VisibilityKind	PackageableElement	$Manifestation[i].visibility

146. MergeNode

Generalization

- ControlNode

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$MergeNode[i].ID
Activity	activity	Activity	ActivityNode	$MergeNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$MergeNode[i].appliedStereotype
classType	classType	Class	BaseElement	$MergeNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$MergeNode[i].clientDependency
isEditable	editable	boolean	BaseElement	$MergeNode[i].editable
humanName	humanName	String	BaseElement	$MergeNode[i].humanName
humanType	humanType	String	BaseElement	$MergeNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$MergeNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$MergeNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$MergeNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$MergeNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$MergeNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$MergeNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$MergeNode[i].leaf
localID	localID	String	ModelObject	$MergeNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$MergeNode[i].mdExtensions
Name	name	String	NamedElement	$MergeNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$MergeNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$MergeNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$MergeNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$MergeNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$MergeNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$MergeNode[i].ownedElement
Owner	owner	Element	Element	$MergeNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$MergeNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$MergeNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$MergeNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$MergeNode[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$MergeNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$MergeNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$MergeNode[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$MergeNode[i].visibility

147. Message

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Message[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Message[i].appliedStereotype
Argument	argument	ValueSpecification[]	Message	$Message[i].argument
classType	classType	Class	BaseElement	$Message[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Message[i].clientDependency
Connector	connector	Connector	Message	$Message[i].connector
isEditable	editable	boolean	BaseElement	$Message[i].editable
Guard	guard	Constraint	Message	$Message[i].guard
humanName	humanName	String	BaseElement	$Message[i].humanName
humanType	humanType	String	BaseElement	$Message[i].humanType
Interaction	interaction	Interaction	Message	$Message[i].interaction
isInvalid	invalid	boolean	ModelObject	$Message[i].invalid
localID	localID	String	ModelObject	$Message[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Message[i].mdExtensions
Message Kind	messageKind	MessageKind	Message	$Message[i].messageKind
Message Sort	messageSort	MessageSort	Message	$Message[i].messageSort
Name	name	String	NamedElement	$Message[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Message[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Message[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Message[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Message[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Message[i].ownedElement
Owner	owner	Element	Element	$Message[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Message[i].qualifiedName
Receive Event	receiveEvent	MessageEnd	Message	$Message[i].receiveEvent
Reply Message	replyMessage	Message	Message	$Message[i].replyMessage
Send Event	sendEvent	MessageEnd	Message	$Message[i].sendEvent
Signature	signature	NamedElement	Message	$Message[i].signature
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Message[i].supplierDependency
Sync Element	syncElement	Element	Element	$Message[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Message[i].taggedValue
Target	target	ValueSpecification	Message	$Message[i].target
Visibility	visibility	VisibilityKind	NamedElement	$Message[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

148. MessageEnd

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$MessageEnd[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$MessageEnd[i].appliedStereotype
classType	classType	Class	BaseElement	$MessageEnd[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$MessageEnd[i].clientDependency
isEditable	editable	boolean	BaseElement	$MessageEnd[i].editable
humanName	humanName	String	BaseElement	$MessageEnd[i].humanName
humanType	humanType	String	BaseElement	$MessageEnd[i].humanType
isInvalid	invalid	boolean	ModelObject	$MessageEnd[i].invalid
localID	localID	String	ModelObject	$MessageEnd[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$MessageEnd[i].mdExtensions
Message	message	Message	MessageEnd	$MessageEnd[i].message
Name	name	String	NamedElement	$MessageEnd[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$MessageEnd[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$MessageEnd[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$MessageEnd[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$MessageEnd[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$MessageEnd[i].ownedElement
Owner	owner	Element	Element	$MessageEnd[i].owner
Qualified Name	qualifiedName	String	NamedElement	$MessageEnd[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$MessageEnd[i].supplierDependency
Sync Element	syncElement	Element	Element	$MessageEnd[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$MessageEnd[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$MessageEnd[i].visibility

149. MessageEvent

Generalization

- Event

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

ID	ID	String	MDObject	$MessageEvent[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$MessageEvent[i].appliedStereotype
Behavior	behavior	Behavior	Event	$MessageEvent[i].behavior
classType	classType	Class	BaseElement	$MessageEvent[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$MessageEvent[i].clientDependency
isEditable	editable	boolean	BaseElement	$MessageEvent[i].editable
humanName	humanName	String	BaseElement	$MessageEvent[i].humanName
humanType	humanType	String	BaseElement	$MessageEvent[i].humanType
isInvalid	invalid	boolean	ModelObject	$MessageEvent[i].invalid
localID	localID	String	ModelObject	$MessageEvent[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$MessageEvent[i].mdExtensions
Name	name	String	NamedElement	$MessageEvent[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$MessageEvent[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$MessageEvent[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$MessageEvent[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$MessageEvent[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$MessageEvent[i].ownedElement
Owner	owner	Element	Element	$MessageEvent[i].owner
Owning Package	owningPackage	Package	PackageableElement	$MessageEvent[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$MessageEvent[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$MessageEvent[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$MessageEvent[i].supplierDependency
Sync Element	syncElement	Element	Element	$MessageEvent[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$MessageEvent[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$MessageEvent[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$MessageEvent[i].visibility

150. MessageOccurrenceSpecification

Generalization

- MessageEnd
- OccurrenceSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$MessageOccurrenceSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$MessageOccurrenceSpecification[i].appliedStereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

classType	classType	Class	BaseElement	$MessageOccurrenceSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$MessageOccurrenceSpecification[i].clientDependency
Covered	covered	Lifeline[]	OccurrenceSpecification	$MessageOccurrenceSpecification[i].covered
isEditable	editable	boolean	BaseElement	$MessageOccurrenceSpecification[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$MessageOccurrenceSpecification[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$MessageOccurrenceSpecification[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$MessageOccurrenceSpecification[i].generalOrdering
humanName	humanName	String	BaseElement	$MessageOccurrenceSpecification[i].humanName
humanType	humanType	String	BaseElement	$MessageOccurrenceSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$MessageOccurrenceSpecification[i].invalid
localID	localID	String	ModelObject	$MessageOccurrenceSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$MessageOccurrenceSpecification[i].mdExtensions
Message	message	Message	MessageEnd	$MessageOccurrenceSpecification[i].message
Name	name	String	NamedElement	$MessageOccurrenceSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$MessageOccurrenceSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$MessageOccurrenceSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$MessageOccurrenceSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$MessageOccurrenceSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$MessageOccurrenceSpecification[i].ownedElement
Owner	owner	Element	Element	$MessageOccurrenceSpecification[i].owner
Qualified Name	qualifiedName	String	NamedElement	$MessageOccurrenceSpecification[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$MessageOccurrenceSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$MessageOccurrenceSpecification[i].syncEl

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ement
Tagged Value	taggedValue	TaggedValue[]	Element	$MessageOccurrenceSpecification[i].taggedValue
To After	toAfter	GeneralOrdering[]	OccurrenceSpecification	$MessageOccurrenceSpecification[i].toAfter
To Before	toBefore	GeneralOrdering[]	OccurrenceSpecification	$MessageOccurrenceSpecification[i].toBefore
Visibility	visibility	VisibilityKind	NamedElement	$MessageOccurrenceSpecification[i].visibility

151. Model

Generalization

- Package

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Model[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Model[i].appliedStereotype
classType	classType	Class	BaseElement	$Model[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Model[i].clientDependency
isEditable	editable	boolean	BaseElement	$Model[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Model[i].elementImport
humanName	humanName	String	BaseElement	$Model[i].humanName
humanType	humanType	String	BaseElement	$Model[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Model[i].importedMember
isInvalid	invalid	boolean	ModelObject	$Model[i].invalid
localID	localID	String	ModelObject	$Model[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Model[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Model[i].member
Name	name	String	NamedElement	$Model[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Model[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Model[i].namespace
Nested Package	nestedPackage	Package[]	Package	$Model[i].nestedPackage
Nesting Package	nestingPackage	Package	Package	$Model[i].nestingPackage
objectParent	objectParent	BaseElement	BaseElement	$Model[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Model[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Model[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Model[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Model[i].ownedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Rule	ownedRule	Constraint[]	Namespace	$Model[i].ownedRule
Owned Stereotype	ownedStereotype	Stereotype[]	Package	$Model[i].ownedStereotype
Owned Template Signature	ownedTemplateSignature	TemplateSignature	TemplateableElement	$Model[i].ownedTemplateSignature
Owned Type	ownedType	Type[]	Package	$Model[i].ownedType
Owner	owner	Element	Element	$Model[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Model[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Model[i].owningTemplateParameter
Package Import	packageImport	PackageImport[]	Namespace	$Model[i].packageImport
Package Merge	packageMerge	PackageMerge[]	Package	$Model[i].packageMerge
Packaged Element	packagedElement	PackageableElement[]	Package	$Model[i].packagedElement
Profile Application	profileApplication	ProfileApplication[]	Package	$Model[i].profileApplication
Qualified Name	qualifiedName	String	NamedElement	$Model[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Model[i].supplierDependency
Sync Element	syncElement	Element	Element	$Model[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Model[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Model[i].templateBinding
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Model[i].templateParameter
uRI	uRI	String	Package	$Model[i].uRI
Viewpoint	viewpoint	String	Model	$Model[i].viewpoint
Visibility	visibility	VisibilityKind	PackageableElement	$Model[i].visibility

152. MultiplicityElement

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$MultiplicityElement[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$MultiplicityElement[i].appliedStereotype
classType	classType	Class	BaseElement	$MultiplicityElement[i].classType
isEditable	editable	boolean	BaseElement	$MultiplicityElement[i].editable
humanName	humanName	String	BaseElement	$MultiplicityElement[i].humanName
humanType	humanType	String	BaseElement	$MultiplicityElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$MultiplicityElement[i].invalid
localID	localID	String	ModelObject	$MultiplicityElement[i].localID
Lower	lower	int	MultiplicityElement	$MultiplicityElement[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$MultiplicityElement[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$MultiplicityElement[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

objectParent	objectParent	BaseElement	BaseElement	$MultiplicityElement[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$MultiplicityElement[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$MultiplicityElement[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$MultiplicityElement[i].ownedElement
Owner	owner	Element	Element	$MultiplicityElement[i].owner
Sync Element	syncElement	Element	Element	$MultiplicityElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$MultiplicityElement[i].taggedValue
Is Unique	unique	boolean	MultiplicityElement	$MultiplicityElement[i].unique
Upper	upper	int	MultiplicityElement	$MultiplicityElement[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$MultiplicityElement[i].upperValue

153. NamedElement

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$NamedElement[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$NamedElement[i].appliedStereotype
classType	classType	Class	BaseElement	$NamedElement[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$NamedElement[i].clientDependency
isEditable	editable	boolean	BaseElement	$NamedElement[i].editable
humanName	humanName	String	BaseElement	$NamedElement[i].humanName
humanType	humanType	String	BaseElement	$NamedElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$NamedElement[i].invalid
localID	localID	String	ModelObject	$NamedElement[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$NamedElement[i].mdExtensions
Name	name	String	NamedElement	$NamedElement[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$NamedElement[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$NamedElement[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$NamedElement[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$NamedElement[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$NamedElement[i].ownedElement
Owner	owner	Element	Element	$NamedElement[i].owner
Qualified Name	qualifiedName	String	NamedElement	$NamedElement[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$NamedElement[i].supplierDependency
Sync Element	syncElement	Element	Element	$NamedElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$NamedElement[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	NamedElement	$NamedElement[i].visibility

154. Namespace

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Namespace[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Namespace[i].appliedStereotype
classType	classType	Class	BaseElement	$Namespace[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Namespace[i].clientDependency
isEditable	editable	boolean	BaseElement	$Namespace[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Namespace[i].elementImport
humanName	humanName	String	BaseElement	$Namespace[i].humanName
humanType	humanType	String	BaseElement	$Namespace[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Namespace[i].importedMember
isInvalid	invalid	boolean	ModelObject	$Namespace[i].invalid
localID	localID	String	ModelObject	$Namespace[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Namespace[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Namespace[i].member
Name	name	String	NamedElement	$Namespace[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Namespace[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Namespace[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Namespace[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Namespace[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Namespace[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Namespace[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Namespace[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Namespace[i].ownedRule
Owner	owner	Element	Element	$Namespace[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$Namespace[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$Namespace[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Namespace[i].supplierDependency
Sync Element	syncElement	Element	Element	$Namespace[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Namespace[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Namespace[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

155. Node

Generalization

- Class
- DeploymentTarget

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Node[i].ID
Class	UMLClass	Class	Classifier	$Node[i].UMLClass
Is Abstract	abstract	boolean	Class	$Node[i].abstract
Is Active	active	boolean	Class	$Node[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Node[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Node[i].attribute
classType	classType	Class	BaseElement	$Node[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Node[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Node[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Node[i].collaborationUse
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$Node[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$Node[i].deployment
isEditable	editable	boolean	BaseElement	$Node[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Node[i].elementImport
Extension	extension	Extension[]	Class	$Node[i].extension
Feature	feature	Feature[]	Classifier	$Node[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Node[i].finalSpecialization
General	general	Classifier[]	Classifier	$Node[i].general
Generalization	generalization	Generalization[]	Classifier	$Node[i].generalization
humanName	humanName	String	BaseElement	$Node[i].humanName
humanType	humanType	String	BaseElement	$Node[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Node[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Node[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Node[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Node[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Node[i].leaf
localID	localID	String	ModelObject	$Node[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Node[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Node[i].member
Name	name	String	NamedElement	$Node[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Node[i].nameExpression

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Namespace	namespace	Namespace	NamedElement	$Node[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Node[i].nestedClassifier
Nested Node	nestedNode	Node[]	Node	$Node[i].nestedNode
objectParent	objectParent	BaseElement	BaseElement	$Node[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Class	$Node[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Node[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$Node[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Node[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Node[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Node[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Node[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Node[i].ownedOperation
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Node[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$Node[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Node[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Node[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Node[i].ownedUseCase
Owner	owner	Element	Element	$Node[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Node[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Node[i].owningTemplateParameter
Package	package	Package	Type	$Node[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Node[i].packageImport
Part	part	Property[]	StructuredClassifier	$Node[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Node[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Node[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Node[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Node[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Node[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Node[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Node[i].role
Substitution	substitution	Substitution[]	Classifier	$Node[i].substitution
Super Class	superClass	Class[]	Class	$Node[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Node[i].supplierDependency
Sync Element	syncElement	Element	Element	$Node[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Node[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Node[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Node[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Node[i].useCase

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	PackageableElement	$Node[i].visibility

156. ObjectFlow

Generalization

- ActivityEdge

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ObjectFlow[i].ID
Activity	activity	Activity	ActivityEdge	$ObjectFlow[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ObjectFlow[i].appliedStereotype
classType	classType	Class	BaseElement	$ObjectFlow[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ObjectFlow[i].clientDependency
isEditable	editable	boolean	BaseElement	$ObjectFlow[i].editable
Guard	guard	ValueSpecification	ActivityEdge	$ObjectFlow[i].guard
humanName	humanName	String	BaseElement	$ObjectFlow[i].humanName
humanType	humanType	String	BaseElement	$ObjectFlow[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityEdge	$ObjectFlow[i].inGroup
In Partition	inPartition	ActivityPartition[]	ActivityEdge	$ObjectFlow[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityEdge	$ObjectFlow[i].inStructuredNode
Interrupts	interrupts	InterruptibleActivityRegion	ActivityEdge	$ObjectFlow[i].interrupts
isInvalid	invalid	boolean	ModelObject	$ObjectFlow[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ObjectFlow[i].leaf
localID	localID	String	ModelObject	$ObjectFlow[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ObjectFlow[i].mdExtensions
Is Multicast	multicast	boolean	ObjectFlow	$ObjectFlow[i].multicast
Is Multireceive	multireceive	boolean	ObjectFlow	$ObjectFlow[i].multireceive
Name	name	String	NamedElement	$ObjectFlow[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ObjectFlow[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ObjectFlow[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ObjectFlow[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ObjectFlow[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ObjectFlow[i].ownedElement
Owner	owner	Element	Element	$ObjectFlow[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ObjectFlow[i].qualifiedName
Redefined Edge	redefinedEdge	ActivityEdge[]	ActivityEdge	$ObjectFlow[i].redefinedEdge
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ObjectFlow[i].redefinedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ObjectFlow[i].redefinitionContext
Selection	selection	Behavior	ObjectFlow	$ObjectFlow[i].selection
Source	source	ActivityNode	ActivityEdge	$ObjectFlow[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ObjectFlow[i].supplierDependency
Sync Element	syncElement	Element	Element	$ObjectFlow[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ObjectFlow[i].taggedValue
Target	target	ActivityNode	ActivityEdge	$ObjectFlow[i].target
Transformation	transformation	Behavior	ObjectFlow	$ObjectFlow[i].transformation
Visibility	visibility	VisibilityKind	NamedElement	$ObjectFlow[i].visibility
Weight	weight	ValueSpecification	ActivityEdge	$ObjectFlow[i].weight

157. ObjectNode

Generalization

- ActivityNode
- TypedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ObjectNode[i].ID
Activity	activity	Activity	ActivityNode	$ObjectNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ObjectNode[i].appliedStereotype
classType	classType	Class	BaseElement	$ObjectNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ObjectNode[i].clientDependency
Is Control Type	controlType	boolean	ObjectNode	$ObjectNode[i].controlType
isEditable	editable	boolean	BaseElement	$ObjectNode[i].editable
humanName	humanName	String	BaseElement	$ObjectNode[i].humanName
humanType	humanType	String	BaseElement	$ObjectNode[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ObjectNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ObjectNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ObjectNode[i].inPartition
In State	inState	State[]	ObjectNode	$ObjectNode[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ObjectNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ObjectNode[i].incoming
isInvalid	invalid	boolean	ModelObject	$ObjectNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ObjectNode[i].leaf
localID	localID	String	ModelObject	$ObjectNode[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ObjectNode[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name	name	String	NamedElement	$ObjectNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ObjectNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ObjectNode[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ObjectNode[i].objectParent
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$ObjectNode[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ObjectNode[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ObjectNode[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ObjectNode[i].ownedElement
Owner	owner	Element	Element	$ObjectNode[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ObjectNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ObjectNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ObjectNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ObjectNode[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$ObjectNode[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ObjectNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$ObjectNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ObjectNode[i].taggedValue
Type	type	Type	TypedElement	$ObjectNode[i].type
Upper Bound	upperBound	ValueSpecification	ObjectNode	$ObjectNode[i].upperBound
Visibility	visibility	VisibilityKind	NamedElement	$ObjectNode[i].visibility

158. Observation

Generalization

- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Observation[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Observation[i].appliedStereotype
Behavior	behavior	Behavior	Observation	$Observation[i].behavior
classType	classType	Class	BaseElement	$Observation[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Observation[i].clientDependency
isEditable	editable	boolean	BaseElement	$Observation[i].editable
humanName	humanName	String	BaseElement	$Observation[i].humanName
humanType	humanType	String	BaseElement	$Observation[i].humanType
isInvalid	invalid	boolean	ModelObject	$Observation[i].invalid
localID	localID	String	ModelObject	$Observation[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Observation[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name	name	String	NamedElement	$Observation[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Observation[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Observation[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Observation[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Observation[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Observation[i].ownedElement
Owner	owner	Element	Element	$Observation[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Observation[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Observation[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Observation[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Observation[i].supplierDependency
Sync Element	syncElement	Element	Element	$Observation[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Observation[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Observation[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Observation[i].visibility

159. OccurrenceSpecification

Generalization

- InteractionFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$OccurrenceSpecification[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$OccurrenceSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$OccurrenceSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$OccurrenceSpecification[i].clientDependency
Covered	covered	Lifeline[]	OccurrenceSpecification	$OccurrenceSpecification[i].covered
isEditable	editable	boolean	BaseElement	$OccurrenceSpecification[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$OccurrenceSpecification[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$OccurrenceSpecification[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$OccurrenceSpecification[i].generalOrdering
humanName	humanName	String	BaseElement	$OccurrenceSpecification[i].humanName
humanType	humanType	String	BaseElement	$OccurrenceSpecification[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$OccurrenceSpecification[i].invalid
localID	localID	String	ModelObject	$OccurrenceSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$OccurrenceSpecification[i].mdExtensions
Name	name	String	NamedElement	$OccurrenceSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$OccurrenceSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$OccurrenceSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$OccurrenceSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$OccurrenceSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$OccurrenceSpecification[i].ownedElement
Owner	owner	Element	Element	$OccurrenceSpecification[i].owner
Qualified Name	qualifiedName	String	NamedElement	$OccurrenceSpecification[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$OccurrenceSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$OccurrenceSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$OccurrenceSpecification[i].taggedValue
To After	toAfter	GeneralOrdering[]	OccurrenceSpecification	$OccurrenceSpecification[i].toAfter
To Before	toBefore	GeneralOrdering[]	OccurrenceSpecification	$OccurrenceSpecification[i].toBefore
Visibility	visibility	VisibilityKind	NamedElement	$OccurrenceSpecification[i].visibility

160. OpaqueAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$OpaqueAction[i].ID
Activity	activity	Activity	ActivityNode	$OpaqueAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$OpaqueAction[i].appliedStereotype
Body	body	String[]	OpaqueAction	$OpaqueAction[i].body
classType	classType	Class	BaseElement	$OpaqueAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$OpaqueAction[i].clientDependency
Context	context	Classifier	Action	$OpaqueAction[i].context
isEditable	editable	boolean	BaseElement	$OpaqueAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$OpaqueAction[i].handler
humanName	humanName	String	BaseElement	$OpaqueAction[i].humanName
humanType	humanType	String	BaseElement	$OpaqueAction[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

In Group	inGroup	ActivityGroup[]	ActivityNode	$OpaqueAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$OpaqueAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$OpaqueAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$OpaqueAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$OpaqueAction[i].incoming
Input	input	InputPin[]	Action	$OpaqueAction[i].input
Input Value	inputValue	InputPin[]	OpaqueAction	$OpaqueAction[i].inputValue
isInvalid	invalid	boolean	ModelObject	$OpaqueAction[i].invalid
Language	language	String[]	OpaqueAction	$OpaqueAction[i].language
Is Leaf	leaf	boolean	RedefinableElement	$OpaqueAction[i].leaf
localID	localID	String	ModelObject	$OpaqueAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$OpaqueAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$OpaqueAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$OpaqueAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$OpaqueAction[i].mdExtensions
Name	name	String	NamedElement	$OpaqueAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$OpaqueAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$OpaqueAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$OpaqueAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$OpaqueAction[i].outgoing
Output	output	OutputPin[]	Action	$OpaqueAction[i].output
Output Value	outputValue	OutputPin[]	OpaqueAction	$OpaqueAction[i].outputValue
Owned Comment	ownedComment	Comment[]	Element	$OpaqueAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$OpaqueAction[i].ownedElement
Owner	owner	Element	Element	$OpaqueAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$OpaqueAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$OpaqueAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$OpaqueAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$OpaqueAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$OpaqueAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$OpaqueAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$OpaqueAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$OpaqueAction[i].visibility

161. OpaqueBehavior

Generalization

- Behavior

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$OpaqueBehavior[i].ID
Class	UMLClass	Class	Classifier	$OpaqueBehavior[i].UMLClass
Is Abstract	abstract	boolean	Class	$OpaqueBehavior[i].abstract
Is Active	active	boolean	Class	$OpaqueBehavior[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$OpaqueBehavior[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$OpaqueBehavior[i].attribute
Body	body	String[]	OpaqueBehavior	$OpaqueBehavior[i].body
classType	classType	Class	BaseElement	$OpaqueBehavior[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$OpaqueBehavior[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$OpaqueBehavior[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$OpaqueBehavior[i].collaborationUse
Context	context	BehavioredClassifier	Behavior	$OpaqueBehavior[i].context
isEditable	editable	boolean	BaseElement	$OpaqueBehavior[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$OpaqueBehavior[i].elementImport
Event	event	Event[]	Behavior	$OpaqueBehavior[i].event
Extension	extension	Extension[]	Class	$OpaqueBehavior[i].extension
Feature	feature	Feature[]	Classifier	$OpaqueBehavior[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$OpaqueBehavior[i].finalSpecialization
General	general	Classifier[]	Classifier	$OpaqueBehavior[i].general
Generalization	generalization	Generalization[]	Classifier	$OpaqueBehavior[i].generalization
humanName	humanName	String	BaseElement	$OpaqueBehavior[i].humanName
humanType	humanType	String	BaseElement	$OpaqueBehavior[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$OpaqueBehavior[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$OpaqueBehavior[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$OpaqueBehavior[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$OpaqueBehavior[i].invalid
Language	language	String[]	OpaqueBehavior	$OpaqueBehavior[i].language
Is Leaf	leaf	boolean	RedefinableElement	$OpaqueBehavior[i].leaf
localID	localID	String	ModelObject	$OpaqueBehavior[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$OpaqueBehavior[i].mdExtensions
Member	member	NamedElement[]	Namespace	$OpaqueBehavior[i].member
Name	name	String	NamedElement	$OpaqueBehavior[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$OpaqueBehavior[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$OpaqueBehavior[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$OpaqueBehavior[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$OpaqueBehavior[i].objectParent
Observation	observation	Observation[]	Behavior	$OpaqueBehavior[i].observation

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Attribute	ownedAttribute	Property[]	Class	$OpaqueBehavior[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$OpaqueBehavior[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$OpaqueBehavior[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$OpaqueBehavior[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$OpaqueBehavior[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$OpaqueBehavior[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$OpaqueBehavior[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$OpaqueBehavior[i].ownedOperation
Owned Parameter	ownedParameter	Parameter[]	Behavior	$OpaqueBehavior[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	Behavior	$OpaqueBehavior[i].ownedParameterSet
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$OpaqueBehavior[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$OpaqueBehavior[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$OpaqueBehavior[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$OpaqueBehavior[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$OpaqueBehavior[i].ownedUseCase
Owner	owner	Element	Element	$OpaqueBehavior[i].owner
Owning Package	owningPackage	Package	PackageableElement	$OpaqueBehavior[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$OpaqueBehavior[i].owningTemplateParameter
Package	package	Package	Type	$OpaqueBehavior[i].package
Package Import	packageImport	PackageImport[]	Namespace	$OpaqueBehavior[i].packageImport
Part	part	Property[]	StructuredClassifier	$OpaqueBehavior[i].part
Postcondition	postcondition	Constraint[]	Behavior	$OpaqueBehavior[i].postcondition
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$OpaqueBehavior[i].powertypeExtent
Precondition	precondition	Constraint[]	Behavior	$OpaqueBehavior[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$OpaqueBehavior[i].qualifiedName
Redefined Behavior	redefinedBehavior	Behavior[]	Behavior	$OpaqueBehavior[i].redefinedBehavior
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$OpaqueBehavior[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$OpaqueBehavior[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$OpaqueBehavior[i].redefinitionContext
Is Reentrant	reentrant	boolean	Behavior	$OpaqueBehavior[i].reentrant
Representation	representation	CollaborationUse	Classifier	$OpaqueBehavior[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$OpaqueBehavior[i].role
Specification	specification	BehavioralFeature	Behavior	$OpaqueBehavior[i].specification
Substitution	substitution	Substitution[]	Classifier	$OpaqueBehavior[i].substitution
Super Class	superClass	Class[]	Class	$OpaqueBehavior[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$OpaqueBehavior[i].supplierDependency
Sync Element	syncElement	Element	Element	$OpaqueBehavior[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$OpaqueBehavior[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$OpaqueBehavior[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$OpaqueBehavior[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$OpaqueBehavior[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$OpaqueBehavior[i].visibility

162. OpaqueExpression

Generalization

- ValueSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$OpaqueExpression[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$OpaqueExpression[i].appliedStereotype
Behavior	behavior	Behavior	OpaqueExpression	$OpaqueExpression[i].behavior
Body	body	String[]	OpaqueExpression	$OpaqueExpression[i].body
classType	classType	Class	BaseElement	$OpaqueExpression[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$OpaqueExpression[i].clientDependency
isEditable	editable	boolean	BaseElement	$OpaqueExpression[i].editable
Expression	expression	Expression	ValueSpecification	$OpaqueExpression[i].expression
humanName	humanName	String	BaseElement	$OpaqueExpression[i].humanName
humanType	humanType	String	BaseElement	$OpaqueExpression[i].humanType
isInvalid	invalid	boolean	ModelObject	$OpaqueExpression[i].invalid
Language	language	String[]	OpaqueExpression	$OpaqueExpression[i].language
localID	localID	String	ModelObject	$OpaqueExpression[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$OpaqueExpression[i].mdExtensions
Name	name	String	NamedElement	$OpaqueExpression[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$OpaqueExpression[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$OpaqueExpression[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$OpaqueExpression[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$OpaqueExpression[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$OpaqueExpression[i].ownedElement
Owner	owner	Element	Element	$OpaqueExpression[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$OpaqueExpression[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$OpaqueExpression[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$OpaqueExpression[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$OpaqueExpression[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$OpaqueExpression[i].owningParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Property	owningProperty	Property	ValueSpecification	$OpaqueExpression[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$OpaqueExpression[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$OpaqueExpression[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$OpaqueExpression[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$OpaqueExpression[i].qualifiedName
Result	result	Parameter	OpaqueExpression	$OpaqueExpression[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$OpaqueExpression[i].supplierDependency
Sync Element	syncElement	Element	Element	$OpaqueExpression[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$OpaqueExpression[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$OpaqueExpression[i].templateParameter
Type	type	Type	TypedElement	$OpaqueExpression[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$OpaqueExpression[i].visibility

163. Operation

Generalization

- BehavioralFeature
- ParameterableElement
- TemplateableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Operation[i].ID
Class	UMLClass	Class	Operation	$Operation[i].UMLClass
Is Abstract	abstract	boolean	BehavioralFeature	$Operation[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Operation[i].appliedStereotype
Body Condition	bodyCondition	Constraint	Operation	$Operation[i].bodyCondition
classType	classType	Class	BaseElement	$Operation[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Operation[i].clientDependency
Concurrency	concurrency	CallConcurrencyKind	BehavioralFeature	$Operation[i].concurrency
Datatype	datatype	DataType	Operation	$Operation[i].datatype
isEditable	editable	boolean	BaseElement	$Operation[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Operation[i].elementImport
Featuring Classifier	featuringClassifier	Classifier	Feature	$Operation[i].featuringClassifier
humanName	humanName	String	BaseElement	$Operation[i].humanName
humanType	humanType	String	BaseElement	$Operation[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Operation[i].importedMember
Interface	interface	Interface	Operation	$Operation[i].interface

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$Operation[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Operation[i].leaf
localID	localID	String	ModelObject	$Operation[i].localID
Lower	lower	int	Operation	$Operation[i].lower
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Operation[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Operation[i].member
Method	method	Behavior[]	BehavioralFeature	$Operation[i].method
Name	name	String	NamedElement	$Operation[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Operation[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Operation[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Operation[i].objectParent
Is Ordered	ordered	boolean	Operation	$Operation[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$Operation[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Operation[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Operation[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Operation[i].ownedMember
Owned Parameter	ownedParameter	Parameter[]	Operation	$Operation[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	BehavioralFeature	$Operation[i].ownedParameterSet
Owned Rule	ownedRule	Constraint[]	Namespace	$Operation[i].ownedRule
Owned Template Signature	ownedTemplateSignature	TemplateSignature	TemplateableElement	$Operation[i].ownedTemplateSignature
Owner	owner	Element	Element	$Operation[i].owner
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Operation[i].owningTemplateParameter
Package Import	packageImport	PackageImport[]	Namespace	$Operation[i].packageImport
Postcondition	postcondition	Constraint[]	Operation	$Operation[i].postcondition
Precondition	precondition	Constraint[]	Operation	$Operation[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$Operation[i].qualifiedName
Is Query	query	boolean	Operation	$Operation[i].query
Raised Exception	raisedException	Type[]	Operation	$Operation[i].raisedException
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Operation[i].redefinedElement
Redefined Operation	redefinedOperation	Operation[]	Operation	$Operation[i].redefinedOperation
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Operation[i].redefinitionContext
Is Static	static	boolean	Feature	$Operation[i].static
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Operation[i].supplierDependency
Sync Element	syncElement	Element	Element	$Operation[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Operation[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Operation[i].templateBinding
Template Parameter	templateParameter	OperationTemplateParameter	Operation	$Operation[i].templateParameter
Type	type	Type	Operation	$Operation[i].type
Is Unique	unique	boolean	Operation	$Operation[i].unique

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Upper	upper	int	Operation	$Operation[i].upper
Visibility	visibility	VisibilityKind	NamedElement	$Operation[i].visibility

164. OperationTemplateParameter

Generalization

- TemplateParameter

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$OperationTemplateParameter[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$OperationTemplateParameter[i].appliedStereotype
classType	classType	Class	BaseElement	$OperationTemplateParameter[i].classType
Default	default	ParameterableElement	TemplateParameter	$OperationTemplateParameter[i].default
isEditable	editable	boolean	BaseElement	$OperationTemplateParameter[i].editable
humanName	humanName	String	BaseElement	$OperationTemplateParameter[i].humanName
humanType	humanType	String	BaseElement	$OperationTemplateParameter[i].humanType
isInvalid	invalid	boolean	ModelObject	$OperationTemplateParameter[i].invalid
localID	localID	String	ModelObject	$OperationTemplateParameter[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$OperationTemplateParameter[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$OperationTemplateParameter[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$OperationTemplateParameter[i].ownedComment
Owned Default	ownedDefault	ParameterableElement	TemplateParameter	$OperationTemplateParameter[i].ownedDefault
Owned Element	ownedElement	Element[]	Element	$OperationTemplateParameter[i].ownedElement
Owned Parametered Element	ownedParameteredElement	ParameterableElement	TemplateParameter	$OperationTemplateParameter[i].ownedParameteredElement
Owner	owner	Element	Element	$OperationTemplateParameter[i].owner
Parametered Element	parameteredElement	Operation	OperationTemplateParameter	$OperationTemplateParameter[i].parameteredElement
Signature	signature	TemplateSignature	TemplateParameter	$OperationTemplateParameter[i].signature
Sync Element	syncElement	Element	Element	$OperationTemplateParameter[i].syncElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Tagged Value	taggedValue	TaggedValue[]	Element	$OperationTemplateParameter[i].taggedValue

165. OutputPin

Generalization

- Pin

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$OutputPin[i].ID
Activity	activity	Activity	ActivityNode	$OutputPin[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$OutputPin[i].appliedStereotype
classType	classType	Class	BaseElement	$OutputPin[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$OutputPin[i].clientDependency
Is Control	control	boolean	Pin	$OutputPin[i].control
Is Control Type	controlType	boolean	ObjectNode	$OutputPin[i].controlType
isEditable	editable	boolean	BaseElement	$OutputPin[i].editable
humanName	humanName	String	BaseElement	$OutputPin[i].humanName
humanType	humanType	String	BaseElement	$OutputPin[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$OutputPin[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$OutputPin[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$OutputPin[i].inPartition
In State	inState	State[]	ObjectNode	$OutputPin[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$OutputPin[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$OutputPin[i].incoming
isInvalid	invalid	boolean	ModelObject	$OutputPin[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$OutputPin[i].leaf
localID	localID	String	ModelObject	$OutputPin[i].localID
Lower	lower	int	MultiplicityElement	$OutputPin[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$OutputPin[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$OutputPin[i].mdExtensions
Name	name	String	NamedElement	$OutputPin[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$OutputPin[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$OutputPin[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$OutputPin[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$OutputPin[i].ordered
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$OutputPin[i].ordering

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Outgoing	outgoing	ActivityEdge[]	ActivityNode	$OutputPin[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$OutputPin[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$OutputPin[i].ownedElement
Owner	owner	Element	Element	$OutputPin[i].owner
Qualified Name	qualifiedName	String	NamedElement	$OutputPin[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$OutputPin[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$OutputPin[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$OutputPin[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$OutputPin[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$OutputPin[i].supplierDependency
Sync Element	syncElement	Element	Element	$OutputPin[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$OutputPin[i].taggedValue
Type	type	Type	TypedElement	$OutputPin[i].type
Is Unique	unique	boolean	MultiplicityElement	$OutputPin[i].unique
Upper	upper	int	MultiplicityElement	$OutputPin[i].upper
Upper Bound	upperBound	ValueSpecification	ObjectNode	$OutputPin[i].upperBound
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$OutputPin[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$OutputPin[i].visibility

166. Package

Generalization

- Namespace
- PackageableElement
- TemplateableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Package[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Package[i].appliedStereotype
classType	classType	Class	BaseElement	$Package[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Package[i].clientDependency
isEditable	editable	boolean	BaseElement	$Package[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Package[i].elementImport
humanName	humanName	String	BaseElement	$Package[i].humanName
humanType	humanType	String	BaseElement	$Package[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Package[i].importedMember
isInvalid	invalid	boolean	ModelObject	$Package[i].invalid
localID	localID	String	ModelObject	$Package[i].localID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

mdExtensions	mdExtensions	MDExtension[]	MDObject	$Package[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Package[i].member
Name	name	String	NamedElement	$Package[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Package[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Package[i].namespace
Nested Package	nestedPackage	Package[]	Package	$Package[i].nestedPackage
Nesting Package	nestingPackage	Package	Package	$Package[i].nestingPackage
objectParent	objectParent	BaseElement	BaseElement	$Package[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Package[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Package[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Package[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Package[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Package[i].ownedRule
Owned Stereotype	ownedStereotype	Stereotype[]	Package	$Package[i].ownedStereotype
Owned Template Signature	ownedTemplateSignature	TemplateSignature	TemplateableElement	$Package[i].ownedTemplateSignature
Owned Type	ownedType	Type[]	Package	$Package[i].ownedType
Owner	owner	Element	Element	$Package[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Package[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Package[i].owningTemplateParameter
Package Import	packageImport	PackageImport[]	Namespace	$Package[i].packageImport
Package Merge	packageMerge	PackageMerge[]	Package	$Package[i].packageMerge
Packaged Element	packagedElement	PackageableElement[]	Package	$Package[i].packagedElement
Profile Application	profileApplication	ProfileApplication[]	Package	$Package[i].profileApplication
Qualified Name	qualifiedName	String	NamedElement	$Package[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Package[i].supplierDependency
Sync Element	syncElement	Element	Element	$Package[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Package[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Package[i].templateBinding
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Package[i].templateParameter
uRI	uRI	String	Package	$Package[i].uRI
Visibility	visibility	VisibilityKind	PackageableElement	$Package[i].visibility

167. PackageableElement

Generalization

- NamedElement
- ParameterableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

			Owner)	
ID	ID	String	MDObject	$PackageableElement[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$PackageableElement[i].appliedStereotype
classType	classType	Class	BaseElement	$PackageableElement[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$PackageableElement[i].clientDependency
isEditable	editable	boolean	BaseElement	$PackageableElement[i].editable
humanName	humanName	String	BaseElement	$PackageableElement[i].humanName
humanType	humanType	String	BaseElement	$PackageableElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$PackageableElement[i].invalid
localID	localID	String	ModelObject	$PackageableElement[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$PackageableElement[i].mdExtensions
Name	name	String	NamedElement	$PackageableElement[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$PackageableElement[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$PackageableElement[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$PackageableElement[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$PackageableElement[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$PackageableElement[i].ownedElement
Owner	owner	Element	Element	$PackageableElement[i].owner
Owning Package	owningPackage	Package	PackageableElement	$PackageableElement[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$PackageableElement[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$PackageableElement[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$PackageableElement[i].supplierDependency
Sync Element	syncElement	Element	Element	$PackageableElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$PackageableElement[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$PackageableElement[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$PackageableElement[i].visibility

168. PackageImport

Generalization

- DirectedRelationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$PackageImport[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$PackageImport[i].appliedStereotype
classType	classType	Class	BaseElement	$PackageImport[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isEditable	editable	boolean	BaseElement	$PackageImport[i].editable
humanName	humanName	String	BaseElement	$PackageImport[i].humanName
humanType	humanType	String	BaseElement	$PackageImport[i].humanType
Imported Package	importedPackage	Package	PackageImport	$PackageImport[i].importedPackage
Importing Namespace	importingNamespace	Namespace	PackageImport	$PackageImport[i].importingNamespace
isInvalid	invalid	boolean	ModelObject	$PackageImport[i].invalid
localID	localID	String	ModelObject	$PackageImport[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$PackageImport[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$PackageImport[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$PackageImport[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$PackageImport[i].ownedElement
Owner	owner	Element	Element	$PackageImport[i].owner
Related Element	relatedElement	Element[]	Relationship	$PackageImport[i].relatedElement
Source	source	Element[]	DirectedRelationship	$PackageImport[i].source
Sync Element	syncElement	Element	Element	$PackageImport[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$PackageImport[i].taggedValue
Target	target	Element[]	DirectedRelationship	$PackageImport[i].target
Visibility	visibility	VisibilityKind	PackageImport	$PackageImport[i].visibility

169. PackageMerge

Generalization

- DirectedRelationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$PackageMerge[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$PackageMerge[i].appliedStereotype
classType	classType	Class	BaseElement	$PackageMerge[i].classType
isEditable	editable	boolean	BaseElement	$PackageMerge[i].editable
humanName	humanName	String	BaseElement	$PackageMerge[i].humanName
humanType	humanType	String	BaseElement	$PackageMerge[i].humanType
isInvalid	invalid	boolean	ModelObject	$PackageMerge[i].invalid
localID	localID	String	ModelObject	$PackageMerge[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$PackageMerge[i].mdExtensions
Merged Package	mergedPackage	Package	PackageMerge	$PackageMerge[i].mergedPackage
objectParent	objectParent	BaseElement	BaseElement	$PackageMerge[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$PackageMerge[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$PackageMerge[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$PackageMerge[i].owner
Receiving Package	receivingPackage	Package	PackageMerge	$PackageMerge[i].receivingPackage
Related Element	relatedElement	Element[]	Relationship	$PackageMerge[i].relatedElement
Source	source	Element[]	DirectedRelationship	$PackageMerge[i].source
Sync Element	syncElement	Element	Element	$PackageMerge[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$PackageMerge[i].taggedValue
Target	target	Element[]	DirectedRelationship	$PackageMerge[i].target

170. Parameter

Generalization

- ConnectableElement
- MultiplicityElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Parameter[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Parameter[i].appliedStereotype
classType	classType	Class	BaseElement	$Parameter[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Parameter[i].clientDependency
Default	default	String	Parameter	$Parameter[i].default
Default Value	defaultValue	ValueSpecification	Parameter	$Parameter[i].defaultValue
Direction	direction	ParameterDirectionKind	Parameter	$Parameter[i].direction
isEditable	editable	boolean	BaseElement	$Parameter[i].editable
Effect	effect	ParameterEffectKind	Parameter	$Parameter[i].effect
End	end	ConnectorEnd[]	ConnectableElement	$Parameter[i].end
Is Exception	exception	boolean	Parameter	$Parameter[i].exception
humanName	humanName	String	BaseElement	$Parameter[i].humanName
humanType	humanType	String	BaseElement	$Parameter[i].humanType
isInvalid	invalid	boolean	ModelObject	$Parameter[i].invalid
localID	localID	String	ModelObject	$Parameter[i].localID
Lower	lower	int	MultiplicityElement	$Parameter[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$Parameter[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Parameter[i].mdExtensions
Name	name	String	NamedElement	$Parameter[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Parameter[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Parameter[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Parameter[i].objectParent
Operation	operation	Operation	Parameter	$Parameter[i].operation

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Ordered	ordered	boolean	MultiplicityElement	$Parameter[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$Parameter[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Parameter[i].ownedElement
Owner	owner	Element	Element	$Parameter[i].owner
Owner Formal Param	ownerFormalParam	BehavioralFeature	Parameter	$Parameter[i].ownerFormalParam
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Parameter[i].owningTemplateParameter
Parameter Set	parameterSet	ParameterSet[]	Parameter	$Parameter[i].parameterSet
Qualified Name	qualifiedName	String	NamedElement	$Parameter[i].qualifiedName
Is Stream	stream	boolean	Parameter	$Parameter[i].stream
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Parameter[i].supplierDependency
Sync Element	syncElement	Element	Element	$Parameter[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Parameter[i].taggedValue
Template Parameter	templateParameter	ConnectableElementTemplateParameter	ConnectableElement	$Parameter[i].templateParameter
Type	type	Type	TypedElement	$Parameter[i].type
Is Unique	unique	boolean	MultiplicityElement	$Parameter[i].unique
Upper	upper	int	MultiplicityElement	$Parameter[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$Parameter[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$Parameter[i].visibility

171. ParameterableElement

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ParameterableElement[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ParameterableElement[i].appliedStereotype
classType	classType	Class	BaseElement	$ParameterableElement[i].classType
isEditable	editable	boolean	BaseElement	$ParameterableElement[i].editable
humanName	humanName	String	BaseElement	$ParameterableElement[i].humanName
humanType	humanType	String	BaseElement	$ParameterableElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$ParameterableElement[i].invalid
localID	localID	String	ModelObject	$ParameterableElement[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ParameterableElement[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ParameterableElement[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ParameterableElement[i].ownedComment

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Element	ownedElement	Element[]	Element	$ParameterableElement[i].ownedElement
Owner	owner	Element	Element	$ParameterableElement[i].owner
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ParameterableElement[i].owningTemplate Parameter
Sync Element	syncElement	Element	Element	$ParameterableElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ParameterableElement[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$ParameterableElement[i].templateParamet er

172. ParameterSet

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ParameterSet[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ParameterSet[i].appliedStereotype
classType	classType	Class	BaseElement	$ParameterSet[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ParameterSet[i].clientDependency
Condition	condition	Constraint[]	ParameterSet	$ParameterSet[i].condition
isEditable	editable	boolean	BaseElement	$ParameterSet[i].editable
humanName	humanName	String	BaseElement	$ParameterSet[i].humanName
humanType	humanType	String	BaseElement	$ParameterSet[i].humanType
isInvalid	invalid	boolean	ModelObject	$ParameterSet[i].invalid
localID	localID	String	ModelObject	$ParameterSet[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ParameterSet[i].mdExtensions
Name	name	String	NamedElement	$ParameterSet[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ParameterSet[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ParameterSet[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ParameterSet[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ParameterSet[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ParameterSet[i].ownedElement
Owner	owner	Element	Element	$ParameterSet[i].owner
Parameter	parameter	Parameter[]	ParameterSet	$ParameterSet[i].parameter
Qualified Name	qualifiedName	String	NamedElement	$ParameterSet[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ParameterSet[i].supplierDependency
Sync Element	syncElement	Element	Element	$ParameterSet[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ParameterSet[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	NamedElement	$ParameterSet[i].visibility

173. PartDecomposition

Generalization

- InteractionUse

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$PartDecomposition[i].ID
Actual Gate	actualGate	Gate[]	InteractionUse	$PartDecomposition[i].actualGate
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$PartDecomposition[i].appliedStereotype
Argument	argument	ValueSpecification[]	InteractionUse	$PartDecomposition[i].argument
classType	classType	Class	BaseElement	$PartDecomposition[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$PartDecomposition[i].clientDependency
Covered	covered	Lifeline[]	InteractionFragment	$PartDecomposition[i].covered
isEditable	editable	boolean	BaseElement	$PartDecomposition[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$PartDecomposition[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$PartDecomposition[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$PartDecomposition[i].generalOrdering
humanName	humanName	String	BaseElement	$PartDecomposition[i].humanName
humanType	humanType	String	BaseElement	$PartDecomposition[i].humanType
isInvalid	invalid	boolean	ModelObject	$PartDecomposition[i].invalid
localID	localID	String	ModelObject	$PartDecomposition[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$PartDecomposition[i].mdExtensions
Name	name	String	NamedElement	$PartDecomposition[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$PartDecomposition[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$PartDecomposition[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$PartDecomposition[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$PartDecomposition[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$PartDecomposition[i].ownedElement
Owner	owner	Element	Element	$PartDecomposition[i].owner
Qualified Name	qualifiedName	String	NamedElement	$PartDecomposition[i].qualifiedName
Refers To	refersTo	Interaction	InteractionUse	$PartDecomposition[i].refersTo
Return Value	returnValue	ValueSpecification	InteractionUse	$PartDecomposition[i].returnValue
Return Value Recipient	returnValueRecipient	Property	InteractionUse	$PartDecomposition[i].returnValueRecipient
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$PartDecomposition[i].supplierDependency
Sync Element	syncElement	Element	Element	$PartDecomposition[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$PartDecomposition[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	NamedElement	$PartDecomposition[i].visibility

174. Pin

Generalization

- MultiplicityElement
- ObjectNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Pin[i].ID
Activity	activity	Activity	ActivityNode	$Pin[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Pin[i].appliedStereotype
classType	classType	Class	BaseElement	$Pin[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Pin[i].clientDependency
Is Control	control	boolean	Pin	$Pin[i].control
Is Control Type	controlType	boolean	ObjectNode	$Pin[i].controlType
isEditable	editable	boolean	BaseElement	$Pin[i].editable
humanName	humanName	String	BaseElement	$Pin[i].humanName
humanType	humanType	String	BaseElement	$Pin[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$Pin[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$Pin[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$Pin[i].inPartition
In State	inState	State[]	ObjectNode	$Pin[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$Pin[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$Pin[i].incoming
isInvalid	invalid	boolean	ModelObject	$Pin[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Pin[i].leaf
localID	localID	String	ModelObject	$Pin[i].localID
Lower	lower	int	MultiplicityElement	$Pin[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$Pin[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Pin[i].mdExtensions
Name	name	String	NamedElement	$Pin[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Pin[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Pin[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Pin[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$Pin[i].ordered
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$Pin[i].ordering

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Outgoing	outgoing	ActivityEdge[]	ActivityNode	$Pin[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$Pin[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Pin[i].ownedElement
Owner	owner	Element	Element	$Pin[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Pin[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Pin[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$Pin[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Pin[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$Pin[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Pin[i].supplierDependency
Sync Element	syncElement	Element	Element	$Pin[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Pin[i].taggedValue
Type	type	Type	TypedElement	$Pin[i].type
Is Unique	unique	boolean	MultiplicityElement	$Pin[i].unique
Upper	upper	int	MultiplicityElement	$Pin[i].upper
Upper Bound	upperBound	ValueSpecification	ObjectNode	$Pin[i].upperBound
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$Pin[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$Pin[i].visibility

175. Port

Generalization

- Property

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Port[i].ID
Class	UMLClass	Class	Property	$Port[i].UMLClass
Aggregation	aggregation	AggregationKind	Property	$Port[i].aggregation
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Port[i].appliedStereotype
Association	association	Association	Property	$Port[i].association
Association End	associationEnd	Property	Property	$Port[i].associationEnd
Is Behavior	behavior	boolean	Port	$Port[i].behavior
classType	classType	Class	BaseElement	$Port[i].classType
Classifier	classifier	Classifier	Property	$Port[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$Port[i].clientDependency
Is Composite	composite	boolean	Property	$Port[i].composite
Is Conjugated	conjugated	boolean	Port	$Port[i].conjugated
Datatype	datatype	DataType	Property	$Port[i].datatype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Default Value	defaultValue	ValueSpecification	Property	$Port[i].defaultValue
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$Port[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$Port[i].deployment
Is Derived	derived	boolean	Property	$Port[i].derived
Is Derived Union	derivedUnion	boolean	Property	$Port[i].derivedUnion
isEditable	editable	boolean	BaseElement	$Port[i].editable
End	end	ConnectorEnd[]	ConnectableElement	$Port[i].end
Featuring Classifier	featuringClassifier	Classifier	Feature	$Port[i].featuringClassifier
humanName	humanName	String	BaseElement	$Port[i].humanName
humanType	humanType	String	BaseElement	$Port[i].humanType
Interface	interface	Interface	Property	$Port[i].interface
isInvalid	invalid	boolean	ModelObject	$Port[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Port[i].leaf
localID	localID	String	ModelObject	$Port[i].localID
Lower	lower	int	MultiplicityElement	$Port[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$Port[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Port[i].mdExtensions
Name	name	String	NamedElement	$Port[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Port[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Port[i].namespace
isNavigable	navigable	boolean	Property	$Port[i].navigable
objectParent	objectParent	BaseElement	BaseElement	$Port[i].objectParent
Opposite	opposite	Property	Property	$Port[i].opposite
Is Ordered	ordered	boolean	MultiplicityElement	$Port[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$Port[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Port[i].ownedElement
Owner	owner	Element	Element	$Port[i].owner
Owning Association	owningAssociation	Association	Property	$Port[i].owningAssociation
Owning Signal	owningSignal	Signal	Property	$Port[i].owningSignal
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Port[i].owningTemplateParameter
Protocol	protocol	ProtocolStateMachine	Port	$Port[i].protocol
Provided	provided	Interface[]	Port	$Port[i].provided
Qualified Name	qualifiedName	String	NamedElement	$Port[i].qualifiedName
Qualifier	qualifier	Property[]	Property	$Port[i].qualifier
Is Read Only	readOnly	boolean	StructuralFeature	$Port[i].readOnly
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Port[i].redefinedElement
Redefined Port	redefinedPort	Port[]	Port	$Port[i].redefinedPort
Redefined Property	redefinedProperty	Property[]	Property	$Port[i].redefinedProperty
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Port[i].redefinitionContext
Required	required	Interface[]	Port	$Port[i].required

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Service	service	boolean	Port	$Port[i].service
Is Static	static	boolean	Feature	$Port[i].static
Subsetted Property	subsettedProperty	Property[]	Property	$Port[i].subsettedProperty
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Port[i].supplierDependency
Sync Element	syncElement	Element	Element	$Port[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Port[i].taggedValue
Template Parameter	templateParameter	ConnectableElementTemplateParameter	ConnectableElement	$Port[i].templateParameter
Type	type	Type	TypedElement	$Port[i].type
Is Unique	unique	boolean	MultiplicityElement	$Port[i].unique
Upper	upper	int	MultiplicityElement	$Port[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$Port[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$Port[i].visibility

176. PrimitiveType

Generalization

- DataType

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$PrimitiveType[i].ID
Class	UMLClass	Class	Classifier	$PrimitiveType[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$PrimitiveType[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$PrimitiveType[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$PrimitiveType[i].attribute
classType	classType	Class	BaseElement	$PrimitiveType[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$PrimitiveType[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$PrimitiveType[i].collaborationUse
isEditable	editable	boolean	BaseElement	$PrimitiveType[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$PrimitiveType[i].elementImport
Feature	feature	Feature[]	Classifier	$PrimitiveType[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$PrimitiveType[i].finalSpecialization
General	general	Classifier[]	Classifier	$PrimitiveType[i].general
Generalization	generalization	Generalization[]	Classifier	$PrimitiveType[i].generalization
humanName	humanName	String	BaseElement	$PrimitiveType[i].humanName
humanType	humanType	String	BaseElement	$PrimitiveType[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$PrimitiveType[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$PrimitiveType[i].inheritedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$PrimitiveType[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$PrimitiveType[i].leaf
localID	localID	String	ModelObject	$PrimitiveType[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$PrimitiveType[i].mdExtensions
Member	member	NamedElement[]	Namespace	$PrimitiveType[i].member
Name	name	String	NamedElement	$PrimitiveType[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$PrimitiveType[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$PrimitiveType[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$PrimitiveType[i].objectParent
Owned Attribute	ownedAttribute	Property[]	DataType	$PrimitiveType[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$PrimitiveType[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$PrimitiveType[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$PrimitiveType[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$PrimitiveType[i].ownedMember
Owned Operation	ownedOperation	Operation[]	DataType	$PrimitiveType[i].ownedOperation
Owned Rule	ownedRule	Constraint[]	Namespace	$PrimitiveType[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$PrimitiveType[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$PrimitiveType[i].ownedUseCase
Owner	owner	Element	Element	$PrimitiveType[i].owner
Owning Package	owningPackage	Package	PackageableElement	$PrimitiveType[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$PrimitiveType[i].owningTemplateParameter
Package	package	Package	Type	$PrimitiveType[i].package
Package Import	packageImport	PackageImport[]	Namespace	$PrimitiveType[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$PrimitiveType[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$PrimitiveType[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$PrimitiveType[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$PrimitiveType[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$PrimitiveType[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$PrimitiveType[i].representation
Substitution	substitution	Substitution[]	Classifier	$PrimitiveType[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$PrimitiveType[i].supplierDependency
Sync Element	syncElement	Element	Element	$PrimitiveType[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$PrimitiveType[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$PrimitiveType[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$PrimitiveType[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$PrimitiveType[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$PrimitiveType[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

177. Profile

Generalization

- Package

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Profile[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Profile[i].appliedStereotype
classType	classType	Class	BaseElement	$Profile[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Profile[i].clientDependency
isEditable	editable	boolean	BaseElement	$Profile[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Profile[i].elementImport
humanName	humanName	String	BaseElement	$Profile[i].humanName
humanType	humanType	String	BaseElement	$Profile[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Profile[i].importedMember
isInvalid	invalid	boolean	ModelObject	$Profile[i].invalid
localID	localID	String	ModelObject	$Profile[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Profile[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Profile[i].member
Metaclass Reference	metaclassReference	ElementImport[]	Profile	$Profile[i].metaclassReference
Metamodel Reference	metamodelReference	PackageImport[]	Profile	$Profile[i].metamodelReference
Name	name	String	NamedElement	$Profile[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Profile[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Profile[i].namespace
Nested Package	nestedPackage	Package[]	Package	$Profile[i].nestedPackage
Nesting Package	nestingPackage	Package	Package	$Profile[i].nestingPackage
objectParent	objectParent	BaseElement	BaseElement	$Profile[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Profile[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Profile[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Profile[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Profile[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Profile[i].ownedRule
Owned Stereotype	ownedStereotype	Stereotype[]	Package	$Profile[i].ownedStereotype
Owned Template Signature	ownedTemplateSignature	TemplateSignature	TemplateableElement	$Profile[i].ownedTemplateSignature
Owned Type	ownedType	Type[]	Package	$Profile[i].ownedType
Owner	owner	Element	Element	$Profile[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Profile[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Profile[i].owningTemplateParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Package Import	packageImport	PackageImport[]	Namespace	$Profile[i].packageImport
Package Merge	packageMerge	PackageMerge[]	Package	$Profile[i].packageMerge
Packaged Element	packagedElement	PackageableElement[]	Package	$Profile[i].packagedElement
Profile Application	profileApplication	ProfileApplication[]	Package	$Profile[i].profileApplication
Qualified Name	qualifiedName	String	NamedElement	$Profile[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Profile[i].supplierDependency
Sync Element	syncElement	Element	Element	$Profile[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Profile[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Profile[i].templateBinding
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Profile[i].templateParameter
uRI	uRI	String	Package	$Profile[i].uRI
Visibility	visibility	VisibilityKind	PackageableElement	$Profile[i].visibility

178. ProfileApplication

Generalization

- DirectedRelationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ProfileApplication[i].ID
Applied Profile	appliedProfile	Profile	ProfileApplication	$ProfileApplication[i].appliedProfile
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ProfileApplication[i].appliedStereotype
Applying Package	applyingPackage	Package	ProfileApplication	$ProfileApplication[i].applyingPackage
classType	classType	Class	BaseElement	$ProfileApplication[i].classType
isEditable	editable	boolean	BaseElement	$ProfileApplication[i].editable
humanName	humanName	String	BaseElement	$ProfileApplication[i].humanName
humanType	humanType	String	BaseElement	$ProfileApplication[i].humanType
isInvalid	invalid	boolean	ModelObject	$ProfileApplication[i].invalid
localID	localID	String	ModelObject	$ProfileApplication[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ProfileApplication[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ProfileApplication[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ProfileApplication[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ProfileApplication[i].ownedElement
Owner	owner	Element	Element	$ProfileApplication[i].owner
Related Element	relatedElement	Element[]	Relationship	$ProfileApplication[i].relatedElement
Source	source	Element[]	DirectedRelationship	$ProfileApplication[i].source
Is Strict	strict	boolean	ProfileApplication	$ProfileApplication[i].strict
Sync Element	syncElement	Element	Element	$ProfileApplication[i].syncElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Tagged Value	taggedValue	TaggedValue[]	Element	$ProfileApplication[i].taggedValue
Target	target	Element[]	DirectedRelationship	$ProfileApplication[i].target

179. Property

Generalization

- ConnectableElement
- DeploymentTarget
- StructuralFeature

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Property[i].ID
Class	UMLClass	Class	Property	$Property[i].UMLClass
Aggregation	aggregation	AggregationKind	Property	$Property[i].aggregation
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Property[i].appliedStereotype
Association	association	Association	Property	$Property[i].association
Association End	associationEnd	Property	Property	$Property[i].associationEnd
classType	classType	Class	BaseElement	$Property[i].classType
Classifier	classifier	Classifier	Property	$Property[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$Property[i].clientDependency
Is Composite	composite	boolean	Property	$Property[i].composite
Datatype	datatype	DataType	Property	$Property[i].datatype
Default Value	defaultValue	ValueSpecification	Property	$Property[i].defaultValue
Deployed Element	deployedElement	PackageableElement[]	DeploymentTarget	$Property[i].deployedElement
Deployment	deployment	Deployment[]	DeploymentTarget	$Property[i].deployment
Is Derived	derived	boolean	Property	$Property[i].derived
Is Derived Union	derivedUnion	boolean	Property	$Property[i].derivedUnion
isEditable	editable	boolean	BaseElement	$Property[i].editable
End	end	ConnectorEnd[]	ConnectableElement	$Property[i].end
Featuring Classifier	featuringClassifier	Classifier	Feature	$Property[i].featuringClassifier
humanName	humanName	String	BaseElement	$Property[i].humanName
humanType	humanType	String	BaseElement	$Property[i].humanType
Interface	interface	Interface	Property	$Property[i].interface
isInvalid	invalid	boolean	ModelObject	$Property[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Property[i].leaf
localID	localID	String	ModelObject	$Property[i].localID
Lower	lower	int	MultiplicityElement	$Property[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$Property[i].lowerValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

mdExtensions	mdExtensions	MDExtension[]	MDObject	$Property[i].mdExtensions
Name	name	String	NamedElement	$Property[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Property[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Property[i].namespace
isNavigable	navigable	boolean	Property	$Property[i].navigable
objectParent	objectParent	BaseElement	BaseElement	$Property[i].objectParent
Opposite	opposite	Property	Property	$Property[i].opposite
Is Ordered	ordered	boolean	MultiplicityElement	$Property[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$Property[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Property[i].ownedElement
Owner	owner	Element	Element	$Property[i].owner
Owning Association	owningAssociation	Association	Property	$Property[i].owningAssociation
Owning Signal	owningSignal	Signal	Property	$Property[i].owningSignal
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Property[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Property[i].qualifiedName
Qualifier	qualifier	Property[]	Property	$Property[i].qualifier
Is Read Only	readOnly	boolean	StructuralFeature	$Property[i].readOnly
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Property[i].redefinedElement
Redefined Property	redefinedProperty	Property[]	Property	$Property[i].redefinedProperty
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Property[i].redefinitionContext
Is Static	static	boolean	Feature	$Property[i].static
Subsetted Property	subsettedProperty	Property[]	Property	$Property[i].subsettedProperty
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Property[i].supplierDependency
Sync Element	syncElement	Element	Element	$Property[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Property[i].taggedValue
Template Parameter	templateParameter	ConnectableElementTemplateParameter	ConnectableElement	$Property[i].templateParameter
Type	type	Type	TypedElement	$Property[i].type
Is Unique	unique	boolean	MultiplicityElement	$Property[i].unique
Upper	upper	int	MultiplicityElement	$Property[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$Property[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$Property[i].visibility

180. ProtocolConformance

Generalization

- DirectedRelationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

			Owner)	
ID	ID	String	MDObject	$ProtocolConformance[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ProtocolConformance[i].appliedStereotype
classType	classType	Class	BaseElement	$ProtocolConformance[i].classType
isEditable	editable	boolean	BaseElement	$ProtocolConformance[i].editable
General Machine	generalMachine	ProtocolStateMachine	ProtocolConformance	$ProtocolConformance[i].generalMachine
humanName	humanName	String	BaseElement	$ProtocolConformance[i].humanName
humanType	humanType	String	BaseElement	$ProtocolConformance[i].humanType
isInvalid	invalid	boolean	ModelObject	$ProtocolConformance[i].invalid
localID	localID	String	ModelObject	$ProtocolConformance[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ProtocolConformance[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$ProtocolConformance[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ProtocolConformance[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ProtocolConformance[i].ownedElement
Owner	owner	Element	Element	$ProtocolConformance[i].owner
Related Element	relatedElement	Element[]	Relationship	$ProtocolConformance[i].relatedElement
Source	source	Element[]	DirectedRelationship	$ProtocolConformance[i].source
Specific Machine	specificMachine	ProtocolStateMachine	ProtocolConformance	$ProtocolConformance[i].specificMachine
Sync Element	syncElement	Element	Element	$ProtocolConformance[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ProtocolConformance[i].taggedValue
Target	target	Element[]	DirectedRelationship	$ProtocolConformance[i].target

181. ProtocolStateMachine

Generalization

- StateMachine

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ProtocolStateMachine[i].ID
Class	UMLClass	Class	Classifier	$ProtocolStateMachine[i].UMLClass
Is Abstract	abstract	boolean	Class	$ProtocolStateMachine[i].abstract
Is Active	active	boolean	Class	$ProtocolStateMachine[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ProtocolStateMachine[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$ProtocolStateMachine[i].attribute
classType	classType	Class	BaseElement	$ProtocolStateMachine[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$ProtocolStateMachine[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$ProtocolStateMachine[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$ProtocolStateMachine[i].collaborationUse

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Conformance	conformance	ProtocolConformance[]	ProtocolStateMachine	$ProtocolStateMachine[i].conformance
Connection Point	connectionPoint	Pseudostate[]	StateMachine	$ProtocolStateMachine[i].connectionPoint
Context	context	BehavioredClassifier	Behavior	$ProtocolStateMachine[i].context
isEditable	editable	boolean	BaseElement	$ProtocolStateMachine[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$ProtocolStateMachine[i].elementImport
Event	event	Event[]	Behavior	$ProtocolStateMachine[i].event
Extended State Machine	extendedStateMachine	StateMachine[]	StateMachine	$ProtocolStateMachine[i].extendedStateMachine
Extension	extension	Extension[]	Class	$ProtocolStateMachine[i].extension
Feature	feature	Feature[]	Classifier	$ProtocolStateMachine[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$ProtocolStateMachine[i].finalSpecialization
General	general	Classifier[]	Classifier	$ProtocolStateMachine[i].general
Generalization	generalization	Generalization[]	Classifier	$ProtocolStateMachine[i].generalization
humanName	humanName	String	BaseElement	$ProtocolStateMachine[i].humanName
humanType	humanType	String	BaseElement	$ProtocolStateMachine[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$ProtocolStateMachine[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$ProtocolStateMachine[i].inheritedMember
Interface	interface	Interface	ProtocolStateMachine	$ProtocolStateMachine[i].interface
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$ProtocolStateMachine[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$ProtocolStateMachine[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ProtocolStateMachine[i].leaf
localID	localID	String	ModelObject	$ProtocolStateMachine[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ProtocolStateMachine[i].mdExtensions
Member	member	NamedElement[]	Namespace	$ProtocolStateMachine[i].member
Name	name	String	NamedElement	$ProtocolStateMachine[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ProtocolStateMachine[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ProtocolStateMachine[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$ProtocolStateMachine[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$ProtocolStateMachine[i].objectParent
Observation	observation	Observation[]	Behavior	$ProtocolStateMachine[i].observation
Owned Attribute	ownedAttribute	Property[]	Class	$ProtocolStateMachine[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$ProtocolStateMachine[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$ProtocolStateMachine[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$ProtocolStateMachine[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$ProtocolStateMachine[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$ProtocolStateMachine[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$ProtocolStateMachine[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$ProtocolStateMachine[i].ownedOperation
Owned Parameter	ownedParameter	Parameter[]	Behavior	$ProtocolStateMachine[i].ownedParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Parameter Set	ownedParameterSet	ParameterSet[]	Behavior	$ProtocolStateMachine[i].ownedParameterSet
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$ProtocolStateMachine[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$ProtocolStateMachine[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$ProtocolStateMachine[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$ProtocolStateMachine[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$ProtocolStateMachine[i].ownedUseCase
Owner	owner	Element	Element	$ProtocolStateMachine[i].owner
Owning Package	owningPackage	Package	PackageableElement	$ProtocolStateMachine[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ProtocolStateMachine[i].owningTemplateParameter
Package	package	Package	Type	$ProtocolStateMachine[i].package
Package Import	packageImport	PackageImport[]	Namespace	$ProtocolStateMachine[i].packageImport
Part	part	Property[]	StructuredClassifier	$ProtocolStateMachine[i].part
Postcondition	postcondition	Constraint[]	Behavior	$ProtocolStateMachine[i].postcondition
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$ProtocolStateMachine[i].powertypeExtent
Precondition	precondition	Constraint[]	Behavior	$ProtocolStateMachine[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$ProtocolStateMachine[i].qualifiedName
Redefined Behavior	redefinedBehavior	Behavior[]	Behavior	$ProtocolStateMachine[i].redefinedBehavior
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$ProtocolStateMachine[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ProtocolStateMachine[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ProtocolStateMachine[i].redefinitionContext
Is Reentrant	reentrant	boolean	Behavior	$ProtocolStateMachine[i].reentrant
Region	region	Region[]	StateMachine	$ProtocolStateMachine[i].region
Representation	representation	CollaborationUse	Classifier	$ProtocolStateMachine[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$ProtocolStateMachine[i].role
Specification	specification	BehavioralFeature	Behavior	$ProtocolStateMachine[i].specification
Submachine State	submachineState	State[]	StateMachine	$ProtocolStateMachine[i].submachineState
Substitution	substitution	Substitution[]	Classifier	$ProtocolStateMachine[i].substitution
Super Class	superClass	Class[]	Class	$ProtocolStateMachine[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ProtocolStateMachine[i].supplierDependency
Sync Element	syncElement	Element	Element	$ProtocolStateMachine[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ProtocolStateMachine[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$ProtocolStateMachine[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$ProtocolStateMachine[i].templateParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Use Case	useCase	UseCase[]	Classifier	$ProtocolStateMachine[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$ProtocolStateMachine[i].visibility

182. ProtocolTransition

Generalization

- Transition

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ProtocolTransition[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ProtocolTransition[i].appliedStereotype
classType	classType	Class	BaseElement	$ProtocolTransition[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ProtocolTransition[i].clientDependency
Container	container	Region	Transition	$ProtocolTransition[i].container
isEditable	editable	boolean	BaseElement	$ProtocolTransition[i].editable
Effect	effect	Behavior	Transition	$ProtocolTransition[i].effect
Element Import	elementImport	ElementImport[]	Namespace	$ProtocolTransition[i].elementImport
Guard	guard	Constraint	Transition	$ProtocolTransition[i].guard
humanName	humanName	String	BaseElement	$ProtocolTransition[i].humanName
humanType	humanType	String	BaseElement	$ProtocolTransition[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$ProtocolTransition[i].importedMember
isInvalid	invalid	boolean	ModelObject	$ProtocolTransition[i].invalid
Kind	kind	TransitionKind	Transition	$ProtocolTransition[i].kind
Is Leaf	leaf	boolean	RedefinableElement	$ProtocolTransition[i].leaf
localID	localID	String	ModelObject	$ProtocolTransition[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ProtocolTransition[i].mdExtensions
Member	member	NamedElement[]	Namespace	$ProtocolTransition[i].member
Name	name	String	NamedElement	$ProtocolTransition[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ProtocolTransition[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ProtocolTransition[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ProtocolTransition[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ProtocolTransition[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$ProtocolTransition[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$ProtocolTransition[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$ProtocolTransition[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$ProtocolTransition[i].ownedRule
Owner	owner	Element	Element	$ProtocolTransition[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$ProtocolTransition[i].packageImport

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Post Condition	postCondition	Constraint	ProtocolTransition	$ProtocolTransition[i].postCondition
Pre Condition	preCondition	Constraint	ProtocolTransition	$ProtocolTransition[i].preCondition
Qualified Name	qualifiedName	String	NamedElement	$ProtocolTransition[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ProtocolTransition[i].redefinedElement
Redefined Transition	redefinedTransition	Transition	Transition	$ProtocolTransition[i].redefinedTransition
Redefinition Context	redefinitionContext	Classifier[]	Transition	$ProtocolTransition[i].redefinitionContext
Referred	referred	Operation[]	ProtocolTransition	$ProtocolTransition[i].referred
Source	source	Vertex	Transition	$ProtocolTransition[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ProtocolTransition[i].supplierDependency
Sync Element	syncElement	Element	Element	$ProtocolTransition[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ProtocolTransition[i].taggedValue
Target	target	Vertex	Transition	$ProtocolTransition[i].target
Trigger	trigger	Trigger[]	Transition	$ProtocolTransition[i].trigger
Visibility	visibility	VisibilityKind	NamedElement	$ProtocolTransition[i].visibility

183. Pseudostate

Generalization

- Vertex

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Pseudostate[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Pseudostate[i].appliedStereotype
classType	classType	Class	BaseElement	$Pseudostate[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Pseudostate[i].clientDependency
Container	container	Region	Vertex	$Pseudostate[i].container
isEditable	editable	boolean	BaseElement	$Pseudostate[i].editable
humanName	humanName	String	BaseElement	$Pseudostate[i].humanName
humanType	humanType	String	BaseElement	$Pseudostate[i].humanType
Incoming	incoming	Transition[]	Vertex	$Pseudostate[i].incoming
isInvalid	invalid	boolean	ModelObject	$Pseudostate[i].invalid
Kind	kind	PseudostateKind	Pseudostate	$Pseudostate[i].kind
Is Leaf	leaf	boolean	RedefinableElement	$Pseudostate[i].leaf
localID	localID	String	ModelObject	$Pseudostate[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Pseudostate[i].mdExtensions
Name	name	String	NamedElement	$Pseudostate[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Pseudostate[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Pseudostate[i].namespace

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

objectParent	objectParent	BaseElement	BaseElement	$Pseudostate[i].objectParent
Outgoing	outgoing	Transition[]	Vertex	$Pseudostate[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$Pseudostate[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Pseudostate[i].ownedElement
Owner	owner	Element	Element	$Pseudostate[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Pseudostate[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Pseudostate[i].redefinedElement
Redefined Vertex	redefinedVertex	Vertex	Vertex	$Pseudostate[i].redefinedVertex
Redefinition Context	redefinitionContext	Classifier[]	Vertex	$Pseudostate[i].redefinitionContext
State	state	State	Pseudostate	$Pseudostate[i].state
State Machine	stateMachine	StateMachine	Pseudostate	$Pseudostate[i].stateMachine
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Pseudostate[i].supplierDependency
Sync Element	syncElement	Element	Element	$Pseudostate[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Pseudostate[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Pseudostate[i].visibility

184. QualifierValue

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$QualifierValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$QualifierValue[i].appliedStereotype
classType	classType	Class	BaseElement	$QualifierValue[i].classType
isEditable	editable	boolean	BaseElement	$QualifierValue[i].editable
humanName	humanName	String	BaseElement	$QualifierValue[i].humanName
humanType	humanType	String	BaseElement	$QualifierValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$QualifierValue[i].invalid
localID	localID	String	ModelObject	$QualifierValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$QualifierValue[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$QualifierValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$QualifierValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$QualifierValue[i].ownedElement
Owner	owner	Element	Element	$QualifierValue[i].owner
Qualifier	qualifier	Property	QualifierValue	$QualifierValue[i].qualifier
Sync Element	syncElement	Element	Element	$QualifierValue[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$QualifierValue[i].taggedValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Value	value	InputPin	QualifierValue	$QualifierValue[i].value

185. RaiseExceptionAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$RaiseExceptionAction[i].ID
Activity	activity	Activity	ActivityNode	$RaiseExceptionAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$RaiseExceptionAction[i].appliedStereotype
classType	classType	Class	BaseElement	$RaiseExceptionAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$RaiseExceptionAction[i].clientDependency
Context	context	Classifier	Action	$RaiseExceptionAction[i].context
isEditable	editable	boolean	BaseElement	$RaiseExceptionAction[i].editable
Exception	exception	InputPin	RaiseExceptionAction	$RaiseExceptionAction[i].exception
Handler	handler	ExceptionHandler[]	ExecutableNode	$RaiseExceptionAction[i].handler
humanName	humanName	String	BaseElement	$RaiseExceptionAction[i].humanName
humanType	humanType	String	BaseElement	$RaiseExceptionAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$RaiseExceptionAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$RaiseExceptionAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$RaiseExceptionAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$RaiseExceptionAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$RaiseExceptionAction[i].incoming
Input	input	InputPin[]	Action	$RaiseExceptionAction[i].input
isInvalid	invalid	boolean	ModelObject	$RaiseExceptionAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$RaiseExceptionAction[i].leaf
localID	localID	String	ModelObject	$RaiseExceptionAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$RaiseExceptionAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$RaiseExceptionAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$RaiseExceptionAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$RaiseExceptionAction[i].mdExtensions
Name	name	String	NamedElement	$RaiseExceptionAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$RaiseExceptionAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$RaiseExceptionAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$RaiseExceptionAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$RaiseExceptionAction[i].outgoing

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Output	output	OutputPin[]	Action	$RaiseExceptionAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$RaiseExceptionAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$RaiseExceptionAction[i].ownedElement
Owner	owner	Element	Element	$RaiseExceptionAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$RaiseExceptionAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$RaiseExceptionAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$RaiseExceptionAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$RaiseExceptionAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$RaiseExceptionAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$RaiseExceptionAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$RaiseExceptionAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$RaiseExceptionAction[i].visibility

186. ReadExtentAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadExtentAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadExtentAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadExtentAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadExtentAction[i].classType
Classifier	classifier	Classifier	ReadExtentAction	$ReadExtentAction[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadExtentAction[i].clientDependency
Context	context	Classifier	Action	$ReadExtentAction[i].context
isEditable	editable	boolean	BaseElement	$ReadExtentAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadExtentAction[i].handler
humanName	humanName	String	BaseElement	$ReadExtentAction[i].humanName
humanType	humanType	String	BaseElement	$ReadExtentAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadExtentAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadExtentAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadExtentAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadExtentAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadExtentAction[i].incoming

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Input	input	InputPin[]	Action	$ReadExtentAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReadExtentAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadExtentAction[i].leaf
localID	localID	String	ModelObject	$ReadExtentAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadExtentAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadExtentAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadExtentAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadExtentAction[i].mdExtensions
Name	name	String	NamedElement	$ReadExtentAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadExtentAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReadExtentAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ReadExtentAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadExtentAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadExtentAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadExtentAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadExtentAction[i].ownedElement
Owner	owner	Element	Element	$ReadExtentAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadExtentAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadExtentAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadExtentAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadExtentAction[i].redefinitionContext
Result	result	OutputPin	ReadExtentAction	$ReadExtentAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadExtentAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadExtentAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadExtentAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReadExtentAction[i].visibility

187. ReadIsClassifiedObjectAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadIsClassifiedObjectAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadIsClassifiedObjectAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadIsClassifiedObjectAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadIsClassifiedObjectAction[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Classifier	classifier	Classifier	ReadIsClassifiedObjectAction	$ReadIsClassifiedObjectAction[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadIsClassifiedObjectAction[i].clientDependency
Context	context	Classifier	Action	$ReadIsClassifiedObjectAction[i].context
Is Direct	direct	boolean	ReadIsClassifiedObjectAction	$ReadIsClassifiedObjectAction[i].direct
isEditable	editable	boolean	BaseElement	$ReadIsClassifiedObjectAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadIsClassifiedObjectAction[i].handler
humanName	humanName	String	BaseElement	$ReadIsClassifiedObjectAction[i].humanName
humanType	humanType	String	BaseElement	$ReadIsClassifiedObjectAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadIsClassifiedObjectAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadIsClassifiedObjectAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadIsClassifiedObjectAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadIsClassifiedObjectAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadIsClassifiedObjectAction[i].incoming
Input	input	InputPin[]	Action	$ReadIsClassifiedObjectAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReadIsClassifiedObjectAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadIsClassifiedObjectAction[i].leaf
localID	localID	String	ModelObject	$ReadIsClassifiedObjectAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadIsClassifiedObjectAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadIsClassifiedObjectAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadIsClassifiedObjectAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadIsClassifiedObjectAction[i].mdExtensions
Name	name	String	NamedElement	$ReadIsClassifiedObjectAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadIsClassifiedObjectAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReadIsClassifiedObjectAction[i].namespace
Object	object	InputPin	ReadIsClassifiedObjectAction	$ReadIsClassifiedObjectAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$ReadIsClassifiedObjectAction[i].objectParent

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadIsClassifiedObjectAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadIsClassifiedObjectAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadIsClassifiedObjectAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadIsClassifiedObjectAction[i].ownedElement
Owner	owner	Element	Element	$ReadIsClassifiedObjectAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadIsClassifiedObjectAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadIsClassifiedObjectAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadIsClassifiedObjectAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadIsClassifiedObjectAction[i].redefinitionContext
Result	result	OutputPin	ReadIsClassifiedObjectAction	$ReadIsClassifiedObjectAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadIsClassifiedObjectAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadIsClassifiedObjectAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadIsClassifiedObjectAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReadIsClassifiedObjectAction[i].visibility

188. ReadLinkAction

Generalization

- LinkAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadLinkAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadLinkAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadLinkAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadLinkAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadLinkAction[i].clientDependency
Context	context	Classifier	Action	$ReadLinkAction[i].context
isEditable	editable	boolean	BaseElement	$ReadLinkAction[i].editable
End Data	endData	LinkEndData[]	LinkAction	$ReadLinkAction[i].endData

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadLinkAction[i].handler
humanName	humanName	String	BaseElement	$ReadLinkAction[i].humanName
humanType	humanType	String	BaseElement	$ReadLinkAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadLinkAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadLinkAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadLinkAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadLinkAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadLinkAction[i].incoming
Input	input	InputPin[]	Action	$ReadLinkAction[i].input
Input Value	inputValue	InputPin[]	LinkAction	$ReadLinkAction[i].inputValue
isInvalid	invalid	boolean	ModelObject	$ReadLinkAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadLinkAction[i].leaf
localID	localID	String	ModelObject	$ReadLinkAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadLinkAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadLinkAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadLinkAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadLinkAction[i].mdExtensions
Name	name	String	NamedElement	$ReadLinkAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadLinkAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReadLinkAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ReadLinkAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadLinkAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadLinkAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadLinkAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadLinkAction[i].ownedElement
Owner	owner	Element	Element	$ReadLinkAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadLinkAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadLinkAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadLinkAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadLinkAction[i].redefinitionContext
Result	result	OutputPin	ReadLinkAction	$ReadLinkAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadLinkAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadLinkAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadLinkAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReadLinkAction[i].visibility

189. ReadLinkObjectEndAction

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadLinkObjectEndAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadLinkObjectEndAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadLinkObjectEndAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadLinkObjectEndAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadLinkObjectEndAction[i].clientDependency
Context	context	Classifier	Action	$ReadLinkObjectEndAction[i].context
isEditable	editable	boolean	BaseElement	$ReadLinkObjectEndAction[i].editable
End	end	Property	ReadLinkObjectEndAction	$ReadLinkObjectEndAction[i].end
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadLinkObjectEndAction[i].handler
humanName	humanName	String	BaseElement	$ReadLinkObjectEndAction[i].humanName
humanType	humanType	String	BaseElement	$ReadLinkObjectEndAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadLinkObjectEndAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadLinkObjectEndAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadLinkObjectEndAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadLinkObjectEndAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadLinkObjectEndAction[i].incoming
Input	input	InputPin[]	Action	$ReadLinkObjectEndAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReadLinkObjectEndAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadLinkObjectEndAction[i].leaf
localID	localID	String	ModelObject	$ReadLinkObjectEndAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadLinkObjectEndAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadLinkObjectEndAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadLinkObjectEndAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadLinkObjectEndAction[i].mdExtensions
Name	name	String	NamedElement	$ReadLinkObjectEndAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadLinkObjectEndAction[i].nameExpression

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Namespace	namespace	Namespace	NamedElement	$ReadLinkObjectEndAction[i].namespace
Object	object	InputPin	ReadLinkObjectEndAction	$ReadLinkObjectEndAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$ReadLinkObjectEndAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadLinkObjectEndAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadLinkObjectEndAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadLinkObjectEndAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadLinkObjectEndAction[i].ownedElement
Owner	owner	Element	Element	$ReadLinkObjectEndAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadLinkObjectEndAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadLinkObjectEndAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadLinkObjectEndAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadLinkObjectEndAction[i].redefinitionContext
Result	result	OutputPin	ReadLinkObjectEndAction	$ReadLinkObjectEndAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadLinkObjectEndAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadLinkObjectEndAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadLinkObjectEndAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReadLinkObjectEndAction[i].visibility

190. ReadLinkObjectEndQualifierAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadLinkObjectEndQualifierAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadLinkObjectEndQualifierAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadLinkObjectEndQualifierAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadLinkObjectEndQualifierAction[i].class

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				Type
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadLinkObjectEndQualifierAction[i].clientDependency
Context	context	Classifier	Action	$ReadLinkObjectEndQualifierAction[i].context
isEditable	editable	boolean	BaseElement	$ReadLinkObjectEndQualifierAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadLinkObjectEndQualifierAction[i].handler
humanName	humanName	String	BaseElement	$ReadLinkObjectEndQualifierAction[i].humanName
humanType	humanType	String	BaseElement	$ReadLinkObjectEndQualifierAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadLinkObjectEndQualifierAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadLinkObjectEndQualifierAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadLinkObjectEndQualifierAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadLinkObjectEndQualifierAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadLinkObjectEndQualifierAction[i].incoming
Input	input	InputPin[]	Action	$ReadLinkObjectEndQualifierAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReadLinkObjectEndQualifierAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadLinkObjectEndQualifierAction[i].leaf
localID	localID	String	ModelObject	$ReadLinkObjectEndQualifierAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadLinkObjectEndQualifierAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadLinkObjectEndQualifierAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadLinkObjectEndQualifierAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadLinkObjectEndQualifierAction[i].mdExtensions
Name	name	String	NamedElement	$ReadLinkObjectEndQualifierAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadLinkObjectEndQualifierAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReadLinkObjectEndQualifierAction[i].name

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				space
Object	object	InputPin	ReadLinkObjectEndQualifierAction	$ReadLinkObjectEndQualifierAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$ReadLinkObjectEndQualifierAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadLinkObjectEndQualifierAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadLinkObjectEndQualifierAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadLinkObjectEndQualifierAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadLinkObjectEndQualifierAction[i].ownedElement
Owner	owner	Element	Element	$ReadLinkObjectEndQualifierAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadLinkObjectEndQualifierAction[i].qualifiedName
Qualifier	qualifier	Property	ReadLinkObjectEndQualifierAction	$ReadLinkObjectEndQualifierAction[i].qualifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadLinkObjectEndQualifierAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadLinkObjectEndQualifierAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadLinkObjectEndQualifierAction[i].redefinitionContext
Result	result	OutputPin	ReadLinkObjectEndQualifierAction	$ReadLinkObjectEndQualifierAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadLinkObjectEndQualifierAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadLinkObjectEndQualifierAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadLinkObjectEndQualifierAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReadLinkObjectEndQualifierAction[i].visibility

191. ReadSelfAction

Generalization

- Action

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadSelfAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadSelfAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadSelfAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadSelfAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadSelfAction[i].clientDependency
Context	context	Classifier	Action	$ReadSelfAction[i].context
isEditable	editable	boolean	BaseElement	$ReadSelfAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadSelfAction[i].handler
humanName	humanName	String	BaseElement	$ReadSelfAction[i].humanName
humanType	humanType	String	BaseElement	$ReadSelfAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadSelfAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadSelfAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadSelfAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadSelfAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadSelfAction[i].incoming
Input	input	InputPin[]	Action	$ReadSelfAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReadSelfAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadSelfAction[i].leaf
localID	localID	String	ModelObject	$ReadSelfAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadSelfAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadSelfAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadSelfAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadSelfAction[i].mdExtensions
Name	name	String	NamedElement	$ReadSelfAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadSelfAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReadSelfAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ReadSelfAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadSelfAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadSelfAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadSelfAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadSelfAction[i].ownedElement
Owner	owner	Element	Element	$ReadSelfAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadSelfAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadSelfAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadSelfAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadSelfAction[i].redefinitionContext

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Result	result	OutputPin	ReadSelfAction	$ReadSelfAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadSelfAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadSelfAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadSelfAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReadSelfAction[i].visibility

192. ReadStructuralFeatureAction

Generalization

- StructuralFeatureAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadStructuralFeatureAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadStructuralFeatureAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadStructuralFeatureAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadStructuralFeatureAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadStructuralFeatureAction[i].clientDependency
Context	context	Classifier	Action	$ReadStructuralFeatureAction[i].context
isEditable	editable	boolean	BaseElement	$ReadStructuralFeatureAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadStructuralFeatureAction[i].handler
humanName	humanName	String	BaseElement	$ReadStructuralFeatureAction[i].humanName
humanType	humanType	String	BaseElement	$ReadStructuralFeatureAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadStructuralFeatureAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadStructuralFeatureAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadStructuralFeatureAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadStructuralFeatureAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadStructuralFeatureAction[i].incoming
Input	input	InputPin[]	Action	$ReadStructuralFeatureAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReadStructuralFeatureAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadStructuralFeatureAction[i].leaf
localID	localID	String	ModelObject	$ReadStructuralFeatureAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadStructuralFeatureAction[i].localPostc

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadStructuralFeatureAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadStructuralFeatureAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadStructuralFeatureAction[i].mdExtensions
Name	name	String	NamedElement	$ReadStructuralFeatureAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadStructuralFeatureAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReadStructuralFeatureAction[i].namespace
Object	object	InputPin	StructuralFeatureAction	$ReadStructuralFeatureAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$ReadStructuralFeatureAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadStructuralFeatureAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadStructuralFeatureAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadStructuralFeatureAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadStructuralFeatureAction[i].ownedElement
Owner	owner	Element	Element	$ReadStructuralFeatureAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadStructuralFeatureAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadStructuralFeatureAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadStructuralFeatureAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadStructuralFeatureAction[i].redefinitionContext
Result	result	OutputPin	ReadStructuralFeatureAction	$ReadStructuralFeatureAction[i].result
Structural Feature	structuralFeature	StructuralFeature	StructuralFeatureAction	$ReadStructuralFeatureAction[i].structuralFeature
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadStructuralFeatureAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadStructuralFeatureAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadStructuralFeatureAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReadStructuralFeatureAction[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

193. ReadVariableAction

Generalization

- VariableAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReadVariableAction[i].ID
Activity	activity	Activity	ActivityNode	$ReadVariableAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReadVariableAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReadVariableAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReadVariableAction[i].clientDependency
Context	context	Classifier	Action	$ReadVariableAction[i].context
isEditable	editable	boolean	BaseElement	$ReadVariableAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReadVariableAction[i].handler
humanName	humanName	String	BaseElement	$ReadVariableAction[i].humanName
humanType	humanType	String	BaseElement	$ReadVariableAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReadVariableAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReadVariableAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReadVariableAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReadVariableAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReadVariableAction[i].incoming
Input	input	InputPin[]	Action	$ReadVariableAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReadVariableAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReadVariableAction[i].leaf
localID	localID	String	ModelObject	$ReadVariableAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReadVariableAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReadVariableAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReadVariableAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReadVariableAction[i].mdExtensions
Name	name	String	NamedElement	$ReadVariableAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReadVariableAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReadVariableAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ReadVariableAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReadVariableAction[i].outgoing
Output	output	OutputPin[]	Action	$ReadVariableAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReadVariableAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReadVariableAction[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$ReadVariableAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReadVariableAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReadVariableAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReadVariableAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReadVariableAction[i].redefinitionContext
Result	result	OutputPin	ReadVariableAction	$ReadVariableAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReadVariableAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReadVariableAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReadVariableAction[i].taggedValue
Variable	variable	Variable	VariableAction	$ReadVariableAction[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$ReadVariableAction[i].visibility

194. Realization

Generalization

- Abstraction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Realization[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Realization[i].appliedStereotype
classType	classType	Class	BaseElement	$Realization[i].classType
Client	client	NamedElement[]	Dependency	$Realization[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$Realization[i].clientDependency
isEditable	editable	boolean	BaseElement	$Realization[i].editable
humanName	humanName	String	BaseElement	$Realization[i].humanName
humanType	humanType	String	BaseElement	$Realization[i].humanType
isInvalid	invalid	boolean	ModelObject	$Realization[i].invalid
localID	localID	String	ModelObject	$Realization[i].localID
Mapping	mapping	OpaqueExpression	Abstraction	$Realization[i].mapping
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Realization[i].mdExtensions
Name	name	String	NamedElement	$Realization[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Realization[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Realization[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Realization[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Realization[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Realization[i].ownedElement
Owner	owner	Element	Element	$Realization[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Realization[i].owningPackage

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Realization[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Realization[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Realization[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Realization[i].source
Supplier	supplier	NamedElement[]	Dependency	$Realization[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Realization[i].supplierDependency
Sync Element	syncElement	Element	Element	$Realization[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Realization[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Realization[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Realization[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Realization[i].visibility

195. RealTaggedValue

Generalization

- TaggedValue

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$RealTaggedValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$RealTaggedValue[i].appliedStereotype
classType	classType	Class	BaseElement	$RealTaggedValue[i].classType
isEditable	editable	boolean	BaseElement	$RealTaggedValue[i].editable
humanName	humanName	String	BaseElement	$RealTaggedValue[i].humanName
humanType	humanType	String	BaseElement	$RealTaggedValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$RealTaggedValue[i].invalid
localID	localID	String	ModelObject	$RealTaggedValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$RealTaggedValue[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$RealTaggedValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$RealTaggedValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$RealTaggedValue[i].ownedElement
Owner	owner	Element	Element	$RealTaggedValue[i].owner
Sync Element	syncElement	Element	Element	$RealTaggedValue[i].syncElement
Tag Definition	tagDefinition	Property	TaggedValue	$RealTaggedValue[i].tagDefinition
Tagged Value	taggedValue	TaggedValue[]	Element	$RealTaggedValue[i].taggedValue
Tagged Value Owner	taggedValueOwner	Element	TaggedValue	$RealTaggedValue[i].taggedValueOwner
Value	value	Double[]	RealTaggedValue	$RealTaggedValue[i].value

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

196. Reception

Generalization

- BehavioralFeature

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Reception[i].ID
Is Abstract	abstract	boolean	BehavioralFeature	$Reception[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Reception[i].appliedStereotype
classType	classType	Class	BaseElement	$Reception[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Reception[i].clientDependency
Concurrency	concurrency	CallConcurrencyKind	BehavioralFeature	$Reception[i].concurrency
isEditable	editable	boolean	BaseElement	$Reception[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Reception[i].elementImport
Featuring Classifier	featuringClassifier	Classifier	Feature	$Reception[i].featuringClassifier
humanName	humanName	String	BaseElement	$Reception[i].humanName
humanType	humanType	String	BaseElement	$Reception[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Reception[i].importedMember
isInvalid	invalid	boolean	ModelObject	$Reception[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Reception[i].leaf
localID	localID	String	ModelObject	$Reception[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Reception[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Reception[i].member
Method	method	Behavior[]	BehavioralFeature	$Reception[i].method
Name	name	String	NamedElement	$Reception[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Reception[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Reception[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Reception[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Reception[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Reception[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Reception[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Reception[i].ownedMember
Owned Parameter	ownedParameter	Parameter[]	BehavioralFeature	$Reception[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	BehavioralFeature	$Reception[i].ownedParameterSet
Owned Rule	ownedRule	Constraint[]	Namespace	$Reception[i].ownedRule
Owner	owner	Element	Element	$Reception[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$Reception[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$Reception[i].qualifiedName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Raised Exception	raisedException	Type[]	BehavioralFeature	$Reception[i].raisedException
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Reception[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Reception[i].redefinitionContext
Signal	signal	Signal	Reception	$Reception[i].signal
Is Static	static	boolean	Feature	$Reception[i].static
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Reception[i].supplierDependency
Sync Element	syncElement	Element	Element	$Reception[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Reception[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Reception[i].visibility

197. ReclassifyObjectAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReclassifyObjectAction[i].ID
Activity	activity	Activity	ActivityNode	$ReclassifyObjectAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReclassifyObjectAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReclassifyObjectAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReclassifyObjectAction[i].clientDependency
Context	context	Classifier	Action	$ReclassifyObjectAction[i].context
isEditable	editable	boolean	BaseElement	$ReclassifyObjectAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReclassifyObjectAction[i].handler
humanName	humanName	String	BaseElement	$ReclassifyObjectAction[i].humanName
humanType	humanType	String	BaseElement	$ReclassifyObjectAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReclassifyObjectAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReclassifyObjectAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReclassifyObjectAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReclassifyObjectAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReclassifyObjectAction[i].incoming
Input	input	InputPin[]	Action	$ReclassifyObjectAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReclassifyObjectAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReclassifyObjectAction[i].leaf

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

localID	localID	String	ModelObject	$ReclassifyObjectAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReclassifyObjectAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReclassifyObjectAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReclassifyObjectAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReclassifyObjectAction[i].mdExtensions
Name	name	String	NamedElement	$ReclassifyObjectAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReclassifyObjectAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReclassifyObjectAction[i].namespace
New Classifier	newClassifier	Classifier[]	ReclassifyObjectAction	$ReclassifyObjectAction[i].newClassifier
Object	object	InputPin	ReclassifyObjectAction	$ReclassifyObjectAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$ReclassifyObjectAction[i].objectParent
Old Classifier	oldClassifier	Classifier[]	ReclassifyObjectAction	$ReclassifyObjectAction[i].oldClassifier
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReclassifyObjectAction[i].outgoing
Output	output	OutputPin[]	Action	$ReclassifyObjectAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReclassifyObjectAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReclassifyObjectAction[i].ownedElement
Owner	owner	Element	Element	$ReclassifyObjectAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReclassifyObjectAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReclassifyObjectAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReclassifyObjectAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReclassifyObjectAction[i].redefinitionContext
Is Replace All	replaceAll	boolean	ReclassifyObjectAction	$ReclassifyObjectAction[i].replaceAll
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReclassifyObjectAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReclassifyObjectAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReclassifyObjectAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReclassifyObjectAction[i].visibility

198. RedefinableElement

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$RedefinableElement[i].ID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Applied Stereotype	appliedStereotype	Stereotype[]	Element	$RedefinableElement[i].appliedStereotype
classType	classType	Class	BaseElement	$RedefinableElement[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$RedefinableElement[i].clientDependency
isEditable	editable	boolean	BaseElement	$RedefinableElement[i].editable
humanName	humanName	String	BaseElement	$RedefinableElement[i].humanName
humanType	humanType	String	BaseElement	$RedefinableElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$RedefinableElement[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$RedefinableElement[i].leaf
localID	localID	String	ModelObject	$RedefinableElement[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$RedefinableElement[i].mdExtensions
Name	name	String	NamedElement	$RedefinableElement[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$RedefinableElement[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$RedefinableElement[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$RedefinableElement[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$RedefinableElement[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$RedefinableElement[i].ownedElement
Owner	owner	Element	Element	$RedefinableElement[i].owner
Qualified Name	qualifiedName	String	NamedElement	$RedefinableElement[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$RedefinableElement[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$RedefinableElement[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$RedefinableElement[i].supplierDependency
Sync Element	syncElement	Element	Element	$RedefinableElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$RedefinableElement[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$RedefinableElement[i].visibility

199. RedefinableTemplateSignature

Generalization

- RedefinableElement
- TemplateSignature

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$RedefinableTemplateSignature[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$RedefinableTemplateSignature[i].appliedStereotype
classType	classType	Class	BaseElement	$RedefinableTemplateSignature[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Classifier	classifier	Classifier	RedefinableTemplateSignature	$RedefinableTemplateSignature[i].classifier
Client Dependency	clientDependency	Dependency[]	NamedElement	$RedefinableTemplateSignature[i].clientDependency
isEditable	editable	boolean	BaseElement	$RedefinableTemplateSignature[i].editable
Extended Signature	extendedSignature	RedefinableTemplateSignature[]	RedefinableTemplateSignature	$RedefinableTemplateSignature[i].extendedSignature
humanName	humanName	String	BaseElement	$RedefinableTemplateSignature[i].humanName
humanType	humanType	String	BaseElement	$RedefinableTemplateSignature[i].humanType
Inherited Parameter	inheritedParameter	TemplateParameter[]	RedefinableTemplateSignature	$RedefinableTemplateSignature[i].inheritedParameter
isInvalid	invalid	boolean	ModelObject	$RedefinableTemplateSignature[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$RedefinableTemplateSignature[i].leaf
localID	localID	String	ModelObject	$RedefinableTemplateSignature[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$RedefinableTemplateSignature[i].mdExtensions
Name	name	String	NamedElement	$RedefinableTemplateSignature[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$RedefinableTemplateSignature[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$RedefinableTemplateSignature[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$RedefinableTemplateSignature[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$RedefinableTemplateSignature[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$RedefinableTemplateSignature[i].ownedElement
Owned Parameter	ownedParameter	TemplateParameter[]	TemplateSignature	$RedefinableTemplateSignature[i].ownedParameter
Owner	owner	Element	Element	$RedefinableTemplateSignature[i].owner
Parameter	parameter	TemplateParameter[]	TemplateSignature	$RedefinableTemplateSignature[i].parameter
Qualified Name	qualifiedName	String	NamedElement	$RedefinableTemplateSignature[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$RedefinableTemplateSignature[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$RedefinableTemplateSignature[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$RedefinableTemplateSignature[i].supplier

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				Dependency
Sync Element	syncElement	Element	Element	$RedefinableTemplateSignature[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$RedefinableTemplateSignature[i].taggedValue
Template	template	TemplateableElement	TemplateSignature	$RedefinableTemplateSignature[i].template
Visibility	visibility	VisibilityKind	NamedElement	$RedefinableTemplateSignature[i].visibility

200. ReduceAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReduceAction[i].ID
Activity	activity	Activity	ActivityNode	$ReduceAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReduceAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReduceAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReduceAction[i].clientDependency
Collection	collection	InputPin	ReduceAction	$ReduceAction[i].collection
Context	context	Classifier	Action	$ReduceAction[i].context
isEditable	editable	boolean	BaseElement	$ReduceAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ReduceAction[i].handler
humanName	humanName	String	BaseElement	$ReduceAction[i].humanName
humanType	humanType	String	BaseElement	$ReduceAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReduceAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReduceAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReduceAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReduceAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReduceAction[i].incoming
Input	input	InputPin[]	Action	$ReduceAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReduceAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReduceAction[i].leaf
localID	localID	String	ModelObject	$ReduceAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReduceAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReduceAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReduceAction[i].locallyReentrant

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReduceAction[i].mdExtensions
Name	name	String	NamedElement	$ReduceAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReduceAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReduceAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ReduceAction[i].objectParent
Is Ordered	ordered	boolean	ReduceAction	$ReduceAction[i].ordered
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReduceAction[i].outgoing
Output	output	OutputPin[]	Action	$ReduceAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReduceAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReduceAction[i].ownedElement
Owner	owner	Element	Element	$ReduceAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReduceAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReduceAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReduceAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReduceAction[i].redefinitionContext
Reducer	reducer	Behavior	ReduceAction	$ReduceAction[i].reducer
Result	result	OutputPin	ReduceAction	$ReduceAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReduceAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReduceAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReduceAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReduceAction[i].visibility

201. Region

Generalization

- Namespace
- RedefinableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Region[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Region[i].appliedStereotype
classType	classType	Class	BaseElement	$Region[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Region[i].clientDependency
isEditable	editable	boolean	BaseElement	$Region[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Region[i].elementImport
Extended Region	extendedRegion	Region	Region	$Region[i].extendedRegion
humanName	humanName	String	BaseElement	$Region[i].humanName
humanType	humanType	String	BaseElement	$Region[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Imported Member	importedMember	PackageableElement[]	Namespace	$Region[i].importedMember
isInvalid	invalid	boolean	ModelObject	$Region[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Region[i].leaf
localID	localID	String	ModelObject	$Region[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Region[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Region[i].member
Name	name	String	NamedElement	$Region[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Region[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Region[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Region[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Region[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Region[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Region[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Region[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Region[i].ownedRule
Owner	owner	Element	Element	$Region[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$Region[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$Region[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Region[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	Region	$Region[i].redefinitionContext
State	state	State	Region	$Region[i].state
State Machine	stateMachine	StateMachine	Region	$Region[i].stateMachine
Subvertex	subvertex	Vertex[]	Region	$Region[i].subvertex
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Region[i].supplierDependency
Sync Element	syncElement	Element	Element	$Region[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Region[i].taggedValue
Transition	transition	Transition[]	Region	$Region[i].transition
Visibility	visibility	VisibilityKind	NamedElement	$Region[i].visibility

202. Relationship

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Relationship[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Relationship[i].appliedStereotype
classType	classType	Class	BaseElement	$Relationship[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isEditable	editable	boolean	BaseElement	$Relationship[i].editable
humanName	humanName	String	BaseElement	$Relationship[i].humanName
humanType	humanType	String	BaseElement	$Relationship[i].humanType
isInvalid	invalid	boolean	ModelObject	$Relationship[i].invalid
localID	localID	String	ModelObject	$Relationship[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Relationship[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$Relationship[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Relationship[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Relationship[i].ownedElement
Owner	owner	Element	Element	$Relationship[i].owner
Related Element	relatedElement	Element[]	Relationship	$Relationship[i].relatedElement
Sync Element	syncElement	Element	Element	$Relationship[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Relationship[i].taggedValue

203. RemoveStructuralFeatureValueAction

Generalization

- WriteStructuralFeatureAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$RemoveStructuralFeatureValueAction[i].ID
Activity	activity	Activity	ActivityNode	$RemoveStructuralFeatureValueAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$RemoveStructuralFeatureValueAction[i].appliedStereotype
classType	classType	Class	BaseElement	$RemoveStructuralFeatureValueAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$RemoveStructuralFeatureValueAction[i].clientDependency
Context	context	Classifier	Action	$RemoveStructuralFeatureValueAction[i].context
isEditable	editable	boolean	BaseElement	$RemoveStructuralFeatureValueAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$RemoveStructuralFeatureValueAction[i].handler
humanName	humanName	String	BaseElement	$RemoveStructuralFeatureValueAction[i].humanName
humanType	humanType	String	BaseElement	$RemoveStructuralFeatureValueAction[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

In Group	inGroup	ActivityGroup[]	ActivityNode	$RemoveStructuralFeatureValueAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$RemoveStructuralFeatureValueAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$RemoveStructuralFeatureValueAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$RemoveStructuralFeatureValueAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$RemoveStructuralFeatureValueAction[i].incoming
Input	input	InputPin[]	Action	$RemoveStructuralFeatureValueAction[i].input
isInvalid	invalid	boolean	ModelObject	$RemoveStructuralFeatureValueAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$RemoveStructuralFeatureValueAction[i].leaf
localID	localID	String	ModelObject	$RemoveStructuralFeatureValueAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$RemoveStructuralFeatureValueAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$RemoveStructuralFeatureValueAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$RemoveStructuralFeatureValueAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$RemoveStructuralFeatureValueAction[i].mdExtensions
Name	name	String	NamedElement	$RemoveStructuralFeatureValueAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$RemoveStructuralFeatureValueAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$RemoveStructuralFeatureValueAction[i].namespace
Object	object	InputPin	StructuralFeatureAction	$RemoveStructuralFeatureValueAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$RemoveStructuralFeatureValueAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$RemoveStructuralFeatureValueAction[i].outgoing
Output	output	OutputPin[]	Action	$RemoveStructuralFeatureValueAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$RemoveStructuralFeatureValueAction[i].o

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				wnedComment
Owned Element	ownedElement	Element[]	Element	$RemoveStructuralFeatureValueAction[i].ownedElement
Owner	owner	Element	Element	$RemoveStructuralFeatureValueAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$RemoveStructuralFeatureValueAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$RemoveStructuralFeatureValueAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$RemoveStructuralFeatureValueAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$RemoveStructuralFeatureValueAction[i].redefinitionContext
Remove At	removeAt	InputPin	RemoveStructuralFeatureValueAction	$RemoveStructuralFeatureValueAction[i].removeAt
Is Remove Duplicates	removeDuplicates	boolean	RemoveStructuralFeatureValueAction	$RemoveStructuralFeatureValueAction[i].removeDuplicates
Result	result	OutputPin	WriteStructuralFeatureAction	$RemoveStructuralFeatureValueAction[i].result
Structural Feature	structuralFeature	StructuralFeature	StructuralFeatureAction	$RemoveStructuralFeatureValueAction[i].structuralFeature
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$RemoveStructuralFeatureValueAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$RemoveStructuralFeatureValueAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$RemoveStructuralFeatureValueAction[i].taggedValue
Value	value	InputPin	WriteStructuralFeatureAction	$RemoveStructuralFeatureValueAction[i].value
Visibility	visibility	VisibilityKind	NamedElement	$RemoveStructuralFeatureValueAction[i].visibility

204. RemoveVariableValueAction

Generalization

- WriteVariableAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$RemoveVariableValueAction[i].ID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Activity	activity	Activity	ActivityNode	$RemoveVariableValueAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$RemoveVariableValueAction[i].appliedStereotype
classType	classType	Class	BaseElement	$RemoveVariableValueAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$RemoveVariableValueAction[i].clientDependency
Context	context	Classifier	Action	$RemoveVariableValueAction[i].context
isEditable	editable	boolean	BaseElement	$RemoveVariableValueAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$RemoveVariableValueAction[i].handler
humanName	humanName	String	BaseElement	$RemoveVariableValueAction[i].humanName
humanType	humanType	String	BaseElement	$RemoveVariableValueAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$RemoveVariableValueAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$RemoveVariableValueAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$RemoveVariableValueAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$RemoveVariableValueAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$RemoveVariableValueAction[i].incoming
Input	input	InputPin[]	Action	$RemoveVariableValueAction[i].input
isInvalid	invalid	boolean	ModelObject	$RemoveVariableValueAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$RemoveVariableValueAction[i].leaf
localID	localID	String	ModelObject	$RemoveVariableValueAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$RemoveVariableValueAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$RemoveVariableValueAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$RemoveVariableValueAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$RemoveVariableValueAction[i].mdExtensions
Name	name	String	NamedElement	$RemoveVariableValueAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$RemoveVariableValueAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$RemoveVariableValueAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$RemoveVariableValueAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$RemoveVariableValueAction[i].outgoing
Output	output	OutputPin[]	Action	$RemoveVariableValueAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$RemoveVariableValueAction[i].ownedCom

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				ment
Owned Element	ownedElement	Element[]	Element	$RemoveVariableValueAction[i].ownedElement
Owner	owner	Element	Element	$RemoveVariableValueAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$RemoveVariableValueAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$RemoveVariableValueAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$RemoveVariableValueAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$RemoveVariableValueAction[i].redefinitionContext
Remove At	removeAt	InputPin	RemoveVariableValueAction	$RemoveVariableValueAction[i].removeAt
Is Remove Duplicates	removeDuplicates	boolean	RemoveVariableValueAction	$RemoveVariableValueAction[i].removeDuplicates
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$RemoveVariableValueAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$RemoveVariableValueAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$RemoveVariableValueAction[i].taggedValue
Value	value	InputPin	WriteVariableAction	$RemoveVariableValueAction[i].value
Variable	variable	Variable	VariableAction	$RemoveVariableValueAction[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$RemoveVariableValueAction[i].visibility

205. ReplyAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ReplyAction[i].ID
Activity	activity	Activity	ActivityNode	$ReplyAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ReplyAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ReplyAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ReplyAction[i].clientDependency
Context	context	Classifier	Action	$ReplyAction[i].context
isEditable	editable	boolean	BaseElement	$ReplyAction[i].editable

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Handler	handler	ExceptionHandler[]	ExecutableNode	$ReplyAction[i].handler
humanName	humanName	String	BaseElement	$ReplyAction[i].humanName
humanType	humanType	String	BaseElement	$ReplyAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ReplyAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ReplyAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ReplyAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ReplyAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ReplyAction[i].incoming
Input	input	InputPin[]	Action	$ReplyAction[i].input
isInvalid	invalid	boolean	ModelObject	$ReplyAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ReplyAction[i].leaf
localID	localID	String	ModelObject	$ReplyAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ReplyAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ReplyAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ReplyAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ReplyAction[i].mdExtensions
Name	name	String	NamedElement	$ReplyAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ReplyAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ReplyAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ReplyAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ReplyAction[i].outgoing
Output	output	OutputPin[]	Action	$ReplyAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ReplyAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ReplyAction[i].ownedElement
Owner	owner	Element	Element	$ReplyAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ReplyAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ReplyAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ReplyAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ReplyAction[i].redefinitionContext
Reply To Call	replyToCall	Trigger	ReplyAction	$ReplyAction[i].replyToCall
Reply Value	replyValue	InputPin[]	ReplyAction	$ReplyAction[i].replyValue
Return Information	returnInformation	InputPin	ReplyAction	$ReplyAction[i].returnInformation
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ReplyAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ReplyAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ReplyAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$ReplyAction[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

206. SendObjectAction

Generalization

- InvocationAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$SendObjectAction[i].ID
Activity	activity	Activity	ActivityNode	$SendObjectAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$SendObjectAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$SendObjectAction[i].argument
classType	classType	Class	BaseElement	$SendObjectAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$SendObjectAction[i].clientDependency
Context	context	Classifier	Action	$SendObjectAction[i].context
isEditable	editable	boolean	BaseElement	$SendObjectAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$SendObjectAction[i].handler
humanName	humanName	String	BaseElement	$SendObjectAction[i].humanName
humanType	humanType	String	BaseElement	$SendObjectAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$SendObjectAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$SendObjectAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$SendObjectAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$SendObjectAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$SendObjectAction[i].incoming
Input	input	InputPin[]	Action	$SendObjectAction[i].input
isInvalid	invalid	boolean	ModelObject	$SendObjectAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$SendObjectAction[i].leaf
localID	localID	String	ModelObject	$SendObjectAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$SendObjectAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$SendObjectAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$SendObjectAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$SendObjectAction[i].mdExtensions
Name	name	String	NamedElement	$SendObjectAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$SendObjectAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$SendObjectAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$SendObjectAction[i].objectParent
On Port	onPort	Port	InvocationAction	$SendObjectAction[i].onPort
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$SendObjectAction[i].outgoing
Output	output	OutputPin[]	Action	$SendObjectAction[i].output

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Comment	ownedComment	Comment[]	Element	$SendObjectAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$SendObjectAction[i].ownedElement
Owner	owner	Element	Element	$SendObjectAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$SendObjectAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$SendObjectAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$SendObjectAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$SendObjectAction[i].redefinitionContext
Request	request	InputPin	SendObjectAction	$SendObjectAction[i].request
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$SendObjectAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$SendObjectAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$SendObjectAction[i].taggedValue
Target	target	InputPin	SendObjectAction	$SendObjectAction[i].target
Visibility	visibility	VisibilityKind	NamedElement	$SendObjectAction[i].visibility

207. SendSignalAction

Generalization

- InvocationAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$SendSignalAction[i].ID
Activity	activity	Activity	ActivityNode	$SendSignalAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$SendSignalAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$SendSignalAction[i].argument
classType	classType	Class	BaseElement	$SendSignalAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$SendSignalAction[i].clientDependency
Context	context	Classifier	Action	$SendSignalAction[i].context
isEditable	editable	boolean	BaseElement	$SendSignalAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$SendSignalAction[i].handler
humanName	humanName	String	BaseElement	$SendSignalAction[i].humanName
humanType	humanType	String	BaseElement	$SendSignalAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$SendSignalAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$SendSignalAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$SendSignalAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$SendSignalAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$SendSignalAction[i].incoming
Input	input	InputPin[]	Action	$SendSignalAction[i].input

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$SendSignalAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$SendSignalAction[i].leaf
localID	localID	String	ModelObject	$SendSignalAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$SendSignalAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$SendSignalAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$SendSignalAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$SendSignalAction[i].mdExtensions
Name	name	String	NamedElement	$SendSignalAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$SendSignalAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$SendSignalAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$SendSignalAction[i].objectParent
On Port	onPort	Port	InvocationAction	$SendSignalAction[i].onPort
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$SendSignalAction[i].outgoing
Output	output	OutputPin[]	Action	$SendSignalAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$SendSignalAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$SendSignalAction[i].ownedElement
Owner	owner	Element	Element	$SendSignalAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$SendSignalAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$SendSignalAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$SendSignalAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$SendSignalAction[i].redefinitionContext
Signal	signal	Signal	SendSignalAction	$SendSignalAction[i].signal
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$SendSignalAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$SendSignalAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$SendSignalAction[i].taggedValue
Target	target	InputPin	SendSignalAction	$SendSignalAction[i].target
Visibility	visibility	VisibilityKind	NamedElement	$SendSignalAction[i].visibility

208. SequenceNode

Generalization

- StructuredActivityNode

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$SequenceNode[i].ID
Activity	activity	Activity	StructuredActivityNode	$SequenceNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$SequenceNode[i].appliedStereotype
classType	classType	Class	BaseElement	$SequenceNode[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Client Dependency	clientDependency	Dependency[]	NamedElement	$SequenceNode[i].clientDependency
Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$SequenceNode[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$SequenceNode[i].containedNode
Context	context	Classifier	Action	$SequenceNode[i].context
Edge	edge	ActivityEdge[]	StructuredActivityNode	$SequenceNode[i].edge
isEditable	editable	boolean	BaseElement	$SequenceNode[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$SequenceNode[i].elementImport
Executable Node	executableNode	ExecutableNode[]	SequenceNode	$SequenceNode[i].executableNode
Handler	handler	ExceptionHandler[]	ExecutableNode	$SequenceNode[i].handler
humanName	humanName	String	BaseElement	$SequenceNode[i].humanName
humanType	humanType	String	BaseElement	$SequenceNode[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$SequenceNode[i].importedMember
In Activity	inActivity	Activity	ActivityGroup	$SequenceNode[i].inActivity
In Group	inGroup	ActivityGroup[]	ActivityNode	$SequenceNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$SequenceNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$SequenceNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$SequenceNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$SequenceNode[i].incoming
Input	input	InputPin[]	Action	$SequenceNode[i].input
isInvalid	invalid	boolean	ModelObject	$SequenceNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$SequenceNode[i].leaf
localID	localID	String	ModelObject	$SequenceNode[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$SequenceNode[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$SequenceNode[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$SequenceNode[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$SequenceNode[i].mdExtensions
Member	member	NamedElement[]	Namespace	$SequenceNode[i].member
isMustIsolate	mustIsolate	boolean	StructuredActivityNode	$SequenceNode[i].mustIsolate
Name	name	String	NamedElement	$SequenceNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$SequenceNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$SequenceNode[i].namespace
Node	node	ActivityNode[]	StructuredActivityNode	$SequenceNode[i].node
objectParent	objectParent	BaseElement	BaseElement	$SequenceNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$SequenceNode[i].outgoing
Output	output	OutputPin[]	Action	$SequenceNode[i].output
Owned Comment	ownedComment	Comment[]	Element	$SequenceNode[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$SequenceNode[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$SequenceNode[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$SequenceNode[i].ownedMember

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Rule	ownedRule	Constraint[]	Namespace	$SequenceNode[i].ownedRule
Owner	owner	Element	Element	$SequenceNode[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$SequenceNode[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$SequenceNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$SequenceNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$SequenceNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$SequenceNode[i].redefinitionContext
Structured Node Input	structuredNodeInput	InputPin[]	StructuredActivityNode	$SequenceNode[i].structuredNodeInput
Structured Node Output	structuredNodeOutput	OutputPin[]	StructuredActivityNode	$SequenceNode[i].structuredNodeOutput
Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$SequenceNode[i].subgroup
Super Group	superGroup	ActivityGroup	ActivityGroup	$SequenceNode[i].superGroup
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$SequenceNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$SequenceNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$SequenceNode[i].taggedValue
Variable	variable	Variable[]	StructuredActivityNode	$SequenceNode[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$SequenceNode[i].visibility

209. Signal

Generalization

- Classifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Signal[i].ID
Class	UMLClass	Class	Classifier	$Signal[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$Signal[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Signal[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Signal[i].attribute
classType	classType	Class	BaseElement	$Signal[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Signal[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Signal[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Signal[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Signal[i].elementImport
Feature	feature	Feature[]	Classifier	$Signal[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Signal[i].finalSpecialization
General	general	Classifier[]	Classifier	$Signal[i].general
Generalization	generalization	Generalization[]	Classifier	$Signal[i].generalization
humanName	humanName	String	BaseElement	$Signal[i].humanName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanType	humanType	String	BaseElement	$Signal[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$Signal[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Signal[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$Signal[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Signal[i].leaf
localID	localID	String	ModelObject	$Signal[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Signal[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Signal[i].member
Name	name	String	NamedElement	$Signal[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Signal[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Signal[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Signal[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Signal	$Signal[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$Signal[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Signal[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Signal[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Signal[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Signal[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Signal[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Signal[i].ownedUseCase
Owner	owner	Element	Element	$Signal[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Signal[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Signal[i].owningTemplateParameter
Package	package	Package	Type	$Signal[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Signal[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Signal[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$Signal[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Signal[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Signal[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Signal[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Signal[i].representation
Substitution	substitution	Substitution[]	Classifier	$Signal[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Signal[i].supplierDependency
Sync Element	syncElement	Element	Element	$Signal[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Signal[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Signal[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Signal[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Signal[i].useCase

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	PackageableElement	$Signal[i].visibility

210. SignalEvent

Generalization

- MessageEvent

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$SignalEvent[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$SignalEvent[i].appliedStereotype
Behavior	behavior	Behavior	Event	$SignalEvent[i].behavior
classType	classType	Class	BaseElement	$SignalEvent[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$SignalEvent[i].clientDependency
isEditable	editable	boolean	BaseElement	$SignalEvent[i].editable
humanName	humanName	String	BaseElement	$SignalEvent[i].humanName
humanType	humanType	String	BaseElement	$SignalEvent[i].humanType
isInvalid	invalid	boolean	ModelObject	$SignalEvent[i].invalid
localID	localID	String	ModelObject	$SignalEvent[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$SignalEvent[i].mdExtensions
Name	name	String	NamedElement	$SignalEvent[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$SignalEvent[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$SignalEvent[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$SignalEvent[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$SignalEvent[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$SignalEvent[i].ownedElement
Owner	owner	Element	Element	$SignalEvent[i].owner
Owning Package	owningPackage	Package	PackageableElement	$SignalEvent[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$SignalEvent[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$SignalEvent[i].qualifiedName
Signal	signal	Signal	SignalEvent	$SignalEvent[i].signal
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$SignalEvent[i].supplierDependency
Sync Element	syncElement	Element	Element	$SignalEvent[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$SignalEvent[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$SignalEvent[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$SignalEvent[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

211. Slot

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Slot[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Slot[i].appliedStereotype
classType	classType	Class	BaseElement	$Slot[i].classType
Defining Feature	definingFeature	StructuralFeature	Slot	$Slot[i].definingFeature
isEditable	editable	boolean	BaseElement	$Slot[i].editable
humanName	humanName	String	BaseElement	$Slot[i].humanName
humanType	humanType	String	BaseElement	$Slot[i].humanType
isInvalid	invalid	boolean	ModelObject	$Slot[i].invalid
localID	localID	String	ModelObject	$Slot[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Slot[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$Slot[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Slot[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Slot[i].ownedElement
Owner	owner	Element	Element	$Slot[i].owner
Owning Instance	owningInstance	InstanceSpecification	Slot	$Slot[i].owningInstance
Sync Element	syncElement	Element	Element	$Slot[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Slot[i].taggedValue
Value	value	ValueSpecification[]	Slot	$Slot[i].value

212. StartClassifierBehaviorAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StartClassifierBehaviorAction[i].ID
Activity	activity	Activity	ActivityNode	$StartClassifierBehaviorAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StartClassifierBehaviorAction[i].appliedStereotype
classType	classType	Class	BaseElement	$StartClassifierBehaviorAction[i].classType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Client Dependency	clientDependency	Dependency[]	NamedElement	$StartClassifierBehaviorAction[i].clientDependency
Context	context	Classifier	Action	$StartClassifierBehaviorAction[i].context
isEditable	editable	boolean	BaseElement	$StartClassifierBehaviorAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$StartClassifierBehaviorAction[i].handler
humanName	humanName	String	BaseElement	$StartClassifierBehaviorAction[i].humanName
humanType	humanType	String	BaseElement	$StartClassifierBehaviorAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$StartClassifierBehaviorAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$StartClassifierBehaviorAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$StartClassifierBehaviorAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$StartClassifierBehaviorAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$StartClassifierBehaviorAction[i].incoming
Input	input	InputPin[]	Action	$StartClassifierBehaviorAction[i].input
isInvalid	invalid	boolean	ModelObject	$StartClassifierBehaviorAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$StartClassifierBehaviorAction[i].leaf
localID	localID	String	ModelObject	$StartClassifierBehaviorAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$StartClassifierBehaviorAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$StartClassifierBehaviorAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$StartClassifierBehaviorAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StartClassifierBehaviorAction[i].mdExtensions
Name	name	String	NamedElement	$StartClassifierBehaviorAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StartClassifierBehaviorAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StartClassifierBehaviorAction[i].namespace
Object	object	InputPin	StartClassifierBehaviorAction	$StartClassifierBehaviorAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$StartClassifierBehaviorAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$StartClassifierBehaviorAction[i].outgoing
Output	output	OutputPin[]	Action	$StartClassifierBehaviorAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$StartClassifierBehaviorAction[i].ownedComment

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Element	ownedElement	Element[]	Element	$StartClassifierBehaviorAction[i].ownedElement
Owner	owner	Element	Element	$StartClassifierBehaviorAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$StartClassifierBehaviorAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$StartClassifierBehaviorAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$StartClassifierBehaviorAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$StartClassifierBehaviorAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StartClassifierBehaviorAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$StartClassifierBehaviorAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StartClassifierBehaviorAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$StartClassifierBehaviorAction[i].visibility

213. StartObjectBehaviorAction

Generalization

- CallAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StartObjectBehaviorAction[i].ID
Activity	activity	Activity	ActivityNode	$StartObjectBehaviorAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StartObjectBehaviorAction[i].appliedStereotype
Argument	argument	InputPin[]	InvocationAction	$StartObjectBehaviorAction[i].argument
classType	classType	Class	BaseElement	$StartObjectBehaviorAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$StartObjectBehaviorAction[i].clientDependency
Context	context	Classifier	Action	$StartObjectBehaviorAction[i].context
isEditable	editable	boolean	BaseElement	$StartObjectBehaviorAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$StartObjectBehaviorAction[i].handler
humanName	humanName	String	BaseElement	$StartObjectBehaviorAction[i].humanName
humanType	humanType	String	BaseElement	$StartObjectBehaviorAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$StartObjectBehaviorAction[i].inGroup

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$StartObjectBehaviorAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$StartObjectBehaviorAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$StartObjectBehaviorAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$StartObjectBehaviorAction[i].incoming
Input	input	InputPin[]	Action	$StartObjectBehaviorAction[i].input
isInvalid	invalid	boolean	ModelObject	$StartObjectBehaviorAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$StartObjectBehaviorAction[i].leaf
localID	localID	String	ModelObject	$StartObjectBehaviorAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$StartObjectBehaviorAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$StartObjectBehaviorAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$StartObjectBehaviorAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StartObjectBehaviorAction[i].mdExtensions
Name	name	String	NamedElement	$StartObjectBehaviorAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StartObjectBehaviorAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StartObjectBehaviorAction[i].namespace
Object	object	InputPin	StartObjectBehaviorAction	$StartObjectBehaviorAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$StartObjectBehaviorAction[i].objectParent
On Port	onPort	Port	InvocationAction	$StartObjectBehaviorAction[i].onPort
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$StartObjectBehaviorAction[i].outgoing
Output	output	OutputPin[]	Action	$StartObjectBehaviorAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$StartObjectBehaviorAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$StartObjectBehaviorAction[i].ownedElement
Owner	owner	Element	Element	$StartObjectBehaviorAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$StartObjectBehaviorAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$StartObjectBehaviorAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$StartObjectBehaviorAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$StartObjectBehaviorAction[i].redefinitionContext

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Result	result	OutputPin[]	CallAction	$StartObjectBehaviorAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StartObjectBehaviorAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$StartObjectBehaviorAction[i].syncElement
Is Synchronous	synchronous	boolean	CallAction	$StartObjectBehaviorAction[i].synchronous
Tagged Value	taggedValue	TaggedValue[]	Element	$StartObjectBehaviorAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$StartObjectBehaviorAction[i].visibility

214. State

Generalization

- Namespace
- Vertex

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$State[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$State[i].appliedStereotype
classType	classType	Class	BaseElement	$State[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$State[i].clientDependency
Is Composite	composite	boolean	State	$State[i].composite
Connection	connection	ConnectionPointReference[]	State	$State[i].connection
Connection Point	connectionPoint	Pseudostate[]	State	$State[i].connectionPoint
Container	container	Region	Vertex	$State[i].container
Deferrable Trigger	deferrableTrigger	Trigger[]	State	$State[i].deferrableTrigger
Do Activity	doActivity	Behavior	State	$State[i].doActivity
isEditable	editable	boolean	BaseElement	$State[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$State[i].elementImport
Entry	entry	Behavior	State	$State[i].entry
Exit	exit	Behavior	State	$State[i].exit
humanName	humanName	String	BaseElement	$State[i].humanName
humanType	humanType	String	BaseElement	$State[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$State[i].importedMember
Incoming	incoming	Transition[]	Vertex	$State[i].incoming
isInvalid	invalid	boolean	ModelObject	$State[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$State[i].leaf
localID	localID	String	ModelObject	$State[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$State[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Member	member	NamedElement[]	Namespace	$State[i].member
Name	name	String	NamedElement	$State[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$State[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$State[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$State[i].objectParent
Is Orthogonal	orthogonal	boolean	State	$State[i].orthogonal
Outgoing	outgoing	Transition[]	Vertex	$State[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$State[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$State[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$State[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$State[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$State[i].ownedRule
Owner	owner	Element	Element	$State[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$State[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$State[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$State[i].redefinedElement
Redefined Vertex	redefinedVertex	Vertex	Vertex	$State[i].redefinedVertex
Redefinition Context	redefinitionContext	Classifier[]	Vertex	$State[i].redefinitionContext
Region	region	Region[]	State	$State[i].region
Is Simple	simple	boolean	State	$State[i].simple
State Invariant	stateInvariant	Constraint	State	$State[i].stateInvariant
Submachine	submachine	StateMachine	State	$State[i].submachine
Is Submachine State	submachineState	boolean	State	$State[i].submachineState
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$State[i].supplierDependency
Sync Element	syncElement	Element	Element	$State[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$State[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$State[i].visibility

215. StateInvariant

Generalization

- InteractionFragment

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StateInvariant[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StateInvariant[i].appliedStereotype
classType	classType	Class	BaseElement	$StateInvariant[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$StateInvariant[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Covered	covered	Lifeline[]	StateInvariant	$StateInvariant[i].covered
isEditable	editable	boolean	BaseElement	$StateInvariant[i].editable
Enclosing Interaction	enclosingInteraction	Interaction	InteractionFragment	$StateInvariant[i].enclosingInteraction
Enclosing Operand	enclosingOperand	InteractionOperand	InteractionFragment	$StateInvariant[i].enclosingOperand
General Ordering	generalOrdering	GeneralOrdering[]	InteractionFragment	$StateInvariant[i].generalOrdering
humanName	humanName	String	BaseElement	$StateInvariant[i].humanName
humanType	humanType	String	BaseElement	$StateInvariant[i].humanType
isInvalid	invalid	boolean	ModelObject	$StateInvariant[i].invalid
Invariant	invariant	Constraint	StateInvariant	$StateInvariant[i].invariant
localID	localID	String	ModelObject	$StateInvariant[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StateInvariant[i].mdExtensions
Name	name	String	NamedElement	$StateInvariant[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StateInvariant[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StateInvariant[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$StateInvariant[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$StateInvariant[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$StateInvariant[i].ownedElement
Owner	owner	Element	Element	$StateInvariant[i].owner
Qualified Name	qualifiedName	String	NamedElement	$StateInvariant[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StateInvariant[i].supplierDependency
Sync Element	syncElement	Element	Element	$StateInvariant[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StateInvariant[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$StateInvariant[i].visibility

216. StateMachine

Generalization

- Behavior

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StateMachine[i].ID
Class	UMLClass	Class	Classifier	$StateMachine[i].UMLClass
Is Abstract	abstract	boolean	Class	$StateMachine[i].abstract
Is Active	active	boolean	Class	$StateMachine[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StateMachine[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$StateMachine[i].attribute
classType	classType	Class	BaseElement	$StateMachine[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$StateMachine[i].classifierBehavior

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Client Dependency	clientDependency	Dependency[]	NamedElement	$StateMachine[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$StateMachine[i].collaborationUse
Connection Point	connectionPoint	Pseudostate[]	StateMachine	$StateMachine[i].connectionPoint
Context	context	BehavioredClassifier	Behavior	$StateMachine[i].context
isEditable	editable	boolean	BaseElement	$StateMachine[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$StateMachine[i].elementImport
Event	event	Event[]	Behavior	$StateMachine[i].event
Extended State Machine	extendedStateMachine	StateMachine[]	StateMachine	$StateMachine[i].extendedStateMachine
Extension	extension	Extension[]	Class	$StateMachine[i].extension
Feature	feature	Feature[]	Classifier	$StateMachine[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$StateMachine[i].finalSpecialization
General	general	Classifier[]	Classifier	$StateMachine[i].general
Generalization	generalization	Generalization[]	Classifier	$StateMachine[i].generalization
humanName	humanName	String	BaseElement	$StateMachine[i].humanName
humanType	humanType	String	BaseElement	$StateMachine[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$StateMachine[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$StateMachine[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$StateMachine[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$StateMachine[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$StateMachine[i].leaf
localID	localID	String	ModelObject	$StateMachine[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StateMachine[i].mdExtensions
Member	member	NamedElement[]	Namespace	$StateMachine[i].member
Name	name	String	NamedElement	$StateMachine[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StateMachine[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StateMachine[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$StateMachine[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$StateMachine[i].objectParent
Observation	observation	Observation[]	Behavior	$StateMachine[i].observation
Owned Attribute	ownedAttribute	Property[]	Class	$StateMachine[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$StateMachine[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$StateMachine[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$StateMachine[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$StateMachine[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$StateMachine[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$StateMachine[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$StateMachine[i].ownedOperation
Owned Parameter	ownedParameter	Parameter[]	Behavior	$StateMachine[i].ownedParameter
Owned Parameter Set	ownedParameterSet	ParameterSet[]	Behavior	$StateMachine[i].ownedParameterSet
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$StateMachine[i].ownedPort

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Reception	ownedReception	Reception[]	Class	$StateMachine[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$StateMachine[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$StateMachine[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$StateMachine[i].ownedUseCase
Owner	owner	Element	Element	$StateMachine[i].owner
Owning Package	owningPackage	Package	PackageableElement	$StateMachine[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$StateMachine[i].owningTemplateParameter
Package	package	Package	Type	$StateMachine[i].package
Package Import	packageImport	PackageImport[]	Namespace	$StateMachine[i].packageImport
Part	part	Property[]	StructuredClassifier	$StateMachine[i].part
Postcondition	postcondition	Constraint[]	Behavior	$StateMachine[i].postcondition
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$StateMachine[i].powertypeExtent
Precondition	precondition	Constraint[]	Behavior	$StateMachine[i].precondition
Qualified Name	qualifiedName	String	NamedElement	$StateMachine[i].qualifiedName
Redefined Behavior	redefinedBehavior	Behavior[]	Behavior	$StateMachine[i].redefinedBehavior
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$StateMachine[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$StateMachine[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$StateMachine[i].redefinitionContext
Is Reentrant	reentrant	boolean	Behavior	$StateMachine[i].reentrant
Region	region	Region[]	StateMachine	$StateMachine[i].region
Representation	representation	CollaborationUse	Classifier	$StateMachine[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$StateMachine[i].role
Specification	specification	BehavioralFeature	Behavior	$StateMachine[i].specification
Submachine State	submachineState	State[]	StateMachine	$StateMachine[i].submachineState
Substitution	substitution	Substitution[]	Classifier	$StateMachine[i].substitution
Super Class	superClass	Class[]	Class	$StateMachine[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StateMachine[i].supplierDependency
Sync Element	syncElement	Element	Element	$StateMachine[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StateMachine[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$StateMachine[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$StateMachine[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$StateMachine[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$StateMachine[i].visibility

217. Stereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- Class

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Stereotype[i].ID
Class	UMLClass	Class	Classifier	$Stereotype[i].UMLClass
Is Abstract	abstract	boolean	Class	$Stereotype[i].abstract
Is Active	active	boolean	Class	$Stereotype[i].active
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Stereotype[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$Stereotype[i].attribute
classType	classType	Class	BaseElement	$Stereotype[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$Stereotype[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$Stereotype[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$Stereotype[i].collaborationUse
isEditable	editable	boolean	BaseElement	$Stereotype[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$Stereotype[i].elementImport
Extension	extension	Extension[]	Class	$Stereotype[i].extension
Feature	feature	Feature[]	Classifier	$Stereotype[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$Stereotype[i].finalSpecialization
General	general	Classifier[]	Classifier	$Stereotype[i].general
Generalization	generalization	Generalization[]	Classifier	$Stereotype[i].generalization
humanName	humanName	String	BaseElement	$Stereotype[i].humanName
humanType	humanType	String	BaseElement	$Stereotype[i].humanType
Icon	icon	Image[]	Stereotype	$Stereotype[i].icon
Imported Member	importedMember	PackageableElement[]	Namespace	$Stereotype[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$Stereotype[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$Stereotype[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$Stereotype[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Stereotype[i].leaf
localID	localID	String	ModelObject	$Stereotype[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Stereotype[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Stereotype[i].member
Name	name	String	NamedElement	$Stereotype[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Stereotype[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Stereotype[i].namespace
Nested Classifier	nestedClassifier	Classifier[]	Class	$Stereotype[i].nestedClassifier
objectParent	objectParent	BaseElement	BaseElement	$Stereotype[i].objectParent
Owned Attribute	ownedAttribute	Property[]	Class	$Stereotype[i].ownedAttribute
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$Stereotype[i].ownedBehavior

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Comment	ownedComment	Comment[]	Element	$Stereotype[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$Stereotype[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Stereotype[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Stereotype[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Stereotype[i].ownedMember
Owned Operation	ownedOperation	Operation[]	Class	$Stereotype[i].ownedOperation
Owned Port	ownedPort	Port[]	EncapsulatedClassifier	$Stereotype[i].ownedPort
Owned Reception	ownedReception	Reception[]	Class	$Stereotype[i].ownedReception
Owned Rule	ownedRule	Constraint[]	Namespace	$Stereotype[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$Stereotype[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$Stereotype[i].ownedUseCase
Owner	owner	Element	Element	$Stereotype[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Stereotype[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Stereotype[i].owningTemplateParameter
Package	package	Package	Type	$Stereotype[i].package
Package Import	packageImport	PackageImport[]	Namespace	$Stereotype[i].packageImport
Part	part	Property[]	StructuredClassifier	$Stereotype[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$Stereotype[i].powertypeExtent
Profile	profile	Profile	Stereotype	$Stereotype[i].profile
Qualified Name	qualifiedName	String	NamedElement	$Stereotype[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$Stereotype[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Stereotype[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$Stereotype[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$Stereotype[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$Stereotype[i].role
Substitution	substitution	Substitution[]	Classifier	$Stereotype[i].substitution
Super Class	superClass	Class[]	Class	$Stereotype[i].superClass
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Stereotype[i].supplierDependency
Sync Element	syncElement	Element	Element	$Stereotype[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Stereotype[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$Stereotype[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$Stereotype[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$Stereotype[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$Stereotype[i].visibility

218. StringExpression

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- Expression
- TemplateableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StringExpression[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StringExpression[i].appliedStereotype
classType	classType	Class	BaseElement	$StringExpression[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$StringExpression[i].clientDependency
isEditable	editable	boolean	BaseElement	$StringExpression[i].editable
Expression	expression	Expression	ValueSpecification	$StringExpression[i].expression
humanName	humanName	String	BaseElement	$StringExpression[i].humanName
humanType	humanType	String	BaseElement	$StringExpression[i].humanType
isInvalid	invalid	boolean	ModelObject	$StringExpression[i].invalid
localID	localID	String	ModelObject	$StringExpression[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StringExpression[i].mdExtensions
Name	name	String	NamedElement	$StringExpression[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StringExpression[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StringExpression[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$StringExpression[i].objectParent
Operand	operand	ValueSpecification[]	Expression	$StringExpression[i].operand
Owned Comment	ownedComment	Comment[]	Element	$StringExpression[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$StringExpression[i].ownedElement
Owned Template Signature	ownedTemplateSignature	TemplateSignature	TemplateableElement	$StringExpression[i].ownedTemplateSignature
Owner	owner	Element	Element	$StringExpression[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$StringExpression[i].owningConstraint
Owning Expression	owningExpression	StringExpression	StringExpression	$StringExpression[i].owningExpression
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$StringExpression[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$StringExpression[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$StringExpression[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$StringExpression[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$StringExpression[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$StringExpression[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$StringExpression[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$StringExpression[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$StringExpression[i].qualifiedName
Sub Expression	subExpression	StringExpression[]	StringExpression	$StringExpression[i].subExpression

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StringExpression[i].supplierDependency
Symbol	symbol	String	Expression	$StringExpression[i].symbol
Sync Element	syncElement	Element	Element	$StringExpression[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StringExpression[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$StringExpression[i].templateBinding
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$StringExpression[i].templateParameter
Type	type	Type	TypedElement	$StringExpression[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$StringExpression[i].visibility

219. StringTaggedValue

Generalization

- TaggedValue

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StringTaggedValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StringTaggedValue[i].appliedStereotype
classType	classType	Class	BaseElement	$StringTaggedValue[i].classType
isEditable	editable	boolean	BaseElement	$StringTaggedValue[i].editable
humanName	humanName	String	BaseElement	$StringTaggedValue[i].humanName
humanType	humanType	String	BaseElement	$StringTaggedValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$StringTaggedValue[i].invalid
localID	localID	String	ModelObject	$StringTaggedValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StringTaggedValue[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$StringTaggedValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$StringTaggedValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$StringTaggedValue[i].ownedElement
Owner	owner	Element	Element	$StringTaggedValue[i].owner
Sync Element	syncElement	Element	Element	$StringTaggedValue[i].syncElement
Tag Definition	tagDefinition	Property	TaggedValue	$StringTaggedValue[i].tagDefinition
Tagged Value	taggedValue	TaggedValue[]	Element	$StringTaggedValue[i].taggedValue
Tagged Value Owner	taggedValueOwner	Element	TaggedValue	$StringTaggedValue[i].taggedValueOwner
Value	value	String[]	StringTaggedValue	$StringTaggedValue[i].value

220. StructuralFeature

Generalization

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

- Feature
- MultiplicityElement
- TypedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StructuralFeature[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StructuralFeature[i].appliedStereotype
classType	classType	Class	BaseElement	$StructuralFeature[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$StructuralFeature[i].clientDependency
isEditable	editable	boolean	BaseElement	$StructuralFeature[i].editable
Featuring Classifier	featuringClassifier	Classifier	Feature	$StructuralFeature[i].featuringClassifier
humanName	humanName	String	BaseElement	$StructuralFeature[i].humanName
humanType	humanType	String	BaseElement	$StructuralFeature[i].humanType
isInvalid	invalid	boolean	ModelObject	$StructuralFeature[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$StructuralFeature[i].leaf
localID	localID	String	ModelObject	$StructuralFeature[i].localID
Lower	lower	int	MultiplicityElement	$StructuralFeature[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$StructuralFeature[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StructuralFeature[i].mdExtensions
Name	name	String	NamedElement	$StructuralFeature[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StructuralFeature[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StructuralFeature[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$StructuralFeature[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$StructuralFeature[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$StructuralFeature[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$StructuralFeature[i].ownedElement
Owner	owner	Element	Element	$StructuralFeature[i].owner
Qualified Name	qualifiedName	String	NamedElement	$StructuralFeature[i].qualifiedName
Is Read Only	readOnly	boolean	StructuralFeature	$StructuralFeature[i].readOnly
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$StructuralFeature[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$StructuralFeature[i].redefinitionContext
Is Static	static	boolean	Feature	$StructuralFeature[i].static
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StructuralFeature[i].supplierDependency
Sync Element	syncElement	Element	Element	$StructuralFeature[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StructuralFeature[i].taggedValue
Type	type	Type	TypedElement	$StructuralFeature[i].type
Is Unique	unique	boolean	MultiplicityElement	$StructuralFeature[i].unique
Upper	upper	int	MultiplicityElement	$StructuralFeature[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$StructuralFeature[i].upperValue

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Visibility	visibility	VisibilityKind	NamedElement	$StructuralFeature[i].visibility

221. StructuralFeatureAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StructuralFeatureAction[i].ID
Activity	activity	Activity	ActivityNode	$StructuralFeatureAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StructuralFeatureAction[i].appliedStereotype
classType	classType	Class	BaseElement	$StructuralFeatureAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$StructuralFeatureAction[i].clientDependency
Context	context	Classifier	Action	$StructuralFeatureAction[i].context
isEditable	editable	boolean	BaseElement	$StructuralFeatureAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$StructuralFeatureAction[i].handler
humanName	humanName	String	BaseElement	$StructuralFeatureAction[i].humanName
humanType	humanType	String	BaseElement	$StructuralFeatureAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$StructuralFeatureAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$StructuralFeatureAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$StructuralFeatureAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$StructuralFeatureAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$StructuralFeatureAction[i].incoming
Input	input	InputPin[]	Action	$StructuralFeatureAction[i].input
isInvalid	invalid	boolean	ModelObject	$StructuralFeatureAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$StructuralFeatureAction[i].leaf
localID	localID	String	ModelObject	$StructuralFeatureAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$StructuralFeatureAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$StructuralFeatureAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$StructuralFeatureAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StructuralFeatureAction[i].mdExtensions
Name	name	String	NamedElement	$StructuralFeatureAction[i].name

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name Expression	nameExpression	StringExpression	NamedElement	$StructuralFeatureAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StructuralFeatureAction[i].namespace
Object	object	InputPin	StructuralFeatureAction	$StructuralFeatureAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$StructuralFeatureAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$StructuralFeatureAction[i].outgoing
Output	output	OutputPin[]	Action	$StructuralFeatureAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$StructuralFeatureAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$StructuralFeatureAction[i].ownedElement
Owner	owner	Element	Element	$StructuralFeatureAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$StructuralFeatureAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$StructuralFeatureAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$StructuralFeatureAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$StructuralFeatureAction[i].redefinitionContext
Structural Feature	structuralFeature	StructuralFeature	StructuralFeatureAction	$StructuralFeatureAction[i].structuralFeature
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StructuralFeatureAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$StructuralFeatureAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StructuralFeatureAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$StructuralFeatureAction[i].visibility

222. StructuredActivityNode

Generalization

- Action
- ActivityGroup
- Namespace

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StructuredActivityNode[i].ID
Activity	activity	Activity	StructuredActivityNode	$StructuredActivityNode[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StructuredActivityNode[i].appliedStereotype
classType	classType	Class	BaseElement	$StructuredActivityNode[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$StructuredActivityNode[i].clientDependency

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Contained Edge	containedEdge	ActivityEdge[]	ActivityGroup	$StructuredActivityNode[i].containedEdge
Contained Node	containedNode	ActivityNode[]	ActivityGroup	$StructuredActivityNode[i].containedNode
Context	context	Classifier	Action	$StructuredActivityNode[i].context
Edge	edge	ActivityEdge[]	StructuredActivityNode	$StructuredActivityNode[i].edge
isEditable	editable	boolean	BaseElement	$StructuredActivityNode[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$StructuredActivityNode[i].elementImport
Handler	handler	ExceptionHandler[]	ExecutableNode	$StructuredActivityNode[i].handler
humanName	humanName	String	BaseElement	$StructuredActivityNode[i].humanName
humanType	humanType	String	BaseElement	$StructuredActivityNode[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$StructuredActivityNode[i].importedMember
In Activity	inActivity	Activity	ActivityGroup	$StructuredActivityNode[i].inActivity
In Group	inGroup	ActivityGroup[]	ActivityNode	$StructuredActivityNode[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$StructuredActivityNode[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$StructuredActivityNode[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$StructuredActivityNode[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$StructuredActivityNode[i].incoming
Input	input	InputPin[]	Action	$StructuredActivityNode[i].input
isInvalid	invalid	boolean	ModelObject	$StructuredActivityNode[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$StructuredActivityNode[i].leaf
localID	localID	String	ModelObject	$StructuredActivityNode[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$StructuredActivityNode[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$StructuredActivityNode[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$StructuredActivityNode[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StructuredActivityNode[i].mdExtensions
Member	member	NamedElement[]	Namespace	$StructuredActivityNode[i].member
isMustIsolate	mustIsolate	boolean	StructuredActivityNode	$StructuredActivityNode[i].mustIsolate
Name	name	String	NamedElement	$StructuredActivityNode[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StructuredActivityNode[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StructuredActivityNode[i].namespace
Node	node	ActivityNode[]	StructuredActivityNode	$StructuredActivityNode[i].node
objectParent	objectParent	BaseElement	BaseElement	$StructuredActivityNode[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$StructuredActivityNode[i].outgoing
Output	output	OutputPin[]	Action	$StructuredActivityNode[i].output
Owned Comment	ownedComment	Comment[]	Element	$StructuredActivityNode[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$StructuredActivityNode[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$StructuredActivityNode[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$StructuredActivityNode[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$StructuredActivityNode[i].ownedRule

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$StructuredActivityNode[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$StructuredActivityNode[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$StructuredActivityNode[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$StructuredActivityNode[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$StructuredActivityNode[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$StructuredActivityNode[i].redefinitionContext
Structured Node Input	structuredNodeInput	InputPin[]	StructuredActivityNode	$StructuredActivityNode[i].structuredNodeInput
Structured Node Output	structuredNodeOutput	OutputPin[]	StructuredActivityNode	$StructuredActivityNode[i].structuredNodeOutput
Subgroup	subgroup	ActivityGroup[]	ActivityGroup	$StructuredActivityNode[i].subgroup
Super Group	superGroup	ActivityGroup	ActivityGroup	$StructuredActivityNode[i].superGroup
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StructuredActivityNode[i].supplierDependency
Sync Element	syncElement	Element	Element	$StructuredActivityNode[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StructuredActivityNode[i].taggedValue
Variable	variable	Variable[]	StructuredActivityNode	$StructuredActivityNode[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$StructuredActivityNode[i].visibility

223. StructuredClassifier

Generalization

- Classifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$StructuredClassifier[i].ID
Class	UMLClass	Class	Classifier	$StructuredClassifier[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$StructuredClassifier[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$StructuredClassifier[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$StructuredClassifier[i].attribute
classType	classType	Class	BaseElement	$StructuredClassifier[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$StructuredClassifier[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$StructuredClassifier[i].collaborationUse
isEditable	editable	boolean	BaseElement	$StructuredClassifier[i].editable
Element Import	elementImport	ElementImport[]	Namespace	$StructuredClassifier[i].elementImport
Feature	feature	Feature[]	Classifier	$StructuredClassifier[i].feature

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Final Specialization	finalSpecialization	boolean	Classifier	$StructuredClassifier[i].finalSpecialization
General	general	Classifier[]	Classifier	$StructuredClassifier[i].general
Generalization	generalization	Generalization[]	Classifier	$StructuredClassifier[i].generalization
humanName	humanName	String	BaseElement	$StructuredClassifier[i].humanName
humanType	humanType	String	BaseElement	$StructuredClassifier[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$StructuredClassifier[i].importedMember
Inherited Member	inheritedMember	NamedElement[]	Classifier	$StructuredClassifier[i].inheritedMember
isInvalid	invalid	boolean	ModelObject	$StructuredClassifier[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$StructuredClassifier[i].leaf
localID	localID	String	ModelObject	$StructuredClassifier[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$StructuredClassifier[i].mdExtensions
Member	member	NamedElement[]	Namespace	$StructuredClassifier[i].member
Name	name	String	NamedElement	$StructuredClassifier[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$StructuredClassifier[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$StructuredClassifier[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$StructuredClassifier[i].objectParent
Owned Attribute	ownedAttribute	Property[]	StructuredClassifier	$StructuredClassifier[i].ownedAttribute
Owned Comment	ownedComment	Comment[]	Element	$StructuredClassifier[i].ownedComment
Owned Connector	ownedConnector	Connector[]	StructuredClassifier	$StructuredClassifier[i].ownedConnector
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$StructuredClassifier[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$StructuredClassifier[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$StructuredClassifier[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$StructuredClassifier[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$StructuredClassifier[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$StructuredClassifier[i].ownedUseCase
Owner	owner	Element	Element	$StructuredClassifier[i].owner
Owning Package	owningPackage	Package	PackageableElement	$StructuredClassifier[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$StructuredClassifier[i].owningTemplateParameter
Package	package	Package	Type	$StructuredClassifier[i].package
Package Import	packageImport	PackageImport[]	Namespace	$StructuredClassifier[i].packageImport
Part	part	Property[]	StructuredClassifier	$StructuredClassifier[i].part
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$StructuredClassifier[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$StructuredClassifier[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$StructuredClassifier[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$StructuredClassifier[i].redefinedElement
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$StructuredClassifier[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$StructuredClassifier[i].representation
Role	role	ConnectableElement[]	StructuredClassifier	$StructuredClassifier[i].role

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Substitution	substitution	Substitution[]	Classifier	$StructuredClassifier[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$StructuredClassifier[i].supplierDependency
Sync Element	syncElement	Element	Element	$StructuredClassifier[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$StructuredClassifier[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$StructuredClassifier[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$StructuredClassifier[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$StructuredClassifier[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$StructuredClassifier[i].visibility

224. Substitution

Generalization

- Realization

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Substitution[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Substitution[i].appliedStereotype
classType	classType	Class	BaseElement	$Substitution[i].classType
Client	client	NamedElement[]	Dependency	$Substitution[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$Substitution[i].clientDependency
Contract	contract	Classifier	Substitution	$Substitution[i].contract
isEditable	editable	boolean	BaseElement	$Substitution[i].editable
humanName	humanName	String	BaseElement	$Substitution[i].humanName
humanType	humanType	String	BaseElement	$Substitution[i].humanType
isInvalid	invalid	boolean	ModelObject	$Substitution[i].invalid
localID	localID	String	ModelObject	$Substitution[i].localID
Mapping	mapping	OpaqueExpression	Abstraction	$Substitution[i].mapping
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Substitution[i].mdExtensions
Name	name	String	NamedElement	$Substitution[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Substitution[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Substitution[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Substitution[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Substitution[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Substitution[i].ownedElement
Owner	owner	Element	Element	$Substitution[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Substitution[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Substitution[i].owningTemplateParameter

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Qualified Name	qualifiedName	String	NamedElement	$Substitution[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Substitution[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Substitution[i].source
Substituting Classifier	substitutingClassifier	Classifier	Substitution	$Substitution[i].substitutingClassifier
Supplier	supplier	NamedElement[]	Dependency	$Substitution[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Substitution[i].supplierDependency
Sync Element	syncElement	Element	Element	$Substitution[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Substitution[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Substitution[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Substitution[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Substitution[i].visibility

225. TaggedValue

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TaggedValue[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TaggedValue[i].appliedStereotype
classType	classType	Class	BaseElement	$TaggedValue[i].classType
isEditable	editable	boolean	BaseElement	$TaggedValue[i].editable
humanName	humanName	String	BaseElement	$TaggedValue[i].humanName
humanType	humanType	String	BaseElement	$TaggedValue[i].humanType
isInvalid	invalid	boolean	ModelObject	$TaggedValue[i].invalid
localID	localID	String	ModelObject	$TaggedValue[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TaggedValue[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$TaggedValue[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TaggedValue[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TaggedValue[i].ownedElement
Owner	owner	Element	Element	$TaggedValue[i].owner
Sync Element	syncElement	Element	Element	$TaggedValue[i].syncElement
Tag Definition	tagDefinition	Property	TaggedValue	$TaggedValue[i].tagDefinition
Tagged Value	taggedValue	TaggedValue[]	Element	$TaggedValue[i].taggedValue
Tagged Value Owner	taggedValueOwner	Element	TaggedValue	$TaggedValue[i].taggedValueOwner
Value	value	List	TaggedValue	$TaggedValue[i].value

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

226. TemplateableElement

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TemplateableElement[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TemplateableElement[i].appliedStereotype
classType	classType	Class	BaseElement	$TemplateableElement[i].classType
isEditable	editable	boolean	BaseElement	$TemplateableElement[i].editable
humanName	humanName	String	BaseElement	$TemplateableElement[i].humanName
humanType	humanType	String	BaseElement	$TemplateableElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$TemplateableElement[i].invalid
localID	localID	String	ModelObject	$TemplateableElement[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TemplateableElement[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$TemplateableElement[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TemplateableElement[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TemplateableElement[i].ownedElement
Owned Template Signature	ownedTemplateSignature	TemplateSignature	TemplateableElement	$TemplateableElement[i].ownedTemplateSignature
Owner	owner	Element	Element	$TemplateableElement[i].owner
Sync Element	syncElement	Element	Element	$TemplateableElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TemplateableElement[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$TemplateableElement[i].templateBinding

227. TemplateBinding

Generalization

- DirectedRelationship

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TemplateBinding[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TemplateBinding[i].appliedStereotype
Bound Element	boundElement	TemplateableElement	TemplateBinding	$TemplateBinding[i].boundElement
classType	classType	Class	BaseElement	$TemplateBinding[i].classType
isEditable	editable	boolean	BaseElement	$TemplateBinding[i].editable

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

humanName	humanName	String	BaseElement	$TemplateBinding[i].humanName
humanType	humanType	String	BaseElement	$TemplateBinding[i].humanType
isInvalid	invalid	boolean	ModelObject	$TemplateBinding[i].invalid
localID	localID	String	ModelObject	$TemplateBinding[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TemplateBinding[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$TemplateBinding[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TemplateBinding[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TemplateBinding[i].ownedElement
Owner	owner	Element	Element	$TemplateBinding[i].owner
Parameter Substitution	parameterSubstitution	TemplateParameterSubstitution[]	TemplateBinding	$TemplateBinding[i].parameterSubstitution
Related Element	relatedElement	Element[]	Relationship	$TemplateBinding[i].relatedElement
Signature	signature	TemplateSignature	TemplateBinding	$TemplateBinding[i].signature
Source	source	Element[]	DirectedRelationship	$TemplateBinding[i].source
Sync Element	syncElement	Element	Element	$TemplateBinding[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TemplateBinding[i].taggedValue
Target	target	Element[]	DirectedRelationship	$TemplateBinding[i].target

228. TemplateParameter

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TemplateParameter[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TemplateParameter[i].appliedStereotype
classType	classType	Class	BaseElement	$TemplateParameter[i].classType
Default	default	ParameterableElement	TemplateParameter	$TemplateParameter[i].default
isEditable	editable	boolean	BaseElement	$TemplateParameter[i].editable
humanName	humanName	String	BaseElement	$TemplateParameter[i].humanName
humanType	humanType	String	BaseElement	$TemplateParameter[i].humanType
isInvalid	invalid	boolean	ModelObject	$TemplateParameter[i].invalid
localID	localID	String	ModelObject	$TemplateParameter[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TemplateParameter[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$TemplateParameter[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TemplateParameter[i].ownedComment
Owned Default	ownedDefault	ParameterableElement	TemplateParameter	$TemplateParameter[i].ownedDefault
Owned Element	ownedElement	Element[]	Element	$TemplateParameter[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Parametered Element	ownedParameteredElement	ParameterableElement	TemplateParameter	$TemplateParameter[i].ownedParameteredElement
Owner	owner	Element	Element	$TemplateParameter[i].owner
Parametered Element	parameteredElement	ParameterableElement	TemplateParameter	$TemplateParameter[i].parameteredElement
Signature	signature	TemplateSignature	TemplateParameter	$TemplateParameter[i].signature
Sync Element	syncElement	Element	Element	$TemplateParameter[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TemplateParameter[i].taggedValue

229. TemplateParameterSubstitution

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TemplateParameterSubstitution[i].ID
Actual	actual	ParameterableElement	TemplateParameterSubstitution	$TemplateParameterSubstitution[i].actual
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TemplateParameterSubstitution[i].appliedStereotype
classType	classType	Class	BaseElement	$TemplateParameterSubstitution[i].classType
isEditable	editable	boolean	BaseElement	$TemplateParameterSubstitution[i].editable
Formal	formal	TemplateParameter	TemplateParameterSubstitution	$TemplateParameterSubstitution[i].formal
humanName	humanName	String	BaseElement	$TemplateParameterSubstitution[i].humanName
humanType	humanType	String	BaseElement	$TemplateParameterSubstitution[i].humanType
isInvalid	invalid	boolean	ModelObject	$TemplateParameterSubstitution[i].invalid
localID	localID	String	ModelObject	$TemplateParameterSubstitution[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TemplateParameterSubstitution[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$TemplateParameterSubstitution[i].objectParent
Owned Actual	ownedActual	ParameterableElement	TemplateParameterSubstitution	$TemplateParameterSubstitution[i].ownedActual
Owned Comment	ownedComment	Comment[]	Element	$TemplateParameterSubstitution[i].ownedComment

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Element	ownedElement	Element[]	Element	$TemplateParameterSubstitution[i].ownedElement
Owner	owner	Element	Element	$TemplateParameterSubstitution[i].owner
Sync Element	syncElement	Element	Element	$TemplateParameterSubstitution[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TemplateParameterSubstitution[i].taggedValue
Template Binding	templateBinding	TemplateBinding	TemplateParameterSubstitution	$TemplateParameterSubstitution[i].templateBinding

230. TemplateSignature

Generalization

- Element

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TemplateSignature[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TemplateSignature[i].appliedStereotype
classType	classType	Class	BaseElement	$TemplateSignature[i].classType
isEditable	editable	boolean	BaseElement	$TemplateSignature[i].editable
humanName	humanName	String	BaseElement	$TemplateSignature[i].humanName
humanType	humanType	String	BaseElement	$TemplateSignature[i].humanType
isInvalid	invalid	boolean	ModelObject	$TemplateSignature[i].invalid
localID	localID	String	ModelObject	$TemplateSignature[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TemplateSignature[i].mdExtensions
objectParent	objectParent	BaseElement	BaseElement	$TemplateSignature[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TemplateSignature[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TemplateSignature[i].ownedElement
Owned Parameter	ownedParameter	TemplateParameter[]	TemplateSignature	$TemplateSignature[i].ownedParameter
Owner	owner	Element	Element	$TemplateSignature[i].owner
Parameter	parameter	TemplateParameter[]	TemplateSignature	$TemplateSignature[i].parameter
Sync Element	syncElement	Element	Element	$TemplateSignature[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TemplateSignature[i].taggedValue
Template	template	TemplateableElement	TemplateSignature	$TemplateSignature[i].template

231. TestIdentityAction

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TestIdentityAction[i].ID
Activity	activity	Activity	ActivityNode	$TestIdentityAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TestIdentityAction[i].appliedStereotype
classType	classType	Class	BaseElement	$TestIdentityAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$TestIdentityAction[i].clientDependency
Context	context	Classifier	Action	$TestIdentityAction[i].context
isEditable	editable	boolean	BaseElement	$TestIdentityAction[i].editable
First	first	InputPin	TestIdentityAction	$TestIdentityAction[i].first
Handler	handler	ExceptionHandler[]	ExecutableNode	$TestIdentityAction[i].handler
humanName	humanName	String	BaseElement	$TestIdentityAction[i].humanName
humanType	humanType	String	BaseElement	$TestIdentityAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$TestIdentityAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$TestIdentityAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$TestIdentityAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$TestIdentityAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$TestIdentityAction[i].incoming
Input	input	InputPin[]	Action	$TestIdentityAction[i].input
isInvalid	invalid	boolean	ModelObject	$TestIdentityAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$TestIdentityAction[i].leaf
localID	localID	String	ModelObject	$TestIdentityAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$TestIdentityAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$TestIdentityAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$TestIdentityAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TestIdentityAction[i].mdExtensions
Name	name	String	NamedElement	$TestIdentityAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$TestIdentityAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$TestIdentityAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$TestIdentityAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$TestIdentityAction[i].outgoing
Output	output	OutputPin[]	Action	$TestIdentityAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$TestIdentityAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TestIdentityAction[i].ownedElement
Owner	owner	Element	Element	$TestIdentityAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$TestIdentityAction[i].qualifiedName

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$TestIdentityAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$TestIdentityAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$TestIdentityAction[i].redefinitionContext
Result	result	OutputPin	TestIdentityAction	$TestIdentityAction[i].result
Second	second	InputPin	TestIdentityAction	$TestIdentityAction[i].second
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$TestIdentityAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$TestIdentityAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TestIdentityAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$TestIdentityAction[i].visibility

232. TimeConstraint

Generalization

- IntervalConstraint

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TimeConstraint[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TimeConstraint[i].appliedStereotype
Body Context	bodyContext	Operation	Constraint	$TimeConstraint[i].bodyContext
classType	classType	Class	BaseElement	$TimeConstraint[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$TimeConstraint[i].clientDependency
Constrained Element	constrainedElement	Element[]	Constraint	$TimeConstraint[i].constrainedElement
Context	context	Namespace	Constraint	$TimeConstraint[i].context
isEditable	editable	boolean	BaseElement	$TimeConstraint[i].editable
isFirstEvent	firstEvent	boolean	TimeConstraint	$TimeConstraint[i].firstEvent
humanName	humanName	String	BaseElement	$TimeConstraint[i].humanName
humanType	humanType	String	BaseElement	$TimeConstraint[i].humanType
isInvalid	invalid	boolean	ModelObject	$TimeConstraint[i].invalid
localID	localID	String	ModelObject	$TimeConstraint[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TimeConstraint[i].mdExtensions
Name	name	String	NamedElement	$TimeConstraint[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$TimeConstraint[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$TimeConstraint[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$TimeConstraint[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TimeConstraint[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TimeConstraint[i].ownedElement
Owner	owner	Element	Element	$TimeConstraint[i].owner
Owning Package	owningPackage	Package	PackageableElement	$TimeConstraint[i].owningPackage

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning State	owningState	State	Constraint	$TimeConstraint[i].owningState
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$TimeConstraint[i].owningTemplateParameter
Owning Transition	owningTransition	ProtocolTransition	Constraint	$TimeConstraint[i].owningTransition
Post Context	postContext	Operation	Constraint	$TimeConstraint[i].postContext
Pre Context	preContext	Operation	Constraint	$TimeConstraint[i].preContext
Qualified Name	qualifiedName	String	NamedElement	$TimeConstraint[i].qualifiedName
Specification	specification	TimeInterval	TimeConstraint	$TimeConstraint[i].specification
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$TimeConstraint[i].supplierDependency
Sync Element	syncElement	Element	Element	$TimeConstraint[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TimeConstraint[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$TimeConstraint[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$TimeConstraint[i].visibility

233. TimeEvent

Generalization

- Event

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TimeEvent[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TimeEvent[i].appliedStereotype
Behavior	behavior	Behavior	Event	$TimeEvent[i].behavior
classType	classType	Class	BaseElement	$TimeEvent[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$TimeEvent[i].clientDependency
isEditable	editable	boolean	BaseElement	$TimeEvent[i].editable
humanName	humanName	String	BaseElement	$TimeEvent[i].humanName
humanType	humanType	String	BaseElement	$TimeEvent[i].humanType
isInvalid	invalid	boolean	ModelObject	$TimeEvent[i].invalid
localID	localID	String	ModelObject	$TimeEvent[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TimeEvent[i].mdExtensions
Name	name	String	NamedElement	$TimeEvent[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$TimeEvent[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$TimeEvent[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$TimeEvent[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TimeEvent[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TimeEvent[i].ownedElement
Owner	owner	Element	Element	$TimeEvent[i].owner

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Package	owningPackage	Package	PackageableElement	$TimeEvent[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$TimeEvent[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$TimeEvent[i].qualifiedName
Is Relative	relative	boolean	TimeEvent	$TimeEvent[i].relative
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$TimeEvent[i].supplierDependency
Sync Element	syncElement	Element	Element	$TimeEvent[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TimeEvent[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$TimeEvent[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$TimeEvent[i].visibility
When	when	TimeExpression	TimeEvent	$TimeEvent[i].when

234. TimeExpression

Generalization

- ValueSpecification

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TimeExpression[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TimeExpression[i].appliedStereotype
classType	classType	Class	BaseElement	$TimeExpression[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$TimeExpression[i].clientDependency
isEditable	editable	boolean	BaseElement	$TimeExpression[i].editable
Expr	expr	ValueSpecification	TimeExpression	$TimeExpression[i].expr
Expression	expression	Expression	ValueSpecification	$TimeExpression[i].expression
humanName	humanName	String	BaseElement	$TimeExpression[i].humanName
humanType	humanType	String	BaseElement	$TimeExpression[i].humanType
isInvalid	invalid	boolean	ModelObject	$TimeExpression[i].invalid
localID	localID	String	ModelObject	$TimeExpression[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TimeExpression[i].mdExtensions
Name	name	String	NamedElement	$TimeExpression[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$TimeExpression[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$TimeExpression[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$TimeExpression[i].objectParent
Observation	observation	Observation[]	TimeExpression	$TimeExpression[i].observation
Owned Comment	ownedComment	Comment[]	Element	$TimeExpression[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TimeExpression[i].ownedElement
Owner	owner	Element	Element	$TimeExpression[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$TimeExpression[i].owningConstraint

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$TimeExpression[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$TimeExpression[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$TimeExpression[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$TimeExpression[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$TimeExpression[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$TimeExpression[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$TimeExpression[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$TimeExpression[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$TimeExpression[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$TimeExpression[i].supplierDependency
Sync Element	syncElement	Element	Element	$TimeExpression[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TimeExpression[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$TimeExpression[i].templateParameter
Type	type	Type	TypedElement	$TimeExpression[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$TimeExpression[i].visibility

235. TimeInterval

Generalization

- Interval

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TimeInterval[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TimeInterval[i].appliedStereotype
classType	classType	Class	BaseElement	$TimeInterval[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$TimeInterval[i].clientDependency
isEditable	editable	boolean	BaseElement	$TimeInterval[i].editable
Expression	expression	Expression	ValueSpecification	$TimeInterval[i].expression
humanName	humanName	String	BaseElement	$TimeInterval[i].humanName
humanType	humanType	String	BaseElement	$TimeInterval[i].humanType
isInvalid	invalid	boolean	ModelObject	$TimeInterval[i].invalid
localID	localID	String	ModelObject	$TimeInterval[i].localID
Max	max	TimeExpression	TimeInterval	$TimeInterval[i].max
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TimeInterval[i].mdExtensions
Min	min	TimeExpression	TimeInterval	$TimeInterval[i].min
Name	name	String	NamedElement	$TimeInterval[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$TimeInterval[i].nameExpression

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Namespace	namespace	Namespace	NamedElement	$TimeInterval[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$TimeInterval[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TimeInterval[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TimeInterval[i].ownedElement
Owner	owner	Element	Element	$TimeInterval[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$TimeInterval[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$TimeInterval[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$TimeInterval[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$TimeInterval[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$TimeInterval[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$TimeInterval[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$TimeInterval[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$TimeInterval[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$TimeInterval[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$TimeInterval[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$TimeInterval[i].supplierDependency
Sync Element	syncElement	Element	Element	$TimeInterval[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TimeInterval[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$TimeInterval[i].templateParameter
Type	type	Type	TypedElement	$TimeInterval[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$TimeInterval[i].visibility

236. TimeObservation

Generalization

- Observation

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TimeObservation[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TimeObservation[i].appliedStereotype
Behavior	behavior	Behavior	Observation	$TimeObservation[i].behavior
classType	classType	Class	BaseElement	$TimeObservation[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$TimeObservation[i].clientDependency
isEditable	editable	boolean	BaseElement	$TimeObservation[i].editable
Event	event	NamedElement	TimeObservation	$TimeObservation[i].event
isFirstEvent	firstEvent	boolean	TimeObservation	$TimeObservation[i].firstEvent
humanName	humanName	String	BaseElement	$TimeObservation[i].humanName
humanType	humanType	String	BaseElement	$TimeObservation[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

isInvalid	invalid	boolean	ModelObject	$TimeObservation[i].invalid
localID	localID	String	ModelObject	$TimeObservation[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TimeObservation[i].mdExtensions
Name	name	String	NamedElement	$TimeObservation[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$TimeObservation[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$TimeObservation[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$TimeObservation[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$TimeObservation[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TimeObservation[i].ownedElement
Owner	owner	Element	Element	$TimeObservation[i].owner
Owning Package	owningPackage	Package	PackageableElement	$TimeObservation[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$TimeObservation[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$TimeObservation[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$TimeObservation[i].supplierDependency
Sync Element	syncElement	Element	Element	$TimeObservation[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TimeObservation[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$TimeObservation[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$TimeObservation[i].visibility

237. Transition

Generalization

- Namespace
- RedefinableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Transition[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Transition[i].appliedStereotype
classType	classType	Class	BaseElement	$Transition[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Transition[i].clientDependency
Container	container	Region	Transition	$Transition[i].container
isEditable	editable	boolean	BaseElement	$Transition[i].editable
Effect	effect	Behavior	Transition	$Transition[i].effect
Element Import	elementImport	ElementImport[]	Namespace	$Transition[i].elementImport
Guard	guard	Constraint	Transition	$Transition[i].guard
humanName	humanName	String	BaseElement	$Transition[i].humanName
humanType	humanType	String	BaseElement	$Transition[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Imported Member	importedMember	PackageableElement[]	Namespace	$Transition[i].importedMember
isInvalid	invalid	boolean	ModelObject	$Transition[i].invalid
Kind	kind	TransitionKind	Transition	$Transition[i].kind
Is Leaf	leaf	boolean	RedefinableElement	$Transition[i].leaf
localID	localID	String	ModelObject	$Transition[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Transition[i].mdExtensions
Member	member	NamedElement[]	Namespace	$Transition[i].member
Name	name	String	NamedElement	$Transition[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Transition[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Transition[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Transition[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Transition[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$Transition[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$Transition[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$Transition[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$Transition[i].ownedRule
Owner	owner	Element	Element	$Transition[i].owner
Package Import	packageImport	PackageImport[]	Namespace	$Transition[i].packageImport
Qualified Name	qualifiedName	String	NamedElement	$Transition[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Transition[i].redefinedElement
Redefined Transition	redefinedTransition	Transition	Transition	$Transition[i].redefinedTransition
Redefinition Context	redefinitionContext	Classifier[]	Transition	$Transition[i].redefinitionContext
Source	source	Vertex	Transition	$Transition[i].source
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Transition[i].supplierDependency
Sync Element	syncElement	Element	Element	$Transition[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Transition[i].taggedValue
Target	target	Vertex	Transition	$Transition[i].target
Trigger	trigger	Trigger[]	Transition	$Transition[i].trigger
Visibility	visibility	VisibilityKind	NamedElement	$Transition[i].visibility

238. Trigger

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Trigger[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Trigger[i].appliedStereotype

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

classType	classType	Class	BaseElement	$Trigger[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Trigger[i].clientDependency
isEditable	editable	boolean	BaseElement	$Trigger[i].editable
Event	event	Event	Trigger	$Trigger[i].event
humanName	humanName	String	BaseElement	$Trigger[i].humanName
humanType	humanType	String	BaseElement	$Trigger[i].humanType
isInvalid	invalid	boolean	ModelObject	$Trigger[i].invalid
localID	localID	String	ModelObject	$Trigger[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Trigger[i].mdExtensions
Name	name	String	NamedElement	$Trigger[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Trigger[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Trigger[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Trigger[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Trigger[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Trigger[i].ownedElement
Owner	owner	Element	Element	$Trigger[i].owner
Port	port	Port[]	Trigger	$Trigger[i].port
Qualified Name	qualifiedName	String	NamedElement	$Trigger[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Trigger[i].supplierDependency
Sync Element	syncElement	Element	Element	$Trigger[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Trigger[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Trigger[i].visibility

239. Type

Generalization

- PackageableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Type[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Type[i].appliedStereotype
classType	classType	Class	BaseElement	$Type[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Type[i].clientDependency
isEditable	editable	boolean	BaseElement	$Type[i].editable
humanName	humanName	String	BaseElement	$Type[i].humanName
humanType	humanType	String	BaseElement	$Type[i].humanType
isInvalid	invalid	boolean	ModelObject	$Type[i].invalid
localID	localID	String	ModelObject	$Type[i].localID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

mdExtensions	mdExtensions	MDExtension[]	MDObject	$Type[i].mdExtensions
Name	name	String	NamedElement	$Type[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Type[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Type[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Type[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Type[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Type[i].ownedElement
Owner	owner	Element	Element	$Type[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Type[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Type[i].owningTemplateParameter
Package	package	Package	Type	$Type[i].package
Qualified Name	qualifiedName	String	NamedElement	$Type[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Type[i].supplierDependency
Sync Element	syncElement	Element	Element	$Type[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Type[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Type[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Type[i].visibility

240. TypedElement

Generalization

- NamedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$TypedElement[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$TypedElement[i].appliedStereotype
classType	classType	Class	BaseElement	$TypedElement[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$TypedElement[i].clientDependency
isEditable	editable	boolean	BaseElement	$TypedElement[i].editable
humanName	humanName	String	BaseElement	$TypedElement[i].humanName
humanType	humanType	String	BaseElement	$TypedElement[i].humanType
isInvalid	invalid	boolean	ModelObject	$TypedElement[i].invalid
localID	localID	String	ModelObject	$TypedElement[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$TypedElement[i].mdExtensions
Name	name	String	NamedElement	$TypedElement[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$TypedElement[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$TypedElement[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$TypedElement[i].objectParent

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owned Comment	ownedComment	Comment[]	Element	$TypedElement[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$TypedElement[i].ownedElement
Owner	owner	Element	Element	$TypedElement[i].owner
Qualified Name	qualifiedName	String	NamedElement	$TypedElement[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$TypedElement[i].supplierDependency
Sync Element	syncElement	Element	Element	$TypedElement[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$TypedElement[i].taggedValue
Type	type	Type	TypedElement	$TypedElement[i].type
Visibility	visibility	VisibilityKind	NamedElement	$TypedElement[i].visibility

241. UnmarshallAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$UnmarshallAction[i].ID
Activity	activity	Activity	ActivityNode	$UnmarshallAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$UnmarshallAction[i].appliedStereotype
classType	classType	Class	BaseElement	$UnmarshallAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$UnmarshallAction[i].clientDependency
Context	context	Classifier	Action	$UnmarshallAction[i].context
isEditable	editable	boolean	BaseElement	$UnmarshallAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$UnmarshallAction[i].handler
humanName	humanName	String	BaseElement	$UnmarshallAction[i].humanName
humanType	humanType	String	BaseElement	$UnmarshallAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$UnmarshallAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$UnmarshallAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$UnmarshallAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$UnmarshallAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$UnmarshallAction[i].incoming
Input	input	InputPin[]	Action	$UnmarshallAction[i].input
isInvalid	invalid	boolean	ModelObject	$UnmarshallAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$UnmarshallAction[i].leaf
localID	localID	String	ModelObject	$UnmarshallAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$UnmarshallAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$UnmarshallAction[i].localPrecondition

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Locally Reentrant	locallyReentrant	boolean	Action	$UnmarshallAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$UnmarshallAction[i].mdExtensions
Name	name	String	NamedElement	$UnmarshallAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$UnmarshallAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$UnmarshallAction[i].namespace
Object	object	InputPin	UnmarshallAction	$UnmarshallAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$UnmarshallAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$UnmarshallAction[i].outgoing
Output	output	OutputPin[]	Action	$UnmarshallAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$UnmarshallAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$UnmarshallAction[i].ownedElement
Owner	owner	Element	Element	$UnmarshallAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$UnmarshallAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$UnmarshallAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$UnmarshallAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$UnmarshallAction[i].redefinitionContext
Result	result	OutputPin[]	UnmarshallAction	$UnmarshallAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$UnmarshallAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$UnmarshallAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$UnmarshallAction[i].taggedValue
Unmarshall Type	unmarshallType	Classifier	UnmarshallAction	$UnmarshallAction[i].unmarshallType
Visibility	visibility	VisibilityKind	NamedElement	$UnmarshallAction[i].visibility

242. Usage

Generalization

- Dependency

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Usage[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Usage[i].appliedStereotype
classType	classType	Class	BaseElement	$Usage[i].classType
Client	client	NamedElement[]	Dependency	$Usage[i].client
Client Dependency	clientDependency	Dependency[]	NamedElement	$Usage[i].clientDependency
isEditable	editable	boolean	BaseElement	$Usage[i].editable
humanName	humanName	String	BaseElement	$Usage[i].humanName
humanType	humanType	String	BaseElement	$Usage[i].humanType
isInvalid	invalid	boolean	ModelObject	$Usage[i].invalid

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

localID	localID	String	ModelObject	$Usage[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Usage[i].mdExtensions
Name	name	String	NamedElement	$Usage[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Usage[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Usage[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Usage[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$Usage[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Usage[i].ownedElement
Owner	owner	Element	Element	$Usage[i].owner
Owning Package	owningPackage	Package	PackageableElement	$Usage[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Usage[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Usage[i].qualifiedName
Related Element	relatedElement	Element[]	Relationship	$Usage[i].relatedElement
Source	source	Element[]	DirectedRelationship	$Usage[i].source
Supplier	supplier	NamedElement[]	Dependency	$Usage[i].supplier
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Usage[i].supplierDependency
Sync Element	syncElement	Element	Element	$Usage[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Usage[i].taggedValue
Target	target	Element[]	DirectedRelationship	$Usage[i].target
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$Usage[i].templateParameter
Visibility	visibility	VisibilityKind	PackageableElement	$Usage[i].visibility

243. UseCase

Generalization

- BehavioredClassifier

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$UseCase[i].ID
Class	UMLClass	Class	Classifier	$UseCase[i].UMLClass
Is Abstract	abstract	boolean	Classifier	$UseCase[i].abstract
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$UseCase[i].appliedStereotype
Attribute	attribute	Property[]	Classifier	$UseCase[i].attribute
classType	classType	Class	BaseElement	$UseCase[i].classType
Classifier Behavior	classifierBehavior	Behavior	BehavioredClassifier	$UseCase[i].classifierBehavior
Client Dependency	clientDependency	Dependency[]	NamedElement	$UseCase[i].clientDependency
Collaboration Use	collaborationUse	CollaborationUse[]	Classifier	$UseCase[i].collaborationUse
isEditable	editable	boolean	BaseElement	$UseCase[i].editable

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Element Import	elementImport	ElementImport[]	Namespace	$UseCase[i].elementImport
Extend	extend	Extend[]	UseCase	$UseCase[i].extend
Extension Point	extensionPoint	ExtensionPoint[]	UseCase	$UseCase[i].extensionPoint
Feature	feature	Feature[]	Classifier	$UseCase[i].feature
Is Final Specialization	finalSpecialization	boolean	Classifier	$UseCase[i].finalSpecialization
General	general	Classifier[]	Classifier	$UseCase[i].general
Generalization	generalization	Generalization[]	Classifier	$UseCase[i].generalization
humanName	humanName	String	BaseElement	$UseCase[i].humanName
humanType	humanType	String	BaseElement	$UseCase[i].humanType
Imported Member	importedMember	PackageableElement[]	Namespace	$UseCase[i].importedMember
Include	include	Include[]	UseCase	$UseCase[i].include
Inherited Member	inheritedMember	NamedElement[]	Classifier	$UseCase[i].inheritedMember
Interface Realization	interfaceRealization	InterfaceRealization[]	BehavioredClassifier	$UseCase[i].interfaceRealization
isInvalid	invalid	boolean	ModelObject	$UseCase[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$UseCase[i].leaf
localID	localID	String	ModelObject	$UseCase[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$UseCase[i].mdExtensions
Member	member	NamedElement[]	Namespace	$UseCase[i].member
Name	name	String	NamedElement	$UseCase[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$UseCase[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$UseCase[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$UseCase[i].objectParent
Owned Behavior	ownedBehavior	Behavior[]	BehavioredClassifier	$UseCase[i].ownedBehavior
Owned Comment	ownedComment	Comment[]	Element	$UseCase[i].ownedComment
Owned Diagram	ownedDiagram	Diagram[]	Namespace	$UseCase[i].ownedDiagram
Owned Element	ownedElement	Element[]	Element	$UseCase[i].ownedElement
Owned Member	ownedMember	NamedElement[]	Namespace	$UseCase[i].ownedMember
Owned Rule	ownedRule	Constraint[]	Namespace	$UseCase[i].ownedRule
Owned Template Signature	ownedTemplateSignature	RedefinableTemplateSignature	Classifier	$UseCase[i].ownedTemplateSignature
Owned Use Case	ownedUseCase	UseCase[]	Classifier	$UseCase[i].ownedUseCase
Owner	owner	Element	Element	$UseCase[i].owner
Owning Package	owningPackage	Package	PackageableElement	$UseCase[i].owningPackage
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$UseCase[i].owningTemplateParameter
Package	package	Package	Type	$UseCase[i].package
Package Import	packageImport	PackageImport[]	Namespace	$UseCase[i].packageImport
Powertype Extent	powertypeExtent	GeneralizationSet[]	Classifier	$UseCase[i].powertypeExtent
Qualified Name	qualifiedName	String	NamedElement	$UseCase[i].qualifiedName
Redefined Classifier	redefinedClassifier	Classifier[]	Classifier	$UseCase[i].redefinedClassifier
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$UseCase[i].redefinedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$UseCase[i].redefinitionContext
Representation	representation	CollaborationUse	Classifier	$UseCase[i].representation
Subject	subject	Classifier[]	UseCase	$UseCase[i].subject
Substitution	substitution	Substitution[]	Classifier	$UseCase[i].substitution
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$UseCase[i].supplierDependency
Sync Element	syncElement	Element	Element	$UseCase[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$UseCase[i].taggedValue
Template Binding	templateBinding	TemplateBinding[]	TemplateableElement	$UseCase[i].templateBinding
Template Parameter	templateParameter	ClassifierTemplateParameter	Classifier	$UseCase[i].templateParameter
Use Case	useCase	UseCase[]	Classifier	$UseCase[i].useCase
Visibility	visibility	VisibilityKind	PackageableElement	$UseCase[i].visibility

244. ValuePin

Generalization

- InputPin

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ValuePin[i].ID
Activity	activity	Activity	ActivityNode	$ValuePin[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ValuePin[i].appliedStereotype
classType	classType	Class	BaseElement	$ValuePin[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ValuePin[i].clientDependency
Is Control	control	boolean	Pin	$ValuePin[i].control
Is Control Type	controlType	boolean	ObjectNode	$ValuePin[i].controlType
isEditable	editable	boolean	BaseElement	$ValuePin[i].editable
humanName	humanName	String	BaseElement	$ValuePin[i].humanName
humanType	humanType	String	BaseElement	$ValuePin[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ValuePin[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ValuePin[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ValuePin[i].inPartition
In State	inState	State[]	ObjectNode	$ValuePin[i].inState
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ValuePin[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ValuePin[i].incoming
isInvalid	invalid	boolean	ModelObject	$ValuePin[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ValuePin[i].leaf

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

localID	localID	String	ModelObject	$ValuePin[i].localID
Lower	lower	int	MultiplicityElement	$ValuePin[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$ValuePin[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ValuePin[i].mdExtensions
Name	name	String	NamedElement	$ValuePin[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ValuePin[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ValuePin[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ValuePin[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$ValuePin[i].ordered
Ordering	ordering	ObjectNodeOrderingKind	ObjectNode	$ValuePin[i].ordering
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ValuePin[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$ValuePin[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ValuePin[i].ownedElement
Owner	owner	Element	Element	$ValuePin[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ValuePin[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ValuePin[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ValuePin[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ValuePin[i].redefinitionContext
Selection	selection	Behavior	ObjectNode	$ValuePin[i].selection
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ValuePin[i].supplierDependency
Sync Element	syncElement	Element	Element	$ValuePin[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ValuePin[i].taggedValue
Type	type	Type	TypedElement	$ValuePin[i].type
Is Unique	unique	boolean	MultiplicityElement	$ValuePin[i].unique
Upper	upper	int	MultiplicityElement	$ValuePin[i].upper
Upper Bound	upperBound	ValueSpecification	ObjectNode	$ValuePin[i].upperBound
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$ValuePin[i].upperValue
Value	value	ValueSpecification	ValuePin	$ValuePin[i].value
Visibility	visibility	VisibilityKind	NamedElement	$ValuePin[i].visibility

245. ValueSpecification

Generalization

- PackageableElement
- TypedElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ValueSpecification[i].ID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ValueSpecification[i].appliedStereotype
classType	classType	Class	BaseElement	$ValueSpecification[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ValueSpecification[i].clientDependency
isEditable	editable	boolean	BaseElement	$ValueSpecification[i].editable
Expression	expression	Expression	ValueSpecification	$ValueSpecification[i].expression
humanName	humanName	String	BaseElement	$ValueSpecification[i].humanName
humanType	humanType	String	BaseElement	$ValueSpecification[i].humanType
isInvalid	invalid	boolean	ModelObject	$ValueSpecification[i].invalid
localID	localID	String	ModelObject	$ValueSpecification[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ValueSpecification[i].mdExtensions
Name	name	String	NamedElement	$ValueSpecification[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ValueSpecification[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ValueSpecification[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ValueSpecification[i].objectParent
Owned Comment	ownedComment	Comment[]	Element	$ValueSpecification[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$ValueSpecification[i].ownedElement
Owner	owner	Element	Element	$ValueSpecification[i].owner
Owning Constraint	owningConstraint	Constraint	ValueSpecification	$ValueSpecification[i].owningConstraint
Owning Instance Spec	owningInstanceSpec	InstanceSpecification	ValueSpecification	$ValueSpecification[i].owningInstanceSpec
Owning Lower	owningLower	MultiplicityElement	ValueSpecification	$ValueSpecification[i].owningLower
Owning Package	owningPackage	Package	PackageableElement	$ValueSpecification[i].owningPackage
Owning Parameter	owningParameter	Parameter	ValueSpecification	$ValueSpecification[i].owningParameter
Owning Property	owningProperty	Property	ValueSpecification	$ValueSpecification[i].owningProperty
Owning Slot	owningSlot	Slot	ValueSpecification	$ValueSpecification[i].owningSlot
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$ValueSpecification[i].owningTemplateParameter
Owning Upper	owningUpper	MultiplicityElement	ValueSpecification	$ValueSpecification[i].owningUpper
Qualified Name	qualifiedName	String	NamedElement	$ValueSpecification[i].qualifiedName
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ValueSpecification[i].supplierDependency
Sync Element	syncElement	Element	Element	$ValueSpecification[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ValueSpecification[i].taggedValue
Template Parameter	templateParameter	TemplateParameter	ParameterableElement	$ValueSpecification[i].templateParameter
Type	type	Type	TypedElement	$ValueSpecification[i].type
Visibility	visibility	VisibilityKind	PackageableElement	$ValueSpecification[i].visibility

246. ValueSpecificationAction

Generalization

- Action

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$ValueSpecificationAction[i].ID
Activity	activity	Activity	ActivityNode	$ValueSpecificationAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$ValueSpecificationAction[i].appliedStereotype
classType	classType	Class	BaseElement	$ValueSpecificationAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$ValueSpecificationAction[i].clientDependency
Context	context	Classifier	Action	$ValueSpecificationAction[i].context
isEditable	editable	boolean	BaseElement	$ValueSpecificationAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$ValueSpecificationAction[i].handler
humanName	humanName	String	BaseElement	$ValueSpecificationAction[i].humanName
humanType	humanType	String	BaseElement	$ValueSpecificationAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$ValueSpecificationAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$ValueSpecificationAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$ValueSpecificationAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$ValueSpecificationAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$ValueSpecificationAction[i].incoming
Input	input	InputPin[]	Action	$ValueSpecificationAction[i].input
isInvalid	invalid	boolean	ModelObject	$ValueSpecificationAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$ValueSpecificationAction[i].leaf
localID	localID	String	ModelObject	$ValueSpecificationAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$ValueSpecificationAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$ValueSpecificationAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$ValueSpecificationAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$ValueSpecificationAction[i].mdExtensions
Name	name	String	NamedElement	$ValueSpecificationAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$ValueSpecificationAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$ValueSpecificationAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$ValueSpecificationAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$ValueSpecificationAction[i].outgoing
Output	output	OutputPin[]	Action	$ValueSpecificationAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$ValueSpecificationAction[i].ownedComme

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

				nt
Owned Element	ownedElement	Element[]	Element	$ValueSpecificationAction[i].ownedElement
Owner	owner	Element	Element	$ValueSpecificationAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$ValueSpecificationAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$ValueSpecificationAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$ValueSpecificationAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$ValueSpecificationAction[i].redefinitionContext
Result	result	OutputPin	ValueSpecificationAction	$ValueSpecificationAction[i].result
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$ValueSpecificationAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$ValueSpecificationAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$ValueSpecificationAction[i].taggedValue
Value	value	ValueSpecification	ValueSpecificationAction	$ValueSpecificationAction[i].value
Visibility	visibility	VisibilityKind	NamedElement	$ValueSpecificationAction[i].visibility

247. Variable

Generalization

- ConnectableElement
- MultiplicityElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$Variable[i].ID
Activity Scope	activityScope	Activity	Variable	$Variable[i].activityScope
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Variable[i].appliedStereotype
classType	classType	Class	BaseElement	$Variable[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Variable[i].clientDependency
isEditable	editable	boolean	BaseElement	$Variable[i].editable
End	end	ConnectorEnd[]	ConnectableElement	$Variable[i].end
humanName	humanName	String	BaseElement	$Variable[i].humanName
humanType	humanType	String	BaseElement	$Variable[i].humanType
isInvalid	invalid	boolean	ModelObject	$Variable[i].invalid
localID	localID	String	ModelObject	$Variable[i].localID
Lower	lower	int	MultiplicityElement	$Variable[i].lower
Lower Value	lowerValue	ValueSpecification	MultiplicityElement	$Variable[i].lowerValue
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Variable[i].mdExtensions

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Name	name	String	NamedElement	$Variable[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Variable[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Variable[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Variable[i].objectParent
Is Ordered	ordered	boolean	MultiplicityElement	$Variable[i].ordered
Owned Comment	ownedComment	Comment[]	Element	$Variable[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Variable[i].ownedElement
Owner	owner	Element	Element	$Variable[i].owner
Owning Template Parameter	owningTemplateParameter	TemplateParameter	ParameterableElement	$Variable[i].owningTemplateParameter
Qualified Name	qualifiedName	String	NamedElement	$Variable[i].qualifiedName
Scope	scope	StructuredActivityNode	Variable	$Variable[i].scope
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Variable[i].supplierDependency
Sync Element	syncElement	Element	Element	$Variable[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Variable[i].taggedValue
Template Parameter	templateParameter	ConnectableElementTemplateParameter	ConnectableElement	$Variable[i].templateParameter
Type	type	Type	TypedElement	$Variable[i].type
Is Unique	unique	boolean	MultiplicityElement	$Variable[i].unique
Upper	upper	int	MultiplicityElement	$Variable[i].upper
Upper Value	upperValue	ValueSpecification	MultiplicityElement	$Variable[i].upperValue
Visibility	visibility	VisibilityKind	NamedElement	$Variable[i].visibility

248. VariableAction

Generalization

- Action

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$VariableAction[i].ID
Activity	activity	Activity	ActivityNode	$VariableAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$VariableAction[i].appliedStereotype
classType	classType	Class	BaseElement	$VariableAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$VariableAction[i].clientDependency
Context	context	Classifier	Action	$VariableAction[i].context
isEditable	editable	boolean	BaseElement	$VariableAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$VariableAction[i].handler
humanName	humanName	String	BaseElement	$VariableAction[i].humanName
humanType	humanType	String	BaseElement	$VariableAction[i].humanType

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

In Group	inGroup	ActivityGroup[]	ActivityNode	$VariableAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$VariableAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$VariableAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$VariableAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$VariableAction[i].incoming
Input	input	InputPin[]	Action	$VariableAction[i].input
isInvalid	invalid	boolean	ModelObject	$VariableAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$VariableAction[i].leaf
localID	localID	String	ModelObject	$VariableAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$VariableAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$VariableAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$VariableAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$VariableAction[i].mdExtensions
Name	name	String	NamedElement	$VariableAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$VariableAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$VariableAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$VariableAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$VariableAction[i].outgoing
Output	output	OutputPin[]	Action	$VariableAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$VariableAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$VariableAction[i].ownedElement
Owner	owner	Element	Element	$VariableAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$VariableAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$VariableAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$VariableAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$VariableAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$VariableAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$VariableAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$VariableAction[i].taggedValue
Variable	variable	Variable	VariableAction	$VariableAction[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$VariableAction[i].visibility

249. Vertex

Generalization

- RedefinableElement

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class	Sample Template Expression (VTL)

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

			Owner)	
ID	ID	String	MDObject	$Vertex[i].ID
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$Vertex[i].appliedStereotype
classType	classType	Class	BaseElement	$Vertex[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$Vertex[i].clientDependency
Container	container	Region	Vertex	$Vertex[i].container
isEditable	editable	boolean	BaseElement	$Vertex[i].editable
humanName	humanName	String	BaseElement	$Vertex[i].humanName
humanType	humanType	String	BaseElement	$Vertex[i].humanType
Incoming	incoming	Transition[]	Vertex	$Vertex[i].incoming
isInvalid	invalid	boolean	ModelObject	$Vertex[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$Vertex[i].leaf
localID	localID	String	ModelObject	$Vertex[i].localID
mdExtensions	mdExtensions	MDExtension[]	MDObject	$Vertex[i].mdExtensions
Name	name	String	NamedElement	$Vertex[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$Vertex[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$Vertex[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$Vertex[i].objectParent
Outgoing	outgoing	Transition[]	Vertex	$Vertex[i].outgoing
Owned Comment	ownedComment	Comment[]	Element	$Vertex[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$Vertex[i].ownedElement
Owner	owner	Element	Element	$Vertex[i].owner
Qualified Name	qualifiedName	String	NamedElement	$Vertex[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$Vertex[i].redefinedElement
Redefined Vertex	redefinedVertex	Vertex	Vertex	$Vertex[i].redefinedVertex
Redefinition Context	redefinitionContext	Classifier[]	Vertex	$Vertex[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$Vertex[i].supplierDependency
Sync Element	syncElement	Element	Element	$Vertex[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$Vertex[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$Vertex[i].visibility

250. WriteLinkAction

Generalization

- LinkAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$WriteLinkAction[i].ID

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Activity	activity	Activity	ActivityNode	$WriteLinkAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$WriteLinkAction[i].appliedStereotype
classType	classType	Class	BaseElement	$WriteLinkAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$WriteLinkAction[i].clientDependency
Context	context	Classifier	Action	$WriteLinkAction[i].context
isEditable	editable	boolean	BaseElement	$WriteLinkAction[i].editable
End Data	endData	LinkEndData[]	LinkAction	$WriteLinkAction[i].endData
Handler	handler	ExceptionHandler[]	ExecutableNode	$WriteLinkAction[i].handler
humanName	humanName	String	BaseElement	$WriteLinkAction[i].humanName
humanType	humanType	String	BaseElement	$WriteLinkAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$WriteLinkAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$WriteLinkAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$WriteLinkAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$WriteLinkAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$WriteLinkAction[i].incoming
Input	input	InputPin[]	Action	$WriteLinkAction[i].input
Input Value	inputValue	InputPin[]	LinkAction	$WriteLinkAction[i].inputValue
isInvalid	invalid	boolean	ModelObject	$WriteLinkAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$WriteLinkAction[i].leaf
localID	localID	String	ModelObject	$WriteLinkAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$WriteLinkAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$WriteLinkAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$WriteLinkAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$WriteLinkAction[i].mdExtensions
Name	name	String	NamedElement	$WriteLinkAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$WriteLinkAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$WriteLinkAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$WriteLinkAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$WriteLinkAction[i].outgoing
Output	output	OutputPin[]	Action	$WriteLinkAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$WriteLinkAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$WriteLinkAction[i].ownedElement
Owner	owner	Element	Element	$WriteLinkAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$WriteLinkAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$WriteLinkAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$WriteLinkAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$WriteLinkAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$WriteLinkAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$WriteLinkAction[i].syncElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Tagged Value	taggedValue	TaggedValue[]	Element	$WriteLinkAction[i].taggedValue
Visibility	visibility	VisibilityKind	NamedElement	$WriteLinkAction[i].visibility

251. WriteStructuralFeatureAction

Generalization

- StructuralFeatureAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$WriteStructuralFeatureAction[i].ID
Activity	activity	Activity	ActivityNode	$WriteStructuralFeatureAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$WriteStructuralFeatureAction[i].appliedStereotype
classType	classType	Class	BaseElement	$WriteStructuralFeatureAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$WriteStructuralFeatureAction[i].clientDependency
Context	context	Classifier	Action	$WriteStructuralFeatureAction[i].context
isEditable	editable	boolean	BaseElement	$WriteStructuralFeatureAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$WriteStructuralFeatureAction[i].handler
humanName	humanName	String	BaseElement	$WriteStructuralFeatureAction[i].humanName
humanType	humanType	String	BaseElement	$WriteStructuralFeatureAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$WriteStructuralFeatureAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$WriteStructuralFeatureAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$WriteStructuralFeatureAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$WriteStructuralFeatureAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$WriteStructuralFeatureAction[i].incoming
Input	input	InputPin[]	Action	$WriteStructuralFeatureAction[i].input
isInvalid	invalid	boolean	ModelObject	$WriteStructuralFeatureAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$WriteStructuralFeatureAction[i].leaf
localID	localID	String	ModelObject	$WriteStructuralFeatureAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$WriteStructuralFeatureAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$WriteStructuralFeatureAction[i].localPrecondition

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Is Locally Reentrant	locallyReentrant	boolean	Action	$WriteStructuralFeatureAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$WriteStructuralFeatureAction[i].mdExtensions
Name	name	String	NamedElement	$WriteStructuralFeatureAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$WriteStructuralFeatureAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$WriteStructuralFeatureAction[i].namespace
Object	object	InputPin	StructuralFeatureAction	$WriteStructuralFeatureAction[i].object
objectParent	objectParent	BaseElement	BaseElement	$WriteStructuralFeatureAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$WriteStructuralFeatureAction[i].outgoing
Output	output	OutputPin[]	Action	$WriteStructuralFeatureAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$WriteStructuralFeatureAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$WriteStructuralFeatureAction[i].ownedElement
Owner	owner	Element	Element	$WriteStructuralFeatureAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$WriteStructuralFeatureAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$WriteStructuralFeatureAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$WriteStructuralFeatureAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$WriteStructuralFeatureAction[i].redefinitionContext
Result	result	OutputPin	WriteStructuralFeatureAction	$WriteStructuralFeatureAction[i].result
Structural Feature	structuralFeature	StructuralFeature	StructuralFeatureAction	$WriteStructuralFeatureAction[i].structuralFeature
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$WriteStructuralFeatureAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$WriteStructuralFeatureAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$WriteStructuralFeatureAction[i].taggedValue
Value	value	InputPin	WriteStructuralFeatureAction	$WriteStructuralFeatureAction[i].value
Visibility	visibility	VisibilityKind	NamedElement	$WriteStructuralFeatureAction[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

252. WriteVariableAction

Generalization

- VariableAction

Attribute Label	Attribute Name	Attribute Type (UML Class)	Declaring Class (Class Owner)	Sample Template Expression (VTL)
ID	ID	String	MDObject	$WriteVariableAction[i].ID
Activity	activity	Activity	ActivityNode	$WriteVariableAction[i].activity
Applied Stereotype	appliedStereotype	Stereotype[]	Element	$WriteVariableAction[i].appliedStereotype
classType	classType	Class	BaseElement	$WriteVariableAction[i].classType
Client Dependency	clientDependency	Dependency[]	NamedElement	$WriteVariableAction[i].clientDependency
Context	context	Classifier	Action	$WriteVariableAction[i].context
isEditable	editable	boolean	BaseElement	$WriteVariableAction[i].editable
Handler	handler	ExceptionHandler[]	ExecutableNode	$WriteVariableAction[i].handler
humanName	humanName	String	BaseElement	$WriteVariableAction[i].humanName
humanType	humanType	String	BaseElement	$WriteVariableAction[i].humanType
In Group	inGroup	ActivityGroup[]	ActivityNode	$WriteVariableAction[i].inGroup
In Interruptible Region	inInterruptibleRegion	InterruptibleActivityRegion[]	ActivityNode	$WriteVariableAction[i].inInterruptibleRegion
In Partition	inPartition	ActivityPartition[]	ActivityNode	$WriteVariableAction[i].inPartition
In Structured Node	inStructuredNode	StructuredActivityNode	ActivityNode	$WriteVariableAction[i].inStructuredNode
Incoming	incoming	ActivityEdge[]	ActivityNode	$WriteVariableAction[i].incoming
Input	input	InputPin[]	Action	$WriteVariableAction[i].input
isInvalid	invalid	boolean	ModelObject	$WriteVariableAction[i].invalid
Is Leaf	leaf	boolean	RedefinableElement	$WriteVariableAction[i].leaf
localID	localID	String	ModelObject	$WriteVariableAction[i].localID
Local Postcondition	localPostcondition	Constraint[]	Action	$WriteVariableAction[i].localPostcondition
Local Precondition	localPrecondition	Constraint[]	Action	$WriteVariableAction[i].localPrecondition
Is Locally Reentrant	locallyReentrant	boolean	Action	$WriteVariableAction[i].locallyReentrant
mdExtensions	mdExtensions	MDExtension[]	MDObject	$WriteVariableAction[i].mdExtensions
Name	name	String	NamedElement	$WriteVariableAction[i].name
Name Expression	nameExpression	StringExpression	NamedElement	$WriteVariableAction[i].nameExpression
Namespace	namespace	Namespace	NamedElement	$WriteVariableAction[i].namespace
objectParent	objectParent	BaseElement	BaseElement	$WriteVariableAction[i].objectParent
Outgoing	outgoing	ActivityEdge[]	ActivityNode	$WriteVariableAction[i].outgoing
Output	output	OutputPin[]	Action	$WriteVariableAction[i].output
Owned Comment	ownedComment	Comment[]	Element	$WriteVariableAction[i].ownedComment
Owned Element	ownedElement	Element[]	Element	$WriteVariableAction[i].ownedElement

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.

Owner	owner	Element	Element	$WriteVariableAction[i].owner
Qualified Name	qualifiedName	String	NamedElement	$WriteVariableAction[i].qualifiedName
Redefined Element	redefinedElement	RedefinableElement[]	RedefinableElement	$WriteVariableAction[i].redefinedElement
Redefined Node	redefinedNode	ActivityNode[]	ActivityNode	$WriteVariableAction[i].redefinedNode
Redefinition Context	redefinitionContext	Classifier[]	RedefinableElement	$WriteVariableAction[i].redefinitionContext
Supplier Dependency	supplierDependency	Dependency[]	NamedElement	$WriteVariableAction[i].supplierDependency
Sync Element	syncElement	Element	Element	$WriteVariableAction[i].syncElement
Tagged Value	taggedValue	TaggedValue[]	Element	$WriteVariableAction[i].taggedValue
Value	value	InputPin	WriteVariableAction	$WriteVariableAction[i].value
Variable	variable	Variable	VariableAction	$WriteVariableAction[i].variable
Visibility	visibility	VisibilityKind	NamedElement	$WriteVariableAction[i].visibility

Copyright © 1998 – 2021 No Magic, Incorporated, a Dassault Systèmes company – All Rights Reserved.