McMurdo Station, Ross Island

BUILDING INFORMATION SHEET

Gallagher's Club

Location ID: B108

Single-story building used as a drinking establishment. Includes an assembly area with wet bar, a snack bar with grill, restrooms, a storage room, and a mechanical room.




Photo 1: *Gallagher's Club*

General Structure Information

Usage	Gallagher's Bar (formerly known as the Erebus Club)
Occupancy Group	A-3 Assembly
Maximum Occupancy	128
Construction Type	Type V, N, combustible; fiberglass batt insulated wood-framed exterior walls and roof, plywood and T-5 plywood panel siding, sheet metal roofing, wood-framed plywood floor, wood-framed gypsum board interior partitions.
Year Constructed	1988
Dimensions	52' x 52'Two 6.5' x 10' entry vestibulesTwo 6.5' x 8' entry vestibulesOne 8'x 8' furnace vestibule

Floor Area

Floor	Area
Floor 1	3,002 sq ft
Total	3,002 sq ft

HVAC System

Heating	One Jackson-Church forced-air, oil-burning unit (250,000 Btu/hr)

Air Handling Units	None
Fuel Tank	300 gallon fuel tank

Water and Sewer

Water Service	2" stub off of a 4" main
Sewer Service	4" stub off of a 4" main
Connections	Sinks: 3 Toilets: 3 Urinals: 2 Showers: 0 Ice Machine: 1
Water Heater	Electric hot water heater

Electrical Service

Service Feeder	Feeder B
Electrical Service	208/120V, 3PH

Fire System

Fire Panel Type	King-Fisher KFRTI-20 industrial radio and control system (IRACS) panel, heat detectors, manual pull stations, alarm horns.
Heat Detectors	Located throughout building
Suppression Type	Automatic dry-chemical fire extinguisher over furnace.

Floorplans




Figure 1: *Gallagher's Club*