✅ Granular Acceptance Criteria

Week 3 • Day 2 • Requirements Engineering & Mini-Capstone

TPM Academy

🎯 Day 2 Objectives

- Write AC in **Given/When/Then** form — testable, falsifiable, scoped
- Detect and rewrite the **5 AC failure modes**
- Cover **happy path / sad path / weird path** — the discipline that distinguishes TPM AC from PM AC
- Conduct an **AC cross-review** with another triad
- Add a **review-resolution note** documenting what was adopted, deferred, or rejected

🕐 Today's Shape

Clock	Block	Outcome
09:00 – 09:15	Opening	Restate non-AI rule; recap Day 1 output
09:15 – 10:30	Block 1 + Activity 1	AC Triage
10:45 – 12:00	Block 2 + Activity 2	Happy-path AC
13:00 – 14:15	Block 3 + Activity 3	Sad & weird-path AC
14:30 – 16:00	Block 4 + Activity 4 + Wrap	AC Cross-Review

Block 1 — What an AC Is

And the 5 ways AC most often fail

📚 The Given/When/Then Form

```
Given <a precondition="" starting="" state="">
When <an action="" or="" event="" happens="">
Then <an observable,="" falsifiable="" result=""></an></an></a>
```

Is	Is not
Testable (you can write a test that passes/fails)	"The system should be intuitive"
Specific to one behavior	"The system handles errors well"
Implementation-agnostic	"Use Redis to cache the response"
Falsifiable (you can prove it wrong)	"Performance should be good"

⚠️ The Five AC Failure Modes

Failure	Example	Fix
1. Vague	"Then it loads quickly"	Replace with measurable target
2. Untestable	"Then user feels confident"	Anchor to system-visible state
3. Restating goal	"Then dispatchers reconcile faster"	Pin to in-system event, not metric
4. AND-soup	"Then X and Y and Z and W"	Split into multiple ACs
5. Implementation-prescriptive	"Redis cache hit returns…"	Behavior, not implementation

👥 Activity 1 — AC Triage

Triads • 35 minutes

You receive 12 AC examples. For each, identify which failure mode(s) are present (or "clean"). Rewrite the failed ones.

- 20 min: triage all 12
- 10 min: rewrite the failed ones
- 5 min: identify the most common failure mode in your pack

⏱️ 20 triage · 10 rewrite · 5 reflect

Block 2 — Happy-Path AC

Easiest first; get them out of the way

🔗 Happy / Sad / Weird Path Coverage

Path	Question	Typical AC count
Happy	What does success look like end-to-end?	3–5
Sad	What happens when input is wrong, user lacks permission, etc.?	2–4
Weird	What about network drops, race conditions, edge cases the user wouldn't think of?	2–4

The TPM differentiator: the weird-path coverage. PMs who don't think technically miss it. Engineers who don't think about users miss it differently.

✅ Worked Happy-Path Example

```
Given a dispatcher viewing the end-of-shift summary
When they tap "Reconcile all"
Then the reconcile modal opens within 1 second
and shows all open tickets pre-selected
and the header shows the count of tickets selected
```

> **Note:** the multiple "and"s here describe one observable state, not separate behaviors. Judgment call — if the "ands" represent different system actions, split.

👥 Activity 2 — Happy-Path AC

Triads • 40 minutes

Identify the happy path from your §5. Each member solo-drafts 3 AC. Pool, de-dupe, refine to 3–5 final.

- 5 min: identify the happy path
- 15 min: solo drafts (3 each)
- 15 min: pool + refine
- 5 min: 5-failure-mode check

⏱️ 5 + 15 + 15 + 5

Block 3 — Sad & Weird Paths

Where TPMs earn their seat

😞 Sad-Path Generator

For each happy-path AC, ask:

- What if the **input is invalid**?
- What if the **user lacks permission**?
- What if the **user cancels mid-flow**?
- What if the **data is missing or stale**?

```
Given a dispatcher with 0 open tickets
When they tap "Reconcile all"
Then a non-modal toast appears with text "No tickets to reconcile"
and the dispatcher remains on the summary screen
```

💩 Weird-Path Generator

For each happy-path AC, ask:

- What if the **network drops** mid-action?
- What if **two users do the same thing simultaneously** (race)?
- What if the action **takes longer than expected** (timeout)?
- What if the **upstream system is down**?
- What if the user is at the **boundary** (max, min, empty)?

```
Given a dispatcher with 47 open tickets (more than modal can list)
When they tap "Reconcile all"
Then the modal opens with the first 25 tickets pre-selected
and a banner reads "22 more tickets — load more"
and a tap on the banner appends the next 25 below
```

👥 Activity 3 — Sad & Weird AC

Triads • 40 minutes

Each member produces 2 sad + 2 weird AC. Pool, cull to 4–6 (2–4 sad, 2–4 weird). Run the 5-failure check.

- 10 min: solo sad-path drafts
- 10 min: solo weird-path drafts
- 10 min: pool + cull
- 10 min: failure-mode check

⏱️ 10 + 10 + 10 + 10

Block 4 — AC Cross-Review

Apply the calibrated eye to another triad's AC

🔎 Why Cross-Review Now

Friday's review covers the whole PRD. Today's review covers **just AC**.

Two reasons:

1. AC are where most PRD weakness shows up — fixing them mid-week leaves time for the rest
2. Reviewing another's AC sharpens your eye for your own remaining gaps

> **Today's review is informal:** no scoring, no rubric. The point is feedback, not grading.

📝 The Review Protocol

1. **Pair triads** (instructor assigns)
2. **Swap PRDs** (reviewer reads §§1–5 first for context, then §6)
3. **Identify failures and gaps:** failure mode? path missing? implicit AC unwritten?
4. **Author triad responds:** adopt / defer / push back, with reasoning
5. **Authors revise** + write the resolution note

> **Reviewer rule:** "this could be more specific" is unhelpful. If you say it, you also write the specific version.

📋 The Review-Resolution Note

At the bottom of §6, document what changed and why:

```
## Review-resolution note (Day 2)

<p><strong>Reviewers:</strong> Triad B
<strong>Findings:</strong></p>
<ol>
<li>AC #3 was vague ("loads fast") — REWROTE with explicit 1-sec target</li>
<li>Missing weird-path AC for offline submit — ADDED as AC #11</li>
<li>AC #7 was implementation-prescriptive — REWROTE in user terms</li>
</ol>
<p><strong>Deferred:</strong></p>
<ul>
<li>Reviewer suggested AC for "user clicks back button" — DEFERRED to NFR
discussion Day 3 (more about state preservation than acceptance)</li>
</ul>
<p><strong>Pushed back:</strong></p>
```

```
```

- ```
  Reviewer suggested splitting AC #2 — DECLINED. Original "and"
  describes one observable state, not multiple behaviors.
  ```
  ```

👥 Activity 4 — AC Cross-Review

Triad pairs • 45 minutes • Wrap

Pair with another triad. Swap PRDs. Review their AC. Author triad responds. Revise and write the resolution note.

- 5 min: read their §§1–5
- 15 min: review their §6 with the 5 failures + path coverage in mind
- 10 min: author triad responds
- 15 min: revise + write resolution note

⏱️ 5 + 15 + 10 + 15 · 15-min wrap

🎉 Day 2 Wrap

What we built

- 5-failure-mode AC detector
- Happy/sad/weird path coverage
- 8–12 AC per PRD
- Cross-review + resolution note

What opens tomorrow

- **Non-Functional Requirements**
- Performance, security, accessibility, observability, compliance
- NFRs as constraints, not wishlists

Bring to Day 3: Your PRD with §§1–6 complete. NFRs come tomorrow.

💬 Questions & Reflection

Which one of your AC would survive a hostile engineer reading it?