

NFR Triage Pack

Day 3 · Activity 1 handout. Ten Non-Functional Requirements drawn from real (anonymized) FieldPulse PRDs. Some are clean. Most carry at least one failure mode. **Your job:** triage all ten, then rewrite the five worst using the four-part NFR template. No labels are provided — the judging is the work.

Failure modes to check against: **Boilerplate · Unmeasurable · No defense · No verification · Wrong category.**

NFR-1

Category: Performance
Requirement: The reconcile flow shall perform acceptably under normal load.

NFR-2

Category: Performance
Requirement: The reconcile modal opens within 1 second (p95) on a mid-tier Android device on 4G LTE.
Defense: Dispatchers tap "Reconcile all" 30+ times per shift; above ~1s p95 the cumulative wait crosses the "I'd rather use paper" threshold they reported in interviews.
Verification: Synthetic transaction in Datadog from a mid-tier device fleet; p95 reported daily, alert if 7-day trailing p95 > 1.2s.

NFR-3

Category: Security
Requirement: The system shall be secure and protect user data.

NFR-4

Category: Observability
Requirement: p99 write latency for the audit-event store shall be < 50ms.

NFR-5

Category: Accessibility

Requirement: The reconcile flow conforms to WCAG 2.1 AA – all interactive elements keyboard-focusable, visible focus indicators, 4.5:1 text contrast minimum, form fields labeled, errors identify the field.

Defense: Interview 3 was a screen-reader user; ADA exposure is non-trivial in our customer segment.

Verification: axe-core scan on every PR; manual screen-reader pass before launch.

NFR-6

Category: Performance

Requirement: The confidence banner shall let dispatchers jump straight to the field that is missing data.

NFR-7

Category: Compliance

Requirement: Reconcile-flow user-action events are retained for 24 months in the audit store, queryable by dispatcher_id and date range.

Defense: SOC 2 Type II requires a user-action audit trail; dispatch decisions are subject to wage-and-hour audit by some state authorities.

Verification: Quarterly test – a random user-event from 18 months ago must be retrievable in < 10 minutes.

NFR-8

Category: Security

Requirement: All reconcile API traffic is encrypted with TLS 1.2 or higher in transit; audit-event payloads are encrypted at rest with platform-managed keys.

NFR-9

Category: Observability

Requirement: The system shall have good logging and monitoring.

NFR-10

Category: Compliance

Requirement: The reconcile feature shall be highly available.

Triage worksheet

NFR	FAILURE MODE(S) OR "CLEAN"	(REWRITE THE 5 WORST BELOW)
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

Hardest NFR to defend even after rewriting: _____ Why (one sentence):
