

ADO Hierarchy Template (DP Section 2)

Day 2 · Activity 1 handout. The four-level spine for loading your feature into Azure DevOps, plus the per-level field stubs to fill in.

The four-level hierarchy

```
Epic – strategic theme; usually 1 per quarterly initiative
├── Feature – a deliverable slice; usually 1–3 per Epic
│   ├── User Story – a unit of user-visible value
│   │   ├── Task – engineering / design / TPM work to deliver
│   │   └── User Story
│   │       └── Task
│   └── Feature
```

For a single feature in the academy's scope:

- **1 Epic** for the broader theme it sits in (e.g., "Reduce dispatcher after-shift admin load")
- **1 Feature** for this PRD (e.g., "Reconcile flow (mobile)")
- **5–10 User Stories** (each Acceptance Criterion roughly maps to one)
- **2–4 Tasks per User Story**

Discipline: don't go deeper than 4 levels (no sub-tasks of sub-tasks). Don't promote a Task to a User Story to "make it visible." User Stories have user-visible value; Tasks don't.

Level stubs (fill these in)

Epic

```
Title: <strategic theme – usually 1 per quarter>
Description: <2-paragraph context: business goal + customer outcome>
Tags: <area, OKR identifier>
```

FieldPulse example: "Reduce dispatcher after-shift admin load" — the umbrella for all reconcile work, manager-view, etc.

Feature

Title: <the PRD's feature name>
Description: <1-paragraph from PRD Section 1>
Parent: <link to the Epic>
Tags: <release tag, persona tag>

FieldPulse example: "Reconcile flow (mobile)".

User Story (5–10 per Feature)

Title: As a <persona>, I want <capability> so that <outcome>
Description: <1-paragraph from PRD Section 5 sketch>
Acceptance Criteria: <copy from PRD Section 6, possibly grouped>
Story Points: <Fibonacci estimate>
Parent: <link to the Feature>
Tags: <happy-path / sad-path / weird-path / non-functional>

Task (2–4 per User Story)

Title: <verb-first: "Build", "Test", "Document", "Review">
Description: <1 line>
State: New
Parent: <link to User Story>
Assignee: <if known, otherwise empty>

Typical Task set: **Build** (implementation), **Test** (automated coverage), **Document** (release notes / internal docs), **Review** (security, peer, or stakeholder sign-off).

NFRs are work

NFRs from PRD Section 7 / TCD Section 3 / Section 4 don't fit cleanly as user stories.

Common treatments:

- **Performance NFR** → its own User Story tagged `non-functional` ("As a dispatcher, I want the modal to open in <1s...").
- **Security NFR** → a Task on the relevant User Story OR its own `security` story.
- **Compliance NFR** → its own `compliance` story.

They go in the backlog or they don't get done.

Field checklist (every Epic / Feature / User Story)

- ☐ Title is action-oriented and specific
- ☐ Description has 1 paragraph of context
- ☐ Acceptance Criteria populated (User Stories) or empty (Epic / Feature)
- ☐ Area path set (e.g., Dispatcher Workflow / Mobile)
- ☐ Iteration path set (assign to a sprint, even if estimated)
- ☐ State set (New for everything until work begins)
- ☐ Tags appropriate
- ☐ Story points assigned (User Stories only; split anything >13)