

Review-Resolution Log Template

Day 5 · Activity 3 handout. The author triad's log of what happened to every review finding: adopted, deferred, or pushed back — each with reasoning. This is the evidence of the process, and it's what the secondary reviewer honesty-checks in the afternoon.

Resolution log

`## Friday review-resolution log`

`**Reviewers (AM):** Triad B, Triad C`

`**Total scores:** B = 3.1 / C = 2.8 → addressed below`

`### Adopted (changes made)`

- `- B/Finding 2: Section 6 AC #4 was untestable. Rewrote with explicit observable.`
- `- C/Finding 1: Section 7 missing Compliance NFR. Added retention + audit-trail NFRs.`
- `- B/Finding 5: Section 9 risk "tech adoption" had no mitigation. Added optional toggle.`
- `- (etc.)`

`### Deferred`

- `- C/Finding 3: Multi-shop manager view scope. DEFERRED to Section 11 follow-up + ticket.`

`### Pushed back`

- `- B/Finding 4: Reviewer suggested splitting AC #2; we declined because the "ands" describe one observable state. Reasoning preserved here.`

Revision protocol (reference)

- 1. Sort findings by category** — adopt / defer / push back.
- 2. Revise in priority order** — coherence fixes first, specificity second, prose last.
- 3. Update this log** — every finding lands in one of the three buckets, with reasoning.

A push-back without reasoning is score-defense. Force the rationale into the log. Deferred items must be tracked *somewhere* (ticket / Section 11 follow-up / Week-4 backlog).

Status flip

After the revision pass, flip the PRD status:

In review → Revised — secondary pending

Then hand off to the secondary reviewer.