Project 2

Jack McCarthy

4/9/2022

Initial Design

```
# input ranges matrix
ranges <- tibble(
    ymod=c(200e9, 300e9),
    prat=c(0.1, 0.49),
    cote=c(5e-6, 1.5e-5),
    tcon=c(5, 15),
    icat=c(50, 350),
    plos=c(1e5, 4.8e5)
) %>%
    `rownames<-`(c("lwr", "upr")) %>%
    as.matrix()
```

```
lhs <- function(m, n, r) {
    # generate the Latin hypercube
    1 <- (-(n - 1)/2):((n - 1)/2)
    L <- matrix(NA, nrow=n, ncol=m)
    for(j in 1:m) L[,j] <- sample(l, n)

# draw the random uniforms and turn the hypercube into a sample
    U <- matrix(runif(n*m), ncol=m)
    X <- (L + (n - 1)/2 + U)/n

# map to valid input ranges
    X <- X*rep(r[2,]-r[1,], each=n) + rep(r[1,], each=n)
    colnames(X) <- colnames(r)

# return the design
    # return(list(X=X, g=c((l + (n - 1)/2)/n,1)))
    return(X)
}</pre>
```

```
criterion <- function(X) {
  d <- distance(X)
  d <- d[upper.tri(d)]
  min(d)
}</pre>
```

```
maximin <- function(m, n, r, T=100000)</pre>
  X <- lhs(m, n, r)</pre>
                           ## initial design
  md <- criterion(X)</pre>
  for(t in 1:T) {
    # select random column and pair of rows
    rows <- sample(1:n, 2)</pre>
    col <- sample(1:m, 1)</pre>
    xold <- X[rows,col]</pre>
    # swap values in row pair
    X[rows,col] <- X[rev(rows),col]</pre>
    # keep better arrangement
    mdprime <- criterion(X)</pre>
    if(mdprime > md) {
      md <- mdprime
                                          ## accept
    } else {
      X[rows,col] <- xold</pre>
                                          ## reject
  }
  return(X)
```


```
init_design <- maximin(6, 25, ranges) %>%
 as.data.frame()
# sample projections
p1 <- init_design %>%
  ggplot(aes(x=ymod, y=prat)) +
    geom_point() +
    labs(x="", y="", title="Young's Modulus vs. Poisson's Ratio") +
    theme_bw()
p2 <- init_design %>%
  ggplot(aes(x=cote, y=tcon)) +
    geom_point() +
    labs(x="", y="", title="Thermal Expansion vs. Conductivity") +
    theme_bw()
p3 <- init_design %>%
  ggplot(aes(x=icat, y=plos)) +
    geom point() +
    labs(x="", y="", title="Cooling Air Temp. vs. Pressure Load") +
    theme_bw()
p4 <- init_design %>%
  ggplot(aes(x=ymod, y=plos)) +
    geom_point() +
    labs(x="", y="", title="Young's Modulus vs. Pressure Load") +
    theme_bw()
```

1e+05 -

100

200

300



1e+05

2.00e+11

2.25e+11

2.50e+11