3.1 App Installation and Connection

1. App Installation

Apple users: search for the “WonderBot” on app Store and download it.

Android users: locate the “WonderBot” installation package in the same directory or in the appendix, then install it.

2. App Connection

Note:

1. Please open the Bluetooth and location service in the phone Settings before using the app.

2. Please pair and connect the device through the Bluetooth in the app. Do not pair through password in the phone Settings.

3. This section uses the Android version of the app as the example. The IOS version of the app is the same and applicable.

---

1)Firstly, make sure that the Bluetooth module is correctly installed on the MiniArm 6-channel knob expansion board. Pay attention to aligning the pins and pins of the Bluetooth module one by one as shown follows:



2)Turn on the power switch of battery box and expansion board. Then press buttons K1 and K2 on the expansion board at the same time. Release them till the RGB light up green to exit the neutral mode. This is because the knob or app control is only possible when exiting the neutral mode.

3)Open the app “Wonderbot”, and click icon in the top-left corner to select robot type. Then click “MiniArm”.



4)After that, proceed to the game interface. Then click the flashing icon in the top-right corner to find the “Hiwonder” in the Bluetooth list and connect it.

! If the “Hiwonder” name does not appear immediately after clicking the Bluetooth icon, you can click “Research” to search for the target.



5)If it is connected successfully, the Bluetooth icon will turn to Constant

Light Mode. Click “Body reset” to return the robotic arm to the initial position.



6)Next, you could learn how to control robotic arm through app in “3.2 App Control” in the same path.