# greenerthumb ICD

- Timestamps are 8-byte unix timestamps.
- $\bullet\,$  Checksums are cyclic sums of all of a message's bytes excluding the checksum.
- Multi-byte fields are big-endian.

# Air Status Message (pub/sub)

Byte	Name	Type
1	ID $(0x00)$	Byte
2	Timestamp	Long
10	Temperature	Float
14	Checksum	Byte

• Temperature is in degrees fahrenheit.

### Soil Status Message (pub/sub)

Byte	Name	Type
1	ID (0x01)	Byte
2	Timestamp	Long
10	Moisture	Float
14	Checksum	Byte

• Moisture is the ratio of water to soil.

### Disclosure Message (Broadcast)

Byte	Name	Type
1	ID (0x02)	Byte
2	Timestamp	Long
3	Device Name Length (1)	Byte
4	Device Name	Byte Sequence
4 + 1	Publish Host Length (m)	Byte
4 + 1 + 1	Publish Host	Byte Sequence
4 + 1 + 1 + m	Command Host Length (n)	Byte
4 + 1 + 1 + m + 1	Command Host	Byte Sequence

Byte	Name	Type
4 + l + 1 + m + 1 + n	Checksum	Byte

- Device name is the name of the device.
- Publish host is the host the device publishes to.
- Command host is the host the device receives commands from.

#### **JSON**

JSON is used for internal messaging. Every message has a corresponding JSON format with the structure:

```
{
  "name": <message_name>,
  "timestamp": <timestamp>,
  <name>: <value>,...
}
```

IDs are swapped with names for friendlier use in applications. Checksums are excluded since the messages don't need to be sent over a network. Names and values correspond to the non-ID, non-time, and non-checksum fields in the messages.