

v5.1.0 Requirements

1. Use Go modules for versioning

v5.0.0 Requirements

1. Use cache v2.0.0

v4.0.0 Requirements

1. Make `cache.DefaultTimeCache` and `cache.DefaultModifiedCache` thread-safe

v3.0.0 Requirements

1. Fix absolute path handling for favicons not at `‘/’`
2. Update text and background colors to match the favicon
3. Cache the parsed config so that its only reparsed when modified
4. Change the caching for the template so that its only reparsed when modified
5. Log whenever cache items are removed
6. Center containers on the website
7. Don't show anything for favicon if link doesn't exist

v2.1.0 Requirements

1. Add a copy assets script.

v2.0.0 Requirements

1. Add a favicon
2. Add a header
3. Separate styles into a stylesheet
4. Separate the template into a file
5. Create a directory called `‘static’` that holds the favicon and styles
6. Create a directory called `‘tmpl’` that holds the template
7. Add a file server that serves files from the static directory
8. Cache favicons

v1.1.0 Requirements

1. Include a favicon if the website at the URL has one for each website in the directory
2. Include a copy-config script that accepts a remote host, user, and path to copy the config to
3. Include a deploy script that accepts a remote host, user, and working directory to start the website on

v1.0.0 Requirements

1. Should be a website that shows a configurable website directory
2. Each website in the directory should have a name and a link to the website.
3. Directory should come from a config file
4. Directory should be updatable by modifying the config file while the website is running
5. Website should be as easy as possible to install and run