v4.0.0 Requirements

 $1. \ \, {\rm Make} \quad {\tt cache.DefaultTimeCache} \quad {\rm and} \quad {\tt cache.DefaultModifiedCache} \\ \quad {\rm thread\text{-}safe} \\$

v3.0.0 Requirements

- 1. Fix absolute path handling for favicons not at '/'
- 2. Update text and background colors to match the favicon
- 3. Cache the parsed config so that its only reparsed when modified
- 4. Change the caching for the template so that its only reparsed when modified
- 5. Log whenever cache items are removed
- 6. Center containers on the website
- 7. Don't show anything for favicon if link doesn't exist

v2.1.0 Requirements

1. Add a copy assets script.

v2.0.0 Requirements

- 1. Add a favicon
- 2. Add a header
- 3. Separate styles into a stylesheet
- 4. Separate the template into a file
- 5. Create a directory called 'static' that holds the favicon and styles
- 6. Create a directory called 'tmpl' that holds the template
- 7. Add a file server that serves files from the static directory
- 8. Cache favicons

v1.1.0 Requirements

- 1. Include a favicon if the website at the URL has one for each website in the directory
- 2. Include a copy-config script that accepts a remote host, user, and path to copy the config to
- 3. Include a deploy script that accepts a remote host, user, and working directory to start the website on

v1.0.0 Requirements

- 1. Should be a website that shows a configurable website directory
- 2. Each website in the directory should have a name and a link to the website.
- 3. Directory should come from a config file
- 4. Directory should be updatable by modifying the config file while the website is running
- 5. Website should be as easy as possible to install and run