

Patient Note

Reason for Visit:

sprained my ankle yesterday while playing basketball

History of Present Illness:

Patient was playing in a local rec league game, jumped to grab a rebound, came down on another player's foot, right foot rolled outward, felt a sharp pain on the outside of the ankle. It happened about 7 p.m. last night. Noticed swelling and bruising, initially pain was around a 7, now it is a 5 or 6. Icing helped, putting weight on it makes it worse.

Current Medications:

Over-the-counter ibuprofen, 400 mg last night and another 400 mg this morning.

Past Medical History:

No major medical issues.

Surgical History:

Wisdom teeth removal at age 20.

Family History:

No significant family history provided.

Allergies:

No known drug allergies. Seasonal allergies in spring.

Hospitalizations / Diagnostics:

None provided.

Review of Systems:

No numbness or tingling, just stiffness upon rotation. No systemic symptoms like fever or chills.

Vital Signs:

Pain right now is maybe a 5 or 6 out of 10.

Examination:

Specific tender spot on the outside of the ankle, corresponds to the anterior talofibular ligament area. Swelling noted. Range of motion causes stiffness, side-to-side movement is painful.

Patient Note

Assessments:

Likely sprain of the lateral ankle ligaments, most likely the anterior talofibular ligament.

Procedures:

Plan for X-ray to rule out fracture.

Treatment Plan:

Rest, ice, compression, and elevation (RICE), limited weight-bearing, possible ankle brace or wrap, may recommend physical therapy.

Follow-Up (Detailed):

Continue icing every few hours, keep the ankle elevated. Will check X-ray results for further steps.

Preventive Medicine:

None

Visit Codes:

None

Procedure Codes:

None

Follow-Up (Short):

None

Other Notes:

Over-the-counter pain management with ibuprofen.