

Log-Periodic Antenna

A log-periodic antenna is known to be a wideband or frequency-independent antenna. One of the most popular forms is a coplanar dipole array type, which is commonly used for UHF-range antenna measurements in an anechoic chamber. This example computes the voltage-standing-wave-ratio (VSWR) and far-field radiation pattern between 250 MHz and 750 MHz.




Figure 1: A log-periodic antenna is realized by fitting a coplanar dipole array through a couple of metallic body frames. The surrounding air domain and perfectly matched layers, which are required for the simulation, are not included in this figure.

Model Definition

The shape of a log-periodic antenna resembles that of a Yagi-Uda antenna. While the Yagi-Uda consists of a driven element and multiple passive elements such as a reflector and a few directors to obtain a higher gain, the log periodic antenna is composed of a coplanar array to achieve a wider bandwidth. In this log-periodic antenna model, all metallic parts are modeled using perfect electric conductor (PEC) boundary conditions since the surface loss is negligible in the given simulation frequency range. The modeling domain excludes the interior part of the antenna body, including frames and dipole rods in which wave propagation is not expected. The antenna is excited by a lumped port that is placed at one

end of the gap between two body frames at the location of a pair of the shortest rods. A lumped element with a 300 Ω resistor is used to terminate the other end of the gap at the location of a pair of the longest rods. The antenna is modeled in a spherical air domain, which is enclosed by perfectly matched layers (PML) that absorb all outgoing radiation from the antenna.

The length of dipole rods is gradually decreasing with a constant ratio toward the lumped port. The repeated pattern of a radiating structure is easily built by using parameterized geometry parts.

Results and Discussion

Figure 2 shows the impedance matching properties on a Smith plot. All frequency swept complex impedance normalized by 50 Ω is plotted around the spot shifted from the center of the Smith plot, that is, approximately 68 Ω . The 2D far-field polar plot is visualized in Figure 3. The directionality of the radiation pattern is slightly varying as the frequency increases. The 3D far-field radiation pattern in Figure 4 shows the same tendency. Figure 5 presents the voltage-standing-wave-ratio (VSWR) of the antenna, which is better than 2:1.




Figure 2: Smith plot of the seven-element log-periodic antenna. Each color represents a different frequency.





Figure 3: Far-field radiation pattern in a polar plot. It is directed toward the lumped port.



 $\label{thm:continuous} \emph{Figure 4: 3D far-field radiation pattern. Side lobes can be visualized accurately by applying a finer angular resolution.}$




Figure 5: The computed VSWR shows the antenna impedance is close to $50\,\Omega$ for all simulated frequencies

Application Library path: RF Module/Antennas/log periodic antenna

Modeling Instructions

From the File menu, choose New.

NEW

In the New window, click Model Wizard.

MODEL WIZARD

- I In the Model Wizard window, click **3D**.
- 2 In the Select Physics tree, select Radio Frequency>Electromagnetic Waves, Frequency Domain (emw).
- 3 Click Add.

- 4 Click Study.
- 5 In the Select Study tree, select General Studies>Frequency Domain.
- 6 Click M Done.

STUDY I

Step 1: Frequency Domain

Define the study frequency ahead of performing any frequency-dependent operation such as building mesh. The physics-controlled mesh uses the highest frequency value in the specified range.

- I In the Model Builder window, under Study I click Step I: Frequency Domain.
- 2 In the Settings window for Frequency Domain, locate the Study Settings section.
- 3 In the Frequencies text field, type range(250[MHz],25[MHz],750[MHz]).

GLOBAL DEFINITIONS

Parameters 1

- I In the Model Builder window, under Global Definitions click Parameters I.
- 2 In the Settings window for Parameters, locate the Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
f_min	250[MHz]	2.5E8 Hz	Minimum frequency
f_max	750[MHz]	7.5E8 Hz	Maximum frequency
l_min	c_const/f_max	0.39972 m	Minimum wavelength
1_max	c_const/f_min	1.1992 m	Maximum wavelength
10	1_max/4	0.29979 m	Longest rod length
r0	5[mm]	0.005 m	Rod radius
d0	1_max/8	0.1499 m	Distance between first two elements
ratio	1.27	1.27	Rod scale ratio
gap	1[cm]	0.01 m	Mounting frame gap size
zstub	300[ohm]	300 Ω	Terminating stub impedance

Here, c_const is a predefined COMSOL constant for the speed of light in vacuum.

RODS

- I In the Geometry toolbar, click \wedge Create Part.
- 2 In the Settings window for Part, type Rods in the Label text field.
- 3 Locate the **Input Parameters** section. In the table, enter the following settings:

Name	Default expression	Value	Description
n	0	0	Number of antenna rods pair

Cylinder I (cyl1)

- I In the Geometry toolbar, click Cylinder.
- 2 In the Settings window for Cylinder, locate the Size and Shape section.
- 3 In the Radius text field, type r0.
- 4 In the Height text field, type 10.
- 5 Locate the Position section. In the z text field, type gap/2+r0.
- 6 Locate the Axis section. From the Axis type list, choose y-axis.
- 7 Click | Build Selected.

Rotate I (rot1)

- I In the Geometry toolbar, click Transforms and choose Rotate.
- 2 Select the object cyll only.
- 3 In the Settings window for Rotate, locate the Rotation section.
- 4 In the Angle text field, type 0 180.
- 5 From the Axis type list, choose x-axis.
- 6 Click | Build Selected.
- 7 Click the Go to Default View button in the Graphics toolbar.

Union I (uni I)

- I In the Geometry toolbar, click Booleans and Partitions and choose Union.
- 2 Click in the **Graphics** window and then press Ctrl+A to select both objects.

Scale I (scal)


- I In the Geometry toolbar, click Transforms and choose Scale.
- 2 Select the object unil only.
- 3 In the Settings window for Scale, locate the Scale Factor section.
- 4 From the Scaling list, choose Anisotropic.
- 5 In the y text field, type 1/ratio^n.

Rotate 2 (rot2)

- I In the Geometry toolbar, click Transforms and choose Rotate.
- 2 Select the object scal only.
- 3 In the Settings window for Rotate, locate the Rotation section.
- 4 In the Angle text field, type 180*mod(n,2).

Move I (movI)

- I In the Geometry toolbar, click \(\sum_{\text{transforms}} \) Transforms and choose Move.
- 2 Select the object rot2 only.
- 3 In the Settings window for Move, locate the Displacement section.
- 4 In the x text field, type d0*((n>0)*1+(n>1)*1/ratio+(n>2)*1/ratio^2+(n>3)*1/ ratio^3+(n>4)*1/ratio^4+(n>5)*1/ratio^5).
- 5 In the Geometry toolbar, click **Build All**.



GEOMETRY I

Rods 0

- I In the Geometry toolbar, click APart Instance and choose Rods.
- 2 In the Settings window for Part Instance, type Rods 0 in the Label text field.
- 3 Click | Build Selected.

Rods I (pi2)

- I In the Geometry toolbar, click Part Instance and choose Rods.
- 2 In the Settings window for Part Instance, locate the Input Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
n	1	I	Number of antenna rods pair

4 Click | Build Selected.

Rods 2 (pi3)

- I In the Geometry toolbar, click Part Instance and choose Rods.
- 2 In the Settings window for Part Instance, locate the Input Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
n	2	2	Number of antenna rods pair

4 Click Pauld Selected.

Rods 3 (pi4)

- I In the Geometry toolbar, click Part Instance and choose Rods.
- 2 In the Settings window for Part Instance, locate the Input Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
n	3	3	Number of antenna rods pair

4 Click | Build Selected.

Rods 4 (pi5)

- I In the Geometry toolbar, click A Part Instance and choose Rods.
- 2 In the Settings window for Part Instance, locate the Input Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
n	4	4	Number of antenna rods pair

4 Click | Build Selected.

Rods 5 (pi6)

- I In the Geometry toolbar, click Part Instance and choose Rods.
- 2 In the Settings window for Part Instance, locate the Input Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
n	5	5	Number of antenna rods pair


4 Click | Build Selected.

Rods 6 (pi7)

- I In the Geometry toolbar, click Part Instance and choose Rods.
- 2 In the Settings window for Part Instance, locate the Input Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
n	6	6	Number of antenna rods pair

- 4 Click | Build Selected.
- 5 Click the Go to Default View button in the Graphics toolbar.



Block I (blk I)

I In the Geometry toolbar, click Block.

- 2 In the Settings window for Block, locate the Size and Shape section.
- 3 In the Width text field, type d0*(1+1/ratio+1/ratio^2+1/ratio^3+1/ratio^4+1/ ratio^5)+r0*2+0.02.
- 4 In the **Depth** text field, type 0.02.
- 5 In the Height text field, type 0.01.
- 6 Locate the Position section. In the x text field, type -r0.
- 7 In the y text field, type -0.01.
- 8 In the z text field, type -gap/2-0.01.
- 9 Click **P** Build Selected.
- 10 Right-click Block I (blkI) and choose Duplicate.

Block 2 (blk2)

- I In the Model Builder window, click Block 2 (blk2).
- 2 In the Settings window for Block, locate the Position section.
- 3 In the z text field, type gap/2.
- 4 Click Pauld Selected.
- 5 Right-click Block 2 (blk2) and choose Duplicate.

Block 3 (blk3)

- I In the Model Builder window, click Block 3 (blk3).
- 2 In the Settings window for Block, locate the Size and Shape section.
- 3 In the Height text field, type gap.
- 4 Locate the **Position** section. In the **z** text field, type -gap/2.
- 5 Click | Build Selected.

Union I (uni I)

- I In the Geometry toolbar, click Booleans and Partitions and choose Union.
- 2 Select the objects blk1, blk2, pi1, pi2, pi3, pi4, pi5, pi6, and pi7 only.
- 3 In the Settings window for Union, click | Build Selected.

Move I (movI)

- I In the Geometry toolbar, click Transforms and choose Move.
- 2 Click in the **Graphics** window and then press Ctrl+A to select both objects.
- 3 In the Settings window for Move, locate the Displacement section.
- 4 In the x text field, type -d0*(1+1/ratio).

- 5 Click | Build Selected.
- **6** Click the **Go to Default View** button in the **Graphics** toolbar.

Sphere I (sph I)

- I In the Geometry toolbar, click \bigcirc Sphere.
- 2 In the Settings window for Sphere, locate the Size section.
- 3 In the Radius text field, type 1_max/1.8.
- 4 Click to expand the Layers section. In the table, enter the following settings:


Layer name	Thickness (m)
Layer 1	1_max*0.1

- 5 Click **Build Selected**.
- 6 Click the Go to Default View button in the Graphics toolbar.
- 7 Click the **Q** Zoom In button in the Graphics toolbar.
- 8 Click the Wireframe Rendering button in the Graphics toolbar.

Difference I (dif1)

- I In the Geometry toolbar, click Booleans and Partitions and choose Difference.
- 2 Select the object sph1 only.
- 3 In the Settings window for Difference, locate the Difference section.
- 4 Click to select the Activate Selection toggle button for Objects to subtract.
- 5 Select the object mov1(2) only.

6 Click **Build All Objects**.




DEFINITIONS

Perfectly Matched Layer I (pml1)

I In the Definitions toolbar, click Perfectly Matched Layer.

2 Select Domains 1–4 and 7–10 only.



- 3 In the Settings window for Perfectly Matched Layer, locate the Geometry section.
- 4 From the Type list, choose Spherical.

ADD MATERIAL

- I In the Home toolbar, click **‡ Add Material** to open the **Add Material** window.
- 2 Go to the Add Material window.
- 3 In the tree, select Built-in>Air.
- 4 Click Add to Component in the window toolbar.
- 5 In the Home toolbar, click Radd Material to close the Add Material window.

ELECTROMAGNETIC WAVES, FREQUENCY DOMAIN (EMW)

Lumbed Port I

- I In the Model Builder window, under Component I (compl) right-click Electromagnetic Waves, Frequency Domain (emw) and choose Lumped Port.
- 2 In the Settings window for Lumped Port, locate the Boundary Selection section.
- 3 Click Paste Selection.
- 4 In the Paste Selection dialog box, type 129 in the Selection text field.
- 5 Click OK.

For the first port, wave excitation is **on** by default.

Lumped Element I

- I In the Physics toolbar, click **Boundaries** and choose **Lumped Element**.
- 2 In the Settings window for Lumped Element, locate the Boundary Selection section.
- 3 Click Paste Selection.
- 4 In the Paste Selection dialog box, type 20 in the Selection text field.
- 5 Click OK.
- 6 In the Settings window for Lumped Element, locate the Settings section.
- 7 In the Z_{element} text field, type zstub.

Far-Field Domain I

In the Physics toolbar, click **Domains** and choose Far-Field Domain.

MESH I

- I In the Model Builder window, under Component I (compl) click Mesh I.
- 2 In the Settings window for Mesh, locate the Physics-Controlled Mesh section.


3 From the Element size list, choose Extra coarse.

We will now exclude the PML regions from the results visualization. For this purpose, create an explicit selection containing only that only contains domains 5 and 6 and store result values only in this selection.

DEFINITIONS

Results visualization

- I In the **Definitions** toolbar, click **\(\frac{1}{2} \) Explicit**.
- ${\bf 2}\,$ In the ${\bf Settings}\,$ window for ${\bf Explicit},$ type ${\bf Results}\,$ visualization in the ${\bf Label}\,$ text
- 3 Locate the Input Entities section. Click Paste Selection.
- 4 In the Paste Selection dialog box, type 5 6 in the Selection text field.
- 5 Click OK.



STUDY I

Step 1: Frequency Domain

- I In the Model Builder window, under Study I click Step I: Frequency Domain.
- 2 In the Settings window for Frequency Domain, click to expand the Store in Output section.

3 In the table, enter the following settings:

Interface	Output
Electromagnetic Waves, Frequency Domain (emw)	Selection

- **4** Click to select row number 1 in the table.
- 5 Under Selections, click + Add.
- 6 In the Add dialog box, select Results visualization in the Selections list.
- 7 Click OK.
- 8 In the Home toolbar, click **Compute**.


RESULTS

Multislice

Replace the default expression for the electric field norm by a logarithmic expression. This gives better insights to the electric field distribution of the antenna.


- I In the Model Builder window, expand the Electric Field (emw) node, then click Multislice.
- 2 In the Settings window for Multislice, locate the Expression section.
- 3 In the Expression text field, type 20*log10(emw.normE).
- 4 Locate the Multiplane Data section. Find the X-planes subsection. In the Planes text field, type 0.
- 5 Find the Y-planes subsection. In the Planes text field, type 0.
- 6 Find the **Z-planes** subsection. From the **Entry method** list, choose **Coordinates**.
- 7 In the Coordinates text field, type 0.
- 8 Locate the Coloring and Style section. Click Change Color Table.
- 9 In the Color Table dialog box, select Thermal>HeatCamera in the tree.
- IO Click OK.

II In the Electric Field (emw) toolbar, click **Plot**.



S-parameter (emw)

In the Model Builder window, under Results click S-parameter (emw).



Smith Plot (emw)

Smith plot of the seven-element log-periodic antenna is shown in Figure 2.

2D Far Field (emw)

Check Figure 3 for far-field radiation patterns in a polar plot.

Radiation Pattern I

Figure 4 shows 3D far-field radiation pattern.

ID Plot Group 6

- I In the Model Builder window, expand the 3D Far Field, Gain (emw) node.
- 2 Right-click Results and choose ID Plot Group.

Global I

- I In the Model Builder window, right-click ID Plot Group 6 and choose Global.
- 2 In the Settings window for Global, locate the y-Axis Data section.

3 In the table, enter the following settings:

Expression	Unit	Description
emw.VSWR_1	1	Voltage Standing Wave Ratio

4 In the ID Plot Group 6 toolbar, click Plot.

All computed VSWR values should be better than 2:1 (Figure 5).

3D Plot Group 7

In the Home toolbar, click **Add Plot Group** and choose **3D Plot Group**.

Isosurface I

- I Right-click 3D Plot Group 7 and choose Isosurface.
- 2 In the Settings window for Isosurface, locate the Expression section.
- 3 In the Expression text field, type 20*log(emw.normE+0.01).
- 4 Locate the Levels section. In the Total levels text field, type 15.

Selection 1

- I Right-click Isosurface I and choose Selection.
- **2** Select Domain 5 only.

Filter I

- I In the Model Builder window, right-click Isosurface I and choose Filter.
- 2 In the Settings window for Filter, locate the Element Selection section.
- 3 In the Logical expression for inclusion text field, type z<0.

Isosurface I

- I In the Model Builder window, click Isosurface I.
- 2 In the Settings window for Isosurface, locate the Coloring and Style section.
- 3 Click Change Color Table.
- 4 In the Color Table dialog box, select Wave>Wave in the tree.
- 5 Click OK.

6 In the 3D Plot Group 7 toolbar, click Plot.

