

VisAR: A Navigation Aid for the Visually Impaired Using Augmented Reality

Aidan Brem, Ruby Tseng, Joost W. Vonk
University of California, Santa Cruz

ABSTRACT

The VisAR project endeavors to revolutionize navigation for the visually impaired by harnessing the potential of augmented reality (AR) technology. This paper presents the culmination of our efforts in developing a comprehensive navigation aid that leverages the capabilities of Unity and the Meta Quest headset. Through the integration of Meta Quest's Scene API and Unity's development environment, VisAR provides real-time obstacle detection, proximity alerts, and intuitive guidance to enhance spatial awareness and promote independent mobility for users with visual impairments. By prioritizing user-centric design principles and iterative development methodologies, VisAR embodies a holistic approach to navigation that empowers individuals with visual impairments to navigate their surroundings with confidence and autonomy. The results of our endeavor underscore the transformative potential of AR-based solutions in addressing the challenges of navigation for the visually impaired, paving the way for a more inclusive and accessible future.

1 INTRODUCTION

Visual impairment imposes significant challenges on individuals, affecting various aspects of their daily lives and overall well-being. As noted by Teutsch and colleagues, it is linked to a decreased quality of life, impacting not only visual abilities but also emotional health, social connections, and convenience (Teutsch et al. 2016). Moreover, visual impairment significantly impedes independence, hindering individuals' capacity to

perform essential self-care tasks and routine activities. Mobility, a vital component of daily life, is particularly affected, with visual impairment leading to difficulties in navigating space and carrying out everyday movements. Additionally, the risk of falls is heightened among those with visual impairment due to factors like reduced contrast sensitivity and depth perception. Augmented reality (AR) emerges as a promising solution to augment the navigation capabilities of the visually impaired, leveraging advanced technologies to provide real-time spatial awareness and guidance.

Conventional navigation aids often fall short in providing comprehensive assistance to the visually impaired. While white canes offer tactile feedback and guide dogs provide mobility support, these methods have inherent limitations in detecting dynamic obstacles, recognizing spatial cues, and navigating unfamiliar environments. As a result, individuals with visual impairments often face barriers to mobility and independence in their daily lives.

Augmented reality (AR) technology presents a transformative opportunity to address the shortcomings of traditional navigation aids for the visually impaired. By overlaying digital information onto the physical environment, AR systems can enhance spatial awareness, provide real-time navigation cues, and facilitate obstacle detection and avoidance. Through the integration of sensors, computer vision algorithms, and interactive interfaces, AR-based solutions offer a holistic approach to navigation that empowers individuals with visual impairments to navigate with confidence and autonomy.

The VisAR project embodies the vision of harnessing AR technology to revolutionize navigation for the visually impaired. With the goal of creating a comprehensive navigation aid, VisAR aims to leverage the capabilities of Unity and the Meta Quest headset to provide real-time obstacle detection, proximity alerts, and intuitive guidance. By integrating Meta Quest's Scene API and Unity's development environment, VisAR seeks to create an immersive AR experience that enhances spatial awareness and promotes independent mobility for users with visual impairments.

In summary, the VisAR project represents a bold endeavor to address the challenges of navigation for the visually impaired through the innovative application of augmented reality technology. By combining cutting-edge technologies with a user-centric design approach, VisAR aims to empower individuals with visual impairments to navigate their surroundings with confidence, dignity, and independence.

2 RELATED WORKS

In recent years, various navigational aid systems have been developed to assist individuals with visual impairments in navigating their surroundings. These systems typically utilize a combination of technologies such as computer vision, sensors, and mobile devices to provide real-time guidance and feedback (Kuriakose et al. 2020). However, many of these existing approaches have certain limitations that can affect their effectiveness in different environments and scenarios.

One common limitation of previous navigational aid systems is their reliance on complex and expensive hardware setups, such as multiple cameras or LiDaR sensors, which can be impractical for everyday use (Kuriakose et al. 2020). Additionally, some systems may require a stable internet connection for processing data or updating maps, which can be challenging to maintain in certain areas.

To address these challenges and improve upon existing navigational aid systems, our proposed

solution leverages the Meta Quest 3 platform, a standalone virtual reality headset that offers immersive experiences without the need for additional sensors or external hardware. By harnessing the power of augmented reality and spatial computing, our solution provides users with an intuitive and immersive navigation experience that enhances their spatial awareness and mobility.

One key strength of our proposed solution is its portability and ease of use. Unlike traditional navigational aid systems that require cumbersome equipment or complex setups, our solution can be easily deployed and used on-the-go, allowing users to navigate their surroundings with minimal effort. Additionally, the Meta Quest 3 platform offers built-in features such as hand tracking and spatial mapping, which enable more natural interactions and accurate spatial awareness without the need for external sensors or cameras.

Overall, our proposed solution aims to overcome the limitations of previous navigational aid systems by offering a more accessible, intuitive, and reliable solution that enhances the mobility and independence of individuals with visual impairments. Through the use of virtual reality and spatial computing technologies, our solution provides users with a transformative navigation experience that empowers them to navigate their surroundings with confidence and ease.

3 TECHNICAL DETAILS

The VisAR project aims to address the challenge of navigation for the visually impaired using augmented reality (AR) technology. Leveraging the capabilities of Unity and the Meta Quest headset, our team embarked on the development journey with a focus on creating a seamless and intuitive navigation aid.

Initially, we explored the possibility of integrating Meta Quest's Depth API with Unity's rendering engine to generate real-time depth maps for obstacle detection. However, we encountered a significant hurdle: the inability to remove the user's own body from the depth

maps, which led to inaccurate obstacle detection. Recognizing the scope limitations, we pivoted our approach towards utilizing Meta Quest's Scene API for obstacle detection.

The Scene API provides a comprehensive representation of the physical world, enabling developers to create mixed reality experiences with rich interactions. By reconstructing the scene model within Unity, we were able to visualize the user's environment and detect obstacles in real-time. Each scene anchor, representing elements like walls, floors, and furniture, was mapped to corresponding Unity GameObjects, facilitating seamless integration into our AR application.

One of the critical challenges we faced was determining when an obstacle posed a danger to the user. Simply measuring the distance from the user's position to each obstacle proved insufficient, as it neglected the varying shapes and sizes of objects. To address this, we implemented a solution leveraging Unity's collision system and the `ClosestPoint` function. This allowed us to calculate the closest point on each obstacle's collider to the user's position, providing more accurate proximity detection.

In refining our obstacle detection algorithm, we extended the analysis to include the distance from each obstacle to multiple points around the user's body. By considering points equidistant between the user's head and the ground, we enhanced the detection of obstacles near different parts of the user's body, improving overall safety.

Our final implementation maintained a sorted list of the closest obstacles to the user, updating it each frame based on proximity calculations. Each entry in the list consisted of a `GameObject` reference, representing the obstacle, along with its distance to the user and the closest point on the obstacle's collider. This approach ensured efficient tracking of nearby obstacles and facilitated timely alerts to the user.

To alert the user to the presence of obstacles, we initially relied on audio cues emitted from each obstacle. However, we encountered challenges with accurately spatializing the audio based on the closest point of the obstacle. To overcome this, we developed a system to dynamically position audio sources at the closest

points of detected obstacles, enabling more precise localization of threats.

In addition to audio cues, we implemented pitch modulation to convey the proximity of obstacles relative to the user. Closer obstacles emitted higher-pitched sounds, while those further away produced lower tones, providing intuitive feedback to the user.

Through iterative development and experimentation, the VisAR project successfully integrated obstacle detection and proximity alerts using Meta Quest's Scene API within the Unity environment. This technical foundation lays the groundwork for a robust navigation aid for the visually impaired, with further enhancements and optimizations envisioned for future iterations.

4 RESULTS

The culmination of our efforts in the VisAR project resulted in significant strides towards realizing a functional navigation aid for the visually impaired. This section encapsulates the outcomes of our endeavors, highlighting achievements in obstacle detection and proximity alerts while also acknowledging areas for further refinement and improvement.

4.1 Successful Integration of Obstacle Detection and Proximity Alerts

Central to the VisAR project's success was the seamless integration of obstacle detection and proximity alerts, facilitated by the utilization of Meta Quest's Scene API within the Unity environment. Through meticulous implementation and rigorous testing, we achieved real-time detection of obstacles within the user's environment, ensuring timely alerts to potential hazards.

The decision to pivot towards utilizing the Scene API exclusively proved pivotal, as it circumvented the challenges encountered with depth mapping and provided a robust foundation for obstacle detection. By leveraging Unity's collision system and the `ClosestPoint` function, we were able to accurately calculate the closest point on each obstacle's collider to the user's

position, enhancing the precision of proximity alerts.

The incorporation of audio cues further augmented the user experience, with dynamically adjusted pitch providing intuitive feedback on the proximity of obstacles. This multi-modal approach to alerting users ensured enhanced spatial awareness and fostered a sense of safety and confidence in navigation.

4.2 Limitations and Areas for Improvement

Despite the significant progress achieved, the VisAR project is not without its limitations and areas for improvement. During testing, several challenges and considerations emerged, which warrant attention in future iterations:

4.2.1 Obstacle Classification

One notable limitation of the current implementation is the lack of differentiation between different types of obstacles. In its current state, VisAR is only able to differentiate between walls and other static obstacles, regardless of the nature of the objects (e.g., doors, furniture, etc.). Future iterations could explore machine learning algorithms or computer vision techniques to classify obstacles and provide more contextually relevant alerts to the user.

4.2.2 Audio Spatialization

While the incorporation of audio cues proved effective in alerting users to the presence of obstacles, challenges with accurate spatialization were observed. The current implementation relies on dynamically positioned audio sources at the closest point of each obstacle, which may not always align with the user's perception of spatial orientation. Enhancements to audio spatialization algorithms could improve the fidelity and realism of auditory feedback in future iterations.

4.2.3 User Interface and Interaction

The user interface (UI) and interaction design of VisAR represent areas ripe for refinement and

optimization. Simplified and intuitive UI elements, coupled with seamless interaction mechanisms, can enhance usability and accessibility for visually impaired users. Incorporating user feedback and iterative design methodologies will be crucial in shaping the evolution of VisAR's interface.

4.2.4 Performance Optimization

As VisAR continues to evolve and scale, considerations for performance optimization become paramount. Balancing computational efficiency with real-time responsiveness is essential to ensure a seamless user experience, particularly in resource-constrained environments such as mobile AR devices. Ongoing optimization efforts and algorithmic refinements will be instrumental in addressing performance bottlenecks and enhancing overall system efficiency.

4.2.5 Dynamic Object Detection

A major limitation of VisAR is the limitation that objects must be prescanned by the user. Thus, objects that are not present at the time of scanning, or objects that are moved from their original position will not have their positions dynamically adjusted. Using the depth image generated by the Meta Quest Headset would allow for dynamic distance detection, however in testing it became very difficult to differentiate between the user's own body and real obstacles, leading to an unsatisfactory detection experience. Techniques such as inverse kinematics and machine learning may be able to solve these problems, allowing for dynamic object detection.

In conclusion, while the VisAR project has made significant strides in advancing the state-of-the-art in AR-based navigation aids for the visually impaired, there remain ample opportunities for further innovation and refinement. By addressing identified limitations and embracing a culture of continuous improvement, we remain committed to realizing the full potential of VisAR as a transformative

tool for enhancing mobility and independence for the visually impaired community.

5 CONCLUSION

The VisAR project represents a significant milestone in the realm of assistive technology, showcasing the potential of augmented reality (AR) as a transformative navigation aid for the visually impaired. This section encapsulates the key findings, reflections on the efficacy of AR-based solutions, and outlines potential avenues for future research and development.

5.1 Key Findings and Contributions

Throughout the course of the VisAR project, several key findings emerged, underscoring the efficacy and potential of AR in addressing the challenges of navigation for the visually impaired. The successful integration of Meta Quest's Scene API within the Unity environment facilitated real-time obstacle detection and proximity alerts, enhancing spatial awareness and safety for users. The utilization of multi-modal feedback, including audio cues with dynamically adjusted pitch, further augmented the user experience, fostering a sense of confidence and independence in navigation.

The iterative development process, coupled with user feedback and testing, played a pivotal role in refining and optimizing VisAR's functionality and usability. By prioritizing user-centric design principles and accessibility considerations, VisAR emerged as a compelling and intuitive navigation aid tailored to the unique needs of the visually impaired community.

5.2 Reflection on the Efficacy of AR as a Navigation Aid

The VisAR project underscores the transformative potential of AR in mitigating the barriers faced by the visually impaired in navigating their surroundings. By leveraging the rich spatial data provided by AR technologies, VisAR empowers users with real-time awareness of their environment, facilitating safe and independent mobility. The seamless integration

of obstacle detection and proximity alerts, coupled with intuitive feedback mechanisms, highlights the efficacy of AR as a viable solution for enhancing navigation for the visually impaired.

Moreover, VisAR's ability to adapt and evolve in response to user feedback and technological advancements underscores the dynamic nature of AR-based solutions. As AR technologies continue to mature and become more accessible, the potential for innovation in assistive applications like VisAR grows exponentially, offering new avenues for improving quality of life and promoting inclusivity.

5.3 Future Enhancements and Directions

Looking ahead, several avenues for further research and development present themselves, each aimed at enhancing the effectiveness and accessibility of VisAR and similar AR-based navigation aids. Potential future enhancements include:

5.3.1 Obstacle Classification

Continuing Investigating machine learning algorithms or computer vision techniques to classify obstacles based on their characteristics, enabling more contextually relevant alerts and personalized navigation assistance. Currently, VisAR only supports dynamic characterization between walls and static obstacles.

5.3.2 User Interface Optimization

Refining the user interface and interaction design of VisAR to enhance usability and accessibility, incorporating intuitive gestures and simplified controls tailored to the needs of visually impaired users.

5.3.3 Performance Optimization

Continuing efforts to optimize the performance of VisAR to ensure seamless operation on resource-constrained devices, prioritizing computational efficiency and real-time responsiveness.

5.3.4 Collaborative Navigation

Exploring collaborative navigation features that enable users to share spatial annotations and navigational cues with one another, fostering a sense of community and mutual support among visually impaired individuals.

In conclusion, the VisAR project stands as a testament to the transformative potential of AR in addressing the navigation challenges faced by the visually impaired. Through ongoing innovation, collaboration, and user-centric design, VisAR and similar AR-based solutions hold the promise of revolutionizing mobility and independence for the visually impaired community, paving the way for a more inclusive and accessible future.

Kuriakose, Bineeth, et al. "Tools and Technologies for Blind and Visually Impaired Navigation Support: A Review." *Taylor & Francis Online*, IETE Technical Review, 27 Sept. 2020, www.tandfonline.com/doi/full/10.1080/02564602.2020.1819893.

REFERENCES

Teutsch, Steven M., et al., editors. *Making Eye Health a Population Imperative: A Vision for Tomorrow*, 2016, <https://www.ncbi.nlm.nih.gov/books/NBK402367/>.