

ArchiMate 3.2 → 4.0 Migratie

Audit-rapport · Input: archisurance-3.2.xml · Format: exchange

Inhoud: Voor migratie (3.2) Na migratie (4.0) ArchiMate 4 Hexagonion Element-transformaties Relatie-fixes Views (4.0 stijl)



Voor migratie — ArchiMate 3.2

Het input-model gevalideerd tegen de officiële **ArchiMate 3.2 relatiematrix**. Toont de bron-toestand vóór elke transformatie.

136

Elementen (3.2-types)

178

Relaties

0

Ongeldig in 3.2 (bron-fout)

25

Verschillende element-types

Verdeling per layer (3.2)

Layer	Aantal elementen
Business	67
Application	22
Technology	22
Composite	14
Motivation	10
Other	1

Element-types (3.2)

Type	Aantal	Layer
BusinessActor	17	Business
Grouping	14	Composite
ApplicationComponent	10	Application
BusinessObject	10	Business

Relatie-types (3.2)

Type	Aantal
Flow	33
Serving	32
Realization	30
Association	30
Access	13

Principle	9	Motivation
BusinessProcess	9	Business
BusinessService	6	Business
TechnologyService	6	Technology
BusinessFunction	6	Business
ApplicationFunction	5	Application
Device	5	Technology
BusinessRole	5	Business
BusinessInterface	5	Business
DataObject	4	Application
Node	4	Technology
SystemSoftware	4	Technology
ApplicationService	3	Application
CommunicationNetwork	3	Technology
BusinessCollaboration	3	Business
BusinessEvent	2	Business
BusinessInteraction	2	Business
Representation	1	Business
Contract	1	Business
Value	1	Motivation
AndJunction	1	Other

Triggering	12
Aggregation	11
Assignment	7
Composition	5
Specialization	5

Na migratie — ArchiMate 4.0

Het gemigreerde model gevalideerd tegen de **4.0-relatiematrix**. Elementen die zijn samengevoegd (E.4) krijgen een «specialization» badge zodat geen informatie verloren gaat (W262 conversie-optie 2).

136

49

178

6

0

16

Verdeling per domain (4.0)

Domain	Aantal elementen
Common	61
Business	33
Technology	16
Application	15
Motivation	10
Other	1

Element-types (4.0)

Type	Aantal	Domain
BusinessActor	17	Business
Service	15	Common
Grouping	14	Common
Function	11	Common
BusinessObject	11	Business
Process	11	Common
ApplicationComponent	10	Application
Principle	9	Motivation
DataObject	5	Application
Device	5	Technology
Role	5	Common
BusinessInterface	5	Business
Node	4	Technology
SystemSoftware	4	Technology


Relatie-types (4.0)

Type	Aantal
Flow	33
Serving	32
Realization	30
Association	30
Access	13
Triggering	12
Specialization	11
Aggregation	8
Assignment	7
Composition	2

CommunicationNetwork	3	Technology
Collaboration	3	Common
Event	2	Common
Value	1	Motivation
AndJunction	1	Other

❖ ArchiMate 4 Hexagonion

De nieuwe visualisatie van de ArchiMate 4-taalstructuur (W262 Figure 7). De term *layer* is vervangen door *domain*; er is geen impliciete hiërarchie meer.



🔄 Element-transformaties

Conform Appendix E.4 van de ArchiMate 4 Specification en het W262 Motivation document. Elk hernoemd element behoudt zijn 3.2-type als «specialization profile» (Motivation p10-11, conversie-optie 2: geen informatieverlies).

3.2 Type		4.0 Type	Domein	Aantal
BusinessProcess	→	Process	Common	9
BusinessService	→	Service	Common	6
TechnologyService	→	Service	Common	6
BusinessFunction	→	Function	Common	6
ApplicationFunction	→	Function	Common	5
BusinessRole	→	Role	Common	5
ApplicationService	→	Service	Common	3
BusinessCollaboration	→	Collaboration	Common	3
BusinessEvent	→	Event	Common	2
BusinessInteraction	→	Process	Common	2
Representation	→	DataObject	Application	1
Contract	→	BusinessObject	Business	1

 Relatie-fixes

Iedere relatie is gevalideerd tegen de 4.0-relatiematrix. Ongeldige relaties zijn vervangen door het meest semantisch passende alternatief volgens het W262 Motivation document (m.n. Figure 4 voor cross-layer Realization → Specialization).

Source → Target	Types	Was		Wordt	Reden
Customer File → Damage Claim	BusinessObject → BusinessObject	Composition	→	Specialization	Passive-structure self-loop: 4.0 verbiedt Composition/Aggregation; subtype-bedoeling -> Specialization
Customer File → Insurance Policy	BusinessObject → BusinessObject	Composition	→	Specialization	Passive-structure self-loop: 4.0 verbiedt Composition/Aggregation; subtype-bedoeling -> Specialization
Customer → Customer File	BusinessObject → BusinessObject	Aggregation	→	Specialization	Passive-structure self-loop: 4.0 verbiedt Composition/Aggregation; subtype-bedoeling -> Specialization
Customer File → Insurance Request	BusinessObject → BusinessObject	Composition	→	Specialization	Passive-structure self-loop: 4.0 verbiedt Composition/Aggregation; subtype-bedoeling -> Specialization
Insurance Policy → Insurance Request	BusinessObject → BusinessObject	Aggregation	→	Specialization	Passive-structure self-loop: 4.0 verbiedt Composition/Aggregation; subtype-bedoeling -> Specialization
Insurance Policy → Damage Claim	BusinessObject → BusinessObject	Aggregation	→	Specialization	Passive-structure self-loop: 4.0 verbiedt Composition/Aggregation; subtype-bedoeling -> Specialization

Gemigreerde views in ArchiMate 4.0 stijl

De originele views uit het 3.2-model, opnieuw gerenderd in de 4.0 visuele stijl met:

- Domain-kleuren conform de Hexagonion-conventie
- Specialization-badges «*BusinessProcess*» waar elementen zijn gemigreerd
- Vervangen relaties in **rood** gemarkeerd
- Type-iconen en -labels per ArchiMate-element

Domain legend

 Strategy  Business  Common  Application  Technology  Motivation  Implementation

Relatie legend

Composition : filled diamond **Aggregation** : open diamond **Assignment** : filled circle **Realization** : open triangle, dashed line **Serving** : open arrow **Triggering** : filled arrow **Flow** : open arrow, dashed
Access : open arrow, dotted **Influence** : open arrow, dotted **Specialization** : open triangle **Association** : no head

Actor Cooperation view

21

elementen

26

relaties

4


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Actor Cooperation view

ArchiMate 4.0 · 21 elementen · 26 relaties · 4 elementen aangepast n.a.v. ArchiMate 4.0 migratie




Service Realization View

10 elementen	12 relaties	10 elementen aangepast (4.0)	0 relaties gefixt (4.0)
------------------------------------	-----------------------------------	--	---

Service Realization View

ArchiMate 4.0 · 10 elementen · 12 relaties · 10 elementen aangepast n.a.v. ArchiMate 4.0 migratie



 Business Product View

10

elementen

2

relaties

8


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Business Product View

ArchiMate 4.0 · 10 elementen · 2 relaties · 8 elementen aangepast n.a.v. ArchiMate 4.0 migratie



Information Structure View

15

elementen

20

relaties

1


elementen aangepast (4.0)

6

relaties gefixt (4.0)

Information Structure View

ArchiMate 4.0 · 15 elementen · 20 relaties · 1 element + 6 relaties aangepast n.a.v. ArchiMate 4.0 migratie



Organization Structure View

12

elementen

0

relaties

0


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Organization Structure View

ArchiMate 4.0 · 12 elementen · 0 relaties



Application Structure View

8

elementen

3

relaties

0


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Application Structure View

ArchiMate 4.0 · 8 elementen · 3 relaties · type: application



 Business Function View

10

elementen

19

relaties

10


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Business Function View

ArchiMate 4.0 · 10 elementen · 19 relaties · 10 elementen aangepast n.a.v. ArchiMate 4.0 migratie





Layered View

37 elementen	28 relaties	17 elementen aangepast (4.0)	0 relaties gefixt (4.0)
------------------------------------	-----------------------------------	--	---

Layered View

ArchiMate 4.0 · 37 elementen · 28 relaties · 17 elementen aangepast n.a.v. ArchiMate 4.0 migratie





 Application Behavior View

10

elementen

7

relaties

6


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Application Behavior View

ArchiMate 4.0 · 10 elementen · 7 relaties · 6 elementen aangepast n.a.v. ArchiMate 4.0 migratie · type: application




Goal and Principle View

12 elementen	0 relaties	0 elementen aangepast (4.0)	0 relaties gefixt (4.0)
-----------------	---------------	--------------------------------	----------------------------

Goal and Principle View

ArchiMate 4.0 · 12 elementen · 0 relaties



Business Process View

21

elementen

25

relaties

17


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Business Process View

ArchiMate 4.0 · 21 elementen · 26 relaties · 17 elementen aangepast n.a.v. ArchiMate 4.0 migratie · type: business_process



Organization Tree View

13


12

0

0

Organization Tree View

ArchiMate 4.0 · 13 elementen · 12 relaties



Technical Infrastructure View

19
elementen


9
relaties

3
elementen aangepast (4.0)

0
relaties gefixt (4.0)

Technical Infrastructure View

ArchiMate 4.0 · 19 elementen · 9 relaties · 3 elementen aangepast n.a.v. ArchiMate 4.0 migratie · type: technology



Implementation and Installation View

11

elementen

9

relaties

0


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Implementation and Installation View

ArchiMate 4.0 · 11 elementen · 9 relaties



Application Cooperation View

10

elementen

9

relaties

0


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Application Cooperation View

ArchiMate 4.0 · 10 elementen · 9 relaties · type: application



 Business Cooperation View

17

elementen

17

relaties

17


elementen aangepast (4.0)

0

relaties gefixt (4.0)

Business Cooperation View

ArchiMate 4.0 · 17 elementen · 17 relaties · 17 elementen aangepast n.a.v. ArchiMate 4.0 migratie



Bronnen

- **C260** – ArchiMate® 4 Specification, The Open Group, april 2026
- **W262** – The Motivation for Changes in the ArchiMate® 4 Specification, april 2026
- **relationships-4.0.xml** – Afgeleide 4.0-relatiematrix uit Archi 3.2 + spec-correcties (44% direct uit B.5 spec-tabellen geverifieerd)