



TAG: GAL2-CO-014

CAP MAX: 1.6 ton

DATA INSP: / /



TAG: 782303086

CAP MAX: 6.7 ton

DATA INSP: / /



TAG: GAL2-CO-001

CAP MAX: 15 ton

DATA INSP: / /



TAG: GAL2-CO-002

CAP MAX: 15 ton

DATA INSP: / /



TAG: GAL2-CO-003

CAP MAX: 15 ton

DATA INSP: / /



TAG: GAL2-CO-004

CAP MAX: 15 ton

DATA INSP: / /



TAG: GAL2-CO-010

CAP MAX: 16 ton

DATA INSP: / /



TAG: GAL2-CO-011

CAP MAX: 16 ton

DATA INSP: / /



TAG: GAL2-CO-012

CAP MAX: 16 ton

DATA INSP: / /



TAG: GAL2-CO-013

CAP MAX: 16 ton

DATA INSP: / /



TAG: GAL2-CO-007

CAP MAX: 6,5 ton

DATA INSP: / /



TAG: GAL2-CO-008

CAP MAX: 6,5 ton

DATA INSP: / /



TAG: GAL2-CO-015

CAP MAX: 1,1 ton

DATA INSP: / /



TAG: GAL2-CO-016

CAP MAX: 1,1 ton

DATA INSP: / /



TAG: GAL2-CO-017

CAP MAX: 1,1 ton

DATA INSP: / /



TAG: GAL2-CO-018

CAP MAX: 1,1 ton

DATA INSP: / /



TAG: GAL2-CO-019

CAP MAX: 11,2 ton

DATA INSP: / /



TAG: GAL2-CO-020

CAP MAX: 11,2 ton

DATA INSP: / /



TAG: GAL2-CO-021

CAP MAX: 11,2 ton

DATA INSP: / /



TAG: GAL2-CO-022

CAP MAX: 11,2 ton

DATA INSP: / /



TAG: GAL2-CO-022

CAP MAX: 15 ton

DATA INSP: / /



TAG: GAL2-CO-023

CAP MAX: 15 ton

DATA INSP: / /



TAG: GAL2-CO-024

CAP MAX: 15 ton

DATA INSP: / /



TAG: GAL2-CO-025

CAP MAX: 15 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-EL-016

CAP MAX: 15 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-004

CAP MAX: 3,2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-005

CAP MAX: 3,2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-006

CAP MAX: 3,2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-007

CAP MAX: 3,2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-009

CAP MAX: 3 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-010

CAP MAX: 3 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-011

CAP MAX: 3 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-012

CAP MAX: 3 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-013

CAP MAX: 1 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-021

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-022

CAP MAX: 0,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-023

CAP MAX: 0,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-25

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-26

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-27

CAP MAX: 250 kg

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-28

CAP MAX: 250 kg

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-034

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-033

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-29

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-TA-33

CAP MAX: 1 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-007

CAP MAX: 11.2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-008

CAP MAX: 11.2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-009

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-010

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-012

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-013

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-015

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-016

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-022

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-MA-023

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: 26942

CAP MAX: 9,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-043

CAP MAX: 17 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-044

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-045

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-046

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-047

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-048

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-049

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-050

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL-MA-051

CAP MAX: 6,5 ton

DATA INSP: / /

ArcelorMittal

TAG: 24166

CAP MAX: 1,12 ton

DATA INSP: / /

ArcelorMittal

TAG: 24195

CAP MAX: 1,12 ton

DATA INSP: / /

ArcelorMittal

TAG: 24142

CAP MAX: 1,12 ton

DATA INSP: / /

ArcelorMittal

TAG: 24118

CAP MAX: 1,12 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-OL-029

CAP MAX: 0,7 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2 OL 033

CAP MAX: 700 kg

DATA INSP: / /

ArcelorMittal

TAG: GAL2-BA001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-BA002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-BA005

CAP MAX: 5 ton

DATA INSP: / /

ArcelorMittal

TAG: BNA-03

CAP MAX: 31 ton

DATA INSP: / /

ArcelorMittal

TAG: BCS-07

CAP MAX: 16 ton

DATA INSP: / /

ArcelorMittal

TAG: BCS-08

CAP MAX: 16 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-BA-004

CAP MAX: 30 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-GC-001

CAP MAX: 25 ton

DATA INSP: / /

ArcelorMittal

TAG: 212928838 PÇ1

CAP MAX: 31,5 ton

DATA INSP: / /

ArcelorMittal

TAG: 212928838 PÇ2

CAP MAX: 31,5 ton

DATA INSP: / /

ArcelorMittal

TAG: 2A7102500601211s1

CAP MAX: 25 ton

DATA INSP: / /

ArcelorMittal

TAG: 2A7102500601394SI

CAP MAX: 25 ton

DATA INSP: / /

ArcelorMittal

TAG: 1S7100400637547SI

CAP MAX: 4 ton

DATA INSP: / /

ArcelorMittal

TAG: 1S71002003162083SI

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: 223834

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: ISE7100215000012SI

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: ISE7100215000007SI

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: ISE7100215000010SI

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: ISE7100215000011SI

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: 225904-T250-47/4000

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: 225904-T250.46/4000

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: ISE7100215000009SI

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL- L120001

CAP MAX: 1 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL- L120002

CAP MAX: 1 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL- L120003

CAP MAX: 1 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L120004

CAP MAX: 1 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L11501

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L11502

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L11001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L11002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L20001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L20002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L50001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L50002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L80001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L80002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L16001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L16002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L72001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L72002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L13001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L13002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L14001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L14002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L14003

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L15001

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: GAL2-SL-L15002

CAP MAX: 2 ton

DATA INSP: / /

ArcelorMittal

TAG: 22884/09

CAP MAX: 4 ton

DATA INSP: / /

ArcelorMittal

TAG: 30021/01

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32729/05

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32729/06

CAP MAX: 4 ton

DATA INSP: / /



TAG: 30021/02

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32729/04

CAP MAX: 4 ton

DATA INSP: / /



TAG: 25522/01

CAP MAX: 4 ton

DATA INSP: / /



TAG: 33067/02

CAP MAX: 4 ton

DATA INSP: / /



TAG: 33067/01

CAP MAX: 4 ton

DATA INSP: / /



TAG: 196110/03

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32730/04

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32730/05

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32730/06

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32730/07

CAP MAX: 4 ton

DATA INSP: / /



TAG: 32730/08

CAP MAX: 4 ton

DATA INSP: / /



TAG: GAL2-DE-021

CAP MAX: 30 ton

DATA INSP: / /



TAG: GAL2-DE-019

CAP MAX:

DATA INSP: / /



TAG: 498127456 pç 01

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 498127456 pç 02

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 501054144 pç 01

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 501054144 pç 02

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 498127456 Pç 03

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 498127456 Pç 04

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 777564386 Pç 01

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 777564386 Pç 02

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 777564386 Pç 03

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 777564386 Pç 04

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 772212036 Pç01

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 772212036 Pç02

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 772212036 Pç03

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 772212036 Pç04

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 232034963 pç04

CAP MAX: 4,5 ton

DATA INSP: / /



TAG: 0725-05732/10959

CAP MAX: 2 ton

DATA INSP: / /



TAG: 0725-05666/10959

CAP MAX: 2 ton

DATA INSP: / /



TAG: 0725-05718/10959

CAP MAX: 2 ton

DATA INSP: / /



TAG: 0752-05662/10959

CAP MAX: 2 ton

DATA INSP: / /



TAG: 0725-05695/10959

CAP MAX: 2 ton

DATA INSP: / /



TAG: 0725-05687/10959

CAP MAX: 2 ton

DATA INSP: / /



TAG: 0725-05676/10959

CAP MAX: 2 ton

DATA INSP: / /



TAG: 0725-05671/10959

CAP MAX: 2 ton

DATA INSP: / /