# EPS 704 Week 6: Integrated Report with R Markdown

Jenna Doerr

2026-10-11

https://github.com/jxd1586/JennaD

## Goal

A small end to end report: import, one summary, one plot, and a short conclusion.

## Import and summary

```
library(readr); library(dplyr); library(tidyr)
```

```
##
## Attaching package: 'dplyr'

## The following objects are masked from 'package:stats':
##
##     filter, lag

## The following objects are masked from 'package:base':
##
##     intersect, setdiff, setequal, union
```

```
enroll <- read_csv("enrollment.csv")
```

```
## Rows: 800 Columns: 25

## -- Column specification --------------------------------------------------------
## Delimiter: ","
## chr   (8): student_id, program_code, program, degree_level, enrolled_status,...
## dbl  (16): cohort_year, graduated, age, international, gpa, credits, gre_q, ...
## date  (1): enrolled_on
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.
```

```
enroll <- enroll |>
  mutate(gpa = na_if(gpa, 999))
```

```r
library(readr); library(ggplot2)
mean(enroll$gpa, na.rm = TRUE)
```

```
## [1] 3.330675
```

The data has 800 students. The average gpa is 3.33.

## One plot

```r
ggplot(enroll, aes(x = gpa)) +
  geom_histogram(binwidth = 0.1) +
  labs(x = "GPA", y = "Number of students")
```

```
## Warning: Removed 30 rows containing non-finite outside the scale range
## (`stat_bin()`).
```





Figure 1: Distribution of GPA

## Conclusion

In conclusion, the histogram shows that the highest amount of students are achieving a 3.5 GPA. The histogram is skewed to the left. There is a presence of low value outliers, causing a tail to the left, towards the lower values.