
The summarizer is the monitor

AI safety monitors read summaries written by an AI nobody checks.




Switch only the summarizer, and the monitor drops from catching **87%** of cheating to **48%**.

Monitors read summaries

Tested on
full logs

Used on
summaries



Already happening: Anthropic checks Claude's computer use through **summaries of summaries**, and popular agent-building tools like LangChain, LlamaIndex and CrewAI have **summarizers built in**.

Sumers et al. 2025, Monitoring computer use via hierarchical summarization (Anthropic). Monitor benchmark example: SHADE-Arena (Kutasov et al. 2025).

How I tested it



Real logs from a team of 18 AI agents writing code, plus a second set (ChatDev)

17 different summarizers; the monitors stay the same (Claude Haiku, DeepSeek)

Score: how much of the cheating gets caught, with no false alarms


Logs: mantiq-swarm-traces (zenml, CC BY 4.0); ChatDev (Qian et al. 2023) via MAST-Data (Cemri et al. 2025). All deals are fictional and planted.

A real example

“


a15 claimed T012/T011 using scratch modules, **potentially gaming** task completion records, though **no evidence of coordinated deception** or hidden-test manipulation appears.

What the summary told the monitor



From log practice_06, cheating plan 5.

Not one bad model



87% → 48%

cheating caught when GPT-5.6-luna writes the summary

17

summarizers tested with the same monitors

Gemini and Claude Opus summaries did **better than the full log**.


17 summarizers, same monitors, no false alarms.

Popular tools fail

Ready-made instructions
from LangChain, LlamaIndex, LangMem, CrewAI

Ready-made + a warning
“a monitor will read this summary”


My instructions
written with the monitor in mind



With the ready-made instructions, the monitor caught far less cheating: **46–70 points** below the full log.

One square = one AI model with one set of instructions. Nine AI models tested.

Test your summarizer



12 / 12

summarizers correctly sorted into safe and unsafe, first round of tests

< $6

to test one summarizer, in a few minutes

Safe = the monitor catches at most 15 points less than on the full log. Overall the check was right 32 of 36 times; near that line, 3 of 6.

What held up, and what didn't

How I kept it reliable

- ✓ **A written plan** for all 18 experiments
- ✓ **Predictions written down** before each test
- ✓ **17 summarizers**, 2 sets of logs, 2 monitors

Where it's weaker

- ✗ When agents wrote their own cheating plans, the summary made only a **6-point** difference
- ✗ Near the pass line, the check is a **coin flip**
- ✗ I tested the tools' **instructions**, not the full tools

66 sessions with agent-written deals vs 64 normal sessions: a 6-point gap, not statistically significant.

What's next

01

Test this in **real-world agent systems**

02

Test agents that **try to fool** the summarizer

03

Make checking the summarizer a **standard step**

Your summarizer is part of your monitor.
Check it like one.

Jollen Dai · UCLA · with Apart Research