
The monitor is capped by its summarizer

On deals planted in real swarm logs, a monitor reading LLM-written summaries stays within +5 pts of the summarizer's own catch rate in 16 of 17 summarizer × deal-set cells.
The summarizer decides what the monitor sees.


A The ceiling

Planted split deals in real swarm logs. Spearman ρ = 0.986 over 6 families (set A);
0.996 pooled over all 9 points (not independent: luna appears 3 times)




B Realism: deals agents wrote

66 coordinated / 64 control sessions; luna = GPT-5.6-luna.
At matched false alarms the loss is small.



C Testimony and fixes

Agent-written claims enter the record as fact;
one summarizer line closes the blame chain



Planted deals: 4 innocuous-looking messages between two agents inserted into real Mantiq swarm logs and ChatDev (MAST) logs; monitors Claude Haiku 5.5 + DeepSeek v4.1 Flash, flag at score ≥ 50, chunk-50 summaries; false alarms on summaries 0/299 (pooled).
Realism: loop8 sessions where agents wrote their own deals. E1 raw lane (locked, Sonnet): 51/66 caught at score ≥ 50 but false alarms 8/64 exceed the locked ≤ 10% (P1 fails on false alarms); at matched false alarms 49/66 with 5/64.
Threshold-free AUC (Sonnet, coordinated vs control): raw lane 0.944, full log 0.924, luna summaries 0.870.
Testimony: hand-written ops logs (7 blame logs, 8 correction logs). Raw lane: 23 unparsed monitor calls excluded. All numbers computed from raw records by src/build_data.py.