

I. Question

1. What is Android?
2. What is JDK?
3. What is Firebase?
4. What is Flutter SDK?
5. What are Rows and Column in flutter?
6. What is Getx?
7. What is MVVM?
8. What is stateless and stateful?
9. Why do we use flutter for developing mobile applications?
10. Please comparison Provider and Getx?
11. What is https and http?
12. What is local storage?
13. What is scaffold?

II. Multiple Choice

1. This question is about the **Android Activity Life Cycle**, which represents the stages an activity goes through as it is created, becomes visible, runs, and is eventually? destroyed.
 - A. onCreate()
 - B. onStart()
 - C. onResume()
 - D. onPause()
 - E. onStop()
 - F. onRestart()
 - G. onDestroy()
 - H. onFragmentRestart()
 - I. onActivityRestart()
2. Which of the following are valid **Android Layouts**?
 - A. Linear Layout
 - B. Relative Layout
 - C. Frame Layout
 - D. Table Layout
 - E. Grid Layout
 - F. Activity Layout
 - G. List View Layout

3. **Intent** in Android is divided into how many types?
 - A. Explicit Intent
 - B. Implicit Intent
 - C. Activity Intent
4. Which of the following code snippets correctly start the LoginActivity from the current activity?
 - A. `Intent intent = new Intent(MainActivity.this, LoginActivity.class)`
 - B. `startActivity(intent)`
 - C. `Intent intent = new Intent(MainActivity.this, LoginActivity.class)`
 - D. `startActivities(intent)`
 - E. `Intent intent = new Intent(this, LoginActivity.class)`
 - F. `startActivities(intent)`
 - G. `Intent intent = new Intent(this, LoginActivity.class)`
 - H. `startActivity(intent)`
5. An **Adapter** in Android is used with which of the following?
 - A. List View
 - B. RecyclerView
 - C. Grid View
 - D. Grid Layout
6. What are the valid **orientation** options for a **LinearLayout** in Android?
 - A. `layout_gravity`
 - B. `horizontal`
 - C. `vertical`
 - D. `gravity`
 - E. `layout_width`
7. What is the purpose of **Toast** in Android?
 - A. Display a message on the screen
 - B. Log messages in the Android application
8. To communicate with a **server** in Android, which of the following can be used?
 - A. Retrofit
 - B. Android Valley
 - C. Http Request
9. Who developed **Flutter**?
 - A. Google
 - B. IBM

- C. Facebook
 - D. Microsoft
10. What does **JDK** stand for?
- A. Software Data Kit
 - B. Software Database Kit
 - C. Software Development Kit
11. In **Flutter**, where do you configure fonts, images, and dependencies?
- A. pubspec.html
 - B. pubspec.yaml
 - C. pubspec.xml
12. Which programming language is used to write Flutter applications?
- A. Flutter
 - B. Dart
 - C. Java
 - D. JavaScript
 - E. C++
 - F. C#
13. Which widget should we use in Flutter to allow the **value** to change on the mobile screen?
- A. Stateless widgets
 - B. Stateful widget
 - C. Statebuild widget
14. Which code is used to **navigate** to another screen in Flutter?
- A. `Navigator.push(context, MaterialPageRoute(builder: (context)=> OtherScreen()));`
 - B. `Navigator.posh(context, MaterialPageRoute(builder: (context)=> OtherScreen()));`
 - C. `Navigator.pop(context, MaterialPageRoute(builder: (context)=> OtherScreen()));`
 - D. `Navigator.pip(context, MaterialPageRoute(builder: (context)=> OtherScreen()));`
15. Which code is used to **navigate back to the previous screen** (or the original screen) in Flutter?
- A. `Navigator.pop(context);`
 - B. `Navigator.pup(context);`
 - C. `Navigator.push(context);`
 - D. `Navigator.posh(context);`
16. We use the **easy_localization** dependency in Flutter for which of the following purposes?
- A. View the region
 - B. Change the language

C. Load temporary data

17. We use the **localstorage** dependency in Flutter for which of the following purposes?

A. Store temporary data

B. Store data in Local Storage

18. The permission required to access the **Internet** in an Android app is:

A. `<uses-permission android:name="android.permission.INTERNET" />`

B. `<uses-permission android:name="android.permission.WRITE_EXTERNAL_STORAGE" />`

19. Select the correct answer when passing values via the **Constructor** in Flutter:

```
class Category{  
  String? name;  
  String? imageUrl;  
  Category ({this.name, this.imageUrl});  
}
```

A. `Category category = Slide(name: "News",imageUrl: "none.png");`

B. `Category category = Slide("News"," none.png");`

III. Practice

1. Java code to create the employee class with the required data members (**id, name, phone, gender**), constructors, and methods (including getter and setter)?
2. Please make a class exception in Flutter to handle the error connection to the server?