

Final Report Detailed Marking Criteria - 50% of FYP Module Mark

N.B. Applies to Aerospace, Bioengineering and General Engineering Final Reports

Logical structure and clarity of writing, production standard of report (20% of the overall Final Report Mark)	Mark out of 10
Little or no logical structure, poor sentence construction, difficult to extract information. Little attempt to present the report in a consistent and intelligible format, little referencing and incorrect if any use of technical terms.	0.0 – 3.5
Poorly structured, confusing prose, information can be extracted with perseverance. Patchy presentation, frequent errors in formatting compromising meaning and readability, mistakes in referencing and use of technical terms.	4.0 – 4.5
Satisfactory structure to report, prose conveys information successfully, occasionally confusing. Satisfactory presentation, minor errors in spelling and formatting but text conveys meaning, satisfactory use of referencing and technical terms.	5.0 – 5.5
In general, well-structured, and well written. High standard of production, infrequent production errors, clear and labelled diagrams, good use of referencing and technical terms few mistakes.	6.0 – 6.5
Clear and logical presentation, articulate prose, interesting to read. Excellent standard of production, report set out in clear and attractive format, few, if any, errors, few if any mistakes in referencing and technical terms.	7.0 – 7.5
Outstanding presentation that reads like a scientific article or professional technical report. Outstanding standard of production, clear and attractive format, no errors in spelling, formatting, referencing or technical terms.	8.0 – 10.0
Review of literature/market study/previous designs etc. (as appropriate for the project scope) (20% of the overall Final Report Mark)	Mark out of 10
Little or no review and critical analysis of the literature, the market, or previous designs, as appropriate for the project.	0.0 – 3.5
Patchy review and critical analysis of the literature, the market, or previous designs as appropriate for the project.	4.0 – 4.5
Satisfactory review and critical analysis of the literature, the market, or previous designs, as appropriate for the project.	5.0 – 5.5

Good review and critical analysis of the literature, the market, or previous designs, as appropriate for the project.	6.0 – 6.5
Excellent review and critical analysis of the literature, the market, or previous designs, as appropriate for the project	7.0 – 7.5
Outstanding review and critical analysis of the literature, the market or previous designs at a quality that they could be presented at a conference, as appropriate for the project.	8.0 – 10.0
Results and Outputs (20% of the overall Final Report Mark)	Mark out of 10
Little or no results, did not meet basic project aims.	0.0 – 3.5
Patchy results, achieved some of basic project aims.	4.0 – 4.5
Satisfactory results, achieved most of basic project aims.	5.0 – 5.5
Commendable results, achieved basic and most of more demanding project aims.	6.0 – 6.5
Excellent results achieved more demanding project aims and advanced beyond these.	7.0 – 7.5
Outstanding results, of sufficient novelty and quality that they could be presented at a conference or have very strong likelihood of industrial/commercial acceptance.	8.0 – 10.0
Understanding and Analysis (40% of the overall Final Report Mark)	Mark out of 10
Little or no understanding of project aims and results, no relation to contextual	0.0 – 3.5
Patchy understanding of project aims and results, clear deficiencies in understanding / knowledge, limited relation to literature review.	4.0 – 4.5
Satisfactory understanding of project aims, results and analysis, a satisfactory attempt to set it in the context of the literature	5.0 – 5.5
Good grasp of project aims, competent analysis of results, conclusions set in context of literature	6.0 – 6.5

Excellent analysis, contrasted against the background and the literature, evidence of original contribution to or development in field	7.0 – 7.5
Outstanding analysis, publication quality discussion.	8.0 – 10.0