

Index

Note: ‘Page numbers followed by “f” indicate figures and “t” indicate tables.’

A

- Agri-food sector, 62
- AICoin, 318
- Alcohol biomanufacturing, 221–222
- Alert generating, 109–110
- AlphaNetworks, 314
- Ambiguity, 275
- Anomaly-based IDS, 108
- Antiattack service provider (ASP), 287
- Application protocol-based intrusion detection system, 112
- Artificial intelligence (AI)
 - AICoin, 318
 - AlphaNetworks, 314
 - asset exchange, 298
 - Bext360, 314
 - Blackbird.AI, 318
 - Blackbox AI designs, 314
 - blockchain, 305–308, 318
 - explainable AI systems, 307
 - privacy, 306
 - security and scalability, 305–306
 - smart contracts, 306–307
 - untrustworthy devices, 307–308
 - user-controlled data sharing, 307
 - BotChain, 317
 - Boxspring Media, 315
 - BurstIQ, 314
 - business data models, 302–303
 - Chainhaus, 315
 - challenges of, 310–311
 - CoinGenius, 314
 - computable labs, 317
 - Core Scientific, 314
 - Cyware Labs, 315
 - data monetization, 309–310
 - data protection, 309
 - decentralized control, 297–298
 - decision-making, 310
 - deepbrain chain, 318
 - digital intellectual property rights, 304
 - diverse data sets, 309
 - Dopamine, 317
 - encrypted security, 313
 - energy optimization, 313
 - Figure, 315
 - Finalize, 314
 - Gainfy healthcare platform, 318
 - Hannah Systems, 316
 - immutability, 298
 - industry 4.0, 311–312
 - integration of, 301–302
 - LiveEdu, 316
 - managing and accessing data market, 313
 - matrix ai, 318
 - merging, 302
 - Mobs, 316
 - Namahe, 318–319
 - NetObjex, 315
 - Neureal, 317
 - newer insights and discovery, 303
 - NUMERAI, 317
 - ObEN, 316
 - Peculium, 319
 - self-governing organizations, 304–305
 - SingularityNET, 319
 - smart computing power, 308
 - smart contracts, 313
 - smart forecasts, 303–304
 - Stowk, 316
 - Synapse AI network, 317
 - thinking process, 313
 - Verisart, 315
 - VIA, 314
 - Vytalyx, 316
 - Wealthblock.AI, 315
 - Workdone, 316
- Asset exchange, 298
- Attack modeling, 129
- Automatic license assignment, blockchain with, 198

B

- Bext360, 314
- Beyond 5G (B5G) technology, 142
- Big data analytics, 64
- Bioeconomy, 226–227
- Biofuels development, 225–226
- Biomanufacturing
 - advancing machines as a service, 218
 - alcohol biomanufacturing, 221–222
 - bioeconomy, 226–227
 - biofuels development, 225–226
 - biomanufacturing proposed model, 228–230
 - bioproducts
 - expiration, 221
 - recall, 221
 - serialization, 220–221
 - blockchain, 212–213, 214t
 - conception and functionality of, 210–212
 - data governance, 213
 - disintermediation, 215
 - elements of, 213–216, 215f
 - infrastructure development, 216–218
 - internal process management, 215
 - provenance, 215–216
 - records management, 213
 - research and development data, 216
 - COVID-19 vaccine, 223–224
 - current challenges, 230–231
 - current progress, 227–228
 - distributed ledger technology (DLT), 209–211
 - Fabrec platform, 228–230
 - future prospects, 231–232, 232f
 - International Organization for Standardization (ISO), 210–211
 - internet of medical things (IoMT), 208–209
 - inventory management, 219–220
 - IP, 219
 - machine-controlled maintenance, 219
 - MiPasa platform, 224
 - peer-to-peer (P2P) integrated network, 208–209
 - proposed model, 228–230
 - simplifying and safeguarding quality checks, 220
 - tech transfer, 219
 - VIRI platform, 224
 - WIShelter platform for assurance of privacy, 224–225
- Bitcoin, 3–6, 16
- Blackbird.AI, 318
- Blackbox AI designs, 314
- Block body, 36–38
- Blockchain, 192–194, 198–199, 212–213, 305–308, 318
 - agri-food sector, 62
 - analogy, 3
 - applications of, 22–28, 23f
 - architecture, 8–18
 - consensus mechanisms, 9–10
 - delegated proof of stake, 11
 - proof of authority (PoA), 11–12
 - proof of stake, 11
 - proof of weight, 12
 - proof of work, 10–11
 - understanding, 8–9
 - attacks, 51–52
 - attacks against, 21–22
 - Eclipse attack, 21
 - fifty-one percent attack, 22
 - Sybil attack, 21
 - time-jacking attack, 21
- Bitcoin, 3–6, 16
 - challenges of, 19–22
 - characteristics of, 3
 - consortium blockchain, 13
- Corda, 18
- cross-border payments, 24
- cryptocurrency, 18–19
- cyber technology. *See* Cyber technology
- data governance, 213
- decentralized protocols, 14
- digital signatures, 4–5
- disintermediation, 215
- ecosystem
 - blockchain developers, 15
 - blockchain exchanges, 15
 - blockchain miners, 14–15

- blockchain users, 15
- elements of, 213–216, 215f
- energy consumption, 20
- EOS, 17–18
- Ethereum, 6, 17
- explainable AI systems, 307
- history of, 5–6
- Hyperledger, 17
- infrastructure development, 216–218
- internal process management, 215
- limitations
 - awareness and adoption, 132
 - complexity and latency, 132
 - cost and energy, 132
 - management and regulations, 132
 - security and privacy, 132
 - size and organization, 132
- liquidating real estate assets, 28
- mortgages and loans, 22–24
- motivation, 2–3
- Multichain, 17
- NEO, 18
- online identity management, 25
- overlay networks, 13
- pharmaceutical industry, 268–271, 269f–270f, 284–285
 - clinical trial management, 284
 - compliance and governance, 284
 - counterfeit drugs and medical products prevention, 284
 - integration, 293
 - latency and throughput restrictions, 292
 - privacy, 292
 - scalability, 292–293
 - security, 291
 - size, 292
- privacy, 13, 306
- property records, 27
- protocols, 4–5
- provenance, 215–216
- public blockchain, 12, 12f
- public health security, 25–26
- public perception, 20
- quorum, 18
- real estate regulations, 28
- records management, 213
- rental property, 26–27
- research and development data, 216
- scalability, 20
- security and scalability, 305–306
- smart contracts, 6, 306–307
 - data sales with, 307
- standards and regulations, 20
- stock trading, 24–25
- summarizing, 3
- support system, 14
- system architecture of, 276–278
- technology, 33–35
- testing, 65
- tracing of medicine, 26
- traditional technologies, benefits over, 6–8
 - confidentiality, 7–8
 - decentralized control, 6–7
 - enhanced security, 8
 - faster processing, 8
 - integrity, 7
 - transparency, 7
- untrustworthy devices, 307–308
- user-controlled data sharing, 307
- user interface, 14
- validity, 50–51
- wallets, 4–5
- Blockchain-based intrusion detection, 120–122
- Blockchain-based solution, 121–122
- Blockchain-enabled cyber-physical systems
 - healthcare sector, 76–78
 - industrial control systems, 78–79
 - nontechnical challenges, 83
 - security attacks, 84–85
 - smart cities, 79–80
 - supply chain management, 75–76, 77f
 - technical challenges, 84
- Blockchain-IoT aware drone-based
 - medical delivery, 149–162
 - collaborative and multiagent delivery, 155–156, 157f
 - epidemic support delivery, 156–159, 158f
 - forensic delivery, 159, 159f

Blockchain-IoT aware drone-based
 medical delivery (*Continued*)
 5G- and AI-assisted delivery, 161–162,
 162f, 163t–164t
 last mile delivery, 155, 156f
 smart city delivery, 159–161, 160f

Block header, 36

BotChain, 317

Boxspring Media, 315

BurstIQ, 314

Business data models, 302–303

C

Certificate service provider (CSP),
 286–287

Chainhaus, 315

Cloud-based centralized server, 122

CoinGenius, 314

Collaborative intrusion detection system
 (CIDN), 122–125, 123f
 data sharing, 124–125
 trust computation, 125
 trust management, 124
 working model of, 123–124

Combating counterfeit goods, 93

Communication, generator and server,
 96

Consensus, 186, 270
 algorithms, 43–49
 definition, 43
 delegated proof of stake (DPoS), 48
 forking, 43–46
 practical byzantine fault tolerance
 (PBFT), 48–49, 49f
 proof of stake (PoS), 46–48
 proof of work (PoW), 43–46, 45f

Consortium blockchain, 13, 113–114

Containers, 184

Content access, protecting, 182

Content control, 182

Content distribution, 180

Content recognizer, 183

Copyrights
 discoverability, 190
 law, 192–194
 multimedia works, 191–192
 trading fairness, 190

Corda, 18

Core Scientific, 314

Counterfeit drugs problem, 283–284

Cross-border payments, 24

Cryptocurrency, 18–19, 179

Cyber-physical system (CPS)
 background of, 69–73
 blockchain-enabled cyber-physical
 systems, 75–83, 81t–82t
 healthcare sector, 76–78
 industrial control systems, 78–79
 nontechnical challenges, 83
 security attacks, 84–85
 smart cities, 79–80
 supply chain management, 75–76,
 77f
 technical challenges, 84
 defense systems, 72–73
 blockchain, 73–75
 consensus algorithms, 74
 healthcare systems, 69, 70f
 sniffing attack, 84
 transportation, 69–70
 urban infrastructure, 71, 72f
 vehicular ad-hoc networks, 69–70

Cybersecurity, 62–63

Cyber technology
 architecture, 35–38
 big data analytics, 64
 block body, 36–38
 blockchain
 agri-food sector, 62
 attacks, 51–52
 cybersecurity, 62–63
 education, 58–59
 future scope, 64–65
 healthcare, 59–60
 identity management, 63–64
 logistics, 61–62
 supply chains, 61–62
 technology, 33–35
 testing, 65
 transportation, 61–62
 validity, 50–51
 block header, 36
 challenges, 54–56
 consensus algorithms, 43–49

- definition, 43
- delegated proof of stake (DPoS), 48
- forking, 43–46
- practical byzantine fault tolerance (PBFT), 48–49, 49f
- proof of stake (PoS), 46–48
- proof of work (PoW), 43–46, 45f
- decentralization, 65
- emerging applications of, 56–64
- Hash functions, 38–39
- history, 33–35
- Internet-of-Things (IoT), 56–57
- merkle trees, 52–53
- privacy leakage, 55–56
- recent advances, 54–56
- scalability, 54
- secure, 53–54
- selfish mining, 55
- smart contracts, 57–58
- timestamp, 39–43, 40f–41f
- Cyware Labs, 315

D

- Data governance, 213
- Data handling, 275
- Data monetization, 309–310
- Data protection, 309
- Decentralization, 65
- Decentralized protocols, 14
- Decision-making, 310
- Deepbrain chain, 318
- Deep learning (DL) technique, 143
- Defense systems, 72–73
 - blockchain, 73–75
 - consensus algorithms, 74
- Delegated proof of stake, 11
- Design industry, blockchain
 - implementation in, 194–195
- Designing drugledger, 286–287
- Digital content
 - integrating blockchain with, 198–201
 - privacy of identity for, 182
- Digital rights management (DRM)
 - automatic license assignment, 197–198
 - blockchain, 192–194, 198–199
 - limitation, 201–202
 - consensus, 186
 - containers, 184
 - content access, protecting, 182
 - content control, 182
 - content distribution, 180
 - content recognizer, 183
 - copyrights
 - discoverability, 190
 - law, 192–194
 - multimedia works, 191–192
 - trading fairness, 190
 - cryptocurrencies, 179
 - decentralized, 185
 - design industry, blockchain
 - implementation in, 194–195
 - digital content
 - integrating blockchain with, 198–201
 - privacy of identity for, 182
 - distributed ledger, 186
 - diversity in mining rigs, 196–197
 - educational learning passports, 191
 - educational resources, multimedia
 - community of, 191
 - efficient method, 190
 - end user player (EUP), 184–185
 - enhanced security, 185
 - faster responses, 186
 - fingerprints, 184
 - future research, 202–203
 - immutability, 185
 - licensing, 182
 - master-slave blockchain architecture, 196–197
 - MD5 algorithm, 186–187
 - meta data, 183
 - methodologies, 188–190
 - music industry, 192
 - noncomputing model (NCM), 197
 - peer-to-peer sharing, 200
 - privacy, 190
 - reception default, 191
 - repetitive registrations, protection from, 190–191
 - requirement, 180–182
 - research data, storing, 180
 - royalty, 199–200
 - scalability, 195

Digital rights management (DRM)

(Continued)

security

licenses, 184

maintenance, 190

SHA-0 algorithm, 187–188

SHA-1 algorithm, 188

SHA-2 algorithm, 188

SHA-256 algorithm, 188

stake consensus methodology, proof of,
195–196tamper proofness, content verifiability
along with, 181–182

technology in use, 188–190

trademarking, 182

violation detection, 182

watermark, 183–184

Digital signatures, 4–5

Disintermediation, 215

Distributed ledgers, 186, 270

Dopamine, 317

Drone-based medical delivery
architecture, 141fDrugledger, performance measures of,
284Drug supply chain, 285–286
management, 278–283

smart contract in, 281–282

E

Eclipse attack, 21

Ecologic condition, 165

Ecosystem

blockchain developers, 15

blockchain exchanges, 15

blockchain miners, 14–15

blockchain users, 15

Educational learning passports, 191

Educational resources, multimedia
community of, 191

Electronic voting

distributed e-voting, 250–260

blockchain-based e-voting, 252–257,
258t–260t

some issues in, 257–260

internet voting, 241

issues in, 248–250

optical mark-sense scanner, 240

pollster, 243

registrar, 243

security properties

eligibility, 244

fairness, 244

lack of coercibility, 244

lack of reusability, 244

privacy, 244

receipt-less, 244

verifiability, 244

voter anonymity, 244

significant contributions in, 245–248

tallier, 244

trusted third party (TTP), 241–242

validator, 243–244

voter, 242

Encrypted security, 313

End user player (EUP), 184–185

Energy

consumption, 20, 271

management, 165

optimization, 313

Enhanced security, 185

Epidemic support delivery, 156–159,
158f

Ethereum, 6, 17

Extended security, 284

F

Fabrec platform, 228–230

Faster processing, 270

Faster responses, 186

Fifty-one percent attack, 22

Finalize, 314

Fingerprints, 184

Forensic delivery, 159, 159f

Forking, 43–46

G

Gainfy healthcare platform, 318

5G- and AI-assisted delivery, 161–162,
162f, 163t–164tGenerator module, functional units of,
97–98

H

- Handling drug counterfeiting, smart
 - contract and blockchain tracking for, 277–278
- Hannah Systems, 316
- Hash functions, 38–39
- Healthcare, 59–60
 - industries, 271–276
 - blockchain infrastructure, 274
 - patient data management, 273
 - payer data management, 273–274
 - systems, 69, 70f
- Health record storage cost, 162–165
- Hyperledger, 17

I

- Immutability, 185, 269–270, 298
- Industrial control systems, 78–79
- Industry 4.0, 311–312
- Infrastructure development, 216–218
- Internal process management, 215
- International Organization for Standardization (ISO), 210–211
- Internet of medical things (IoMT), 208–209
- Internet-of-Things (IoT), 56–57
- Internet of things (IoT)-based medical delivery drones
 - beyond 5G (B5G) technology, 142
 - blockchain-IoT aware drone-based medical delivery, 149–162
 - collaborative and multiagent delivery, 155–156, 157f
 - epidemic support delivery, 156–159, 158f
 - forensic delivery, 159, 159f
 - 5G- and AI-assisted delivery, 161–162, 162f, 163t–164t
 - last mile delivery, 155, 156f
 - smart city delivery, 159–161, 160f
- deep learning (DL) technique, 143
- drone-based medical delivery
 - architecture, 141f
- ecologic condition, 165
- energy management, 165
- future direction, 167–168
- health record storage cost, 162–165
- latency and throughput, 165
- legal disputes, 165
- medical delivery, drone suppliers for, 145–149, 150f–151f, 152t–154t
- participation incentive, 166
- regulatory constraints, 167
- research gap, 144
- resource utilization, 166
- standard architecture, 166
- technology adoption, 167
- trust management, 143
- unmanned aerial system (UAS), 143
- vulnerability, 166
- Internet voting, 241
- Intrusion detection systems
 - alert generating, 109–110
 - anomaly-based IDS, 108
 - application protocol-based intrusion detection system, 112
 - applications, 125–130
 - NIDS mode, 126
 - Packet logger mode, 126
 - Sniffer mode, 126
 - snort-based CID with blockchain, 126–128
 - attack modeling, 129
 - block, 116
 - blockchain, 118–119
 - blockchain-based intrusion detection, 120–122
 - blockchain-based solution, 121–122
 - blockchain limitations
 - awareness and adoption, 132
 - complexity and latency, 132
 - cost and energy, 132
 - management and regulations, 132
 - security and privacy, 132
 - size and organization, 132
 - cloud-based centralized server, 122
 - collaborative intrusion detection system (CIDN), 122–125, 123f
 - data sharing, 124–125
 - trust computation, 125
 - trust management, 124
 - working model of, 123–124
 - consensus algorithms, 117–118, 120

Intrusion detection systems (*Continued*)

- consortium blockchain, 113–114
 - design evaluation, 128–130
 - false negative (FN), 129
 - false positive (FP), 129
 - firewalls, comparison with, 134
 - future scope, 134
 - host-based intrusion detection system, 119–120
 - working of, 119–120
 - host intrusion detection system, 111, 111f
 - hybrid blockchain, 114
 - hybrid intrusion detection system, 112
 - information gathering, 109
 - integrity, 120
 - limitations, 130–131, 133
 - handling capability limited, traffic overhead with, 130
 - incorrect profile establishment, 130–131
 - limited range, signature coverage in, 130
 - major false warnings, 131
 - miners, 116
 - network intrusion detection system, 110
 - nodes, 116–117
 - organization of the paper, 108–109
 - practical byzantine fault tolerance (PBFT), 117
 - privacy, 120
 - private blockchain, 113
 - proof of burn (PoB), 117–118
 - proof of capacity (PoC), 118
 - proof of elapsed time (PoET), 118
 - proof of stake (PoS), 117
 - proof of work (PoW), 117
 - protocol-based intrusion detection system, 112
 - public blockchain, 113
 - scalability, 120
 - security, blockchain, 114–117
 - signature-based IDS, 108
 - true negative (TN), 129
 - true positive (TP), 129
- Inventory management, 219–220

L

- Last mile delivery, 155, 156f
- Latency, 165
- Legal disputes, 165
- Licensing, 182
- Liquidating real estate assets, 28
- LiveEdu, 316
- Loans, 22–24
- Logistics, 61–62

M

- Machine-controlled maintenance, 219
- Master-slave blockchain architecture, 196–197
- Matrix ai, 318
- MD5 algorithm, 186–187
- Medical delivery, drone suppliers for, 145–149, 150f–151f, 152t–154t
- Merkle trees, 52–53
- Meta data, 183
- Mining rigs diversity, 196–197
- MiPasa platform, 224
- Mobility, 245
- Mobs, 316
- Mortgages, 22–24
- Motivation, 2–3
- Multichain, 17
- Music industry, 192

N

- Namahe, 318–319
- NEO, 18
- NetObjex, 315
- Neureal, 317
- NIDS mode, 126
- Noncomputing model (NCM), 197
- Nontrusted module communication, 97
- NUMERAI, 317

O

- ObEN, 316
- Optical mark-sense scanner, 240

P

- Packet logger mode, 126
- Participation incentive, 166
- Peculium, 319

- Peer-to-peer (P2P) integrated network, 208–209
 - Peer-to-peer sharing, 200
 - Pharmaceutical industry
 - ambiguity, 275
 - antiattack service provider (ASP), 287
 - blockchain, 268–271, 269f–270f, 284–285
 - blockchain size, 292
 - clinical trial management, 284
 - complexity, 271
 - compliance and governance, 284
 - counterfeit drugs and medical products prevention, 284
 - integration, 293
 - latency and throughput restrictions, 292
 - privacy, 292
 - scalability, 292–293
 - security, 291
 - system architecture of, 276–278
 - certificate service provider (CSP), 286–287
 - collection, 275
 - consensus, 270
 - counterfeit drugs problem, 283–284
 - data handling, 275
 - decentralized, 269
 - designing drugledger, 286–287
 - distributed ledgers, 270
 - drugledger, performance measures of, 284
 - drug supply chain, 285–286
 - management, 278–283
 - smart contract in, 281–282
 - energy consumption, 271
 - extended security, 284
 - faster processing, 270
 - handling drug counterfeiting, smart contract and blockchain tracking for, 277–278
 - healthcare industries, 271–276
 - blockchain infrastructure, 274
 - patient data management, 273
 - payer data management, 273–274
 - immutability, 269–270
 - pharmaceuticals, data disparity in, 274–275
 - privacy protection, 285
 - query service provider, 287
 - scalability, 271
 - security, 270
 - sluggish and cumbersome operations, 271
 - supply chain, 275–276
 - distributed ledger in, 283
 - transaction procedure in, 282–283
 - system architecture of blockchain, 276–278
 - traceability, 285
 - transparency, 285
 - Pollster, 243
 - Practical byzantine fault tolerance (PBFT), 48–49, 49f
 - Privacy, 190
 - leakage, 55–56
 - protection, 285
 - Proof of stake (PoS), 11, 46–48
 - Proof of weight, 12
 - Proof of work (PoW), 10–11, 43–46, 45f
 - Proposed model, 228–230
- Q**
- Query service provider, 287
- R**
- Real-time transactions, novel secured ledger platform for
 - combating counterfeit goods, 93
 - generator and server communication, 96
 - generator module, functional units of, 97–98
 - nontrusted module communication, 97
 - server module, functional units of, 98–100
 - use cases, 100–103
 - validator and server communication, 96–97
 - validator module, functional units of, 98
 - Reception default, 191

- Records management, 213
- Registrar, 243
- Regulatory constraints, 167
- Repetitive registrations, protection from, 190–191
- Research and development data, 216
- Research data, storing, 180
- Resource utilization, 166
- Robustness, 245
- Royalty, 199–200

S

- Scalability, 54, 195, 271
- Security, 270
 - attacks, 84–85
 - licenses, 184
 - maintenance, 190
 - properties
 - eligibility, 244
 - fairness, 244
 - lack of coercibility, 244
 - lack of reusability, 244
 - privacy, 244
 - receipt-less, 244
 - verifiability, 244
 - voter anonymity, 244
- Self-governing organizations, 304–305
- Selfish mining, 55
- Server module, functional units of, 98–100
- SHA-0 algorithm, 187–188
- SHA-1 algorithm, 188
- SHA-2 algorithm, 188
- SHA-256 algorithm, 188
- Simplifying and safeguarding quality checks, 220
- SingularityNET, 319
- Sluggish and cumbersome operations, 271
- Smart cities, 79–80
 - delivery, 159–161, 160f
- Smart computing power, 308
- Smart contracts, 57–58, 313
- Smart forecasts, 303–304
- Sniffer mode, 126
- Snort-based CID with blockchain, 126–128

- Stake consensus methodolog, proof of, 195–196
- Standard architecture, 166
- Stowk, 316
- Supply chain, 61–62, 275–276
 - distributed ledger in, 283
 - management, 75–76, 77f
 - transaction procedure in, 282–283
 - transaction procedure in, 282–283
- Sybil attack, 21
- Synapse AI network, 317

T

- Tamper proofness, content verifiability
 - along with, 181–182
- Technology in use, 188–190
- Time-jacking attack, 21
- Timestamp, 39–43, 40f–41f
- Traceability, 285
- Trademarking, 182
- Transparency, 285
- Transportation, 61–62, 69–70
- Trusted third party (TTP), 241–242
- Trust management, 143

U

- Unmanned aerial system (UAS), 143
- Urban infrastructure, 71, 72f

V

- Validator, 243–244
 - server communication, 96–97
- Vehicular ad-hoc networks, 69–70
- Verisart, 315
- VIA, 314
- Violation detection, 182
- VIRI platform, 224
- Voter, 242
- Vulnerability, 166
- Vytalyx, 316

W

- Watermark, 183–184
- Wealthblock.AI, 315
- WIShelter platform for assurance of
 - privacy, 224–225
- Workdone, 316