

Aim:

Write a program to `sort` (`Ascending order`) the given elements using `merge sort` technique.

At the time of execution, the program should print the message on the console as:

Enter array size :

For example, if the user gives the **input** as:

Enter array size : 5

Next, the program should print the following message on the console as:

Enter 5 elements :

if the user gives the **input** as:

Enter 5 elements : 34 67 12 45 22

then the program should **print** the result as:

Before sorting the elements are : 34 67 12 45 22
After sorting the elements are : 12 22 34 45 67

Note: Do use the `printf()` function with a **newline** character (`\n`).

Source Code:MergeSortMain.c

```
#include <stdio.h>
#include "MergeSortFunctions.c"
void main() {
    int arr[15], i, n;
    printf("Enter array size : ");
    scanf("%d", &n);
    printf("Enter %d elements : ", n);
    for (i = 0; i < n; i++) {
        scanf("%d", &arr[i]);
    }
    printf("Before sorting the elements are : ");
    display(arr, n);
    splitAndMerge(arr, 0, n - 1);
    printf("After sorting the elements are : ");
    display(arr, n);
}
```

MergeSortFunctions.c

```
void display(int arr[15], int n) {
    int i;
    for(i=0;i<n;i++)
    {
```

```

        printf("%d ",arr[i]);
    }
    printf("\n");
}
void merge(int arr[15], int low, int mid, int high) {
    int b[15];
    int i=low,j=mid+1,k=low;
    while(i<=mid&& j<=high)
    {
        if(arr[i]<=arr[j])
        {
            b[k]=arr[i];
            i++;
            k++;
        }
        else
        {
            b[k]=arr[j];
            j++;
            k++;
        }
    }
    while(i<=mid)
    {
        b[k]=arr[i];
        k++;
        i++;
    }
    while(j<=high)
    {
        b[k]=arr[j];
        k++;
        j++;
    }
    for(i=low;i<=high;i++)
    {
        arr[i]=b[i];
    }
}
void splitAndMerge(int arr[15],int low,int high)
{
    int mid;
    if(low<high)
    {
        mid=(low+high)/2;
        splitAndMerge(arr,low,mid);
        splitAndMerge(arr,mid+1,high);
        merge(arr,low,mid,high);
    }
}
}

```

Execution Results - All test cases have succeeded!

Test Case - 1
User Output
Enter array size : 5
Enter 5 elements : 34 67 12 45 22
Before sorting the elements are : 34 67 12 45 22
After sorting the elements are : 12 22 34 45 67

Test Case - 2
User Output
Enter array size : 8
Enter 8 elements : 77 55 22 44 99 33 11 66
Before sorting the elements are : 77 55 22 44 99 33 11 66
After sorting the elements are : 11 22 33 44 55 66 77 99

Test Case - 3
User Output
Enter array size : 5
Enter 5 elements : -32 -45 -67 -46 -14
Before sorting the elements are : -32 -45 -67 -46 -14
After sorting the elements are : -67 -46 -45 -32 -14