

DBMS LAB

SET OPERATORS

STUDENT AND DEPARTMENT TABLES :

```
45      select dept_id from student;  
46      select dept_id from department;  
47      select dept_id from department intersect  
48      select dept_id from student;  
49      select dept_id from department MINUS  
50      select dept_id from student;
```

Query result

Script output

DBMS output

Explains



SQL> select dept_id from student

DEPT_ID

10

20

10

30

40

Elapsed: 00:00:00.002

5 rows selected.

DEPARTMENT TABLE:

```
46      select dept_id from department;  
47      select dept_id from department intersect  
48      select dept_id from student;  
49      select dept_id from department MINUS  
50      select dept_id from student;
```

Query result

Script output

DBMS output

Explains



SQL> select dept_id from department

DEPT_ID

10

20

30

50

Elapsed: 00:00:00.003

4 rows selected.

INTERSECT :

```
46 select dept_id from department;  
47 select dept_id from department intersect  
48 select dept_id from student;  
49 select dept_id from department MINUS  
50 select dept_id from student;
```

Query result **Script output** **DBMS output** **Explain Plan**



Download ▼

Execution time: 0.035 seconds

	DEPT_ID
	10
	20
	30

```
SQL> select dept_id from department intersect  
      select dept_id from student
```

DEPT_ID

10

20

30

Elapsed: 00:00:00.003

3 rows selected.

UNION :

```
select dept_id from department UNION  
select dept_id from student;  
select dept_id from department UNION ALL  
select dept_id from student;
```

result Script output DBMS output Explain

 Download Execution time: 0.001 seconds

DEPT_ID
10
20
30
50
40

s Legal Notices Terms and Conditions Your Private

```
50 select dept_id from student;  
51 select dept_id from department UNION  
52 select dept_id from student;  
53 select dept_id from department UNION ALL  
54 select dept_id from student;  
--
```

Query result Script output DBMS output Explain Plan



```
SQL> select dept_id from department UNION  
      select dept_id from student
```

```
DEPT_ID  
-----  
10  
20  
30  
50  
40
```

```
Elapsed: 00:00:00.003  
5 rows selected.
```

MINUS :

```
48 select dept_id from student;  
49 select dept_id from department MINUS  
50 select dept_id from student;  
51 select dept_id from department UNION
```

Query result

Script output

DBMS output

Explain Plan



Download ▼

Execution time: 0.001 seconds

	DEPT_ID
1	50

```
SQL> select dept_id from department MINUS  
      select dept_id from student
```

DEPT_ID

50

Elapsed: 00:00:00.003

1 rows selected.

UNION ALL :

```

51 select dept_id from department union
52 select dept_id from student;
53 select dept_id from department UNION ALL
54 select dept_id from student;
55

```

Query result

Script output

DBMS output

Explain P



Download ▼

Execution time: 0.002 seconds

	DEPT_ID
1	10
2	20
3	30
4	50
5	10
6	20

```

52 select dept_id from student;
53 select dept_id from department UNION ALL
54 select dept_id from student;
55

```

Query result

Script output

DBMS output

Explain P



```
SQL> select dept_id from department UNION ALL
      select dept_id from student
```

DEPT_ID

```

10
20
30
50
10
20
10
30
40

```

VIEW :

```
55 CREATE table student1(  
56     stu_id int,  
57     name varchar2(30)  
58 );  
59 create table student2(  
60     stu_id int,  
61     name varchar2(30)  
62 );  
63 insert into student1(stu_id,name) values  
64 (1,'riya'),(2,'arun'),(3,'sam');  
65 insert into student2(stu_id,name) VALUES  
66 (3,'sam'),(4,'megha'),(5,'varun');  
67 commit;  
68 create view student_view AS  
69 select stu_id,name  
70 from student1;  
71 select * from student_view;  
72  
73
```

OUTPUT :

Query result Script output DBMS output Explain Plan SQL history				
  Download ▼ Execution time: 0.007 seconds				
	STU_ID	NAME		
1	1	riya		
2	2	arun		
3	3	sam		