

```
mysql> insert into parent values(1,"jyothi"),
-> (2,"janu"),
-> (3,"neha"),
-> (4,"allu");
```

```
Query OK, 4 rows affected (0.01 sec)
Records: 4  Duplicates: 0  Warnings: 0
```

```
mysql> create table child(id int,d_name varchar(30),project varchar(30));
ERROR 1050 (42S01): Table 'child' already exists
mysql> create table child1(id int,d_name varchar(30),project varchar(30));
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> insert into child1 values
-> (1,"cse","bank management"),
-> (2,"IT","hospital management"),
-> (3,"DS","system management");
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
mysql> select * from parent;
```

id	e_name
1	jyothi
2	janu
3	neha
4	allu

```
4 rows in set (0.00 sec)
```

```
mysql> select * from child1;
```

id	d_name	project
1	cse	bank management
2	IT	hospital management
3	DS	system management

```
3 rows in set (0.00 sec)
```

```
mysql> select parent.e_name,d_name from parent inner join child1 on parent.id=child1.id;
```

e_name	d_name
jyothi	cse
janu	IT
neha	DS

```
3 rows in set (0.00 sec)
```

```
mysql> select parent.e_name,project from parent inner join child1 on parent.id=child1.id;
```

e_name	project
jyothi	bank management
janu	hospital management
neha	system management

```
3 rows in set (0.00 sec)
```

```
mysql> select * from parent inner join child1 on parent.id=child1.id;
```

id	e_name	id	d_name	project
1	jyothi	1	cse	bank management
2	janu	2	IT	hospital management
3	neha	3	DS	system management

```
3 rows in set (0.00 sec)
```

```
mysql> select parent.e_name,project from parent inner join child1 on parent.id=child1.id;
```

e_name	project
jyothi	bank management
janu	hospital management
neha	system management

```
3 rows in set (0.00 sec)
```

```
mysql> select parent.e_name from parent left join child1 on parent.id=child1.id;
```

e_name
jyothi
janu
neha
allu

```
4 rows in set (0.00 sec)
```

```
mysql> select parent.e_name,project from parent left join child1 on parent.id=child1.id;
```

e_name	project
jyothi	bank management
janu	hospital management
neha	system management
allu	NULL

```
4 rows in set (0.00 sec)
```

```
mysql> select parent.e_name,d_name from parent left join child1 on parent.id=child1.id;
```

e_name	d_name
jyothi	cse
janu	IT
neha	DS
allu	NULL

```
4 rows in set (0.00 sec)
```

```
mysql> select child1.d_name from parent right join child1 on parent.id=child1.id;
```

d_name
cse
IT
DS

```
3 rows in set (0.00 sec)
```

```
mysql> select child1.project from parent right join child1 on parent.id=child1.id;
```

```
+-----+  
| project |  
+-----+  
| bank management |  
| hospital management |  
| system management |  
+-----+  
3 rows in set (0.00 sec)
```

```
mysql> select * from parent left join child1 on parent.id=child1.id  
-> union  
-> select * from parent right join child1 on parent.id=child1.id;
```

```
+-----+-----+-----+-----+-----+  
| id | e_name | id | d_name | project |  
+-----+-----+-----+-----+-----+  
| 1 | jyothi | 1 | cse | bank management |  
| 2 | janu | 2 | IT | hospital management |  
| 3 | neha | 3 | DS | system management |  
| 4 | allu | NULL | NULL | NULL |  
+-----+-----+-----+-----+-----+  
4 rows in set (0.00 sec)
```

```
mysql> select parent.e_name,project from parent left join child1 on parent.id=child1.id  
-> union  
-> select parent.e_name,project from parent right join child1 on parent.id=child1.id;
```

e_name	project
jyothi	bank management
janu	hospital management
neha	system management
allu	NULL

4 rows in set (0.00 sec)

```
mysql> select * from parent cross join child1;
```

id	e_name	id	d_name	project
1	jyothi	3	DS	system management
1	jyothi	2	IT	hospital management
1	jyothi	1	cse	bank management
2	janu	3	DS	system management
2	janu	2	IT	hospital management
2	janu	1	cse	bank management
3	neha	3	DS	system management
3	neha	2	IT	hospital management
3	neha	1	cse	bank management
4	allu	3	DS	system management
4	allu	2	IT	hospital management
4	allu	1	cse	bank management

12 rows in set (0.00 sec)

```
mysql> select parent.e_name,project from parent cross join child1;
```

e_name	project
jyothi	system management
jyothi	hospital management
jyothi	bank management
janu	system management
janu	hospital management
janu	bank management
neha	system management
neha	hospital management
neha	bank management
allu	system management
allu	hospital management
allu	bank management

12 rows in set (0.00 sec)

```
mysql> select child1.d_name,e_name from parent left join child1 on parent.id=child1.id;
```

d_name	e_name
cse	jyothi
IT	janu
DS	neha
NULL	allu

4 rows in set (0.00 sec)

```
mysql> select child1.d_name,e_name from parent left join child1 on parent.id=child1.id where d_name="IT";
```

d_name	e_name
IT	janu

```
1 row in set (0.00 sec)
```

```
mysql> select parent.e_name,project from parent left join child1 on parent.id=child1.id where project="bank management";
```

e_name	project
jyothi	bank management

```
1 row in set (0.00 sec)
```