

SIMATS ENGINEERING

MCQ Test

COURSE NAME: Software Testing

COURSE CODE: CSA37

COURSE OUTCOME COVERED

CO1: Apply software testing principles to enhance the effectiveness of software quality assurance and improve defect detection strategies.

Assessment Tool Weightage: 20%

Code of Conduct:

I am P. Jyothika reddy__ (192311156) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.

I understand that any violation of academic integrity rules will result in disciplinary action.

P. Jyothika reddy

Signature of the student:

RUBRICS FOR CALCULATION:

Criteria	Weightage (%)	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Conceptual Understanding	30%	Demonstrates thorough understanding; answers all questions accurately	Shows good understanding with few errors	Partial understanding; several incorrect responses	Lacks understanding; majority of answers incorrect
Accuracy of Answers	25%	All answers are correct	Most answers are correct with minor mistakes	Some correct answers; frequent errors	Mostly incorrect answers
Application of Knowledge	20%	Correctly applies concepts to problem-based questions	Applies concepts with minor errors	Limited ability to apply concepts	Unable to apply concepts
Time Management	15%	Completes quiz well within time efficiently	Completes on time with minor delays	Requires extra time or rushes through questions	Unable to complete within given time
Question Interpretation	10%	Interprets all questions correctly and responds appropriately	Misinterprets a few questions	Often misinterprets questions	Unable to understand questions

1. A team applies systematic test design techniques during development. This reflects:

- A) Debugging
- B) Testing as an engineering activity
- C) Maintenance
- D) Deployment

Answer: B) Testing as an engineering activity

2. If a project skips defined testing processes, what is the likely outcome?

- A) Faster delivery with high quality
- B) Increased defects in production
- C) Reduced testing cost only
- D) Improved documentation

Answer: B) Increased defects in production

3. Selecting test cases based on requirements demonstrates:

- A) Random testing
- B) Process-driven testing
- C) Ad hoc testing
- D) Maintenance testing

Answer: B) Process-driven testing

4. Applying equivalence partitioning is an example of:

- A) Debugging
- B) Test design technique
- C) Coding standard
- D) Deployment activity

Answer: B) Test design technique

5. A tester identifies missing requirements during testing. This shows:

- A) Coding error
- B) Process gap
- C) User error
- D) Hardware issue

Answer: B) Process gap

6. Following a structured testing lifecycle ensures:

- A) Random defect detection
- B) Improved software quality
- C) Less documentation
- D) No defects

Answer: B) Improved software quality

7. Which activity best represents testing as a process?

- A) Writing code
- B) Executing test cases systematically
- C) Deploying software
- D) User training

Answer: B) Executing test cases systematically

8. A tester reuses test cases from a repository. This supports:

- A) Efficiency in testing
- B) Increased coding errors
- C) Reduced coverage
- D) Random testing

Answer: A) Efficiency in testing

9. If defects are tracked and analyzed, it improves:

- A) Coding speed
- B) Software quality process
- C) Deployment time
- D) User interface

Answer: B) Software quality process

10. Applying boundary value analysis helps to:

- A) Increase documentation
- B) Detect edge-case defects
- C) Reduce execution time
- D) Avoid testing

Answer: B) Detect edge-case defects

11. A tester validates system behavior against requirements. This is:

- A) Verification
- B) Validation
- C) Debugging
- D) Coding

Answer: B) Validation

12. Detecting defects before release reduces:

- A) Development effort
- B) Maintenance cost
- C) Coding standards
- D) Testing scope

Answer: B) Maintenance cost

13. Applying testing principles ensures:

- A) Zero defects guarantee
- B) Early defect detection
- C) No testing needed
- D) Faster coding

Answer: B) Early defect detection

14. Which principle suggests testing all inputs is impossible?

- A) Exhaustive testing
- B) Exhaustive testing is impossible
- C) Early testing
- D) Defect clustering

Answer: B) Exhaustive testing is impossible

15. A tester focuses on frequently failing modules. This uses:

- A) Random testing
- B) Defect clustering principle
- C) Regression testing
- D) Smoke testing

Answer: B) Defect clustering principle

16. If testing starts early in SDLC, it helps:

- A) Reduce defects cost
- B) Increase coding errors
- C) Delay project
- D) Skip documentation

Answer: A) Reduce defects cost

17. A tester designs test cases independently from developers. This ensures:

- A) Bias
- B) Objectivity
- C) Delay
- D) Redundancy

Answer: B) Objectivity

18. A tester reviews requirements for errors. Role performed is:

- A) Developer
- B) Tester
- C) Manager
- D) User

Answer: B) Tester

19. Reporting defects clearly is part of:

- A) Coding
- B) Tester's responsibility
- C) Deployment
- D) Maintenance

Answer: B) Tester's responsibility

20. A tester collaborates with developers to fix bugs. This shows:

- A) Isolation
- B) Teamwork
- C) Delay
- D) Redundancy

Answer: B) Teamwork

21. A requirement ambiguity causes defects. Origin is:

- A) Coding
- B) Requirements phase
- C) Testing phase
- D) Deployment

Answer: B) Requirements phase

22. Incorrect algorithm implementation leads to:

- A) Requirement defect
- B) Design defect
- C) Coding defect
- D) Testing defect

Answer: C) Coding defect

23. Missing validation checks are example of:

- A) Design defects
- B) Coding defects
- C) Requirement defects
- D) Deployment defects

Answer: B) Coding defects

24. Poor UI design causing confusion is:

- A) Coding defect
- B) Design defect
- C) Requirement defect
- D) Hardware defect

Answer: B) Design defect

25. A system crash due to memory leak is:

- A) Requirement defect
- B) Coding defect
- C) Design defect
- D) Documentation defect

Answer: B) Coding defect

26. Classifying defects based on severity helps:

- A) Ignore defects
- B) Prioritize fixing
- C) Delay release
- D) Increase cost

Answer: B) Prioritize fixing

27. A critical defect impacts:

- A) Minor feature
- B) Core functionality
- C) UI color
- D) Documentation

Answer: B) Core functionality

28. A minor defect example is:

- A) System crash
- B) Login failure
- C) Typo error
- D) Data loss

Answer: C) Typo error

29. Defect classification helps testers to:

- A) Ignore bugs
- B) Organize defects
- C) Skip testing
- D) Increase errors

Answer: B) Organize defects

30. A defect repository is used to:

- A) Store code
- B) Store test cases
- C) Store defect details
- D) Store UI designs

Answer: C) Store defect details

31. Reusing defect data helps in:

- A) Predicting issues
- B) Increasing bugs
- C) Reducing tests
- D) Skipping phases

Answer: A) Predicting issues

32. A defect repository improves:

- A) Code complexity
- B) Testing efficiency
- C) User interface
- D) Deployment speed

Answer: B) Testing efficiency

33. Logging defects with details ensures:

- A) Confusion
- B) Traceability
- C) Delay
- D) Redundancy

Answer: B) Traceability

34. A tester uses past defect data to design tests. This is:

- A) Random testing
- B) Experience-based testing
- C) Debugging
- D) Deployment

Answer: B) Experience-based testing

35. Incorrect login validation is an example of:

- A) Functional defect
- B) Performance defect
- C) Security defect
- D) UI defect

Answer: A) Functional defect

36. Slow response time is a:

- A) Functional defect
- B) Performance defect
- C) UI defect
- D) Coding standard

Answer: B) Performance defect

37. Unauthorized data access indicates:

- A) UI defect
- B) Security defect
- C) Functional defect
- D) Design defect

Answer: B) Security defect

38. Missing button functionality is:

- A) Functional defect
- B) Security defect
- C) Performance defect
- D) Hardware defect

Answer: A) Functional defect

39. Poor alignment in UI is:

- A) Functional defect
- B) UI defect
- C) Security defect
- D) Design defect

Answer: B) UI defect

40. Applying testing principles avoids:

- A) Coding
- B) Redundant tests
- C) Deployment
- D) Maintenance

Answer: B) Redundant tests

41. A tester validates outputs using expected results. This is:

- A) Debugging
- B) Test execution
- C) Coding
- D) Maintenance

Answer: B) Test execution

42. If defects are not tracked, it leads to:

- A) Better quality
- B) Poor traceability
- C) Faster delivery
- D) No impact

Answer: B) Poor traceability

43. Applying test process ensures:

- A) Random results
- B) Structured testing
- C) No defects
- D) No planning

Answer: B) Structured testing

44. Test case design based on requirements ensures:

- A) Low coverage
- B) High coverage
- C) No defects
- D) Less effort

Answer: B) High coverage

45. Early testing reduces:

- A) Defect cost
- B) Code size
- C) UI design
- D) Deployment time

Answer: A) Defect cost

46. A tester identifies repeated defects. This indicates:

- A) Good design
- B) Poor process
- C) No issue
- D) Perfect testing

Answer: B) Poor process

47. Reviewing test results helps:

- A) Ignore defects
- B) Improve quality
- C) Skip testing
- D) Reduce effort

Answer: B) Improve quality

48. A tester applies regression testing to:

- A) Add features
- B) Ensure fixes work
- C) Deploy software
- D) Design UI

Answer: B) Ensure fixes work

49. Identifying root cause of defects helps:

- A) Increase bugs
- B) Prevent recurrence
- C) Delay testing
- D) Skip coding

Answer: B) Prevent recurrence

50. A test plan ensures:

- A) Random execution
- B) Organized testing
- C) No testing
- D) No defects

Answer: B) Organized testing

51. Applying defect classification improves:

- A) Testing cost
- B) Fix prioritization
- C) Coding errors
- D) UI design

Answer: B) Fix prioritization

52. A tester uses historical defect trends. This helps in:

- A) Ignoring defects
- B) Risk-based testing
- C) Deployment
- D) Coding

Answer: B) Risk-based testing

53. Testing ensures product meets:

- A) Developer needs
- B) User requirements
- C) Tester goals
- D) Manager plans

Answer: B) User requirements

54. A defect due to wrong requirement interpretation is:

- A) Coding defect
- B) Requirement defect
- C) UI defect
- D) Hardware defect

Answer: B) Requirement defect

55. Applying process standards ensures:

- A) Poor quality
- B) Consistent quality
- C) No testing
- D) Random output

Answer: B) Consistent quality

56. A tester documents defects clearly. This helps:

- A) Developers fix quickly
- B) Increase errors
- C) Delay release
- D) Reduce quality

Answer: A) Developers fix quickly

57. A defect repository is analyzed to:

- A) Increase cost
- B) Improve testing strategy
- C) Skip testing
- D) Reduce quality

Answer: B) Improve testing strategy

58. A tester applies black-box testing. This focuses on:

- A) Internal code
- B) External behavior
- C) Hardware
- D) Deployment

Answer: B) External behavior

59. Defects found in testing phase indicate:

- A) Perfect design
- B) Earlier phase issues
- C) No issues
- D) Hardware problems

Answer: B) Earlier phase issues

60. Applying structured testing improves:

- A) Random results
- B) Product reliability
- C) Coding errors
- D) Deployment delay

Answer: B) Product reliability



SAVEETHA

INSTITUTE OF MEDICAL AND TECHNICAL SCIENCES
(Declared as Deemed to be University under Section 3 of UGC Act 1956)

