

Frequencies

Statistics

	Google news	Google finance	Google fonts	Google scholar	Socratic	G board
N	100	100	100	100	100	100
Valid	100	100	100	100	100	100
Missing	0	0	0	0	0	0
Minimum	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	3.00	3.00	3.00	3.00	3.00	3.00

Frequency Table

Google news

	Frequency	Percent	Valid Percent	Cumulative Percent
Aware, used it	87	87.0	87.0	87.0
Valid Not aware	13	13.0	13.0	100.0
Total	100	100.0	100.0	

Google finance

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Aware, used it	47	47.0	47.0	47.0

	Not aware	53	53.0	53.0	100.0
	Total	100	100.0	100.0	

Google fonts

		Frequency	Percent	Valid Percent	Cumulative Percent
	Aware, used it	70	70.0	70.0	70.0
Valid	Not aware	30	30.0	30.0	100.0
	Total	100	100.0	100.0	

Google scholar

		Frequency	Percent	Valid Percent	Cumulative Percent
	Aware, used it	47	47.0	47.0	47.0
Valid	Not aware	53	53.0	53.0	100.0
	Total	100	100.0	100.0	

Socratic

		Frequency	Percent	Valid Percent	Cumulative Percent
	Aware, used it	23	23.0	23.0	23.0
Valid	Not aware	77	77.0	77.0	100.0
	Total	100	100.0	100.0	

G board

	Frequency	Percent	Valid Percent	Cumulative Percent
Aware, used it	60	60.0	60.0	60.0
Valid Not aware	40	40.0	40.0	100.0
Total	100	100.0	100.0	

Google translate

	Frequency	Percent	Valid Percent	Cumulative Percent
Aware, used it	96	96.0	96.0	96.0
Valid Not aware	4	4.0	4.0	100.0
Total	100	100.0	100.0	

Google forms

	Frequency	Percent	Valid Percent	Cumulative Percent
Aware, used it	93	93.0	93.0	93.0
Aware, not used it	1	1.0	1.0	94.0
Valid Not aware	6	6.0	6.0	100.0
Total	100	100.0	100.0	

CROSSTABS

/TABLES=Q19.1 Q19.2 Q19.3 Q19.4 Q19.5 Q19.6 Q19.7 Q19.8 BY Year Stream

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ

/CELLS=COUNT ROW

/COUNT ROUND CELL.

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Google news * Current year of study	100	100.0%	0	0.0%	100	100.0%
Google news * Stream	100	100.0%	0	0.0%	100	100.0%
Google finance * Current year of study	100	100.0%	0	0.0%	100	100.0%
Google finance * Stream	100	100.0%	0	0.0%	100	100.0%
Google fonts * Current year of study	100	100.0%	0	0.0%	100	100.0%
Google fonts * Stream	100	100.0%	0	0.0%	100	100.0%
Google scholar * Current year of study	100	100.0%	0	0.0%	100	100.0%
Google scholar * Stream	100	100.0%	0	0.0%	100	100.0%
Socratic * Current year of study	100	100.0%	0	0.0%	100	100.0%
Socratic * Stream	100	100.0%	0	0.0%	100	100.0%
G board * Current year of study	100	100.0%	0	0.0%	100	100.0%
G board * Stream	100	100.0%	0	0.0%	100	100.0%
Google translate * Current year of study	100	100.0%	0	0.0%	100	100.0%

Google translate * Stream	100	100.0%	0	0.0%	100	100.0%
Google forms * Current year of study	100	100.0%	0	0.0%	100	100.0%
Google forms * Stream	100	100.0%	0	0.0%	100	100.0%

Google news * Current year of study

Crosstab

			Current year of study			Total
			I Year	II Year	III Year	
Google news	Aware, used it	Count	12	6	69	87
		% within Google news	13.8%	6.9%	79.3%	100.0%
	Not aware	Count	3	1	9	13
		% within Google news	23.1%	7.7%	69.2%	100.0%
Total	Count		15	7	78	100
	% within Google news		15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.807 ^a	2	.668
Likelihood Ratio	.734	2	.693
Linear-by-Linear Association	.788	1	.375
N of Valid Cases	100		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is .91.

Google news * Stream

Crosstab

			Stream				Total
			BSc	Bcom	BA	BBA	
Google news	Aware, used it	Count	3	42	5	37	88
		% within Google news	3.4%	48.3%	5.7%	42.5%	100.0%
	Not aware	Count	0	5	4	4	13
		% within Google news	0.0%	38.5%	30.8%	30.8%	100.0%
Total	Count		3	47	9	41	100
	% within Google news		3.0%	47.0%	9.0%	41.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.930 ^a	3	.030
Likelihood Ratio	6.842	3	.077
Linear-by-Linear Association	.028	1	.867
N of Valid Cases	100		

a. 3 cells (37.5%) have expected count less than 5. The minimum expected count is .39.

Google finance * Current year of study

Crosstab

			Current year of study			Total
			I Year	II Year	III Year	
Google finance	Aware, used it	Count	6	5	36	47
		% within Google finance	12.8%	10.6%	76.6%	100.0%
	Not aware	Count	9	2	42	53
		% within Google finance	17.0%	3.8%	79.2%	100.0%
Total	Count		15	7	78	100
	% within Google finance		15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.994 ^a	2	.369
Likelihood Ratio	2.034	2	.362
Linear-by-Linear Association	.011	1	.915
N of Valid Cases	100		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.29.

Google finance * Stream

Crosstab

			Stream			
			BSc	Bcom	BA	BBA
Google finance	Aware, used it	Count	1	28	1	17
		% within Google finance	2.1%	59.6%	2.1%	36.2%
	Not aware	Count	2	19	8	24
		% within Google finance	3.8%	35.8%	15.1%	45.3%
Total	Count		3	47	9	41
	% within Google finance		3.0%	47.0%	9.0%	41.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.366 ^a	3	.039
Likelihood Ratio	9.112	3	.028
Linear-by-Linear Association	2.184	1	.139
N of Valid Cases	100		

a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 1.41.

Google fonts * Current year of study

Crosstab

			Current year of study			Total
			I Year	II Year	III Year	
Google fonts	Aware, used it	Count	7	5	58	70
		% within Google fonts	10.0%	7.1%	82.9%	100.0%
	Not aware	Count	8	2	20	30
		% within Google fonts	26.7%	6.7%	66.7%	100.0%
Total	Count		15	7	78	100
	% within Google fonts		15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.601 ^a	2	.100
Likelihood Ratio	4.263	2	.119
Linear-by-Linear Association	4.210	1	.040
N of Valid Cases	100		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is 2.10.

Google fonts * Stream

Crosstab

			Stream				Total
			BSc	Bcom	BA	BBA	
Google fonts	Aware, used it	Count	1	38	3	28	70
		% within Google fonts	1.4%	54.3%	4.3%	40.0%	100.0%
	Not aware	Count	2	9	6	13	30
		% within Google fonts	6.7%	30.0%	20.0%	43.3%	100.0%
Total	Count		3	47	9	41	100
	% within Google fonts		3.0%	47.0%	9.0%	41.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.375 ^a	3	.016
Likelihood Ratio	9.768	3	.021
Linear-by-Linear Association	.620	1	.431
N of Valid Cases	100		

a. 3 cells (37.5%) have expected count less than 5. The minimum expected count is .90.

Google scholar * Current year of study

Crosstab

			Current year of study			Total
			I Year	II Year	III Year	
Google scholar	Aware, used it	Count	5	3	39	47
		% within Google scholar	10.6%	6.4%	83.0%	100.0%
	Not aware	Count	10	4	39	53
		% within Google scholar	18.9%	7.5%	73.6%	100.0%
Total	Count		15	7	78	100
	% within Google scholar		15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.455 ^a	2	.483
Likelihood Ratio	1.482	2	.477
Linear-by-Linear Association	1.437	1	.231
N of Valid Cases	100		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.29.

Google scholar * Stream

Crosstab

	Stream
--	--------

			BSc	Bcom	BA	BBA
Google scholar	Aware, used it	Count	2	26	0	19
		% within Google scholar	4.3%	55.3%	0.0%	40.4%
	Not aware	Count	1	21	9	22
		% within Google scholar	1.9%	39.6%	17.0%	41.5%
Total	Count		3	47	9	41
	% within Google scholar		3.0%	47.0%	9.0%	41.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.760 ^a	3	.021
Likelihood Ratio	13.209	3	.004
Linear-by-Linear Association	1.158	1	.282
N of Valid Cases	100		

a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 1.41.

Socratic * Current year of study

Crosstab

	Current year of study			Total
	I Year	II Year	III Year	

Socratic	Aware, used it	Count	4	1	18	23
		% within Socratic	17.4%	4.3%	78.3%	100.0%
	Not aware	Count	11	6	60	77
		% within Socratic	14.3%	7.8%	77.9%	100.0%
Total	Count		15	7	78	100
	% within Socratic		15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.414 ^a	2	.813
Likelihood Ratio	.444	2	.801
Linear-by-Linear Association	.025	1	.874
N of Valid Cases	100		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 1.61.

Socratic * Stream

Crosstab

			Stream				Total
			BSc	Bcom	BA	BBA	
Socratic	Aware, used it	Count	1	13	0	9	23

Total	% within Socratic	4.3%	56.5%	0.0%	39.1%	100.0%
	Count	2	34	9	32	77
	% within Socratic	2.6%	44.2%	11.7%	41.6%	100.0%
	Count	3	47	9	41	100
	% within Socratic	3.0%	47.0%	9.0%	41.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.471 ^a	3	.325
Likelihood Ratio	5.448	3	.142
Linear-by-Linear Association	.595	1	.440
N of Valid Cases	100		

a. 3 cells (37.5%) have expected count less than 5. The minimum expected count is .69.

G board * Current year of study

Crosstab

			Current year of study			Total
			I Year	II Year	III Year	
G board	Aware, used it	Count	10	6	44	60
		% within G board	16.7%	10.0%	73.3%	100.0%

Total	Not aware	Count	5	1	34	40
		% within G board	12.5%	2.5%	85.0%	100.0%
		Count	15	7	78	100
		% within G board	15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.625 ^a	2	.269
Likelihood Ratio	2.920	2	.232
Linear-by-Linear Association	1.117	1	.290
N of Valid Cases	100		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.80.

G board * Stream

Crosstab

			Stream				Total
			BSc	Bcom	BA	BBA	
G board	Aware, used it	Count	2	23	3	32	60
		% within G board	3.3%	38.3%	5.0%	53.3%	100.0%
	Not aware	Count	1	24	6	9	40

Total	% within G board	2.5%	60.0%	15.0%	22.5%	100.0%
	Count	3	47	9	41	100
	% within G board	3.0%	47.0%	9.0%	41.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.684 ^a	3	.014
Likelihood Ratio	11.036	3	.012
Linear-by-Linear Association	6.229	1	.013
N of Valid Cases	100		

a. 3 cells (37.5%) have expected count less than 5. The minimum expected count is 1.20.

Google translate * Current year of study

Crosstab

			Current year of study			Total
			I Year	II Year	III Year	
Google translate	Aware, used it	Count	14	7	75	96
		% within Google translate	14.6%	7.3%	78.1%	100.0%
	Not aware	Count	1	0	3	4
		% within Google translate	25.0%	0.0%	75.0%	100.0%

Total	Count	15	7	78	100
	% within Google translate	15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.574 ^a	2	.750
Likelihood Ratio	.809	2	.667
Linear-by-Linear Association	.131	1	.718
N of Valid Cases	100		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is .28.

Google translate * Stream

Crosstab

			Stream			
			BSc	Bcom	BA	BBA
Google translate	Aware, used it	Count	3	44	9	40
		% within Google translate	3.1%	45.8%	9.4%	41.7%
	Not aware	Count	0	3	0	1
		% within Google translate	0.0%	75.0%	0.0%	25.0%
Total	Count		3	47	9	41
	% within Google translate		3.0%	47.0%	9.0%	41.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.455 ^a	3	.693
Likelihood Ratio	1.873	3	.599
Linear-by-Linear Association	.604	1	.437
N of Valid Cases	100		

a. 5 cells (62.5%) have expected count less than 5. The minimum expected count is .12.

Google forms * Current year of study

Crosstab

			Current year of study			Total
			I Year	II Year	III Year	
Google forms	Aware, used it	Count	12	6	75	93
		% within Google forms	12.9%	6.5%	80.6%	100.0%
	Aware, not used it	Count	0	0	1	1
		% within Google forms	0.0%	0.0%	100.0%	100.0%
	Not aware	Count	3	1	2	6
		% within Google forms	50.0%	16.7%	33.3%	100.0%
	Total	Count	15	7	78	100
		% within Google forms	15.0%	7.0%	78.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.914 ^a	4	.095
Likelihood Ratio	6.465	4	.167
Linear-by-Linear Association	6.728	1	.009

N of Valid Cases	100		
------------------	-----	--	--

a. 6 cells (66.7%) have expected count less than 5. The minimum expected count is .07.

Google forms * Stream

Crosstab

			Stream				Total
			BSc	Bcom	BA	BBA	
Google forms	Aware, used it	Count	3	45	8	37	93
		% within Google forms	3.2%	48.4%	8.6%	39.8%	100.0%
	Aware, not used it	Count	0	1	0	0	1
		% within Google forms	0.0%	100.0%	0.0%	0.0%	100.0%
	Not aware	Count	0	1	1	4	6
		% within Google forms	0.0%	16.7%	16.7%	66.7%	100.0%
Total	Count	3	47	9	41	100	
	% within Google forms	3.0%	47.0%	9.0%	41.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.942 ^a	6	.685
Likelihood Ratio	4.662	6	.588
Linear-by-Linear Association	1.854	1	.173
N of Valid Cases	100		

a. 9 cells (75.0%) have expected count less than 5. The minimum expected count is .03.

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation	Variance
tools aware of	100	1.00	8.00	5.2400	1.86472	3.477
Socratic	100	1.00	3.00	2.5400	.84591	.716
Google scholar	100	1.00	3.00	2.0600	1.00323	1.006
Google finance	100	1.00	3.00	2.0600	1.00323	1.006
G board	100	1.00	3.00	1.8000	.98473	.970
Google fonts	100	1.00	3.00	1.6000	.92113	.848
Google news	100	1.00	3.00	1.2600	.67600	.457
Google forms	100	1.00	3.00	1.1300	.48524	.235
Google translate	100	1.00	3.00	1.0800	.39389	.155
Valid N (listwise)	100					

Oneway

Descriptives

		N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
						Lower Bound	Upper Bound
Google news	BSc	3	1.0000	.00000	.00000	1.0000	1.0000
	Bcom	47	1.2128	.62332	.09092	1.0298	1.3958
	BA	9	1.8889	1.05409	.35136	1.0786	2.6991
	BBA	41	1.1951	.60081	.09383	1.0055	1.3848
	Total	100	1.2600	.67600	.06760	1.1259	1.3941
Google finance	BSc	3	2.3333	1.15470	.66667	-.5351	5.2018

Google fonts	Bcom	47	1.8085	.99211	.14471	1.5172	2.0998
	BA	9	2.7778	.66667	.22222	2.2653	3.2902
	BBA	41	2.1707	.99756	.15579	1.8559	2.4856
	Total	100	2.0600	1.00323	.10032	1.8609	2.2591
	BSc	3	2.3333	1.15470	.66667	-.5351	5.2018
	Bcom	47	1.3830	.79545	.11603	1.1494	1.6165
	BA	9	2.3333	1.00000	.33333	1.5647	3.1020
	BBA	41	1.6341	.94223	.14715	1.3367	1.9316
	Total	100	1.6000	.92113	.09211	1.4172	1.7828
	BSc	3	1.6667	1.15470	.66667	-1.2018	4.5351
Google scholar	Bcom	47	1.8936	1.00508	.14661	1.5985	2.1887
	BA	9	3.0000	.00000	.00000	3.0000	3.0000
	BBA	41	2.0732	1.00971	.15769	1.7545	2.3919
	Total	100	2.0600	1.00323	.10032	1.8609	2.2591
	BSc	3	2.3333	1.15470	.66667	-.5351	5.2018
Socratic	Bcom	47	2.4468	.90430	.13191	2.1813	2.7123
	BA	9	3.0000	.00000	.00000	3.0000	3.0000
	BBA	41	2.5610	.83812	.13089	2.2964	2.8255
	Total	100	2.5400	.84591	.08459	2.3722	2.7078
	BSc	3	1.6667	1.15470	.66667	-1.2018	4.5351
G board	Bcom	47	2.0213	1.01058	.14741	1.7246	2.3180
	BA	9	2.3333	1.00000	.33333	1.5647	3.1020
	BBA	41	1.4390	.83812	.13089	1.1745	1.7036
	Total	100	1.8000	.98473	.09847	1.6046	1.9954
	BSc	3	1.0000	.00000	.00000	1.0000	1.0000
Google translate	Bcom	47	1.1277	.49418	.07208	.9826	1.2728
	BA	9	1.0000	.00000	.00000	1.0000	1.0000
	BBA	41	1.0488	.31235	.04878	.9502	1.1474

Google forms	Total	100	1.0800	.39389	.03939	1.0018	1.1582
	BSc	3	1.0000	.00000	.00000	1.0000	1.0000
	Bcom	47	1.0638	.32332	.04716	.9689	1.1588
	BA	9	1.2222	.66667	.22222	.7098	1.7347
	BBA	41	1.1951	.60081	.09383	1.0055	1.3848
	Total	100	1.1300	.48524	.04852	1.0337	1.2263

Test of Homogeneity of Variances

	Levene Statistic	df1	df2	Sig.
Google news	5.742	3	96	.001
Google finance	16.234	3	96	.000
Google fonts	2.984	3	96	.035
Google scholar	246.866	3	96	.000
Socratic	9.559	3	96	.000
G board	6.929	3	96	.000
Google translate	2.028	3	96	.115
Google forms	3.190	3	96	.027

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
Google news	Between Groups	4.040	3	1.347	3.138	.029
	Within Groups	41.200	96	.429		
	Total	45.240	99			
Google finance	Between Groups	8.336	3	2.779	2.922	.038
	Within Groups	91.304	96	.951		

Google fonts	Total	99.640	99			
	Between Groups	8.715	3	2.905	3.704	.014
	Within Groups	75.285	96	.784		
Google scholar	Total	84.000	99			
	Between Groups	9.725	3	3.242	3.461	.019
	Within Groups	89.915	96	.937		
Socratic	Total	99.640	99			
	Between Groups	2.459	3	.820	1.151	.333
	Within Groups	68.381	96	.712		
G board	Total	70.840	99			
	Between Groups	10.257	3	3.419	3.828	.012
	Within Groups	85.743	96	.893		
Google translate	Total	96.000	99			
	Between Groups	.224	3	.075	.473	.702
	Within Groups	15.136	96	.158		
Google forms	Total	15.360	99			
	Between Groups	.507	3	.169	.711	.548
	Within Groups	22.803	96	.238		
	Total	23.310	99			

Post Hoc Tests

Multiple Comparisons

Tukey HSD

Dependent Variable	(I) Stream	(J) Stream	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence
						Lower Bound
Google news	BSc	Bcom	-.21277	.39011	.948	-1.2328
		BA	-.88889	.43674	.182	-2.0308
		BBA	-.19512	.39182	.959	-1.2196
		BSc	.21277	.39011	.948	-.8072
	Bcom	BA	-.67612*	.23836	.028	-1.2993
		BBA	.01764	.14000	.999	-.3484
		BSc	.88889	.43674	.182	-.2530
	BA	Bcom	.67612*	.23836	.028	.0529
		BBA	.69377*	.24115	.025	.0633
		BSc	.19512	.39182	.959	-.8293
	BBA	Bcom	-.01764	.14000	.999	-.3837
		BA	-.69377*	.24115	.025	-1.3243
		Bcom	.52482	.58074	.803	-.9936
	BSc	BA	-.44444	.65016	.903	-2.1443
		BBA	.16260	.58329	.992	-1.3625
		BSc	-.52482	.58074	.803	-2.0432
Google finance	Bcom	BA	-.96927*	.35484	.037	-1.8970
		BBA	-.36222	.20841	.310	-.9071
		BSc	.44444	.65016	.903	-1.2555
	BA	Bcom	.96927*	.35484	.037	.0415
		BBA	.60705	.35899	.334	-.3316
		BSc	-.16260	.58329	.992	-1.6877
	BBA	Bcom	.36222	.20841	.310	-.1827
		BA	-.60705	.35899	.334	-1.5457

Google fonts		Bcom	.95035	.52734	.279	-.4284
	BSc	BA	.00000	.59038	1.000	-1.5436
		BBA	.69919	.52966	.553	-.6857
		BSc	-.95035	.52734	.279	-2.3292
	Bcom	BA	-.95035*	.32221	.021	-1.7928
		BBA	-.25117	.18924	.548	-.7460
		BSc	.00000	.59038	1.000	-1.5436
	BA	Bcom	.95035*	.32221	.021	.1079
		BBA	.69919	.32598	.146	-.1531
		BSc	-.69919	.52966	.553	-2.0840
	BBA	Bcom	.25117	.18924	.548	-.2436
		BA	-.69919	.32598	.146	-1.5515
		Bcom	-.22695	.57631	.979	-1.7338
	BSc	BA	-1.33333	.64519	.172	-3.0203
		BBA	-.40650	.57884	.896	-1.9199
		BSc	.22695	.57631	.979	-1.2799
	Bcom	BA	-1.10638*	.35213	.012	-2.0271
		BBA	-.17955	.20681	.821	-.7203
		BSc	1.33333	.64519	.172	-.3536
	BA	Bcom	1.10638*	.35213	.012	.1857
		BBA	.92683	.35625	.052	-.0046
		BSc	.40650	.57884	.896	-1.1069
	BBA	Bcom	.17955	.20681	.821	-.3612
		BA	-.92683	.35625	.052	-1.8583
		Bcom	-.11348	.50258	.996	-1.4275
Socratic	BSc	BA	-.66667	.56265	.638	-2.1378
		BBA	-.22764	.50479	.969	-1.5475
	Bcom	BSc	.11348	.50258	.996	-1.2006

G board	BA	BA	-.55319	.30708	.279	-1.3561
		BBA	-.11417	.18036	.921	-.5857
		BSc	.66667	.56265	.638	-.8045
		Bcom	.55319	.30708	.279	-.2497
		BBA	.43902	.31067	.494	-.3733
		BSc	.22764	.50479	.969	-1.0922
	BBA	Bcom	.11417	.18036	.921	-.3574
		BA	-.43902	.31067	.494	-1.2513
		Bcom	-.35461	.56278	.922	-1.8261
	BSc	BA	-.66667	.63005	.716	-2.3140
		BBA	.22764	.56525	.978	-1.2503
		BSc	.35461	.56278	.922	-1.1168
	Bcom	BA	-.31206	.34386	.801	-1.2111
		BBA	.58225*	.20196	.025	.0542
		BSc	.66667	.63005	.716	-.9807
	BA	Bcom	.31206	.34386	.801	-.5870
		BBA	.89431	.34788	.056	-.0153
		BSc	-.22764	.56525	.978	-1.7055
	BBA	Bcom	-.58225*	.20196	.025	-1.1103
		BA	-.89431	.34788	.056	-1.8039
		Bcom	-.12766	.23646	.949	-.7459
	BSc	BA	.00000	.26472	1.000	-.6921
		BBA	-.04878	.23749	.997	-.6697
		BSc	.12766	.23646	.949	-.4906
Google translate	Bcom	BA	.12766	.14448	.813	-.2501
		BBA	.07888	.08485	.789	-.1430
		BSc	.00000	.26472	1.000	-.6921
	BA	Bcom	-.12766	.14448	.813	-.5054

Google forms	BBA	BBA	-.04878	.14617	.987	-.4309
		BSc	.04878	.23749	.997	-.5722
		Bcom	-.07888	.08485	.789	-.3007
		BA	.04878	.14617	.987	-.3334
		Bcom	-.06383	.29023	.996	-.8227
	BSc	BA	-.22222	.32492	.903	-1.0717
		BBA	-.19512	.29150	.908	-.9573
	Bcom	BSc	.06383	.29023	.996	-.6950
		BA	-.15839	.17733	.808	-.6220
		BBA	-.13129	.10415	.590	-.4036
	BA	BSc	.22222	.32492	.903	-.6273
		Bcom	.15839	.17733	.808	-.3053
		BBA	.02710	.17940	.999	-.4420
	BBA	BSc	.19512	.29150	.908	-.5670
		Bcom	.13129	.10415	.590	-.1410
		BA	-.02710	.17940	.999	-.4962

*. The mean difference is significant at the 0.05 level.

Homogeneous Subsets

Google news

Tukey HSD^{a,b}

Stream	N	Subset for alpha = 0.05
--------	---	-------------------------

		1	2
BSc	3	1.0000	
BBA	41	1.1951	1.1951
Bcom	47	1.2128	1.2128
BA	9		1.8889
Sig.		.913	.148

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 8.161.
- b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google finance

Tukey HSD^{a,b}

Stream	N	Subset for alpha = 0.05
		1
Bcom	47	1.8085
BBA	41	2.1707
BSc	3	2.3333
BA	9	2.7778
Sig.		.192

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 8.161.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google fonts

Tukey HSD^{a,b}

Stream	N	Subset for alpha = 0.05
		1
Bcom	47	1.3830
BBA	41	1.6341
BSc	3	2.3333
BA	9	2.3333
Sig.		.140

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 8.161.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google scholar

Tukey HSD^{a,b}

Stream	N	Subset for alpha = 0.05	
		1	2
BSc	3	1.6667	

Bcom	47	1.8936	1.8936
BBA	41	2.0732	2.0732
BA	9		3.0000
Sig.		.831	.103

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 8.161.
- b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Socratic

Tukey HSD^{a,b}

Stream	N	Subset for alpha = 0.05
		1
BSc	3	2.3333
Bcom	47	2.4468
BBA	41	2.5610
BA	9	3.0000
Sig.		.386

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 8.161.
- b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

G board

Tukey HSD_{a,b}

Stream	N	Subset for alpha = 0.05
		1
BBA	41	1.4390
BSc	3	1.6667
Bcom	47	2.0213
BA	9	2.3333
Sig.		.230

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 8.161.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google translate

Tukey HSD_{a,b}

Stream	N	Subset for alpha = 0.05
		1
BSc	3	1.0000
BA	9	1.0000
BBA	41	1.0488
Bcom	47	1.1277

Sig.		.916
------	--	------

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 8.161.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google forms

Tukey HSD^{a,b}


Stream	N	Subset for alpha = 0.05
		1
BSc	3	1.0000
Bcom	47	1.0638
BBA	41	1.1951
BA	9	1.2222
Sig.		.794


Means for groups in homogeneous subsets are displayed.


a. Uses Harmonic Mean Sample Size = 8.161.


b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.


Means Plots




















```
ONEWAY Q19.1 Q19.2 Q19.3 Q19.4 Q19.5 Q19.6 Q19.7 Q19.8 BY Year  
/STATISTICS DESCRIPTIVES HOMOGENEITY  
/PLOT MEANS  
/MISSING ANALYSIS  
/POSTHOC=TUKEY ALPHA(0.05).
```

Oneway

Descriptives

		N	Mean	Std. Deviation	Std. Error	95% Confidence Interval	
						Lower Bound	Upper Bound
Google news	I Year	15	1.4000	.82808	.21381	.9414	1.8586
	II Year	7	1.2857	.75593	.28571	.5866	1.9848
	III Year	78	1.2308	.64311	.07282	1.0858	1.3758
	Total	100	1.2600	.67600	.06760	1.1259	1.3941
Google finance	I Year	15	2.2000	1.01419	.26186	1.6384	2.7616
	II Year	7	1.5714	.97590	.36886	.6689	2.4740
	III Year	78	2.0769	1.00349	.11362	1.8507	2.3032
	Total	100	2.0600	1.00323	.10032	1.8609	2.2591
Google fonts	I Year	15	2.0667	1.03280	.26667	1.4947	2.6386
	II Year	7	1.5714	.97590	.36886	.6689	2.4740
	III Year	78	1.5128	.87895	.09952	1.3146	1.7110
	Total	100	1.6000	.92113	.09211	1.4172	1.7828
Google scholar	I Year	15	2.3333	.97590	.25198	1.7929	2.8738
	II Year	7	2.1429	1.06904	.40406	1.1542	3.1316
	III Year	78	2.0000	1.00647	.11396	1.7731	2.2269
	Total	100	2.0600	1.00323	.10032	1.8609	2.2591
Socratic	I Year	15	2.4667	.91548	.23637	1.9597	2.9736
	II Year	7	2.7143	.75593	.28571	2.0152	3.4134
	III Year	78	2.5385	.84810	.09603	2.3472	2.7297
	Total	100	2.5400	.84591	.08459	2.3722	2.7078
G board	I Year	15	1.6667	.97590	.25198	1.1262	2.2071
	II Year	7	1.2857	.75593	.28571	.5866	1.9848
	III Year	78	1.8718	.99817	.11302	1.6467	2.0968
	Total	100	1.8000	.98473	.09847	1.6046	1.9954

Google translate	I Year	15	1.1333	.51640	.13333	.8474	1.4193
	II Year	7	1.0000	.00000	.00000	1.0000	1.0000
	III Year	78	1.0769	.38710	.04383	.9896	1.1642
	Total	100	1.0800	.39389	.03939	1.0018	1.1582
Google forms	I Year	15	1.4000	.82808	.21381	.9414	1.8586
	II Year	7	1.2857	.75593	.28571	.5866	1.9848
	III Year	78	1.0641	.33574	.03801	.9884	1.1398
	Total	100	1.1300	.48524	.04852	1.0337	1.2263

Test of Homogeneity of Variances

	Levene Statistic	df1	df2	Sig.
Google news	1.388	2	97	.255
Google finance	4.835	2	97	.010
Google fonts	2.178	2	97	.119
Google scholar	4.647	2	97	.012
Socratic	.990	2	97	.375
G board	17.312	2	97	.000
Google translate	1.166	2	97	.316
Google forms	14.822	2	97	.000

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
Google news	Between Groups	.365	2	.183	.395	.675
	Within Groups	44.875	97	.463		
	Total	45.240	99			

Google finance	Between Groups	1.987	2	.994	.987	.376
	Within Groups	97.653	97	1.007		
	Total	99.640	99			
Google fonts	Between Groups	3.865	2	1.933	2.339	.102
	Within Groups	80.135	97	.826		
	Total	84.000	99			
Google scholar	Between Groups	1.450	2	.725	.716	.491
	Within Groups	98.190	97	1.012		
	Total	99.640	99			
Socratic	Between Groups	.293	2	.147	.202	.818
	Within Groups	70.547	97	.727		
	Total	70.840	99			
G board	Between Groups	2.520	2	1.260	1.308	.275
	Within Groups	93.480	97	.964		
	Total	96.000	99			
Google translate	Between Groups	.088	2	.044	.280	.756
	Within Groups	15.272	97	.157		
	Total	15.360	99			
Google forms	Between Groups	1.602	2	.801	3.579	.032
	Within Groups	21.708	97	.224		
	Total	23.310	99			

Post Hoc Tests

Multiple Comparisons

Tukey HSD

Dependent Variable	(I) Current year of study	(J) Current year of study	Mean Difference (I-J)	Std. Error	Sig.
Google news	I Year	II Year	.11429	.31134	.9
		III Year	.16923	.19176	.6
		I Year	-.11429	.31134	.9
	II Year	III Year	.05495	.26837	.9
		I Year	-.16923	.19176	.6
		II Year	-.05495	.26837	.9
Google finance	III Year	II Year	.62857	.45928	.3
		III Year	.12308	.28288	.9
		I Year	-.62857	.45928	.3
	I Year	II Year	-.50549	.39589	.4
		III Year	-.12308	.28288	.9
		II Year	.50549	.39589	.4
Google fonts	II Year	II Year	.49524	.41605	.4
		III Year	.55385	.25626	.0
		I Year	-.49524	.41605	.4
	III Year	III Year	.05861	.35862	.9
		I Year	-.55385	.25626	.0
		II Year	-.05861	.35862	.9
Google scholar	I Year	II Year	.19048	.46054	.9
		III Year	.33333	.28366	.4
		I Year	-.19048	.46054	.9
	II Year	III Year	.14286	.39697	.9
		I Year	-.33333	.28366	.4
		II Year			

Socratic	I Year	II Year	-.14286	.39697	.9
		II Year	-.24762	.39036	.8
		III Year	-.07179	.24044	.9
	II Year	I Year	.24762	.39036	.8
		III Year	.17582	.33648	.8
	III Year	I Year	.07179	.24044	.9
G board	I Year	II Year	-.17582	.33648	.8
		II Year	.38095	.44936	.6
		III Year	-.20513	.27677	.7
	II Year	I Year	-.38095	.44936	.6
		III Year	-.58608	.38733	.2
	III Year	I Year	.20513	.27677	.7
Google translate	I Year	II Year	.58608	.38733	.2
		II Year	.13333	.18163	.7
		III Year	.05641	.11187	.8
	II Year	I Year	-.13333	.18163	.7
		III Year	-.07692	.15656	.8
	III Year	I Year	-.05641	.11187	.8
Google forms	I Year	II Year	.07692	.15656	.8
		II Year	.11429	.21654	.8
		III Year	.33590*	.13337	.0
	II Year	I Year	-.11429	.21654	.8
		III Year	.22161	.18665	.4
	III Year	I Year	-.33590*	.13337	.0
		II Year	-.22161	.18665	.4

*. The mean difference is significant at the 0.05 level.

Homogeneous Subsets

Google news

Tukey HSD^{a,b}

Current year of study	N	Subset for alpha = 0.05
		1
III Year	78	1.2308
II Year	7	1.2857
I Year	15	1.4000
Sig.		.795

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 13.493.
- b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google finance

Tukey HSD^{a,b}

Current year of study	N	Subset for alpha = 0.05
		1
II Year	7	1.5714
III Year	78	2.0769
I Year	15	2.2000

Sig.		.239
------	--	------

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 13.493.
- b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google fonts

Tukey HSD^{a,b}

Current year of study	N	Subset for alpha = 0.05
		1
III Year	78	1.5128
II Year	7	1.5714
I Year	15	2.0667
Sig.		.258

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 13.493.
- b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google scholar

Tukey HSD^{a,b}

Current year of study	N	Subset for alpha = 0.05
-----------------------	---	-------------------------

		1
III Year	78	2.0000
II Year	7	2.1429
I Year	15	2.3333
Sig.		.666

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 13.493.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Socratic

Tukey HSD^{a,b}

Current year of study	N	Subset for alpha = 0.05
		1
I Year	15	2.4667
III Year	78	2.5385
II Year	7	2.7143
Sig.		.732

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 13.493.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

G board

Tukey HSD^{a,b}

Current year of study	N	Subset for alpha = 0.05
		1
II Year	7	1.2857
I Year	15	1.6667
III Year	78	1.8718
Sig.		.272

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 13.493.
- b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google translate

Tukey HSD^{a,b}

Current year of study	N	Subset for alpha = 0.05
		1
II Year	7	1.0000
III Year	78	1.0769
I Year	15	1.1333
Sig.		.659

Means for groups in homogeneous subsets are displayed.

- a. Uses Harmonic Mean Sample Size = 13.493.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Google forms

Tukey HSD^{a,b}



Current year of study	N	Subset for alpha = 0.05
		1
III Year	78	1.0641
II Year	7	1.2857
I Year	15	1.4000
Sig.		.161



Means for groups in homogeneous subsets are displayed.



a. Uses Harmonic Mean Sample Size = 13.493.



b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

Means Plots









CORRELATIONS

/VARIABLES=Q19.1 Q19.2 Q19.3 Q19.4 Q19.5 Q19.6 Q19.7 Q19.8 Q12 Q14 Q17

/PRINT=TWOTAIL NOSIG

/STATISTICS DESCRIPTIVES XPROD

/MISSING=PAIRWISE.

Correlations

Descriptive Statistics

	Mean	Std. Deviation	N
Google news	1.2600	.67600	100
Google finance	2.0600	1.00323	100
Google fonts	1.6000	.92113	100
Google scholar	2.0600	1.00323	100
Socratic	2.5400	.84591	100
G board	1.8000	.98473	100
Google translate	1.0800	.39389	100
Google forms	1.1300	.48524	100
How effective do you feel Google apps in helping you complete your class projects or assignments?	1.4700	.64283	100
Using Google applications has a positive impact on your academic performance?	2.0200	.76515	100
How satisfied are you with the results you get from using Google apps?	2.0200	.69602	100

Correlations

		Google news	Google finance	Google fonts	Google scholar	Socrata	Google board	Google translate	Google forms	How effective do you feel Google apps in helping you complete your class projects or assignments?	Using Google applications has a positive impact on your academic performance?	How satisfied are you with the results you get from using Google apps?
Google news	Pearson Correlation	1	.245*	.136	.185	.141	.291*	.073	.327*	.274**	.224*	.118
	Sig. (2-tailed)		.014	.176	.065	.163	.003	.471	.001	.006	.025	.244
	Sum of Squares and Cross-products	45.240	16.440	8.400	12.440	7.960	19.200	1.920	10.620	11.780	11.480	5.480
	Covariance	.457	.166	.085	.126	.080	.194	.019	.107	.119	.116	.055
	N	100	100	100	100	100	100	100	100	100	100	100
Google finance	Pearson Correlation	.245*1		.442*	.438**	.485**	.319*	-.012	.005	-.122	.025	-.089
	Sig. (2-tailed)	.014		.000	.000	.000	.001	.904	.964	.225	.807	.381
	Sum of Squares and Cross-products	16.440	99.640	40.400	43.640	40.760	31.200	-.480	.220	-7.820	1.880	-6.120

Google fonts	Covariance	.166	1.006	.408	.441	.412	.315	-.005	.002	-.079	.019	-.062
	N	100	100	100	100	100	100	100	100	100	100	100
	Pearson Correlation	.136	.442*	1	.267**	.306**	.312*	-.022	.185	-.038	-.017	-.050
	Sig. (2-tailed)	.176	.000		.007	.002	.002	.826	.065	.711	.865	.618
	Sum of Squares and Cross-products	8.400	40.400	84.000	24.400	23.600	28.000	-.800	8.200	-2.200	-1.200	-3.200
Google scholar	Covariance	.085	.408	.848	.246	.238	.283	-.008	.083	-.022	-.012	-.032
	N	100	100	100	100	100	100	100	100	100	100	100
	Pearson Correlation	.185	.438*	.267*	1	.533**	.319*	-.012	.046	.034	.051	.085
	Sig. (2-tailed)	.065	.000	.007		.000	.001	.904	.649	.736	.614	.400
	Sum of Squares and Cross-products	12.440	43.640	24.400	99.640	44.760	31.200	-.480	2.220	2.180	3.880	5.880
Socratic	Covariance	.126	.441	.246	1.006	.452	.315	-.005	.022	.022	.039	.059
	N	100	100	100	100	100	100	100	100	100	100	100
	Pearson Correlation	.141	.485*	.306*	.533**	1	.301*	-.252*	-.050	-.156	-.048	-.087
	Sig. (2-tailed)	.163	.000	.002	.000		.002	.011	.623	.122	.635	.389

[illegible]

Google forms	Pearson Correlation	.327*	.005	.185	.046	-.050	.118	.156	1	.256*	.129	.172
	Sig. (2-tailed)	.001	.964	.065	.649	.623	.241	.120		.010	.201	.088
	Sum of Squares and Cross-products	10.620	.220	8.200	2.220	-2.020	5.600	2.960	23.310	7.890	4.740	5.740
	Covariance	.107	.002	.083	.022	-.020	.057	.030	.235	.080	.048	.058
	N	100	100	100	100	100	100	100	100	100	100	100
How effective do you feel Google apps in helping you complete your class projects or assignments?	Pearson Correlation	.274*	-.122	-.038	.034	-.156	.038	.249*	.256*1		.350**	.430**
	Sig. (2-tailed)	.006	.225	.711	.736	.122	.705	.013	.010		.000	.000
	Sum of Squares and Cross-products	11.780	-7.820	-2.200	2.180	-8.380	2.400	6.240	7.890	40.910	17.060	19.060
	Covariance	.119	-.079	-.022	.022	-.085	.024	.063	.080	.413	.172	.193
	N	100	100	100	100	100	100	100	100	100	100	100
Using Google applications has a positive impact on	Pearson Correlation	.224*	.025	-.017	.051	-.048	.005	-.072	.129	.350**	1	.246*
	Sig. (2-tailed)	.025	.807	.865	.614	.635	.958	.474	.201	.000		.014

your academic performance?	Sum of Squares and Cross-products	11.480	1.880	-1.200	3.880	-3.080	.400	-2.160	4.740	17.060	57.960	12.960
	Covariance	.116	.019	-.012	.039	-.031	.004	-.022	.048	.172	.585	.131
	N	100	100	100	100	100	100	100	100	100	100	100
	Pearson Correlation	.118	-.089	-.050	.085	-.087	.153	.141	.172	.430**	.246*	.1
How satisfied are you with the results you get from using Google apps?	Sig. (2-tailed)	.244	.381	.618	.400	.389	.128	.160	.088	.000	.014	
	Sum of Squares and Cross-products	5.480	-6.120	-3.200	5.880	-5.080	10.400	3.840	5.740	19.060	12.960	47.960
	Covariance	.055	-.062	-.032	.059	-.051	.105	.039	.058	.193	.131	.484
	N	100	100	100	100	100	100	100	100	100	100	100

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

NONPAR CORR

/VARIABLES=Q19.1 Q19.2 Q19.3 Q19.4 Q19.5 Q19.6 Q19.7 Q19.8 Q12 Q14 Q17

/PRINT=SPEARMAN TWOTAIL NOSIG

/MISSING=PAIRWISE.

Nonparametric Correlations

Correlations

		Google news	Google finance	Google fonts	Google scholar	Socratic	Google board	Google translate	Google forms	How effective do you feel Google apps in helping you complete your class projects or assignments?	Using Google applications has a positive impact on your academic performance?	How satisfied are you with the results you get from using Google apps?
Spearman's rho	Google news Correlation Coefficient	1.000	.245*	.136	.185	.141	.291**	.073	.357**	.192	.225*	.132
	Google news Sig. (2-tailed)		.014	.176	.065	.163	.003	.471	.000	.056	.024	.192
	Google news N	100	100	100	100	100	100	100	100	100	100	100
	Google finance Correlation Coefficient	.245*	1.000	.442**	.438*	.485**	.319**	-.012	.020	-.123	.024	-.091
	Google finance Sig. (2-tailed)	.014		.000	.000	.000	.001	.904	.840	.222	.809	.366
	Google finance N	100	100	100	100	100	100	100	100	100	100	100
Google fonts Correlation Coefficient	.136	.442*	1.000	.267*	.306**	.312**	-.022	.166	-.057	-.018	-.038	

		1	2	3	4	5	6	7	8	9	10	11	12
Google scholar	Sig. (2-tailed)	.176	.000	.	.007	.002	.00	.826	.099	.571		.861	.708
	N	100	100	100	100	100	100	100	100	100		100	100
	Correlation Coefficient	.185	.438*	.267**	1.000	.533**	.319**	-.012	.026	.010		.050	.092
	Sig. (2-tailed)	.065	.000	.007	.	.000	.00	.904	.798	.921		.624	.361
	N	100	100	100	100	100	100	100	100	100		100	100
	Correlation Coefficient	.141	.485*	.306**	.533*	1.000	.301**	-.252*	-.038	-.139		-.050	-.103
Socratic	Sig. (2-tailed)	.163	.000	.002	.000	.	.00	.011	.706	.168		.621	.306
	N	100	100	100	100	100	100	100	100	100		100	100
	Correlation Coefficient	.291**	.319*	.312**	.319*	.301**	1.000	.146	.099	.054		.005	.134
	Sig. (2-tailed)	.003	.001	.002	.001	.002	.	.148	.326	.596		.964	.185
	N	100	100	100	100	100	100	100	100	100		100	100
	Correlation Coefficient	.073	-.012	-.022	-.012	-.252*	.146	1.000	.146	.171		-.072	.153
Google translate	Sig. (2-tailed)	.471	.904	.826	.904	.011	.148	.	.147	.089		.478	.128
	N	100	100	100	100	100	100	100	100	100		100	100

[illegible]

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

Reliability

Scale: 0.7

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.700	8

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
13.5300	13.928	3.73208	8