TASK-1:

Find the number of unique listeners in the data set.

Solution1:

Mapper code for Task1:-

```
import java.io.IOException;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.*;
public class UniqListenerMapper extends
Mapper<LongWritable, Text, Text, IntWritable>{
public void map(LongWritable key, Text values, Context context)
throws IOException, InterruptedException{
String[] line = values.toString().split("\\\");
Text uid = new Text (line [0]);
IntWritable value = new
IntWritable(1);
context.write(uid, value);
}
```

Reducer code for Task1:-

```
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Reducer;
public class UniqueListenerReducer extends
Reducer<Text,IntWritable,Text,IntWritable> {
public void reduce(Text uid, Iterable<IntWritable> count, Context context)
throws IOException, InterruptedException{
int sum = 0;
for(IntWritable values: count) {
  sum+= values.get();
  }
  context.write(uid,new IntWritable(sum));
}
```

Driver code for Task1:-

```
import org.apache.hadoop.conf.Configuration;
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Job;
import org.apache.hadoop.mapreduce.lib.input.FileInputFormat;
import org.apache.hadoop.mapreduce.lib.input.TextInputFormat;
import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;
import org.apache.hadoop.mapreduce.lib.output.TextOutputFormat;
public class UniqueListener {
public static void main(String[] args) throws Exception {
// TODO Auto-generated method stub
Configuration conf = new Configuration();
Job job = new Job(conf, "Assignment_5_1");
job.setJarByClass(UniqueListener.class);
job.setMapOutputKeyClass(Text.class);
job.setMapOutputValueClass(IntWritable.class);
job.setOutputKeyClass(Text.class);
job.setOutputValueClass(IntWritable.class);
job.setMapperClass(UniqListenerMapper.class);
job.setReducerClass(UniqueListenerReducer.class);
job.setNumReduceTasks(2);
job.setInputFormatClass(TextInputFormat.class);
job.setOutputFormatClass(TextOutputFormat.class);
FileInputFormat.addInputPath(job, new Path(args[0]));
FileOutputFormat.setOutputPath(job, new Path(args[1]));
job.waitForCompletion(true);
}
}
```

Execution of Jar File for Task1: -

```
[acadgild@localhost -]$ hadoop jar Desktop/Jyoti/Assignment5_Taskl.jar UniqueListener /musicdata.txt /Output5_1
18/07/31_20:08:30 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classe
psplicable
18/07/31_20:08:31 INFO client.RMProxy: Connecting to ResourceManager at localhost/127.0.0.1:0032
18/07/31_20:08:32 INFO mapreduce.boResourceUploader: Hadoop command-line option parsing not performed. Implement the Tool interf
xecute your application with ToolRunner to remedy this
18/07/31_20:08:33 INFO mapreduce.boBsubmitter: number of splits:1
18/07/31_20:08:33 INFO mapreduce.boBsubmitter: submitting tokens for job: job. job.33047119572_0001
18/07/31_20:08:33 INFO mapreduce.boBsubmitter: Submitting tokens for job: job. job.33047119572_0001
18/07/31_20:08:33 INFO mapreduce.bob: The url to track the job. thity:/localhost:8008/proxy/application_1533047119572_0001
18/07/31_20:08:34 INFO mapreduce.bob: The url to track the job. thity:/localhost:8008/proxy/application_1533047119572_0001/
18/07/31_20:08:34 INFO mapreduce.bob: Obb job job.33047119572_0001 running in uber mode: false
18/07/31_20:08:47 INFO mapreduce.bob: Obb job job.33047119572_0001 running in uber mode: false
18/07/31_20:08:45 INFO mapreduce.bob: map jobs reduce 0%
18/07/31_20:08:53 INFO mapreduce.lob: map jobs reduce 0%
18/07/31_20:09:05 INFO mapreduce.lob: map jobs reduce 0%
18/07/31_20:09:05 INFO mapreduce.lob: map jobs reduce 0%
18/07/31_20:09:05 INFO mapreduce.lob: map jobs reduce 50%
18/07/31_20:09:05 INFO mapreduce.lob: map jobs reduce 6%
18/07/31_20:09:05 INFO mapreduce.lob: map jobs reduce 50%
18
```

```
Total vcore-milliseconds taken by all map tasks=4457
Total vcore-milliseconds taken by all reduce tasks=17761
Total megabyte-milliseconds taken by all map tasks=4563968
Total megabyte-milliseconds taken by all reduce tasks=18187264
```

```
[acadgild@localhost ~]$ hadoop fs -ls /Output5_1
18/07/31 20:10:30 WARN util.NativeCodeLoader: <mark>Unable to</mark> load native-hadoop library for your platform
pplicable
 ound 3 items
 rw-r--r-- 1 acadgild supergroup
                                                                0 2018-07-31 20:09 /Output5_1/_SUCCESS
                  1 acadgild supergroup
1 acadgild supergroup
                                                               0 2018-07-31 20:09 /Output5_1/part-r-00000
27 2018-07-31 20:09 /Output5_1/part-r-00001
 rw-r--r--
 rw-r--r--
You have new mail in /var/spool/mail/acadgild
[acadgild@localhost ~]$ hadoop fs -cat /Output5_1/part-r-00000
18/07/31 20:10:54 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform
pplicable
[acadgild@localhost ~]$ hadoop fs -cat /Output5_1/part-r-00001
18/07/31 20:11:03 WARN util.NativeCodeLoader: <mark>Unable to</mark> load native-hadoop library for your platform
pplicable
111113 1
 11115
```

TASK-2:

What are the number of times a song was heard fully?

Solution2:

```
Mapper code for Task2:-
package task2;
import java.io.IOException;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.*;
public class FullSongMapper extends Mapper<LongWritable, Text, Text, IntWritable> {
public void map(LongWritable key, Text value, Context context) throws IOException,
InterruptedException{
String[] line = value.toString().split("\\|");
Text uid = new Text(line[0]);
if(line[4].equals("1")){
context.write(uid, new IntWritable(1));
}
}
Reducer code for Task2:-
package task2;
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Reducer;
```

public class FullSongReducer extends Reducer<Text,IntWritable,Text,IntWritable>{

```
public void reduce(Text uid, Iterable<IntWritable> count, Context context) throws
IOException, InterruptedException{
  int sum = 0;
  for(IntWritable
  value: count) {
    sum+= value.get();
  }
  context.write(uid, new
IntWritable(sum));
  }
}
```

Driver code for Task2:-

package task2;

```
import org.apache.hadoop.conf.Configuration;
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Job;
import org.apache.hadoop.mapreduce.lib.input.FileInputFormat;
import org.apache.hadoop.mapreduce.lib.input.TextInputFormat;
import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;
import org.apache.hadoop.mapreduce.lib.output.TextOutputFormat;
public class FullSong {
public static void main(String[] args) throws Exception {
Configuration conf = new Configuration();
Job job = new Job(conf, "Assignment 5 2");
job.setJarByClass(FullSong.class);
job.setMapOutputKeyClass(Text.class);
iob.setMapOutputValueClass(IntWritable.class);
job.setOutputKeyClass(Text.class);
job.setOutputValueClass(IntWritable.class);
job.setMapperClass(FullSongMapper.class);
job.setReducerClass(FullSongReducer.class);
job.setNumReduceTasks(2);
job.setInputFormatClass(TextInputFormat.class);
job.setOutputFormatClass(TextOutputFormat.class);
FileInputFormat.addInputPath(job, new Path(args[0]));
FileOutputFormat.setOutputPath(job,new Path(args[1] ) );
job.waitForCompletion(true);
```

Execution of Jar File for Task2:

```
[acadgild@localhost ~]s hadoop jar Desktop/Jyoti/Assignment5 Task2.jar FullSong /musicdata.txt /Output5_2
18/07/31 20:12:11 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java cl
pplicable
18/07/31 20:12:13 INFO client.RMProxy: Connecting to ResourceWanager at localhost/127.0.0.1:8032
18/07/31 20:12:13 INFO client.RMProxy: Connecting to ResourceWanager at localhost/127.0.0.1:8032
18/07/31 20:12:15 INFO input-FileInputFormat: Total input paths to process: 1
18/07/31 20:12:15 INFO input-FileInputFormat: Total input paths to process: 1
18/07/31 20:12:15 INFO mapreduce. JobsUmbitter: number of splits:1
18/07/31 20:12:16 INFO mapreduce. JobsUmbitter: Submitting tokens for job: job_1533047119572_0002
18/07/31 20:12:16 INFO impl-YarnClientImpl: Submitted application application_1533047119572_0002
18/07/31 20:12:16 INFO mapreduce. Job: Tul to track the job: http://localhost:8088/proxy/application_1533047119572_0002
18/07/31 20:12:12 INFO mapreduce. Job: Running job: job_1533047119572_0002
18/07/31 20:12:12 INFO mapreduce. Job: Sup ob _1533047119572_0002
18/07/31 20:12:23 INFO mapreduce. Job: map Job* reduce 0%
18/07/31 20:12:24 INFO mapreduce. Job: map Job* reduce 0%
18/07/31 20:12:35 INFO mapreduce. Job: map Job* reduce 0%
18/07/31 20:13:10 INFO mapreduce. Job: map Job* reduce 0%
18/07/31 20:13:10 INFO mapreduce. Job: map Job* reduce 0%
18/07/31 20:13:10 INFO mapreduce. Job: counters 50

File: Number of bytes written=323970
File: Number of bytes vritten=323970
File: Number of bytes vritten=323970
File: Number of bytes vritten=323970
File: Number of vives vritten=3239
```

```
Total time spent by all reduces in occupied slots (ms)=37501
Total time spent by all map tasks (ms)=11392
Total time spent by all reduce tasks (ms)=37501
Total years-milliseconds taken by all map tasks=11302
```

```
[acadgild@localhost ~]$ hadoop fs -cat /Output5_2/part-r-00001
18/07/31 20:13:53 WARN util.NativeCodeLoader: Unable to load native-happlicable
111117 1
```

TASK-3:

What are the number of times a song was shared?

Solution3:

Mapper code for task3:-

```
import java.io.IOException;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.*;
public class SongShareMapper extends Mapper<LongWritable, Text, Text, IntWritable> {
   public void map(LongWritable key, Text value, Context context) throws IOException,
   InterruptedException{
   String[] line = value.toString().split("\\\");
   if(line[2].equals("1")) {
      context.write(new Text(line[0]), new IntWritable(1));
   }
   }
}
```

Reducer code for task3:-

```
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Reducer;
public class SongShareReducer extends Reducer<Text,IntWritable,Text, IntWritable> {
public void reducer(Text uid, Iterable<IntWritable> count, Context context) throws
IOException, InterruptedException{
int sum = 0;
for(IntWritable
value:count) {
sum+= value.get();
}
context.write(uid, new
IntWritable(sum));
}
}
```

Driver code for task3:-

```
import org.apache.hadoop.conf.Configuration;
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Job;
import org.apache.hadoop.mapreduce.lib.input.FileInputFormat;
import org.apache.hadoop.mapreduce.lib.input.TextInputFormat;
import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;
import org.apache.hadoop.mapreduce.lib.output.TextOutputFormat;
import task2.FullSong;
import task2.FullSongMapper;
import task2.FullSongReducer;
public class SongShare {
public static void main(String[] args) throws Exception {
// TODO Auto-generated method stub
Configuration conf = new Configuration();
Job job = new Job(conf, "Assignment_5_3");
job.setJarByClass(SongShare.class);
job.setMapOutputKeyClass(Text.class);
job.setMapOutputValueClass(IntWritable.class);
job.setOutputKeyClass(Text.class);
job.setOutputValueClass(IntWritable.class);
job.setMapperClass(SongShareMapper.class);
job.setReducerClass(SongShareReducer.class);
job.setNumReduceTasks(2);
job.setInputFormatClass(TextInputFormat.class);
job.setOutputFormatClass(TextOutputFormat.class);
FileInputFormat.addInputPath(job, new Path(args[0]));
FileOutputFormat.setOutputPath(job,new Path(args[1]));
job.waitForCompletion(true);
}
}
```

Execution of Jar File for Task3:-

```
[acadgild@localhost -]$ hadoop jar Desktop/Jyoti/Assignment5_Task3.jar Sungshare _,mosted.
18/87/31 22:17:35 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-japplicable
18/87/31 22:17:39 INFO client.RMProxy: Connecting to ResourceManager at localhost/127.0.0.1:8032
18/87/31 22:17:41 WARN mapreduce.JobResourceUploader: Hadoop command-line option parsing not performed. Implement the To xecute your application with ToolRunner to remedy this.
18/87/31 22:17:41 INFO input.FileInputPormat: Total input paths to process: 1
18/87/31 22:17:42 INFO mapreduce.JobSubmitter: number of splits:1
18/87/31 22:17:42 INFO mapreduce.JobSubmitter: number of splits:1
18/87/31 22:17:42 INFO impl.YarnclientImpl: Submitted application application_1533047119572_0003
18/87/31 22:17:44 INFO impl.YarnclientImpl: Submitted application application_1533047119572_0003
18/87/31 22:17:44 INFO mapreduce.Job: The url to track the job: http://localhost:8088/proxy/application_1533047119572_003
18/87/31 22:18:01 INFO mapreduce.Job: Munning job job 1533047119572_0003 running in uber mode: false
18/87/31 22:18:01 INFO mapreduce.Job: map 00% reduce 0%
18/87/31 22:18:19 INFO mapreduce.Job: map 100% reduce 0%
18/87/31 22:18:41 INFO mapreduce.Job: map 100% reduce 0%
18/87/31 22:18:42 INFO mapreduce.Job: map 100% reduce 0%
18/87/31 22:18:43 INFO mapreduce.Job: map 100% reduce 100%
18/87/31 22:18:43 INFO mapreduce.Job: Sob job job j533047119572_0003 completed successfully
18/87/31 22:18:43 INFO mapreduce.Job: counters:

FILE: Number of bytes read=38

FILE: Number of bytes read=38

FILE: Number of bytes read=38

FILE: Number of bytes read=173

HDFS: Number of bytes read=173

HDFS: Number of large read operations=0

HDFS: Number of read operations=0

HDFS: Number of read operations=0

HDFS: Number of write operations=0

Job Counters

Killed reduce tasks=1
      [acadgild@localhost ~]$ hadoop jar Desktop/Jyoti/Assignment5_Task3.jar SongShare /musicdata.txt /Output5_3
18/07/31 22:17:35 WARN util.NativeCodeLoader: <mark>Unable to</mark> load native-hadoop library for your platform... using builtin-ja
                                  Job Counters
Killed reduce tasks=1
                                                              Launched map tasks=1
Launched reduce tasks=2
                                                              Data-local map tasks=1
Total time spent by all maps in occupied slots (ms)=12596
Total time spent by all reduces in occupied slots (ms)=39491
Total time spent by all map tasks (ms)=12596
Total time spent by all reduce tasks (ms)=39491
Total vcore-milliseconds taken by all map tasks=12596
                                        Total time spent by all reduces in occupied slots (ms)=39491
Total time spent by all map tasks (ms)=12596
Total time spent by all reduce tasks (ms)=39491
Total vcore-milliseconds taken by all map tasks=12596
Total vcore-milliseconds taken by all reduce tasks=39491
Total megabyte-milliseconds taken by all map tasks=12898304
Total megabyte-milliseconds taken by all reduce tasks=40438784
Map-Reduce Framework
Map input records=4
                                                                                 Map input records=4
                                                                                Map output records=2
Map output bytes=22
                                                                                 Map output materialized bytes=38
                                                                                 Input split bytes=100
Combine input records=0
Combine output records=0
                                                                                Reduce input groups=2
Reduce shuffle bytes=38
Reduce input records=2
                                                                                 Reduce output records=2
Spilled Records=4
Shuffled Maps =2
Failed Shuffles=0
                                                                                 Merged Map outputs=2
                                                                                GC time elapsed (ms)=623
CPU time spent (ms)=5100
Physical memory (bytes) snapshot=394375168
Virtual memory (bytes) snapshot=6179631104
                                                                                   Total committed heap usage (bytes)=202575872
                                           Shuffle Erro
                                                                                 BAD_ID=0
                                                                                 CONNECTION=0
IO_ERROR=0
                                                                                 WRONG LENGTH=0
                                                                                 WRONG_MAP=0
WRONG_REDUCE=0
                                           File Input Format Counters
                                                                                 Bytes Read=73
                                           File Output Format Counters
                                                                                 Bytes Written=18
     You have new mail in /var/spool/mail/acadgild
```

Output of Task3:-