API - AUTO PARTS IND

PROBLEM STATEMENT

Today, vehicle breakdownsdon’tfailbecauseparts don’t exist — they fail because parts aren’t available **at the right place, at the right time** .

Whether it’s a motorbike stranded on a highway, a car stuck in the city, or a commercial vehicle halted mid-route, the problem is the same:

- Spare parts are scattered
- Access is slow
- Logistics are unreliable
- Downtime is expensive

What should be a quick fix turns into hours—or days—of delay.

Our solution is simple but powerful.

We provide **auto parts and essential vehicle amenities on-demand** , delivered through a **rapid logistics network** directly to **where the requirement is generated** . No towing unless necessary. No hunting for shops. No waiting.

From motorbikes to cars to transport vehicles, we act as a **reliable, mobile supply layer** for the automotive ecosystem—ensuring that breakdowns are addressed **quickly, efficiently, and with certainty** .

In short:
Whenvehicles stop, we move.

(We are providing autoparts and other amenities for motorbike , cars and other transport vehicles at the convenience of the quick delivery logistics to wherever the requirements are generated and to be addressed . and so we provide reliability and convenience)

On-Demand Auto Parts & Vehicle Amenities

Founder's Working Document

1. Background & Context

The transportation ecosystem—motorbikes, passenger cars, and commercial vehicles—relies heavily on uptime. Any breakdown, minor or major, creates a ripple effect: delayed travel, lost income, safety risks, and logistical chaos.

Despite advancements in vehicles and mobility platforms, spare part access and last-mile service delivery remain fragmented and outdated.
This document outlines:

- **The core problem observed in real-world scenarios**
- **The gap in the current ecosystem**
- **Our solution and operating philosophy**
- **Why reliability and speed are the real differentiators**

---

2. Problem Statement

Vehicle breakdowns rarely occur at convenient locations.

Yet the current system assumes:

- **Users can reach a spare parts store**
- **Mechanics have immediate access to parts**
- **Logistics can wait**

In reality:

- Spare parts are geographically dispersed
- Stores operate on limited hours and inventory
- Emergency delivery infrastructure for auto parts is almost non-existent

As a result:

- Vehicles remain immobilized longer than necessary
- Minor issues escalate into major downtime
- Users lose time, money, and trust in the system

The core problem is not part availability—it is part accessibility at the moment of need.

---

3. Observed Gaps in the Market

3.1 Fragmented Supply Chain

- Local spare part shops are unorganized
- Inventory visibility is poor or nonexistent
- No standardized pricing or availability data

3.2 Inefficient Last-Mile Logistics

- Logistics networks are optimized for e-commerce, not emergencies
- No priority routing for stranded vehicles
- Delivery timelines are unpredictable

3.3 Lack of Reliability in Emergency Scenarios

- Towing is used as a default solution, even when unnecessary

- **Users depend on informal networks (local mechanics, phone calls)**
- **No single accountable service provider**

---

4. Our Solution: On-Demand Auto Parts & Amenities

We are building a reliable, on-demand delivery system for:

- **Auto spare parts**
- **Vehicle consumables**
- **Essential roadside amenities**

Delivered directly to the location where the requirement is generated.

Key Principle:

Fix the supply problem without moving the vehicle.

---

5. How the System Works (High-Level)

1. **Requirement Triggered**
    - **Breakdown, warning, or service need identified**
    - **Location and vehicle details captured**
2. **Inventory Matching**
    - **Nearest available part identified**
    - **Compatible alternatives suggested if needed**
3. **Rapid Logistics Dispatch**
    - **Priority delivery assigned**

- ○ Route optimized for speed, not cost alone

4. On-Site Resolution

- ○ Part delivered to user or mechanic
- ○ Vehicle restored with minimal downtime

---

6. Target Vehicle Segments

- Motorbikes – High volume, time-sensitive, urban-heavy
- Passenger Cars – Urban & highway breakdown scenarios
- Commercial / Transport Vehicles – Revenue-critical downtime

Each segment values speed and reliability, but the cost of delay increases significantly with commercial vehicles.

---

7. Reliability as the Core Value Proposition

This is not a marketplace problem.
This is not just a delivery problem.

This is a reliability problem.

We are designing the system around:

- Predictable delivery timelines
- Verified inventory sources
- Clear accountability (one service owner)
- Minimal dependency on towing

If users cannot trust the system during failure moments, the system has no value.

---

8. Why This Matters

- Reduces unnecessary towing and congestion
- Saves hours of downtime for individuals and fleets
- Creates a new logistics layer for the automotive ecosystem
- Turns breakdown moments into solvable, controlled events

---

9. Founder’s Perspective

This company exists because:

- Vehicles are becoming smarter, but service access is not
- Logistics has evolved for convenience, not urgency
- The automotive after-market is ready for operational disruption

Our focus is not scale first.
Our focus is execution, reliability, and response time.

Scale will follow trust

Operational Philosophy

Asset-light, partner-heavy
Reliability over speed promises
Manual first, automate later
Trust before scale

We are not building a marketplace.
We are building an operational reliability system for vehicle breakdowns.

Operations Breakdown

Actual (Q1–Q2) & Potential (Q3–Q4+)
Founder's Operations Documentation

1. Operational Framework Overview

Our operations are designed around one core objective:
Deliver the right auto part or vehicle amenity to the exact location of need, with speed and reliability.
To achieve this, we operate a collaborative, asset-light ecosystem rather than owning inventory or logistics outright.
Operations are divided into:

Actual Operations (Q1–Q2): Validation, pilots, and controlled execution

Potential Operations (Q3–Q4+): Optimization, scale, and system reliability

Actual (Q1–Q2)	Potential (Q3–Q4+)
1 Store Owners Collaboration **(Auto Parts Retailers & Wholesalers – Genuine & OEM)** **Role in Operations:** ● **Act as decentralized inventory nodes** ● **Supply genuine and OEM spare parts** ● **Provide pricing and availability in real-time (manual or semi-digital initially)** **Operational Flow:** ● **Order triggered → nearest verified store identified** ● **Store confirms availability → item packed for dispatch**	**1 Store Owners (Scale Phase)** **Operational Enhancements:** ● **Live inventory syncing** ● **Store reliability scoring** ● **Auto-routing to fastest fulfillment node**

• Handover to delivery partner Why This Works Early: • No inventory holding cost • Immediate access to wide SKU range • Local trust-based partnerships Q1–Q2 Focus: • Limited number of high-reliability stores • Focus on fast-moving and breakdown-critical parts	Outcome: • Reduced confirmation time • Higher fulfillment accuracy • Faster dispatch decisions
2 Fleet Owners Collaboration (Mechanics, Garage Owners, Service Centres) Role in Operations: • Act as execution partners on-ground • Diagnose issues and validate part requirements • Provide installation or temporary fixes if needed Operational Flow: • Breakdown reported → mechanic assigned (if required) • Mechanic confirms part → triggers delivery • On-site repair or nearby garage resolution Q1–Q2 Focus: • Build trust with experienced mechanics • Reduce incorrect part dispatch • Capture real-world breakdown data	2 Fleet Owners (Network Expansion) Operational Enhancements: • Certified mechanic onboarding • Skill-based routing (bike vs car vs commercial) • SLA-based performance tracking Outcome: • Lower repair failure rates • Faster on-site resolution • Higher customer trust
3 Petrol Bunk Owners (Engine Oils, Lubricants, Basic Consumables) Role in Operations: • Supply high-frequency consumables	Petrol Bunks (Micro-Hub Model) Operational Enhancements: • Stock standard emergency kits • Act as relay points for logistics

• Act as micro-fulfillment points on highways and urban edges Operational Flow: • Oil / lubricant request triggered • Nearest petrol bunk partner selected • Delivery or quick pickup enabled Q1–Q2 Focus: • Limited SKUs (engine oil, coolant, brake fluid) • Highway and high-traffic route coverage	• Highway-first expansion strategy Outcome: • Reduced delivery distance • Faster response times • Improved rural and highway coverage

4 Delivery Partners
(Porter, Shadowfax, Rapido Courier, Delhivery)
Role in Operations:
 	
• Execute last-mile delivery based on urgency
 	
Partner Usage Strategy:
 	
• Porter / Shadowfax / Rapido Courier:
  • Same-day / hyperlocal / urgent deliveries
• Delhivery:
  • Non-urgent or rare parts
  • Delivery timelines: 1–2+ days
 	
Q1–Q2 Focus:
 	
• Multi-partner fallback model
• Prioritize reliability over cost
• Manual dispatch decision-making
	4 Delivery Partners (Optimization Layer)
	Operational Enhancements:
	
	• Automated partner selection
	• Urgency-based pricing logic
	• Predictive ETA allocation
	
	Outcome:
	
	• Consistent delivery timelines
	• Lower dependency on a single partner
	
	• Higher success rate during peak demand

5 Software Development Team (Cloudisian) Role in Operations: • Build and maintain the digital backbone Responsibilities:	5 Software Platform (Automation & Intelligence) Operational Enhancements: • Fully automated dispatch engine • AI-based part prediction • Real-time operations dashboard

• Source code ownership • UI/UX for user and partner interfaces • Backend systems for order flow, partner mapping, and status tracking **Q1–Q2 Focus:** • Core MVP stability • Manual override capabilities • Data capture for future automation	**Outcome:** • Reduced human intervention • Faster decision-making • Scalable operations across cities

Application Working & Interface Documentation



UI/UX & API Architecture

Auto Parts IND Platform

1. Application Overview

The Auto Parts IND application is a vehicle-parts discovery and purchase platform with logic-driven UI/UX to ensure user safety, correct part usage, and reliable sourcing.
The system operates with two distinct logins:

1. **Single Vehicle Owner (SVO)**
2. **Partner Login (PL)**

Both logins access the same underlying parts database but experience different UI behaviors, warnings, and pricing structures.

2. Login Architecture (API Level)

Login Types

- SVO (Single Vehicle Owner)
- PL (Partner Login: Mechanics, Garage Owners, Service Centres)

Authentication is role-based and determines:

- Pricing visibility
- UI warnings
- Content access (videos, cautions)
- Checkout behavior

Single Vehicle Owner (SVO)	Partner Login (PL)
User Definition An SVO is: • An individual vehicle owner • Not a professional mechanic or service provider • Expected to have limited technical expertise The UI is designed to guide, warn, and protect the user during part selection and installation.	**User Definition** Partner Logininclude s: • Mechanics • Garage owners • Service centres These users are considered professionally qualified to handle vehicle components.
Component Stamping System (SVO Only) Each component visible toan SVOis assigned one of two stamps: 1. DIY (Do It Yourself) Stamp • Indicates the component can be safely installed by the user • No professional tools or high-risk operations involved UI Behavior: • DIY stamp clearly visible on product	**UI & Feature Rules (PL)** For Partner Login: • No component stamps • No cautionary messages at checkout • No DIY instructional videos The UI is optimized for: • Speed • Bulk or frequent purchases • • Professional familiarity

card and product page Content Access: ● A video clip is provided explaining: ● What the part is ● How to fix/install it yourself 2. Mechanic Required Stamp ● Indicates professional installation is recommended ● Involves safety, calibration, or technical complexity UI Behavior: ● Stamp displayed on product card and product page Checkout Behavior: • • A cautionary message is shown at checkout before purchase confirmation	
Mechanic Required – System Suggestions For components stamped Mechanic Required, the system provides two suggestions: 1. Suggest Nearest Garage ● Displays nearby garage options relative to the user's address 2. Suggest Nearest Available Mechanic ● Allows the user to place an order for a mechanic to visit the address These are suggestions only and do not block part purchase.	**Pricing (PL)** ● Partners receive 30–40% lower pricing compared to market ● Pricing advantage reflects: Professional usage Volume potential Trade relationship Pricing is shown directly without comparisons or warnings.
Pricing (SVO) ● SVO users receive prices 10–12% lower than market price ● Discount is visible at the product and checkout level ● No negotiation or tiering logic	

exposed in UI	
User Journey (SVO) **The SVO journey is structured to allow:** ● **Browsing** ● **Part discovery** ● **Education (DIY video)** ● **Safe decision-making** ● **Purchase** **High-Level Flow:** **1. Login** **2. Vehicle identification (via VRN)** **3. Browse or search parts** **4. View stamp (DIY / Mechanic Required)** **5. Watch video (DIY only)** **6. Review cautions (if applicable)** **7. Checkout and purchase**	

Common Features (SVO & PL)

The following features are **shared across both logins**:

1. Vehicle Identification via VRN

- Users can fetch vehicle-compatible parts using**Vehicle Registration Number (VRN)**
- VRN-based lookup filters incompatible parts

Outcome:

- Reduced incorrect purchases
- Faster part discovery

2. UI-Based Part Classification

Parts aregroupedintothefollowingcategories across the application UI:

1. **Maintenance Parts**
2. **Oils & Lubricants**
3. **Lights**
4. **Filters**
5. **MODEX**
    - Exotic modifications
    - OEM modifications

These classifications are**visual and navigational** , not role-dependent.

Product Logic Summary

Feature	SVO	PL
Component Stamps	Yes Yes Yes	No
DIY Videos	(Mechanic	No
Checkout Caution	Required) Yes	No
Garage / Mechanic Suggestion		No
Market Discount	10–12%	30–40%
VRN-based Part Filtering	Yes	Yes

{ API Responsibility Overview (High Level)

- Role-based access control (SVO vs PL)
- Stamp logic applied only to SVO
- VRN-based part filtering
- Pricing logic based on login type
- Conditional UI flags (video, caution message) }

Vendor Login & ERP System Documentation

Store Owner (SO) & Petrol Bunk Owner (PBO)

Auto Parts IND – Operations & Inventory Interface

1. Purpose of Vendor ERP System

The ERP system exists to:

- Give **vendorsclear visibility** of parts movement
- Enable **fastorder preparation**
- Prevent **stock-outs on high-demand parts**
- Allow **admin-level oversight** without complexity

The system is intentionally **simple, count-driven, and action-oriented**.

2.VendorLoginTypes

Vendor Categories

1. **StoreOwner(SO)**
    - Auto parts retailers
    - Auto parts wholesalers (OEM / genuine)
2. **PetrolBunkOwner(PBO)**
    - Engine oils

- Lubricants
- Consumables

Both SO and PBO access the **same ERP interface** , with inventory scoped to their listed products.

3.ERP Access Control

Users with ERP Access

- **Admin**
- **Vendor (SO / PBO)**

Access Scope

- Vendors see**only their own inventory and orders**
- Admin sees **all vendors and system-level data**

4. ERP Design Philosophy

- Minimal screens
- Count-first design
- No complex charts
- High visibility for:
  - Sales Stock Order
  - preparation
  -

The ERP is designed to answer one question quickly:
"What do I need to prepare or restock right now?"

5.VendorDashboard(SO &PBO)

Core Dashboard Metrics

The vendor dashboard displays:

1. Total Sales

- Total value of completed orders
- Time-filtered (daily / weekly / monthly)

2. Total Number of Parts

- Current inventory count
- Shown as a numeric total
- No SKU-level overload on the main screen

3. Breakdown of Parts Sold

- Split by part category
- Shows which types of parts are moving faster

This breakdown is **summary-level** , not analytical.

6. Inventory Count Identification

Design Requirement

- Inventory must be identifiable**ataglance**
- No complex stock tables by default

ERP Behavior

- Parts shown with:
  - Available count
  - Sold count
- Visual emphasis on **lowremainingquantity**

The goal is **quick recognition** , notdataanalysis.

7. KOT (Kitchen Order Ticket) – Delivery Preparation Intimation

KOT Trigger

When an order isplaced:

- Vendor receives a **KOT-style intimation**
- This acts as a **preparation instruction for delivery**

KOT Includes:

- Order ID
- Part name(s)
- Quantity
- Delivery type (pickup / courier)
- Time sensitivity (if applicable)

KOT exists to:

- Reduce preparation delays
- Avoid missed orders
- Create a clear handover point to delivery partners

8. Low Stock & High Demand Intimation

Low Stock Intimation

The system provides an alertwhen:

- Part quantity falls below a defined threshold

Purpose:

- Prevent last-minute stock-outs
- Enable restocking decisions

High Demand Potential Intimation

The systemalso provides intimationwhen:

- A part is selling frequently
- Demand trend is rising relative to current stock

This intimation is **informational** , not predictive automation.

Purpose:

- Help vendors prioritize restocking
- Highlight fast-moving parts

9. Admin View (ERP)

Admin can:

- View vendor dashboards
- Monitor total sales across vendors
- Track part movement across the system
- Observe low-stock and high-demand signals

Admin access is **observational and supervisory** , not intrusive.

10. System Scope Clarification (Non-Features)

This ERP does **not** aim to:

- Replace full accounting software
- Provide advanced forecasting
- Perform automated purchasing
- Offer complex BI dashboards

Its role is **operational clarity** , not enterprise analytics.

Types of Purchasing Order Forms

The platformsupports**multiple purchasing order forms** to accommodate different user behaviors, urgency levels, and technical comfort. These forms coexist to ensure **order capture is never blocked** , even in non-ideal situations.

---

1. Traditional Cart System

Description

This is the standard e-commerce purchasing flow where users browse products, add items to a cart, and proceed to checkout.

How It Works

- User searches or browses parts
- Compatible parts are displayed
- Items are added to cart
- Quantity and price are confirmed
- Order is placed through checkout

Use Case

- Planned purchases
- Routine maintenance
- Users comfortable with digital interfaces

Strength

- Structured
- Scalable
- Lowest ambiguity in order data

---

2. Written List Sent in the Form of an Image

Description

Users submit a handwritten or typed parts list as an **image** , which is processed to create an order.

How It Works

- User uploads an image containing:
  - Part names
  - Quantities
  - Optional notes
- The image acts as the order reference
- The order is interpreted and processed internally

Use Case

- Mechanics or users with pre-prepared lists
- Situations where browsing is time-consuming
- Offline or low-bandwidth environments

Strength

- Fast order initiation
- Low effort for experienced users
- Mirrors existing real-world behavior

---

3. AI Chatbot (via Call)

Description

Orders are placed through **voice interaction** , where the user communicates requirements verbally.

How It Works

- User initiates a call
- Parts requirements are stated verbally
- The chatbot captures order details
- The call serves as the order input

Use Case

- Emergency situations
- Users unable to type or browse
- Roadside breakdowns

Strength

- Zero typing
- High accessibility
- Best suited for urgent scenarios

Summary View

ORDER FORM	INPUT TYPE	BEST USED WHEN
Traditional Cart	Structured UI	Planned purchases
Image List	Visual upload	Pre-defined lists
AI Chatbot (Call)	Voice	Emergency / roadside

Revenue Streams

Active Revenue (Q1 & Q2)

1. **Margins based on sale of components**
2. *(SVO &PL)*
3. **Margins based on mechanic service provision**

   (PL)

Delivery revenue

(SVO &PL)

Potential Revenue Streams (Q3 onwards)

4. **Subscription for store owners, garage owners & partners**
   (SO, GO, PBO)
5. **Injection / PMF stage initiatives**
   - API-branded components
   - Based on sales data
   - Phased rollout: Q1 → Q2 → Q3 → Q4

Revenue Model (Investor-Ready)

1. Core Revenue Streams

A. Parts Sales Margin (Primary – Q1 onwards)

- **Description:** Platform margin on auto parts sold via vendors
- **Who Pays:** End customers (SVO, PL)
- **Margin Range:** 6–12% (category-dependent)
- **Why It Scales:** High repeat demand, fragmented offline market

B. Mechanic / Service Margin (Q1–Q2)

- **Description:** Commission on mechanic or garage services booked via platform
- **Who Pays:** Service providers (PL flow)
- **Margin Range:** 8–15%
- **Why It Scales:** Trust + convenience layer, no inventory risk

C. Delivery Fee Revenue (Q1 onwards)

- **Description:** Delivery fee charged per order

- **Who Pays:** SVO / PL
- **Model:** Flat fee or distance-based (city-zone aware)
- **Why ItScales:** High order density improves unit economics

---

2. Future Revenue Streams (Q3+)

D. Vendor & Partner Subscriptions

- **Target Users:** Store Owners (SO), Garage Owners (GO), Petrol Bunk Owners (PBO)
- **Includes:**
  - Priority listing
  - Inventory analytics
  - Demand forecasting
  - Reduced commission slabs
- **Pricing (Indicative):** ₹999–₹4,999/month

E. Data & API Monetization (Post-PMF)

- **Description:** Branded APIs & insights sold to OEMs, large distributors, insurers
- **UseCases:**
  - Parts demand heatmaps
  - Failure & replacement cycles
  - Regional pricing trends
- **Rollout:** Invite-only, enterprise contracts

Revenue Stream → User Role → API Mapping

Revenue Stream	User Role	Key APIs
Parts Margin	SVO, PL, SO	/parts/search, /order/create, /vendor/order/accept
Service Margin	PL, GO	/service/book, /service/complete
Delivery Fees	SVO, PL	/order/create, /delivery/assign, /order/status
Subscriptions	SO, GO, PBO	/vendor/analytics, /vendor/subscription

Data / APIs	Enterprise	/insights/demand, /insights/pricing

Q-wise Monetization Roadmap

Q1 – Pilot & Validation

- Enable parts margin + delivery fees
- Manual pricing control
- Focus: Order velocity & fulfillment reliability

Q2 – Unit Economics Optimization

- Introduce mechanic/service commissions
- Dynamic delivery pricing by zone
- Vendor performance scoring (internal)

Q3 – SaaS Expansion

- Launch vendor subscriptions
- Unlock analytics dashboards
- Reduce dependency on transaction-only revenue

Q4 – Data Monetization

- Expose branded APIs
- Sell insights to OEMs / distributors
- Transition towards blended marketplace + SaaS model

Investor Signal: Early cash flow (Q1), improving margins (Q2), recurring SaaS revenue (Q3), and high-margin data monetization (Q4).

Got it — here's a**clean, faithful textual transcription** of what's written in those two pages. I've **notaddedideas, not reworded strategy** , just organized it so it's readable and usable for decks/docs later.

Marketing Strategies

1. **Zepto,Blinkit&Instamart deliveries**
    - Stickers of the app **QRcodeon everydeliverybag delivered**
2. **QR code placements**
    - QR codes on:
        - All partners
        - Known hotels
        - High-density areas
3. **Pamphletdistribution**
    - Focus on **high-density commercial areas** such as:
        - MG Road
        - Commercial Street
        - Koramangala
        - Corporate offices
4. **Userfeedbackloop**
    - Use **Google Forms** to:
        - Collect reviews
        - Identify gaps
        - Make further improvements in the app
        - Capture data
5. **Taxi&cabmarketing**
    - Taxi drivers get **stickers with QR codes**

Additional On-Ground Marketing & Partnerships

- **Deliverypersonnelcollaboration**
    - Delivery partners can collaborate
    - Stickers placed on their **deliveryvehicles / bags**
- **Cloud kitchen events**
    - Cloud kitchen events can be a **good channel to attract the market**
    - Target audiences:
        - Colleges
        - Corporate offices
- **Collegeevents**
    - *Yasir* for **BMS College events**

Alright, founder-mode on. This is **one slide worth of content** , but I'll also give you the **ops logic behind it** so it's pilot-ready for Bangalore and clean for investors.

GO-TO-MARKET (GTM) – BANGALORE PILOT

Objective

Rapidly acquire

vehicle owners + vendors in high-density Bangalore zones with **low CAC**, validate repeat ordering, and unlock **transaction + delivery revenue** in Q1–Q2.

Core Acquisition Channels

Channel	Execution	Target User	CAC (₹)	Why It Works
Quick-commerce piggyback (Zepto / Blinkit / Instamart)	QR sticker on every delivery bag	Vehicle Owners (SVO)	**₹20–30**	High-frequency households, zero media cost
Partner QR placements	Garages, petrol bunks, known hotels	SVO + Mechanics	**₹40–60**	Trust-based, local relevance
High-density pamphlets	MG Road, Koramangala, Indiranagar	SVO	**₹60–90**	Immediate awareness in traffic-heavy zones
Corporate & college events	Tech parks, colleges, Cloud kitchens	SVO	**₹100–150**	Bulk installs, long-term retention
Taxi & delivery stickers	Auto, cab, delivery bikes	SVO	**₹30–50**	City-wide moving billboards
Referral via vendors	QR on bill + verbal nudge	SVO	**₹10–20**	Near-zero CAC, high intent

---

Bangalore Pilot Acquisition Plan (City-Aware)

Zone Focus (Phase 1 – 60 Days)

- **East & South Bangalore**
  - Koramangala
  - Indiranagar
  - HSR
  - Whitefield (IT parks)
- Reason: **Highvehicledensity + fast delivery feasibility**

Vendor Density Strategy

- 1 km radius clusters
- Minimum **5–7 vendors per micro-zone**
- Guarantees availability → faster delivery → better retention

---

CAC vs Revenue Alignment (Investor Lens)

Revenue Stream	User Role	When Monetized	CAC Justification
Parts margin (SKU-based)	SVO	Q1	CAC < first order margin
Delivery fee	SVO	Q1 Q2	Covers logistics cost
Mechanic service margin	Mechanics	Q2–Q3	Higher LTV, justified CAC
Vendor subscriptions	SO / GO / PBO		B2B CAC acceptable
API / Data monetization	OEMs / Brands	Q3+	Zero CAC, pure upside

---

Q-Wise Monetization Sync

Q1 (Pilot – Acquire & Validate)

- Focus: Orders + delivery
- Monetization:
  - Parts margin
  - Delivery fee
- KPI:
  - CAC ≤ ₹60
  - 30-day repeat rate ≥ 25%

Q2 (Expand & Lock-in)

- Introduce:
  - Mechanic service margin
  - Vendor subscription (basic)
- KPI:
  - Vendor churn < 10%
  - Avg order value ↑

Q3 (Scale & Upsell)

- Launch:
  - Branded components
  - API access for suppliers
- KPI:
  - Gross margin expansion
  - Platform-level profitability per zone

Why This GTM Is Investor-Safe

- **Offline + onlineblendedCAC** (defensible)
- **City-realistic**(traffic, density, behavior)
- **Revenue-first** (not vanity installs)
- **Scales city-by-city** using same playbook