

Dataset Link:

<https://www.kaggle.com/columbine/imdb-dataset-sentiment-analysis-in-csv-format>

Sentiment Analysis can help us finding out the mood and emotions of general a customer or reviewer and it helps in gathering the insightful information regarding the context. Sentiment Analysis is a process of analyzing data and classifying it based on the need of the research.

```
In [1]: #Import standard libraries
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from textblob import TextBlob
from nltk.tokenize.toktok import ToktokTokenizer
import re
from sklearn.linear_model import LogisticRegression
from sklearn.model_selection import train_test_split
import spacy
nlp = spacy.load('en_core_web_sm', disable=['ner'])
```

```
2022-09-04 20:16:12.450683: I tensorflow/core/util/util.cc:169] oneDNN custom
operations are on. You may see slightly different numerical results due to flo
ating-point round-off errors from different computation orders. To turn them o
ff, set the environment variable `TF_ENABLE_ONEDNN_OPTS=0`.
2022-09-04 20:16:12.463665: W tensorflow/stream_executor/platform/default/dso_
loader.cc:64] Could not load dynamic library 'libcudart.so.11.0'; dlerror: lib
cudart.so.11.0: cannot open shared object file: No such file or directory
2022-09-04 20:16:12.463681: I tensorflow/stream_executor/cuda/cudart_stub.cc:2
9] Ignore above cudart dlerror if you do not have a GPU set up on your machin
e.
2022-09-04 20:16:14.168909: W tensorflow/stream_executor/platform/default/dso_
loader.cc:64] Could not load dynamic library 'libcuda.so.1'; dlerror: libcuda.
so.1: cannot open shared object file: No such file or directory
2022-09-04 20:16:14.168936: W tensorflow/stream_executor/cuda/cuda_driver.cc:2
69] failed call to cuInit: UNKNOWN ERROR (303)
2022-09-04 20:16:14.168955: I tensorflow/stream_executor/cuda/cuda_diagnostic
s.cc:156] kernel driver does not appear to be running on this host (vinod-Vost
ro-3400): /proc/driver/nvidia/version does not exist
```

Load the data

```
In [2]: #Load the data and visualize the top five rows using the pandas
data=pd.read_csv('/home/vinod/Downloads/Test.csv')
data.head()
```

Out[2]:

	text	label
0	I always wrote this series off as being a comp...	0
1	1st watched 12/7/2002 - 3 out of 10(Dir-Steve ...	0
2	This movie was so poorly written and directed ...	0
3	The most interesting thing about Miryang (Secr...	1
4	when i first read about "berlin am meer" i did...	0

In [3]: *#Print the shape of the data*
data.shape

Out[3]: (5000, 2)

In [4]: *#data information*
data.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5000 entries, 0 to 4999
Data columns (total 2 columns):
 #   Column  Non-Null Count  Dtype
---  ---
 0   text    5000 non-null    object
 1   label   5000 non-null    int64
dtypes: int64(1), object(1)
memory usage: 78.2+ KB
```

In [5]: *#read the train data using the pandas*
train=pd.read_csv('/home/vinod/Downloads/Train.csv')
train.head()

Out[5]:

	text	label
0	I grew up (b. 1965) watching and loving the Th...	0
1	When I put this movie in my DVD player, and sa...	0
2	Why do people who do not know what a particula...	0
3	Even though I have great interest in Biblical ...	0
4	Im a die hard Dads Army fan and nothing will e...	1

In [6]: *#print the shape of the data*
train.shape

Out[6]: (40000, 2)

In [7]: *#train data information*
train.info()


```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 40000 entries, 0 to 39999
Data columns (total 2 columns):
#   Column  Non-Null Count  Dtype
---  ---
0    text    40000 non-null     object
1    label    40000 non-null     int64
dtypes: int64(1), object(1)
memory usage: 625.1+ KB
```

```
In [8]: #to visualize the label percentage in the train dataset
pie=train['label'].value_counts()
pie
```

```
Out[8]: 0    20019
        1    19981
        Name: label, dtype: int64
```

```
In [9]: #to visualize the above information in the pie chart
plt.figure(figsize=(18,6))
plt.pie(pie,labels=['Positive','Negative'],colors=['red','yellow'],autopct='%1
#set the title name with fontsize
plt.title("The label percentage in traintdataset",fontsize=32)
plt.show()
```

The label percentage in traintdataset



```
In [10]: #Let's check the sentiment using textblob
TextBlob("he is very good boy").sentiment
```

```
Out[10]: Sentiment(polarity=0.9099999999999999, subjectivity=0.7800000000000001)
```

```
In [11]: #let's check another sentiment using textblob
TextBlob("Even though I have great interest in Biblical").sentiment
```

```
Out[11]: Sentiment(polarity=0.8, subjectivity=0.75)
```

Polarity and Subjectivity

Polarity is a float value which helps in identifying whether a sentence is positive or negative. Its values ranges in [-1,1] where 1 means positive statement and -1 means a negative statement.

On the other side, Subjective sentences generally refer to personal opinion, emotion or judgment whereas objective refers to factual information. Subjectivity is also a float which lies in the range of [0,1]. Closer the value to 1, more likly it is public opinion.

```
In [12]: #Take only 5000 samples data and add the data
label_0=train[train['label']==0].sample(n=5000)
label_1=train[train['label']==1].sample(n=5000)
train=pd.concat([label_1,label_0])
```

```
In [13]: from sklearn.utils import shuffle
train=shuffle(train)
train.head()
```

```
Out[13]:
```

	text	label
21748	Oh, it's the movie - I thought I waited too lo...	0
27448	Why would a person go back to a person, who ki...	0
18039	For sheer quality of performance and the "thea...	1
33964	I have no idea what idiots gave this movie a P...	0
2758	I was laughing so hard most of the time I had ...	1

Data Preprocessing

```
In [14]: #Check the null value in the train dataset
train.isna().sum()
```

```
Out[14]: text      0
label      0
dtype: int64
```

```
In [15]: #replace the null values with np.nan
train.replace(r'^\s*$', np.nan, regex=True, inplace=True)
train.dropna(axis=0, how='any', inplace=True)
```

```
In [16]: train.replace(to_replace=[r"\t|\n|\r", "\t|\n|\r"], value=["", ""], regex=True)
print('escape seq removed')

escape seq removed
```

```
In [17]: train.head()
```

Out[17]:

	text	label
21748	Oh, it's the movie - I thought I waited too lo...	0
27448	Why would a person go back to a person, who ki...	0
18039	For sheer quality of performance and the "thea...	1
33964	I have no idea what idiots gave this movie a P...	0
2758	I was laughing so hard most of the time I had ...	1

```
In [18]: train['text']=train['text'].str.encode('ascii','ignore').str.decode('ascii')
print('non ascii is remove')

non ascii is remove
```

```
In [19]: #let's import string and remove punctuation from the dataset
import string
string.punctuation
```

```
Out[19]: '!"#$%&\'()*+,-./:;<=>?@[\\]^_`{|}~'
```

```
In [20]: #Creat the function and remove the punctuation
def remove_punctuation(text):
    for punctuation in string.punctuation:
        text=text.replace(punctuation,'')
    return text
#And apply function to the train dataset
train['text']=train['text'].apply(remove_punctuation)
```

```
In [21]: train.head()
```

Out[21]:

	text	label
21748	Oh its the movie I thought I waited too long ...	0
27448	Why would a person go back to a person who kic...	0
18039	For sheer quality of performance and the theat...	1
33964	I have no idea what idiots gave this movie a P...	0
2758	I was laughing so hard most of the time I had ...	1

```
In [22]: #import nltk and import the stopwords
import nltk
from nltk.corpus import stopwords
print(stopwords.words('english'))
```

```
[ 'i', 'me', 'my', 'myself', 'we', 'our', 'ours', 'ourselves', 'you', "you're",
  "you've", "you'll", "you'd", 'your', 'yours', 'yourself', 'yourselves', 'he',
  'him', 'his', 'himself', 'she', "she's", 'her', 'hers', 'herself', 'it', "i
  t's", 'its', 'itself', 'they', 'them', 'their', 'theirs', 'themselves', 'wha
  t', 'which', 'who', 'whom', 'this', 'that', "that'll", 'these', 'those', 'am',
  'is', 'are', 'was', 'were', 'be', 'been', 'being', 'have', 'has', 'had', 'havi
  ng', 'do', 'does', 'did', 'doing', 'a', 'an', 'the', 'and', 'but', 'if', 'or',
  'because', 'as', 'until', 'while', 'of', 'at', 'by', 'for', 'with', 'about',
  'against', 'between', 'into', 'through', 'during', 'before', 'after', 'above',
  'below', 'to', 'from', 'up', 'down', 'in', 'out', 'on', 'off', 'over', 'unde
  r', 'again', 'further', 'then', 'once', 'here', 'there', 'when', 'where', 'wh
  y', 'how', 'all', 'any', 'both', 'each', 'few', 'more', 'most', 'other', 'som
  e', 'such', 'no', 'nor', 'not', 'only', 'own', 'same', 'so', 'than', 'too', 'v
  ery', 's', 't', 'can', 'will', 'just', 'don', "don't", 'should', "should've",
  'now', 'd', 'll', 'm', 'o', 're', 've', 'y', 'ain', 'aren', "aren't", 'could
  n', "couldn't", 'didn', "didn't", 'doesn', "doesn't", 'hadn', "hadn't", 'has
  n', "hasn't", 'haven', "haven't", 'isn', "isn't", 'ma', 'mightn', "mightn't",
  'mustn', "mustn't", 'needn', "needn't", 'shan', "shan't", 'shouldn', "should
  n't", 'wasn', "wasn't", 'weren', "weren't", 'won', "won't", 'wouldn', "would
  n't"]
```

```
In [23]: #create the remove the stopwords
stop_words_list=nlk.corpus.stopwords.words('english')
stop_words_list.remove('no')
stop_words_list.remove('not')
```

```
In [24]: #install the tokeninzer
tokenizer = ToktokTokenizer()
#Create function to remove the stopwords
def remove_stopwords(text,is_lower_case=True):
    tokens=tokenizer.tokenize(text)
    tokens=[token.strip() for token in tokens]
    if is_lower_case:
        filterd_tokens=[token for token in tokens if token not in stop_words_l
    else:
        filterd_tokens=[token for token in tokens if token.lower() not in stop
    filterd_text=' '.join(filterd_tokens)
    return filterd_text
```

```
In [25]: train['text']=train['text'].apply(remove_stopwords)
```

```
In [26]: #remove the special characters
def remove_special_characters(text):
    text=re.sub('[^a-zA-z0-9\s]', '',text)
    return text
```

```
In [27]: #apply the above function to the traindataset
train['text']=train['text'].apply(remove_special_characters)
train.head().style.background_gradient(cmap='jet')
```

Out[27]:

		text	label
21748	Oh movie I thought I waited long take dog I cant believe I watched whole thing I guess I optimistically anticipating going get better Horribly disjointed dialog pathetic acting totally improbable events Like Tobys mom hanging time takes Col walk upstairs back room 24 ceiling no chairs counters anything around motionlessly suspended body could possibly used climb The little girl played daughter last family best actor whole movie puppy first couple close second The basic storyline potential good script director could seriously creepy flick version sadly not I get scared I open electric bill every month		0
27448	Why would person go back person kicks teeth not not twice againbr br This film teaches us order find love must accept abuse not forgive fully accept Gosh No wonder first relationship lasted ten years I obviously wasnt embracing inner masochistbr br As Bucatinskys writing debut many wonderful aspects film however order justify reunion Eli Tom character development would helpful We never acquainted Elis masochism fact led believe not masochist although Toms psychoemotional sadism highly evident		0
18039	For sheer quality performance theater absurd one hard compare anything else With world melting early 70s film made perfect sense still resonates George Scott could never typecast		1
33964	I no idea idiots gave movie Palm DOr 1999 Cannes Film Festival atrocious I actually watched entire thing simply I couldnt believe someone would make worthless film There nothing interesting plot characters devoid depth no attempt giving sort ambiance music sound effects Also decide waste 2 hours life watching film sure bring something throw cinematography simply someone running around handheld camcorder half time cant even see main subjects This style used much successfully movies Blair Witch creates suspense In Rosetta no plot no suspense style would lend anything I known better came 2 oclock morning going horrible		0
2758	I laughing hard time I people glaring couldnt hear laughter I literally fell seat specific pointbr br Im Bartender Bouncer living Real world note use term Real world sadly always come first whenever I tell someone I play RPGs usually followed one two questions 1 What like DD I played back Junior Highbr br 2 Really Ive looking group forever Have room another Very rarely people not know DD Gaming arebr br That said almost every person watches movie get something Even arent Gamer chances something life Geek Out made fun light hearted way alone means relate hijinx flick Its light hearted happiness hour half		1

```
In [28]: #Remove html patternst
def remove_html(text):
    html_pattran=re.compile('<.*?>')
    return html_pattran.sub(r' ',text)
#And apply the above function to the train data
train['text']=train['text'].apply(remove_html)
```

```
In [29]: #Read the above data to five rows
train.head()
```

```
Out[29]:
```

	text	label
21748	Oh movie I thought I waited long take dog I ca...	0
27448	Why would person go back person kicks teeth no...	0
18039	For sheer quality performance theater absurd o...	1
33964	I no idea idiots gave movie Palm DOr 1999 Cann...	0
2758	I laughing hard time I people glaring couldnt ...	1

```
In [30]: #Remove the html url from the train dataset
def remove_url(text):
    url=re.compile(r'https?:\/\/\S+|www\.\S+')
    return url.sub(r' ',text)
#And apply to the train dataset
train['text']=train['text'].apply(remove_url)
```

In [31]: `train.head()`

Out[31]:

	text	label
21748	Oh movie I thought I waited long take dog I ca...	0
27448	Why would person go back person kicks teeth no...	0
18039	For sheer quality performance theater absurd o...	1
33964	I no idea idiots gave movie Palm DOr 1999 Cann...	0
2758	I laughing hard time I people glaring couldnt ...	1

In [32]: `#Remove the numbers in the dataset`
`def remove_numbers(text):`
 `text=''.join([i for i in text if not i.isdigit()])`
 `return text`
`#And apply the above function to the train data`
`train['text']=train['text'].apply(remove_numbers)`

In [33]: `train.head()`

Out[33]:

	text	label
21748	Oh movie I thought I waited long take dog I ca...	0
27448	Why would person go back person kicks teeth no...	0
18039	For sheer quality performance theater absurd o...	1
33964	I no idea idiots gave movie Palm DOr Cannes F...	0
2758	I laughing hard time I people glaring couldnt ...	1

In [34]: `def cleanse(word):`
 `rx=re.compile(r'\D*\d')`
 `if rx.match(word):`
 `return ' '`
 `return word`
`#Remove the alpha numeric`
`def alpha_numeric(strings):`
 `nstrings=[" ".join(filter(None,(cleanse(word) for word in string.split()))`
 `strl=" ".join(nstrings)`
 `return strl`
`#Apply to the above function to the train dataset`
`train['text']=train['text'].apply(alpha_numeric)`

In [35]: `train.head()`

Out[35]:

	text	label
21748	Oh movie I thought I waited long take dog I ca...	0
27448	Why would person go back person kicks teeth no...	0
18039	For sheer quality performance theater absurd o...	1
33964	I no idea idiots gave movie Palm DOr Cannes Fi...	0
2758	I laughing hard time I people glaring couldnt ...	1


```
In [36]: #lemmatizer
def lemmatize(text):
    text=nlp(text)
    text=" ".join([word.lemma_ if word.lemma_!='-PRON-' else word for word in
    return text
#Apply the above function to the rain dataset
train['text']=train['text'].apply(lemmatize)
```

```
In [37]: #Let's create the another column sentiment
train['sentiment']=train['text'].apply(lambda tweet: TextBlob(tweet).sentiment)
```

```
In [38]: train.head()
```

	text	label	sentiment
21748	oh movie I think I wait long take dog I can no...	0	(-0.021875000000000012, 0.5337500000000001)
27448	why would person go back person kick tooth not...	0	(0.22272727272727275, 0.3106060606060606)
18039	for sheer quality performance theater absurd o...	1	(0.06166666666666665, 0.7183333333333333)
33964	I no idea idiot give movie Palm DOr Cannes Fil...	0	(-0.09509803921568627, 0.5242063492063493)
2758	I laugh hard time I people glare could not hea...	1	(0.10864057239057238, 0.4057870370370371)

```
In [39]: sentiment_series = train['sentiment'].tolist()
```

```
In [40]: columns = ['polarity', 'subjectivity']
df1 = pd.DataFrame(sentiment_series, columns=columns, index=train.index)
```

```
In [41]: df1.head().style.background_gradient(cmap='Reds')
```

	polarity	subjectivity
21748	-0.021875	0.533750
27448	0.222727	0.310606
18039	0.061667	0.718333
33964	-0.095098	0.524206
2758	0.108641	0.405787

```
In [42]: result = pd.concat([train,df1],axis=1)
```

```
In [43]: result.drop(['sentiment'],axis=1,inplace=True)
```

```
In [44]: result.loc[result['polarity']>=0.3, 'Sentiment'] = "Positive"
result.loc[result['polarity']<0.3, 'Sentiment'] = "Negative"
```

```
In [45]: result.head()
```

Out[45]:

	text	label	polarity	subjectivity	Sentiment
21748	oh movie I think I wait long take dog I can no...	0	-0.021875	0.533750	Negative
27448	why would person go back person kick tooth not...	0	0.222727	0.310606	Negative
18039	for sheer quality performance theater absurd o...	1	0.061667	0.718333	Negative
33964	I no idea idiot give movie Palm DOr Cannes Fil...	0	-0.095098	0.524206	Negative
2758	I laugh hard time I people glare could not hea...	1	0.108641	0.405787	Negative

```
In [46]: result.loc[result['label']==1, 'Sentiment_label'] = 1
result.loc[result['label']==0, 'Sentiment_label'] = 0
```

In [47]: result

Out[47]:

	text	label	polarity	subjectivity	Sentiment	Sentiment_label
21748	oh movie I think I wait long take dog I can no...	0	-0.021875	0.533750	Negative	0.0
27448	why would person go back person kick tooth not...	0	0.222727	0.310606	Negative	0.0
18039	for sheer quality performance theater absurd o...	1	0.061667	0.718333	Negative	1.0
33964	I no idea idiot give movie Palm DOr Cannes Fil...	0	-0.095098	0.524206	Negative	0.0
2758	I laugh hard time I people glare could not hea...	1	0.108641	0.405787	Negative	1.0
...
39596	okay I remember watch first one boy suck after...	0	0.032143	0.373810	Negative	0.0
39937	the belief Big other invisible power structure...	1	0.020496	0.446241	Negative	1.0
8532	this movie three teen good friend long time go...	1	0.109375	0.367708	Negative	1.0
34581	caught movie DD flipping channelsand thank hea...	1	0.237500	0.559375	Negative	1.0
17657	Burt Reynolds play Gator McKluskly likable exco...	0	0.046429	0.588095	Negative	0.0

10000 rows × 6 columns

Finally we create the modeling

```
In [48]: #Check the columns in the dataset
result.columns
```

```
Out[48]: Index(['text', 'label', 'polarity', 'subjectivity', 'Sentiment',
               'Sentiment_label'],
              dtype='object')
```

```
In [49]: #Divide the dataset two variable
```

```
X=result['text'].values
y=result['label'].values
```

```
In [50]: #Covert the text into araay using the TfidfVectorizer because the our machine
from sklearn.feature_extraction.text import TfidfVectorizer
```

```
In [51]: #install the model
vector=TfidfVectorizer(lowercase=False)
vector.fit(X)
#Transform the above fit the data using the TfidfVectorizer and finally print
X=vector.fit_transform(X)
X
```

```
Out[51]: <10000x75516 sparse matrix of type '<class 'numpy.float64'>'
         with 1025485 stored elements in Compressed Sparse Row format>
```

```
In [52]: #divided the data for train and test
X_train,X_test,y_train,y_test=train_test_split(X,y,test_size=0.25,random_state
```

Checking the model for Logistic Regerssion

```
In [53]: # instancy the Logistiregression model
logistic=LogisticRegression()
#And fit the data to the model
logistic.fit(X_train,y_train)
```

```
Out[53]: LogisticRegression()
```

```
In [54]: #Prediction to the data
logistic_pred=logistic.predict(X_test)
logistic_pred
```

```
Out[54]: array([1, 1, 1, ..., 1, 0, 1])
```

```
In [55]: #Check the test score and train score to the model
print(f'The Logisticregression model test score is {logistic.score(X_test,y_te
#Train score for the data
print(f'The Logisticregression model train scores is {logistic.score(X_train,y
```

```
The Logisticregression model test score is 85.48
The Logisticregression model train scores is 94.52
```


```
In [56]: #import the accuracy_score and classification report to the model
from sklearn.metrics import accuracy_score,classification_report,confusion_mat
```

```
In [57]: #Check the accuracy_score to the model
print(f'The logisticRegression accuracy_score {accuracy_score(y_test,logistic_
#Classification report
print(classification_report(y_test,logistic_pred))
#confusion_matrix
cn=confusion_matrix(y_test,logistic_pred)
sns.heatmap(cn,annot=True,cmap='YlOrRd_r',xticklabels=['Negative','Positive'],
```

The logisticRegression accuracy_score 85.48

	precision	recall	f1-score	support
0	0.88	0.83	0.85	1283
1	0.83	0.88	0.86	1217
accuracy			0.85	2500
macro avg	0.86	0.86	0.85	2500
weighted avg	0.86	0.85	0.85	2500

Out[57]: <AxesSubplot:>



DecisionTreeClassifier

```
In [58]: #install the DecisionTreeClassifier
from sklearn.tree import DecisionTreeClassifier
#Install the model
tree=DecisionTreeClassifier()
#fit the model to the train data
tree.fit(X_train,y_train)
```

Out[58]: DecisionTreeClassifier()

```
In [59]: #prediction
tree_pred=tree.predict(X_test)
tree_pred
```

Out[59]: array([1, 1, 1, ..., 1, 0, 1])

```
In [60]: #Check the test score and train score to the model
print(f'The DecisiontreeClassification model test score is {tree.score(X_test,
#Train score for the data
print(f'The DecisiontreeClassification model train scores is {tree.score(X_tra
#Check the accuracy_score to the model
print(f'The DecisiontreeClassification accuracy_score {accuracy_score(y_test,t
```


The DecisiontreeClassification model test score is 69.24
 The DecisiontreeClassification model train scores is 100.00
 The DecisiontreeClassification accuracy_score 69.24

```
In [61]: #Classification report
```

```
print(classification_report(y_test,tree_pred))
#confusion_matrix
cn=confusion_matrix(y_test,tree_pred)
sns.heatmap(cn,annot=True,cmap='mako_r',xticklabels=['Negative','Positive'],yt
```

	precision	recall	f1-score	support
0	0.71	0.69	0.70	1283
1	0.68	0.70	0.69	1217
accuracy			0.69	2500
macro avg	0.69	0.69	0.69	2500
weighted avg	0.69	0.69	0.69	2500

Out[61]: <AxesSubplot:>



RandomForestClassifier

```
In [62]: #Import the randomforestclassifier
from sklearn.ensemble import RandomForestClassifier
#install the model
random=RandomForestClassifier()
#fit the train data to mode
random.fit(X_train,y_train)
```

Out[62]: RandomForestClassifier()

```
In [63]: #prediction
random_pred=random.predict(X_test)
random_pred
```

Out[63]: array([1, 1, 1, ..., 1, 0, 1])


```
In [64]: #Check the test score and train score to the model
print(f'The RandomForestClassifier model test score is {random.score(X_test,y_
#Train score for the data
print(f'The RandomForestClassifier model train scores is {random.score(X_train
#Check the accuracy_score to the model
print(f'The RandomForestClassifier accuracy_score {accuracy_score(y_test,rando
```

The RandomForestClassifier model test score is 81.76
 The RandomForestClassifier model train scores is 100.00
 The RandomForestClassifier accuracy_score 81.76

```
In [65]: #Classification report
print(classification_report(y_test,random_pred))
#confusion_matrix
cn=confusion_matrix(y_test,random_pred)
sns.heatmap(cn,annot=True,cmap='YlGnBu',xticklabels=['Negative','Positive'],yt
```

	precision	recall	f1-score	support
0	0.82	0.82	0.82	1283
1	0.81	0.82	0.81	1217
accuracy			0.82	2500
macro avg	0.82	0.82	0.82	2500
weighted avg	0.82	0.82	0.82	2500

Out[65]: <AxesSubplot:>



MultinomialNB

```
In [66]: #Import the MultinomialNB algorithm to train the our model
from sklearn.naive_bayes import MultinomialNB
#install the model
multinomial=MultinomialNB()
#fit the train data to our model
multinomial.fit(X_train,y_train)
```

Out[66]: MultinomialNB()

```
In [67]: #Prediction to the test data
multinomial_pred=multinomial.predict(X_test)
multinomial_pred
```

Out[67]: array([1, 1, 1, ..., 1, 0, 1])

```
In [68]: #Check the test score and train score to the model
print(f'The RandomForestClassifier model test score is {multinomial.score(X_te
#Train score for the data
```


```
print(f'The RandomForestClassifier model train scores is {multinomial.score(X_
#Check the accuracy_score to the model
print(f'The RandomForestClassifier accuracy_score {accuracy_score(y_test,multi
```

The RandomForestClassifier model test score is 84.36
 The RandomForestClassifier model train scores is 95.03
 The RandomForestClassifier accuracy_score 84.36

```
In [69]: #Classification report
print(classification_report(y_test,multinomial_pred))
#confusion_matrix
cn=confusion_matrix(y_test,multinomial_pred)
sns.heatmap(cn,annot=True,cmap='gist_ncar_r',xticklabels=['Negative','Positive
```

	precision	recall	f1-score	support
0	0.85	0.85	0.85	1283
1	0.84	0.84	0.84	1217
accuracy			0.84	2500
macro avg	0.84	0.84	0.84	2500
weighted avg	0.84	0.84	0.84	2500

Out[69]: <AxesSubplot:>



XGBClassifier

```
In [70]: #import theXGBClassifier
from xgboost import XGBClassifier
#install the model
xgb=XGBClassifier()
#fit the data
xgb.fit(X_train,y_train)
```

/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future Warning: pandas.Int64Index is deprecated and will be removed from pandas in a future version. Use pandas.Index with the appropriate dtype instead.
 from pandas import MultiIndex, Int64Index

```
Out[70]: XGBClassifier(base_score=0.5, booster=None, colsample_bylevel=1,
               colsample_bynode=1, colsample_bytree=1, gamma=0, gpu_id=-1,
               importance_type='gain', interaction_constraints=None,
               learning_rate=0.300000012, max_delta_step=0, max_depth=6,
               min_child_weight=1, missing=nan, monotone_constraints=None,
               n_estimators=100, n_jobs=0, num_parallel_tree=1, random_state=0,
               reg_alpha=0, reg_lambda=1, scale_pos_weight=1, subsample=1,
               tree_method=None, validate_parameters=False, verbosity=None)
```

```
In [71]: #Prediction to the test data
xgb_pred=xgb.predict(X_test)
xgb_pred
```

```
Out[71]: array([0, 1, 1, ..., 0, 0, 1])
```


```
In [72]: #Check the test score and train score to the model
print(f'The XGBClassifier model test score is {xgb.score(X_test,y_test)*100:.2}
#Train score for the data
print(f'The XGBClassifier model train scores is {xgb.score(X_train,y_train)*10
#Check the accuracy_score to the model
print(f'The XGBClassifier accuracy_score {accuracy_score(y_test,xgb_pred)*100:
```

The XGBClassifier model test score is 82.36
The XGBClassifier model train scores is 98.47
The XGBClassifier accuracy_score 82.36

```
In [73]: #Classification report
print(classification_report(y_test,xgb_pred))
#confusion_matrix
cn=confusion_matrix(y_test,xgb_pred)
sns.heatmap(cn,annot=True,cmap='RdBu_r',xticklabels=['Negative','Positive'],yt
```

	precision	recall	f1-score	support
0	0.85	0.80	0.82	1283
1	0.80	0.85	0.82	1217
accuracy			0.82	2500
macro avg	0.82	0.82	0.82	2500
weighted avg	0.82	0.82	0.82	2500

```
Out[73]: <AxesSubplot:>
```



Hyperparameter Tunning

A hyperparameter is a parameter whose value is set before the learning process begins.

Hyperparameters tuning is crucial as they control the overall behavior of a machine learning model.

Every machine learning models will have different hyperparameters that can be set.

RandomizedSearchCV

RandomizedSearchCV is very useful when we have many parameters to try and the training time is very long.

1.The first step is to write the parameters that we want to consider 2.From these parameters select the best ones.(which are printed in output)

```
In [74]: # Helper function to perform hyper parameter tuning with RandomizedSearchCV
def random_search(model,X_train,Y_train,param_grid):
    from sklearn.model_selection import RandomizedSearchCV

    # Random search of parameters, using 3 fold cross validation,
    # search across 100 different combinations, and use all available cores
    random=RandomizedSearchCV(estimator=model,param_distributions=param_grid,n
    random.fit(X_train,y_train)
    # print best parameters
    print(random.best_params_)
```

LogisticRegression

```
In [75]: # create parameters dict in list for tuning
log_para_grid = {
    'C':10.0 **np.arange(-2,3),
    'penalty':['l1','l2']
}

# passing data for hyper parameter tuning with Gridsearchcv
random_search(LogisticRegression(),X_train,y_train,log_para_grid)
```

Fitting 3 folds for each of 10 candidates, totalling 30 fits

```
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/model_selection/_search.py:292: UserWarning: The total space of parameters 10 is smaller than n_iter=20. Running 10 iterations. For exhaustive searches, use GridSearchCV.
```

```
warnings.warn(
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py:814: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max_iter) or scale the data as shown in:
<https://scikit-learn.org/stable/modules/preprocessing.html>
 Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression

```
n_iter_i = _check_optimize_result(
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py:814: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max_iter) or scale the data as shown in:
<https://scikit-learn.org/stable/modules/preprocessing.html>
 Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression

```
n_iter_i = _check_optimize_result(
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py:814: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max_iter) or scale the data as shown in:
<https://scikit-learn.org/stable/modules/preprocessing.html>
 Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression

```
n_iter_i = _check_optimize_result(
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py:814: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max_iter) or scale the data as shown in:
<https://scikit-learn.org/stable/modules/preprocessing.html>
 Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression

```
n_iter_i = _check_optimize_result(
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py:814: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max_iter) or scale the data as shown in:
<https://scikit-learn.org/stable/modules/preprocessing.html>
 Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression

```
n_iter_i = _check_optimize_result(
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/model_selection/_validation.py:372: FitFailedWarning:
15 fits failed out of a total of 30.
The score on these train-test partitions for these parameters will be set to nan.
If these failures are not expected, you can try to debug them by setting error
```

```
_score='raise'.
```

Below are more details about the failures:

```
-----
--
15 fits failed with the following error:
Traceback (most recent call last):
  File "/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/model_selection/_validation.py", line 680, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py", line 1461, in fit
    solver = _check_solver(self.solver, self.penalty, self.dual)
  File "/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py", line 447, in _check_solver
    raise ValueError(
ValueError: Solver lbfgs supports only 'l2' or 'none' penalties, got l1 penalty.

    warnings.warn(some_fits_failed_message, FitFailedWarning)
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/model_selection/_search.py:969: UserWarning: One or more of the test scores are non-finite: [
nan 0.7504          nan 0.81413333          nan 0.85546667
      nan 0.86146667          nan 0.8588          ]
    warnings.warn(
{'penalty': 'l2', 'C': 10.0}

/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py:814: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.

Increase the number of iterations (max_iter) or scale the data as shown in:
    https://scikit-learn.org/stable/modules/preprocessing.html
Please also refer to the documentation for alternative solver options:
    https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression
    n_iter_i = _check_optimize_result(
```

```
In [76]: # instancy the Logistiregression model
logistic1=LogisticRegression(**{'penalty': 'l2', 'C': 10.0})
#And fit the data to the model
logistic1.fit(X_train,y_train)
```

```
/home/vinod/anaconda3/lib/python3.9/site-packages/sklearn/linear_model/_logistic.py:814: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.

Increase the number of iterations (max_iter) or scale the data as shown in:
    https://scikit-learn.org/stable/modules/preprocessing.html
Please also refer to the documentation for alternative solver options:
    https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression
    n_iter_i = _check_optimize_result(
LogisticRegression(C=10.0)
```

```
Out[76]:

In [77]: #Predicion to the data
logistic1_pred=logistic1.predict(X_test)
logistic1_pred
```

Out[77]: array([0, 1, 1, ..., 1, 0, 1])

```
In [78]: #Check the test score and train score to the model
print(f'The Logistiregression model test score is {logistic1.score(X_test,y_te
#Train score for the data
print(f'The Logistiregression model train scores is {logistic1.score(X_train,y
#Check the accuracy_score to the model
print(f'The Logistiregression accuracy_score {accuracy_score(y_test,logistic1_
```

The Logistiregression model test score is 85.60
 The Logistiregression model train scores is 99.80
 The Logistiregression accuracy_score 85.60

RandomForestClassifier

```
In [79]: # create Classification parameters dict for tuning
rf_para_grid={'n_estimators': list(range(150, 301, 50)),
              'max_features': ['auto', 'sqrt'],
              'max_depth': [int(x) for x in np.linspace(3, 10, num = 3)],
              'min_samples_split': [2, 5],
              'min_samples_leaf': [1, 2],
              'bootstrap': [True, False]}
# passing data for hyper parameter tuning with Randomized search cv
random_search(RandomForestClassifier(),X_train,y_train,rf_para_grid)
```

Fitting 3 folds for each of 20 candidates, totalling 60 fits
 {'n_estimators': 200, 'min_samples_split': 2, 'min_samples_leaf': 1, 'max_features': 'auto', 'max_depth': 10, 'bootstrap': True}

```
In [80]: #Import the randomforestclassifier
from sklearn.ensemble import RandomForestClassifier
#install the model
random1=RandomForestClassifier(**{'n_estimators': 250, 'min_samples_split': 5,
#fit the train data to mode
random1.fit(X_train,y_train)
```

Out[80]: RandomForestClassifier(max_depth=10, min_samples_leaf=2, min_samples_split=5, n_estimators=250)

```
In [81]: #Prediction data
random1_pred=random1.predict(X_test)
random1_pred
```

Out[81]: array([1, 1, 1, ..., 1, 0, 1])

```
In [82]: #Check the test score and train score to the model
print(f'The randomforestclassifier model test score is {random1.score(X_test,y
#Train score for the data
print(f'The randomforestclassifier model train scores is {random1.score(X_train,y
#Check the accuracy_score to the model
print(f'The randomforestclassifier accuracy_score {accuracy_score(y_test,rando
```

The randomforestclassifier model test score is 81.00
 The randomforestclassifier model train scores is 89.48
 The randomforestclassifier accuracy_score 81.00

DecisionTreeClassifier

```
In [83]: # create parameters dict for tuning
DTR_para_grid = {
    "splitter":["best","random"],
    "max_depth" : [3,5,7,9],
    "min_samples_leaf":[1,2,3,4],
    "max_features":["auto","log2","sqrt"]
}

# passing data for hyper parameter tuning with Randomized search cv
random_search(DecisionTreeClassifier(),X_train,y_train,DTR_para_grid)
```

Fitting 3 folds for each of 20 candidates, totalling 60 fits
 {'splitter': 'best', 'min_samples_leaf': 4, 'max_features': 'sqrt', 'max_depth': 9}

```
In [84]: #Install the model
tree1=DecisionTreeClassifier(**{'splitter': 'best', 'min_samples_leaf': 4, 'ma
#fit the model to the train data
tree1.fit(X_train,y_train)
```

Out[84]: DecisionTreeClassifier(max_depth=5, max_features='auto', min_samples_leaf=4)

```
In [85]: #Prediction
tree1_pred=tree1.predict(X_test)
tree1_pred
```

Out[85]: array([1, 1, 1, ..., 1, 1, 1])

```
In [86]: #Check the test score and train score to the model
print(f'The randomforestclassifier model test score is {tree1.score(X_test,y_t
#Train score for the data
print(f'The randomforestclassifier model train scores is {tree1.score(X_train,
#Check the accuracy_score to the model
print(f'The randomforestclassifier accuracy_score {accuracy_score(y_test,tree1
```

The randomforestclassifier model test score is 52.40
 The randomforestclassifier model train scores is 54.31
 The randomforestclassifier accuracy_score 52.40

XGBClassifier

```
In [87]: # create parameters dict for tuning
XGB_para_grid = {"learning_rate" : [0.05, 0.10] ,
    "max_depth" : [ 3, 4, 5],
    "min_child_weight" : [ 3, 5, 7 ],
    "gamma" : [ 0.0, 0.1],
    "colsample_bytree" : [ 0.3, 0.4] }
# passing data for hyper parameter tuning with Randomized search cv
random_search(XGBClassifier(),X_train,y_train,XGB_para_grid)
```

Fitting 3 folds for each of 20 candidates, totalling 60 fits

```

/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
/home/vinod/anaconda3/lib/python3.9/site-packages/xgboost/compat.py:85: Future
Warning: pandas.Int64Index is deprecated and will be removed from pandas in a
future version. Use pandas.Index with the appropriate dtype instead.
    from pandas import MultiIndex, Int64Index
{'min_child_weight': 5, 'max_depth': 5, 'learning_rate': 0.1, 'gamma': 0.1, 'c
olsample_bytree': 0.3}

```

```
In [88]: #install the model
xgbl=XGBClassifier(**{'min_child_weight': 3, 'max_depth': 5, 'learning_rate':
#fit the data
xgbl.fit(X_train,y_train)
```

```
Out[88]: XGBClassifier(base_score=0.5, booster=None, colsample_bylevel=1,
                        colsample_bynode=1, colsample_bytree=0.3, gamma=0.1, gpu_id=-1,
                        importance_type='gain', interaction_constraints=None,
                        learning_rate=0.1, max_delta_step=0, max_depth=5,
                        min_child_weight=3, missing=nan, monotone_constraints=None,
                        n_estimators=100, n_jobs=0, num_parallel_tree=1, random_state=0,
                        reg_alpha=0, reg_lambda=1, scale_pos_weight=1, subsample=1,
                        tree_method=None, validate_parameters=False, verbosity=None)
```

```
In [89]: #Prediction the data
xgb1_pred=xgb1.predict(X_test)
xgb1_pred
```

```
Out[89]: array([1, 1, 1, ..., 0, 0, 1])
```

```
In [90]: #Check the test score and train score to the model
print(f'The randomforestclassifier model test score is {xgb1.score(X_test,y_te
#Train score for the data
print(f'The randomforestclassifier model train scores is {xgb1.score(X_train,y
```

```
#Check the accuracy_score to the model  
print(f'The randomforestclassifier accuracy_score {accuracy_score(y_test,xgb1_
```

```

The randomforestclassifier model test score is 81.12
The randomforestclassifier model train scores is 89.33
The randomforestclassifier accuracy_score 81.12
[CV] END .....C=0.01, penalty=l2; total time= 0.5s
[CV] END .....C=10.0, penalty=l1; total time= 0.0s
[CV] END .....C=10.0, penalty=l2; total time= 4.5s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=2, min_samples_split=5, n_estimators=150; total time= 3.0s
[CV] END bootstrap=False, max_depth=10, max_features=sqrt, min_samples_leaf=1, min_samples_split=2, n_estimators=200; total time= 4.4s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=1, min_samples_split=2, n_estimators=150; total time= 1.1s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=2, min_samples_split=5, n_estimators=250; total time= 4.2s
[CV] END bootstrap=False, max_depth=6, max_features=sqrt, min_samples_leaf=2, min_samples_split=2, n_estimators=200; total time= 2.7s
[CV] END bootstrap=False, max_depth=6, max_features=sqrt, min_samples_leaf=1, min_samples_split=2, n_estimators=200; total time= 2.9s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1, min_samples_split=5, n_estimators=150; total time= 2.2s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=3, splitter=random; total time= 0.1s
[CV] END max_depth=5, max_features=log2, min_samples_leaf=1, splitter=random; total time= 0.0s
[CV] END max_depth=7, max_features=sqrt, min_samples_leaf=3, splitter=random; total time= 0.1s
[CV] END max_depth=7, max_features=sqrt, min_samples_leaf=3, splitter=random; total time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=4, splitter=best; total time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=4, splitter=best; total time= 0.1s
[CV] END max_depth=3, max_features=log2, min_samples_leaf=3, splitter=best; total time= 0.1s
[CV] END max_depth=9, max_features=log2, min_samples_leaf=3, splitter=random; total time= 0.0s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.05, max_depth=3, min_child_weight=3; total time= 5.4s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=3, min_child_weight=3; total time= 5.3s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=4, min_child_weight=7; total time= 9.4s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=3, min_child_weight=3; total time= 7.1s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=3, min_child_weight=3; total time= 5.1s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=4, min_child_weight=7; total time= 6.8s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=4, min_child_weight=5; total time= 9.0s
[CV] END .....C=0.01, penalty=l2; total time= 0.7s
[CV] END .....C=100.0, penalty=l2; total time= 4.4s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=2, min_samples_split=5, n_estimators=150; total time= 2.9s
[CV] END bootstrap=False, max_depth=3, max_features=sqrt, min_samples_leaf=1,

```



```

min_samples_split=2, n_estimators=200; total time= 1.5s
[CV] END bootstrap=True, max_depth=3, max_features=auto, min_samples_leaf=2, m
in_samples_split=5, n_estimators=300; total time= 1.9s
[CV] END bootstrap=True, max_depth=3, max_features=auto, min_samples_leaf=2, m
in_samples_split=5, n_estimators=300; total time= 2.0s
[CV] END bootstrap=True, max_depth=3, max_features=auto, min_samples_leaf=2, m
in_samples_split=2, n_estimators=200; total time= 1.5s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=2, n_estimators=250; total time= 4.2s
[CV] END bootstrap=False, max_depth=6, max_features=sqrt, min_samples_leaf=2,
min_samples_split=2, n_estimators=200; total time= 2.8s
[CV] END bootstrap=False, max_depth=3, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=300; total time= 2.4s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=5, n_estimators=150; total time= 2.0s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=1, splitter=random;
total time= 0.1s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=4, splitter=random;
total time= 0.1s
[CV] END max_depth=7, max_features=sqrt, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=7, max_features=sqrt, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=4, min
_child_weight=5; total time= 6.9s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=3, min
_child_weight=3; total time= 5.2s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=3, min_
child_weight=5; total time= 5.0s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=4, min_
child_weight=3; total time= 6.9s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=3, min_
child_weight=7; total time= 6.4s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=3, min_
child_weight=3; total time= 5.2s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.05, max_depth=4, min
_child_weight=5; total time= 7.1s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=5, min_
child_weight=3; total time= 7.8s
[CV] END .....C=0.1, penalty=l1; total time= 0.
0s
[CV] END .....C=1.0, penalty=l1; total time= 0.
0s
[CV] END .....C=1.0, penalty=l1; total time= 0.
0s
[CV] END .....C=1.0, penalty=l1; total time= 0.
0s
[CV] END .....C=1.0, penalty=l2; total time= 1.
4s
[CV] END .....C=100.0, penalty=l2; total time= 3.
4s
[CV] END bootstrap=False, max_depth=6, max_features=auto, min_samples_leaf=2,
min_samples_split=2, n_estimators=150; total time= 2.3s
[CV] END bootstrap=False, max_depth=6, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=300; total time= 4.2s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=1, m

```

```

in_samples_split=2, n_estimators=250; total time= 1.8s
[CV] END bootstrap=True, max_depth=3, max_features=auto, min_samples_leaf=2, m
in_samples_split=2, n_estimators=200; total time= 1.5s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=2, n_estimators=250; total time= 4.4s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=2, m
in_samples_split=5, n_estimators=250; total time= 2.1s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=5, n_estimators=200; total time= 3.6s
[CV] END max_depth=9, max_features=log2, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=9, max_features=sqrt, min_samples_leaf=4, splitter=best; to
tal time= 0.1s
[CV] END max_depth=7, max_features=sqrt, min_samples_leaf=3, splitter=random;
total time= 0.1s
[CV] END max_depth=5, max_features=sqrt, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=7, max_features=sqrt, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=4, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=sqrt, min_samples_leaf=4, splitter=best; to
tal time= 0.1s
[CV] END max_depth=9, max_features=log2, min_samples_leaf=3, splitter=random;
total time= 0.0s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=5, min
_child_weight=7; total time= 10.5s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=3, min_
child_weight=5; total time= 5.1s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=5, min_
child_weight=5; total time= 8.2s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=3, min_
child_weight=7; total time= 6.3s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=3, min_
child_weight=3; total time= 5.1s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.05, max_depth=4, min
_child_weight=5; total time= 7.0s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=4, min_
child_weight=5; total time= 8.6s
[CV] END .....C=0.01, penalty=l1; total time= 0.
0s
[CV] END .....C=0.1, penalty=l2; total time= 0.
7s
[CV] END .....C=100.0, penalty=l1; total time= 0.
0s
[CV] END .....C=100.0, penalty=l1; total time= 0.
0s
[CV] END .....C=100.0, penalty=l1; total time= 0.
0s
[CV] END .....C=100.0, penalty=l2; total time= 4.
1s
[CV] END bootstrap=False, max_depth=6, max_features=auto, min_samples_leaf=2,
min_samples_split=2, n_estimators=150; total time= 2.4s
[CV] END bootstrap=False, max_depth=3, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 1.4s
[CV] END bootstrap=False, max_depth=10, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 4.7s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=250; total time= 4.3s
[CV] END bootstrap=False, max_depth=6, max_features=sqrt, min_samples_leaf=2,

```

```

min_samples_split=2, n_estimators=200; total time= 2.7s
[CV] END bootstrap=False, max_depth=6, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 3.4s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=5, n_estimators=150; total time= 1.9s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=1, splitter=random;
total time= 0.1s
[CV] END max_depth=5, max_features=log2, min_samples_leaf=1, splitter=random;
total time= 0.0s
[CV] END max_depth=3, max_features=log2, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=log2, min_samples_leaf=2, splitter=best; to
tal time= 0.0s
[CV] END max_depth=3, max_features=auto, min_samples_leaf=3, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=auto, min_samples_leaf=3, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=sqrt, min_samples_leaf=4, splitter=best; to
tal time= 0.1s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=4, min
_child_weight=5; total time= 6.9s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=3, min
_child_weight=3; total time= 5.2s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=3, min_
child_weight=5; total time= 4.9s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=5, min_
child_weight=5; total time= 8.1s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=4, min_
child_weight=5; total time= 6.4s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=3, min_
child_weight=3; total time= 7.0s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=3, min
_child_weight=7; total time= 6.9s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.05, max_depth=4, min
_child_weight=3; total time= 7.8s
[CV] END .....C=0.01, penalty=l2; total time= 0.
5s
[CV] END .....C=10.0, penalty=l1; total time= 0.
0s
[CV] END .....C=10.0, penalty=l1; total time= 0.
0s
[CV] END .....C=10.0, penalty=l2; total time= 3.
3s
[CV] END bootstrap=True, max_depth=6, max_features=auto, min_samples_leaf=2, m
in_samples_split=5, n_estimators=200; total time= 2.5s
[CV] END bootstrap=False, max_depth=6, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=300; total time= 4.2s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=1, m
in_samples_split=2, n_estimators=250; total time= 1.8s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=250; total time= 4.2s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 3.8s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=5, n_estimators=200; total time= 3.6s
[CV] END max_depth=9, max_features=log2, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=1, splitter=random;
total time= 0.1s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=4, splitter=random;

```

```

total time= 0.1s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=4, splitter=random;
total time= 0.1s
[CV] END max_depth=3, max_features=sqrt, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=auto, min_samples_leaf=3, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=log2, min_samples_leaf=3, splitter=best; to
tal time= 0.1s
[CV] END max_depth=7, max_features=auto, min_samples_leaf=3, splitter=random;
total time= 0.0s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=5, min_
_child_weight=7; total time= 10.4s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=3, min_
_child_weight=5; total time= 5.0s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=5, min_
_child_weight=5; total time= 8.1s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=3, min_
_child_weight=3; total time= 7.0s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=3, min_
_child_weight=3; total time= 6.7s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.05, max_depth=4, min_
_child_weight=5; total time= 7.3s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=5, min_
_child_weight=3; total time= 8.6s
[CV] END .....C=0.1, penalty=l1; total time= 0.
0s
[CV] END .....C=1.0, penalty=l2; total time= 1.
6s
[CV] END bootstrap=True, max_depth=6, max_features=auto, min_samples_leaf=2, m
in_samples_split=5, n_estimators=200; total time= 2.5s
[CV] END bootstrap=False, max_depth=6, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=300; total time= 3.9s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=1, m
in_samples_split=2, n_estimators=250; total time= 1.7s
[CV] END bootstrap=True, max_depth=3, max_features=auto, min_samples_leaf=2, m
in_samples_split=2, n_estimators=200; total time= 1.4s
[CV] END bootstrap=False, max_depth=3, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=150; total time= 1.4s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 3.6s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=2, m
in_samples_split=5, n_estimators=250; total time= 2.1s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=5, n_estimators=200; total time= 4.0s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=3, splitter=random;
total time= 0.1s
[CV] END max_depth=5, max_features=log2, min_samples_leaf=1, splitter=random;
total time= 0.0s
[CV] END max_depth=3, max_features=auto, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=auto, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=sqrt, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=sqrt, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=log2, min_samples_leaf=3, splitter=best; to
tal time= 0.1s
[CV] END max_depth=7, max_features=auto, min_samples_leaf=3, splitter=random;

```

```

total time= 0.0s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=4, min_
_child_weight=5; total time= 7.0s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=3, min_
_child_weight=5; total time= 5.4s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=3, min_
_child_weight=5; total time= 5.4s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=4, min_
_child_weight=3; total time= 6.9s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=3, min_
_child_weight=7; total time= 6.3s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=3, min_
_child_weight=3; total time= 6.7s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=3, min_
_child_weight=7; total time= 6.9s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=5, min_
_child_weight=3; total time= 8.5s
[CV] END .....C=0.01, penalty=l1; total time= 0.
0s
[CV] END .....C=0.1, penalty=l2; total time= 0.
8s
[CV] END .....C=10.0, penalty=l2; total time= 3.
9s
[CV] END bootstrap=False, max_depth=6, max_features=auto, min_samples_leaf=2,
min_samples_split=2, n_estimators=150; total time= 2.6s
[CV] END bootstrap=False, max_depth=3, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 1.7s
[CV] END bootstrap=False, max_depth=10, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 5.5s
[CV] END bootstrap=False, max_depth=3, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=150; total time= 1.3s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 3.6s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=2, m
in_samples_split=5, n_estimators=250; total time= 2.2s
[CV] END bootstrap=False, max_depth=3, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=300; total time= 2.9s
[CV] END max_depth=9, max_features=log2, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=9, max_features=sqrt, min_samples_leaf=4, splitter=best; to
tal time= 0.1s
[CV] END max_depth=5, max_features=sqrt, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=5, max_features=sqrt, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=4, splitter=random;
total time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=7, max_features=auto, min_samples_leaf=3, splitter=random;
total time= 0.1s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=5, min_
_child_weight=7; total time= 10.5s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=4, min_
_child_weight=7; total time= 8.2s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.1, max_depth=4, min_
_child_weight=3; total time= 6.9s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=4, min_
_child_weight=5; total time= 6.3s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=4, min

```

```

_child_weight=7; total time= 6.7s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=3, min
_child_weight=7; total time= 6.9s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.05, max_depth=4, min
_child_weight=3; total time= 7.9s
[CV] END .....C=0.01, penalty=l1; total time= 0.
0s
[CV] END .....C=0.1, penalty=l1; total time= 0.
0s
[CV] END .....C=0.1, penalty=l2; total time= 0.
7s
[CV] END .....C=1.0, penalty=l2; total time= 1.
8s
[CV] END bootstrap=True, max_depth=6, max_features=auto, min_samples_leaf=2, m
in_samples_split=5, n_estimators=200; total time= 2.4s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=150; total time= 2.5s
[CV] END bootstrap=True, max_depth=3, max_features=auto, min_samples_leaf=2, m
in_samples_split=5, n_estimators=300; total time= 2.1s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=1, m
in_samples_split=2, n_estimators=150; total time= 1.0s
[CV] END bootstrap=True, max_depth=3, max_features=sqrt, min_samples_leaf=1, m
in_samples_split=2, n_estimators=150; total time= 1.1s
[CV] END bootstrap=False, max_depth=3, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=150; total time= 1.2s
[CV] END bootstrap=True, max_depth=10, max_features=auto, min_samples_leaf=1,
min_samples_split=2, n_estimators=250; total time= 4.4s
[CV] END bootstrap=False, max_depth=6, max_features=sqrt, min_samples_leaf=1,
min_samples_split=2, n_estimators=200; total time= 3.3s
[CV] END bootstrap=False, max_depth=3, max_features=auto, min_samples_leaf=2,
min_samples_split=5, n_estimators=300; total time= 2.3s
[CV] END max_depth=9, max_features=auto, min_samples_leaf=3, splitter=random;
total time= 0.1s
[CV] END max_depth=9, max_features=sqrt, min_samples_leaf=4, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=auto, min_samples_leaf=1, splitter=best; to
tal time= 0.1s
[CV] END max_depth=3, max_features=log2, min_samples_leaf=2, splitter=best; to
tal time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=4, splitter=random;
total time= 0.1s
[CV] END max_depth=5, max_features=auto, min_samples_leaf=4, splitter=random;
total time= 0.1s
[CV] END max_depth=3, max_features=sqrt, min_samples_leaf=4, splitter=best; to
tal time= 0.1s
[CV] END max_depth=9, max_features=log2, min_samples_leaf=3, splitter=random;
total time= 0.0s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.05, max_depth=3, min
_child_weight=3; total time= 5.3s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.05, max_depth=3, min
_child_weight=3; total time= 5.4s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=4, min_
_child_weight=7; total time= 8.2s
[CV] END colsample_bytree=0.4, gamma=0.1, learning_rate=0.05, max_depth=3, min
_child_weight=3; total time= 6.6s
[CV] END colsample_bytree=0.3, gamma=0.1, learning_rate=0.1, max_depth=4, min_
_child_weight=5; total time= 6.4s
[CV] END colsample_bytree=0.3, gamma=0.0, learning_rate=0.05, max_depth=4, min
_child_weight=7; total time= 6.6s
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.1, max_depth=4, min_

```

```
child_weight=5; total time= 9.0s  
[CV] END colsample_bytree=0.4, gamma=0.0, learning_rate=0.05, max_depth=4, min  
_child_weight=3; total time= 6.9s
```

Test The model predict the good result

```
In [92]: text='0h movie I thought I waited long take dog I cant believe I watched whole  
text=[text]  
text_int=vector.transform(text)  
prediction=logistic.predict(text_int)  
f"Sentimet is {prediction[0]}"
```

```
Out[92]: 'Sentimet is 0'
```

```
In [93]: text='For sheer quality performance theater absurd one hard compare anything e  
text=[text]  
text_int=vector.transform(text)  
prediction=logistic.predict(text_int)  
f"Sentimet is {prediction[0]}"
```

```
Out[93]: 'Sentimet is 1'
```

The logistic model give the best result to the model and with 85% accuray score.

CONCLUSION

About the data

In the data we use textblob library for positive and negative sentiment analysis performed basicEDA, text preprocessing, build different models, such as LogisticRegression,DecisiontreeClassification,RandomForestClassication,XGBboostClassifier,For the above model Only LogisticRegression have good accuracy score compare to the other model. After that We do Hyperparameter turning with parameters.

```
In [ ]:
```