


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49   ■ 50–89   ● 90–100



## METRICS

■ First Contentful Paint

1.1 s

■ Largest Contentful Paint

1.9 s

Collapse view

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric.](#)

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric.](#)

### ● Total Blocking Time

**0 ms**

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

[Learn more about the Total Blocking Time metric.](#)

### ● Cumulative Layout Shift

**0**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric.](#)

### ■ Speed Index

**1.5 s**

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric.](#)



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [CLS](#)

## INSIGHTS

### ▲ Document request latency — Est savings of 64 KiB

^

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. [FCP](#) [LCP](#) [Unscored](#)

Avoids redirects

Server responded slowly (observed 603 ms)

No compression applied

### ▲ Use efficient cache lifetimes — Est savings of 2,769 KiB

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](#). [FCP](#) [LCP](#) [Unscored](#)

Request		Cache TTL	Transfer Size
wpperformance.local	1st Party		2,769 KiB
...01/Rectangle_4_3-768x495.png (wpperformance.local)		None	661 KiB
...01/274839e....png (wpperformance.local)		None	449 KiB
...01/7801000....png (wpperformance.local)		None	326 KiB
...v8/swiper.min.js?ver=8.4.5 (wpperformance.local)		None	141 KiB
...01/e28eb69....png (wpperformance.local)		None	117 KiB
...01/73eb6c6...-1-1536x935.jpg (wpperformance.local)		None	116 KiB
...01/3bacfdd...-1-768x513.jpg (wpperformance.local)		None	91 KiB
...jquery/jquery.min.js?ver=3.7.1 (wpperformance.local)		None	86 KiB
...js/frontend-modules.min.js?ver=3.34.1 (wpperformance.local)		None	84 KiB
...01/9cf39f6...-1-768x513.jpg (wpperformance.local)		None	81 KiB
...01/4330a39...-768x510.jpg (wpperformance.local)		None	71 KiB
...01/4f70d38...-768x576.jpg (wpperformance.local)		None	70 KiB
...01/d06a025...-3-768x512.jpg (wpperformance.local)		None	70 KiB
...css/frontend.min.css?ver=3.34.1 (wpperformance.local)		None	54 KiB
...01/722b9a4...-1-768x512.jpg (wpperformance.local)		None	46 KiB
...css/post-44.css?ver=176... (wpperformance.local)		None	41 KiB
...js/frontend.min.js?ver=3.34.1 (wpperformance.local)		None	31 KiB
...01/5a58140...-1-768x512.jpg (wpperformance.local)		None	28 KiB
...js/wp-emoji-release.min.js?ver=6.9 (wpperformance.local)		None	23 KiB
...ui/core.min.js?ver=1.13.3 (wpperformance.local)		None	21 KiB
...css/swiper.min.css?ver=8.4.5 (wpperformance.local)		None	16 KiB
...01/e6c7d47...-300x200.jpg (wpperformance.local)		None	14 KiB
...jquery/jquery-migrate.min.js?ver=3.4.1 (wpperformance.local)		None	14 KiB
...js/index.js?ver=6.1.4 (wpperformance.local)		None	13 KiB
...js/index.js?ver=6.1.4 (wpperformance.local)		None	13 KiB
...01/722b9a4...-300x200.jpg (wpperformance.local)		None	12 KiB
...css/post-17.css?ver=176... (wpperformance.local)		None	10 KiB
...js/shared-frontend-handlers.03caa53....bundle.min.js (wpperformance.local)		None	9 KiB
...css/header-footer.css?ver=3.4.5 (wpperformance.local)		None	7 KiB
...01/5a58140...-300x200.jpg (wpperformance.local)		None	7 KiB
...js/webpack.runtime.min.js?ver=3.34.1 (wpperformance.local)		None	6 KiB

Request	Cache TTL	Transfer Size
...dist/hooks.min.js?ver=dd5603f... (wpperformance.local)	None	6 KiB
...conditionals/e-swiper.min.css?ver=3.34.1 (wpperformance.local)	None	6 KiB
...css/reset.css?ver=3.4.5 (wpperformance.local)	None	6 KiB
...dist/i18n.min.js?ver=c26c3dc... (wpperformance.local)	None	6 KiB
...css/theme.css?ver=3.4.5 (wpperformance.local)	None	5 KiB
...css/styles.css?ver=6.1.4 (wpperformance.local)	None	3 KiB
...js/hello-frontend.js?ver=3.4.5 (wpperformance.local)	None	2 KiB
...css/widget-image-box.min.css?ver=3.34.1 (wpperformance.local)	None	2 KiB
...js/text-editor.4560966....bundle.min.js (wpperformance.local)	None	2 KiB
...css/widget-heading.min.css?ver=3.34.1 (wpperformance.local)	None	1 KiB
...js/image-carousel.6167d20....bundle.min.js (wpperformance.local)	None	1 KiB
...hello-child/style.css?ver=1.0 (wpperformance.local)	None	1 KiB
...css/widget-image-carousel.min.css?ver=3.34.1 (wpperformance.local)	None	1 KiB
...styles/e-animation-grow.min.css?ver=3.34.1 (wpperformance.local)	None	0 KiB
...styles/fadeIn.min.css?ver=3.34.1 (wpperformance.local)	None	0 KiB

### ▲ Render blocking requests — Est savings of 640 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [FCP](#) [LCP](#) [Unscored](#)

Show 3rd-party resources (1)

URL	Transfer Size	Duration
Google Fonts <a href="#">Cdn</a>	1.4 KiB	270 ms
/css?family=... (fonts.googleapis.com)	1.4 KiB	270 ms
wpperformance.local <a href="#">1st Party</a>	258.8 KiB	2,830 ms
...jquery/jquery.min.js?ver=3.7.1 (wpperformance.local)	85.8 KiB	520 ms
...jquery/jquery-migrate.min.js?ver=3.4.1 (wpperformance.local)	13.6 KiB	160 ms
...css/post-44.css?ver=176... (wpperformance.local)	41.3 KiB	280 ms
...conditionals/e-swiper.min.css?ver=3.34.1 (wpperformance.local)	5.7 KiB	120 ms
...css/widget-image-carousel.min.css?ver=3.34.1 (wpperformance.local)	0.6 KiB	80 ms
...css/swiper.min.css?ver=8.4.5 (wpperformance.local)	16.4 KiB	200 ms
...css/widget-image-box.min.css?ver=3.34.1 (wpperformance.local)	1.9 KiB	80 ms

URL	Transfer Size	Duration
...styles/e-animation-grow.min.css?ver=3.34.1 (wpperformance.local)	0.5 KiB	80 ms
...css/frontend.min.css?ver=3.34.1 (wpperformance.local)	53.6 KiB	400 ms
...styles/fadeIn.min.css?ver=3.34.1 (wpperformance.local)	0.4 KiB	80 ms
...css/widget-heading.min.css?ver=3.34.1 (wpperformance.local)	0.9 KiB	80 ms
...css/post-17.css?ver=176... (wpperformance.local)	10.2 KiB	160 ms
...css/header-footer.css?ver=3.4.5 (wpperformance.local)	7.3 KiB	120 ms
...css/theme.css?ver=3.4.5 (wpperformance.local)	5.3 KiB	120 ms
...hello-child/style.css?ver=1.0 (wpperformance.local)	0.7 KiB	80 ms
...css/reset.css?ver=3.4.5 (wpperformance.local)	5.6 KiB	120 ms
...css/styles.css?ver=6.1.4 (wpperformance.local)	3.2 KiB	
...dist/hooks.min.js?ver=dd5603f... (wpperformance.local)	5.8 KiB	80 ms

## ▲ LCP request discovery

^

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

- 🚫 `fetchpriority=high` should be applied
- 🚫 Request is discoverable in initial document
- ✅ lazy load not applied



Capture New Glimps Innovation in every steps Contact Us  
`<div class="elementor-element elementor-element-d5cfde3 e-flex e-con-boxed e-con e-par..." data-id="d5cfde3" data-element_type="container" data-settings="{"background_background":"classic"}>`


## ▲ Network dependency tree

^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **1,390 ms**

*Initial Navigation*



/css?family=...	(fonts.googleapis.com) - <b>721 ms</b> , 1.40 KiB
...v24/pxiByp8kv....woff2	(fonts.gstatic.com) - <b>879 ms</b> , 7.69 KiB
...v24/pxiByp8kv....woff2	(fonts.gstatic.com) - <b>879 ms</b> , 7.58 KiB
...v24/pxiByp8kv....woff2	(fonts.gstatic.com) - <b>878 ms</b> , 7.69 KiB
...v24/pxiByp8kv....woff2	(fonts.gstatic.com) - <b>877 ms</b> , 7.83 KiB
...v24/pxiEyp8kv....woff2	(fonts.gstatic.com) - <b>877 ms</b> , 7.74 KiB
...js/frontend-modules.min.js?ver=3.34.1	(wpperformance.local) - <b>863 ms</b> , 84.08 KiB
...js/frontend.min.js?ver=3.34.1	(wpperformance.local) - <b>862 ms</b> , 31.45 KiB
...ui/core.min.js?ver=1.13.3	(wpperformance.local) - <b>862 ms</b> , 21.28 KiB
...js/webpack.runtime.min.js?ver=3.34.1	(wpperformance.local) - <b>862 ms</b> , 5.86 KiB
...js/index.js?ver=6.1.4	(wpperformance.local) - <b>860 ms</b> , 13.45 KiB
...js/index.js?ver=6.1.4	(wpperformance.local) - <b>856 ms</b> , 12.54 KiB
...js/hello-frontend.js?ver=3.4.5	(wpperformance.local) - <b>856 ms</b> , 2.10 KiB
...dist/i18n.min.js?ver=c26c3dc...	(wpperformance.local) - <b>855 ms</b> , 5.50 KiB
...dist/hooks.min.js?ver=dd5603f...	(wpperformance.local) - <b>780 ms</b> , 5.84 KiB
...jquery/jquery-migrate.min.js?ver=3.4.1	(wpperformance.local) - <b>673 ms</b> , 13.58 KiB
...css/post-44.css?ver=176...	(wpperformance.local) - <b>670 ms</b> , 41.33 KiB
...conditionals/e-swiper.min.css?ver=3.34.1	(wpperformance.local) - <b>669 ms</b> , 5.67 KiB
...css/widget-image-carousel.min.css?ver=3.34.1	(wpperformance.local) - <b>669 ms</b> , 0.64 KiB
...css/swiper.min.css?ver=8.4.5	(wpperformance.local) - <b>669 ms</b> , 16.39 KiB
...css/widget-image-box.min.css?ver=3.34.1	(wpperformance.local) - <b>668 ms</b> , 1.93 KiB
...styles/e-animation-grow.min.css?ver=3.34.1	(wpperformance.local) - <b>668 ms</b> , 0.50 KiB
...css/frontend.min.css?ver=3.34.1	(wpperformance.local) - <b>667 ms</b> , 53.59 KiB
...styles/fadeIn.min.css?ver=3.34.1	(wpperformance.local) - <b>666 ms</b> , 0.38 KiB
...css/widget-heading.min.css?ver=3.34.1	(wpperformance.local) - <b>665 ms</b> , 0.85 KiB
...css/post-17.css?ver=176...	(wpperformance.local) - <b>665 ms</b> , 10.18 KiB
...css/header-footer.css?ver=3.4.5	(wpperformance.local) - <b>664 ms</b> , 7.32 KiB
...css/theme.css?ver=3.4.5	(wpperformance.local) - <b>664 ms</b> , 5.29 KiB
...hello-child/style.css?ver=1.0	(wpperformance.local) - <b>663 ms</b> , 0.66 KiB
...css/reset.css?ver=3.4.5	(wpperformance.local) - <b>663 ms</b> , 5.64 KiB
...css/styles.css?ver=6.1.4	(wpperformance.local) - <b>662 ms</b> , 3.19 KiB

## Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

■ Improve image delivery — Est savings of 4 KiB ^

Reducing the download time of images can improve the perceived load time of the page and LCP.

[Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
wpperformance.local <span style="border: 1px solid black; padding: 2px 5px;">1st Party</span>	14.0 KiB	4.2 KiB
 <pre> div.ele mento r- eleme nt &gt;  div.elementor-image-box-wrapper &gt; figure.elementor-image-box-img &gt; img.elementor-animation-grow &lt;img loading="lazy" decoding="async" width="1920" height="1280" src="http://wpperformance.loca 1/wp- content/uploads/2026/01/e6c7d4 7c3a2c24820bb9... class="elementor-animation- grow attachment-full size-full wp-image-72" alt="" srcset="http://wpperformance.lo cal/wp- content/uploads/2026/01/e6c7d4 7c3a2c24820bb9..." sizes="auto, (max-width: 1920px) 100vw, 1920px"&gt; </pre>	<span style="border: 1px solid black; padding: 2px 5px;">...</span> 01/e6c7d47...-300x200.jpg (wpperformance.loca 1)	<span style="border: 1px solid black; padding: 2px 5px;">14.0 KiB</span> <span style="border: 1px solid black; padding: 2px 5px;">4.2 KiB</span>
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	4.2 KiB

■ Modern HTTP — Est savings of -60 ms ^

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using](#)

[modern HTTP](#) FCP LCP Unscored
**URL****Protocol**wpperformance.local 1st Party

http://wpperformance.local	http/1.1
...css/styles.css?ver=6.1.4 (wpperformance.local)	http/1.1
...css/reset.css?ver=3.4.5 (wpperformance.local)	http/1.1
...hello-child/style.css?ver=1.0 (wpperformance.local)	http/1.1
...css/theme.css?ver=3.4.5 (wpperformance.local)	http/1.1
...css/header-footer.css?ver=3.4.5 (wpperformance.local)	http/1.1
...css/frontend.min.css?ver=3.34.1 (wpperformance.local)	http/1.1
...css/post-17.css?ver=176... (wpperformance.local)	http/1.1
...styles/fadeIn.min.css?ver=3.34.1 (wpperformance.local)	http/1.1
...css/widget-heading.min.css?ver=3.34.1 (wpperformance.local)	http/1.1
...styles/e-animation-grow.min.css?ver=3.34.1 (wpperformance.local)	http/1.1
...css/widget-image-box.min.css?ver=3.34.1 (wpperformance.local)	http/1.1
...css/swiper.min.css?ver=8.4.5 (wpperformance.local)	http/1.1
...conditionals/e-swiper.min.css?ver=3.34.1 (wpperformance.local)	http/1.1
...css/widget-image-carousel.min.css?ver=3.34.1 (wpperformance.local)	http/1.1
...css/post-44.css?ver=176... (wpperformance.local)	http/1.1
...jquery/jquery.min.js?ver=3.7.1 (wpperformance.local)	http/1.1
...jquery/jquery-migrate.min.js?ver=3.4.1 (wpperformance.local)	http/1.1
...01/Rectangle_4_3-768x495.png (wpperformance.local)	http/1.1
...01/d06a025...-3-768x512.jpg (wpperformance.local)	http/1.1
...01/9cf39f6...-1-768x513.jpg (wpperformance.local)	http/1.1
...01/4330a39...-768x510.jpg (wpperformance.local)	http/1.1
...01/5a58140...-1-768x512.jpg (wpperformance.local)	http/1.1
...01/4f70d38...-768x576.jpg (wpperformance.local)	http/1.1
...01/274839e....png (wpperformance.local)	http/1.1
...01/7801000....png (wpperformance.local)	http/1.1
...01/3bacfd...-1-768x513.jpg (wpperformance.local)	http/1.1
...01/e28eb69....png (wpperformance.local)	http/1.1
...01/722b9a4...-1-768x512.jpg (wpperformance.local)	http/1.1
...dist/hooks.min.js?ver=dd5603f... (wpperformance.local)	http/1.1

URL	Protocol
...dist/i18n.min.js?ver=c26c3dc... (wpperformance.local)	http/1.1
...js/index.js?ver=6.1.4 (wpperformance.local)	http/1.1
...js/index.js?ver=6.1.4 (wpperformance.local)	http/1.1
...js/hello-frontend.js?ver=3.4.5 (wpperformance.local)	http/1.1
...js/webpack.runtime.min.js?ver=3.34.1 (wpperformance.local)	http/1.1
...js/frontend-modules.min.js?ver=3.34.1 (wpperformance.local)	http/1.1
...ui/core.min.js?ver=1.13.3 (wpperformance.local)	http/1.1
...js/frontend.min.js?ver=3.34.1 (wpperformance.local)	http/1.1
...v8/swiper.min.js?ver=8.4.5 (wpperformance.local)	http/1.1
...01/73eb6c6...-1-1536x935.jpg (wpperformance.local)	http/1.1
...js/wp-emoji-release.min.js?ver=6.9 (wpperformance.local)	http/1.1
...feedback/schema (wpperformance.local)	http/1.1
...js/shared-frontend-handlers.03caa53....bundle.min.js (wpperformance.local)	http/1.1
...js/text-editor.4560966....bundle.min.js (wpperformance.local)	http/1.1
...js/image-carousel.6167d20....bundle.min.js (wpperformance.local)	http/1.1
...01/722b9a4...-300x200.jpg (wpperformance.local)	http/1.1
...01/5a58140...-300x200.jpg (wpperformance.local)	http/1.1
...01/e6c7d47...-300x200.jpg (wpperformance.local)	http/1.1
...images/w-logo-blue-white-bg.png (wpperformance.local)	http/1.1

## Optimize DOM size



A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element	Value
Total elements		532
DOM depth	span.wpcf7-form-control-wrap > span.wpcf7-form-control > span.wpcf7-list-item > input <input aria-invalid="false" name="privacy" type="checkbox" value="1"/>	14
Most children	body.home <code>&lt;body class="home wp-singular page-template page-template-elementor_header_footer page ..." data-elementor-device-mode="desktop"&gt;</code>	22

## ○ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. [LCP](#) [Unscored](#)

Subpart	Duration
Time to first byte	610 ms
Resource load delay	180 ms
Resource load duration	10 ms
Element render delay	340 ms



Capture New Glimps Innovation in every steps Contact Us  
<div class="elementor-element elementor-element-d5cfde3 e-flex e-con-boxed e-con e-par..." data-id="d5cfde3" data-element\_type="container" data-settings="{"background\_background":"classic"}>

## ○ 3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. [Unscored](#)

3rd party	Transfer size	Main thread time
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	28 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	18 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	7 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	1 ms
<b>Google Fonts Cdn</b>	<b>40 KiB</b>	<b>0 ms</b>
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiEyp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms

3rd party	Transfer size	Main thread time
/css?family=... (fonts.googleapis.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

## DIAGNOSTICS

### ▲ Reduce unused JavaScript — Est savings of 218 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP Unscored

Consider reducing, or switching, the number of [WordPress plugins](#) loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running [code coverage](#) in  Chrome DevTools. You can identify the theme/plugin responsible from the URL of the script. Look out for plugins that have many scripts in the list which have a lot of red in code coverage. A plugin should only enqueue a script if it is actually used on the page.

URL	Transfer Size	Est Savings
wpperformance.local <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	<b>309.6 KiB</b>	<b>164.6 KiB</b>
...v8/swiper.min.js?ver=8.4.5 (wpperformance.local)	140.3 KiB	76.6 KiB
...jquery/jquery.min.js?ver=3.7.1 (wpperformance.local)	85.5 KiB	45.2 KiB
...js/frontend-modules.min.js?ver=3.34.1 (wpperformance.local)	83.8 KiB	42.8 KiB
Unattributable	<b>57.6 KiB</b>	<b>53.1 KiB</b>
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	57.6 KiB	53.1 KiB

### ▲ Reduce unused CSS — Est savings of 79 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP Unscored

Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in  Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look

out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

URL	Transfer Size	Est Savings
wpperformance.local <span>1st Party</span>	<b>110.4 KiB</b>	<b>78.9 KiB</b>
...css/frontend.min.css?ver=3.34.1 (wpperformance.local)	53.3 KiB	45.0 KiB
...css/post-44.css?ver=176... (wpperformance.local)	41.0 KiB	19.5 KiB
...css/swiper.min.css?ver=8.4.5 (wpperformance.local)	16.1 KiB	14.4 KiB

### Image elements do not have explicit `width` and `height`

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

URL
wpperformance.local <span>1st Party</span>
4f70d38488925271dd3805765a534fcc9cb14f84 
3bacfddc2fa7b185e0cee1a7231a84ad300d41ca (1) 
9cf39f6efc2afba194123334a1ed3e2b9b9fbbe8 (1) 
3bacfddc2fa7b185e0cee1a7231a84ad300d41ca (1) 

## URL

9cf39f6efc2afba194123334a1ed3e2b9b9fbe8 (1) <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/9cf39f6efc2afba19412..." alt="9cf39f6efc2afba194123334a1ed3e2b9b9fbe8 (1)">	...01/9cf39f6...-1- 768x513.jpg (wpperformance.local)
722b9a470dfde8a5c0ebfd555aa0bb2567933a2a <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/722b9a470dfde8a5c0eb..." alt="722b9a470dfde8a5c0ebfd555aa0bb2567933a2a">	...01/722b9a4...-1- 768x512.jpg (wpperformance.local)
d06a025b4df0d62e293d6c96808fc0154caa71 (3) <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/d06a025b4df0d62e293d..." alt="d06a025b4df0d62e293d6c96808fc0154caa71 (3)">	...01/d06a025...-3- 768x512.jpg (wpperformance.local)
5a581405b91c23f3ebdb2e711ff8bc83f60246fc <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/5a581405b91c23f3ebdb..." alt="5a581405b91c23f3ebdb2e711ff8bc83f60246fc">	...01/5a58140...-1- 768x512.jpg (wpperformance.local)
722b9a470dfde8a5c0ebfd555aa0bb2567933a2a <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/722b9a470dfde8a5c0eb..." alt="722b9a470dfde8a5c0ebfd555aa0bb2567933a2a">	...01/722b9a4...-1- 768x512.jpg (wpperformance.local)
d06a025b4df0d62e293d6c96808fc0154caa71 (3) <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/d06a025b4df0d62e293d..." alt="d06a025b4df0d62e293d6c96808fc0154caa71 (3)">	...01/d06a025...-3- 768x512.jpg (wpperformance.local)
4330a3924cc89e4e63ead7f095031ea77e159970 <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/4330a3924cc89e4e63ea..." alt="4330a3924cc89e4e63ead7f095031ea77e159970">	... 01/4330a39...-768x510.jpg (wpperformance.loc al)
Rectangle_4_3 <img decoding="async" class="swiper-slide-image" src="http://wpperformance.local/wp- content/uploads/2026/01/Rectangle_4_3-768x49..." alt="Rectangle_4_3">	...01/Rectangle_4_3- 768x495.png (wpperformance.local)

## URL

Rectangle\_4\_3

```

```

...01/Rectangle\_4\_3-  
768x495.png (wpperformance.local)

274839efc604e2cb8ade9b72c336ed38174b520

```

```

...01/274839e....png (wpperformance.local)

78010001caea90191b68db818231fb562a8ce70d

```

```

...01/7801000....png (wpperformance.local)

e28eb69e23de6a5f517143949df907a1609237f3

```

```

...01/e28eb69....png (wpperformance.local)

e28eb69e23de6a5f517143949df907a1609237f3

```

```

...01/e28eb69....png (wpperformance.local)

## Avoid enormous network payloads — Total size was 2,912 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored



Consider showing excerpts in your post lists (e.g. via the more tag), reducing the number of posts shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

URL	Transfer Size
wpperformance.local	<span style="border: 1px solid #007bff; padding: 2px;">1st Party</span>
...01/Rectangle_4_3-768x495.png (wpperformance.local)	661.3 KiB
...01/274839e....png (wpperformance.local)	449.2 KiB

URL	Transfer Size
...01/7801000....png (wpperformance.local)	325.9 KiB
...v8/swiper.min.js?ver=8.4.5 (wpperformance.local)	140.7 KiB
...01/e28eb69....png (wpperformance.local)	117.0 KiB
...01/73eb6c6...-1-1536x935.jpg (wpperformance.local)	116.2 KiB
http://wpperformance.local	96.7 KiB
...01/3bacfdd...-1-768x513.jpg (wpperformance.local)	91.4 KiB
...jquery/jquery.min.js?ver=3.7.1 (wpperformance.local)	85.8 KiB
...js/frontend-modules.min.js?ver=3.34.1 (wpperformance.local)	84.1 KiB


## >User Timing marks and measures — 1 user timing

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

Name	Type	Start Time	Duration
_v3	Mark	0.00 ms	

## Avoid non-composited animations — 1 animated element found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored

Element	Name
	Contact Us <pre>&lt;a class="elementor-button elementor-size-sm" role="button"&gt;</pre> <p>Unsupported CSS Property: visibility</p> <p>visibility</p>

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (13)

Hide

## ● Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. [CLS](#)

[Unscored](#)

## ● Duplicated JavaScript

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. [FCP](#) [LCP](#) [Unscored](#)

## ● Font display

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). [Unscored](#)

## ● Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. [Unscored](#)

## ○ INP breakdown

Start investigating [how to improve INP](#) by looking at the longest subpart. [Unscored](#)

## ● Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) [FCP](#) [LCP](#) [Unscored](#)

## ● Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. [Unscored](#)

head > meta

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

## ● Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP Unscored

A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your styles. You may also want to use a build process to do this minification up-front if possible.

## ● Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP LCP Unscored

A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up-front if possible.

## ● JavaScript execution time — 0.1 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#). TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
wpperformance.local <span>1st Party</span>	<b>274 ms</b>	<b>64 ms</b>	<b>14 ms</b>
http://wpperformance.local	218 ms	20 ms	14 ms
..js/image-carousel.6167d20....bundle.min.js (wpperformance.local)	55 ms	44 ms	0 ms
Unattributable	<b>153 ms</b>	<b>4 ms</b>	<b>0 ms</b>
Unattributable	153 ms	4 ms	0 ms

## ● Minimizes main-thread work — 0.6 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#). TBT Unscored

Category	Time Spent
Other	244 ms
Script Evaluation	150 ms
Style & Layout	115 ms
Script Parsing & Compilation	26 ms
Parse HTML & CSS	21 ms
Rendering	16 ms

## ○ Avoid long main-thread tasks

^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT Unscored

## ● Page didn't prevent back/forward cache restoration

^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfocache) can speed up these return navigations. [Learn more about the bfocache](#)

Unscored



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

## NAMES AND LABELS

### ▲ Select elements do not have associated label elements.

^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element](#).

#### Failing Elements

—Please choose an option— General Inquiry Project Quote Support Partnership

```
<select class="wpcf7-form-control wpcf7-select wpcf7-validates-as-required" aria-required="true" aria-invalid="false" name="subject">
```

#### ⚠ Links do not have a discernible name

^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](#).

#### Failing Elements

```
div.elementor-element > div.elementor-image-box-wrapper > figure.elementor-image-box-img > a  
<a href="http://wpperformance.local/contact-us" tabindex="-1">
```

```
div.elementor-element > div.elementor-image-box-wrapper > figure.elementor-image-box-img > a  
<a href="http://wpperformance.local/contact-us" tabindex="-1">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/possimus-et-eaque-et/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/qui-aliquam-distinctio-et-aliquid/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/quis-quia-tenetur-eum-alias-eum-ea/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/aut-numquam-et-sit-et-voluptas/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/quae-aut-nulla-dolorem-est/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/deserunt-porro-quae-minima-hic/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/eos-veniam-rerum-a-vel-dolores-et/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/itaque-autem-veritatis-aut-officiis/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/et-natus-et-at-et-totam-magni-sunt-ad/">
```

## Failing Elements

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/tempora-tempora-sint-officiis/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/fuga-animi-unde-sit-consequuntur-et-ex/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/dolorum-quaerat-natus-quam/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/quos-debitis-quis-ipsa-quo/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/quod-dicta-quo-nisi-quo-autem-fugit/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/aliquam-ad-non-architecto-qui-repellat/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/sed-harum-quibusdam-maiores-qui/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/non-reprehenderit-nisi-at-id/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/veniam-iusto-illum-rem-et/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/facere-nihil-asperiores-culpa-harum/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/aut-mollitia-harum-et/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/sunt-mollitia-reiciendis-occaecati-et/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/neque-ut-ut-qui-non-dolorum-hic-quo/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/culpa-dicta-qui-at-at-vitae-asperiores/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/iste-laboriosam-molestiae-corrupti-sed/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a
<a href="http://wpperformance.local/qui-libero-architecto-expedita-non/">
```

## Failing Elements

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/optio-eum-quo-quos-non-incidunt-quidem/">
```

```
div.elementor-post > div.elementor-post__card > div.elementor-post__thumbnail > a  
<a href="http://wpperformance.local/cupiditate-voluptas-autem-earum-qui/">
```

### ⚠ Skip links are not focusable.

^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

## Failing Elements

Skip to content

```
<a class="skip-link screen-reader-text" href="#content">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.


## CONTRAST

### ⚠ Background and foreground colors do not have a sufficient contrast ratio.

^


Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

## Failing Elements



Contact Us

```
<span class="elementor-button-text">
```



Contact Us

```
<a class="elementor-button elementor-size-sm" role="button">
```

© 2022 All Rights Reserved

```
<p>
```

© 2022 All Rights Reserved

```
<footer id="site-footer" class="site-footer dynamic-footer footer-stacked footer-has-copyright">
```


These are opportunities to improve the legibility of your content.

## NAVIGATION

### ▲ Heading elements are not in a sequentially-descending order ^


Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

#### Failing Elements



Innovation in every steps

```
<h5 class="elementor-heading-title elementor-size-default">
```



This text briefly introduces your main services to your visitors.

```
<h5 class="elementor-heading-title elementor-size-default">
```

Our articles demonstates our deeds and ability

```
<h5 class="elementor-heading-title elementor-size-default">
```

These are opportunities to improve keyboard navigation in your application.

## BEST PRACTICES

### ▲ Document does not have a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

#### Failing Elements



html

```
<html lang="en-US">
```

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

○ Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) Unscored

○ Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) Unscored

○ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) Unscored

○ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) Unscored

○ User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) Unscored

○ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) Unscored

○ HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) Unscored

○ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#) Unscored

○ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#) Unscored

---

Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) Unscored

---

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (22) Hide

● [\[aria-\\*\] attributes match their roles](#) ^

Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. [Learn how to match ARIA attributes to their roles.](#)

---

● [\[aria-hidden="true"\] is not present on the document <body>](#) ^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

---

● [\[role\]s have all required \[aria-\\*\] attributes](#) ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

---

● [\[role\] values are valid](#) ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

---

● [\[aria-\\*\] attributes have valid values](#) ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn](#)

[more about valid values for ARIA attributes.](#)

---

- [aria-\*] attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

---

- Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

---

- Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

---

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

---

- [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

---

- button, link, and menuitem elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

- `[aria-hidden="true"]` elements do not contain focusable descendants

Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

- Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- `<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- `<html>` element has a valid value for its `[lang]` attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure](#).

● No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute](#).

● Touch targets have sufficient size and spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets](#).

● `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute](#).

● Deprecated ARIA roles were not used ^

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles](#).

NOT APPLICABLE (32)

Hide

○ `[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys](#). Unscored

○ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the

purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#) Unscored

○ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#) Unscored

○ ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

Unscored

○ ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) Unscored

○ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) Unscored

○ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#) Unscored

○ Elements with the `role=text` attribute do not have focusable descendants. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the `role=text` attribute.](#) Unscored

○ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) Unscored

○ ARIA [tooltip](#) elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

Unscored

○ ARIA [treeitem](#) elements have accessible names ^

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#) Unscored

○ Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#) Unscored

○ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) Unscored

○ [`

`](#)'s contain only properly-ordered [`

`](#) and [`:   `](#) groups, [`](#)

○ <frame> or <iframe> elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#) Unscored

○ <html> element has an [`xml:lang`] attribute with the same base language as the [`lang`] attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#) Unscored

○ <input type="image"> elements have [`alt`] text ^

When an image is being used as an <input> button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) Unscored

○ Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) Unscored

○ List items (<li>) are contained within <ul>, <ol> or <menu> parent elements ^

Screen readers require list items (<li>) to be contained within a parent <ul>, <ol> or <menu> to be announced properly. [Learn more about proper list structure.](#) Unscored

○ The document does not use <meta http-equiv="refresh"> ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) Unscored

○ <object> elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) Unscored

○ Cells in a <table> element that use the [`headers`] attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring <td> cells using the [`headers`] attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) Unscored

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

Unscored

- `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) Unscored

- Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

Unscored

- All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) Unscored

- Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) Unscored

- Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored

- Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored



## Best Practices

### TRUST AND SAFETY

#### ⚠ Does not use HTTPS — 50 insecure requests found ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Insecure URL	Request Resolution
wpperformance.local <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	
http://wpperformance.local	Allowed
...css/styles.css?ver=6.1.4 (wpperformance.local)	Allowed
...css/reset.css?ver=3.4.5 (wpperformance.local)	Allowed
...hello-child/style.css?ver=1.0 (wpperformance.local)	Allowed
...css/theme.css?ver=3.4.5 (wpperformance.local)	Allowed
...css/header-footer.css?ver=3.4.5 (wpperformance.local)	Allowed
...css/frontend.min.css?ver=3.34.1 (wpperformance.local)	Allowed
...css/post-17.css?ver=176... (wpperformance.local)	Allowed
...styles/fadeIn.min.css?ver=3.34.1 (wpperformance.local)	Allowed
...css/widget-heading.min.css?ver=3.34.1 (wpperformance.local)	Allowed
...styles/e-animation-grow.min.css?ver=3.34.1 (wpperformance.local)	Allowed

Insecure URL	Request Resolution
...css/widget-image-box.min.css?ver=3.34.1 (wpperformance.local)	Allowed
...css/swiper.min.css?ver=8.4.5 (wpperformance.local)	Allowed
...conditionals/e-swiper.min.css?ver=3.34.1 (wpperformance.local)	Allowed
...css/widget-image-carousel.min.css?ver=3.34.1 (wpperformance.local)	Allowed
...css/post-44.css?ver=176... (wpperformance.local)	Allowed
...jquery/jquery.min.js?ver=3.7.1 (wpperformance.local)	Allowed
...jquery/jquery-migrate.min.js?ver=3.4.1 (wpperformance.local)	Allowed
...01/Rectangle_4_3-768x495.png (wpperformance.local)	Allowed
...01/d06a025...-3-768x512.jpg (wpperformance.local)	Allowed
...01/9cf39f6...-1-768x513.jpg (wpperformance.local)	Allowed
...01/4330a39...-768x510.jpg (wpperformance.local)	Allowed
...01/5a58140...-1-768x512.jpg (wpperformance.local)	Allowed
...01/4f70d38...-768x576.jpg (wpperformance.local)	Allowed
...01/274839e....png (wpperformance.local)	Allowed
...01/7801000....png (wpperformance.local)	Allowed
...01/3bacfdd...-1-768x513.jpg (wpperformance.local)	Allowed
...01/e28eb69....png (wpperformance.local)	Allowed
...01/722b9a4...-1-768x512.jpg (wpperformance.local)	Allowed
...dist/hooks.min.js?ver=dd5603f... (wpperformance.local)	Allowed
...dist/i18n.min.js?ver=c26c3dc... (wpperformance.local)	Allowed
...js/index.js?ver=6.1.4 (wpperformance.local)	Allowed
...js/index.js?ver=6.1.4 (wpperformance.local)	Allowed
...js/hello-frontend.js?ver=3.4.5 (wpperformance.local)	Allowed
...js/webpack.runtime.min.js?ver=3.34.1 (wpperformance.local)	Allowed
...js/frontend-modules.min.js?ver=3.34.1 (wpperformance.local)	Allowed

Insecure URL	Request Resolution
...ui/core.min.js?ver=1.13.3 (wpperformance.local)	Allowed
...js/frontend.min.js?ver=3.34.1 (wpperformance.local)	Allowed
...v8/swiper.min.js?ver=8.4.5 (wpperformance.local)	Allowed
...01/73eb6c6...-1-1536x935.jpg (wpperformance.local)	Allowed
...js/wp-emoji-release.min.js?ver=6.9 (wpperformance.local)	Allowed
...feedback/schema (wpperformance.local)	Allowed
...js/shared-frontend-handlers.03caa53....bundle.min.js (wpperformance.local)	Allowed
...js/text-editor.4560966....bundle.min.js (wpperformance.local)	Allowed
...js/image-carousel.6167d20....bundle.min.js (wpperformance.local)	Allowed
...01/722b9a4...-300x200.jpg (wpperformance.local)	Allowed
...01/5a58140...-300x200.jpg (wpperformance.local)	Allowed
...01/e6c7d47...-300x200.jpg (wpperformance.local)	Allowed
/favicon.ico (wpperformance.local)	Allowed
...images/w-logo-blue-white-bg.png (wpperformance.local)	Allowed

### ▲ Does not redirect HTTP traffic to HTTPS

^

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

### ○ Ensure CSP is effective against XSS attacks

^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

### ○ Use a strong HSTS policy

^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored

Description	Directive	Severity
No HSTS header found		High

#### ○ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

#### ○ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Unscored

Description	Severity
No frame control policy found	High

#### ○ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

## GENERAL

## Detected JavaScript libraries

^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) Unscored

Name	Version
jQuery	3.7.1
jQuery UI	1.13.3
WordPress	
core-js	core-js-global@3.46.0

## PASSED AUDITS (12)

Hide

### Avoids deprecated APIs

^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

### Avoids third-party cookies

^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

### Allows users to paste into input fields

^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

### Avoids requesting the geolocation permission on page load

^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

### Avoids requesting the notification permission on page load

^

Users are mistrustful of or confused by sites that request to send notifications without context.

Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

- 
- Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

- 
- Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

- 
- Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

- 
- Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

- 
- No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

- 
- No issues in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

- 
- Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

URL	Map URL
wpperformance.local <span style="border: 1px solid blue; border-radius: 50%; padding: 2px 5px;">1st Party</span>	
...v8/swiper.min.js?ver=8.4.5 (wpperformance.local)	...v8/swiper-bundle.min.js.map (wpperformance.local)
Error: Failed fetching source map (404)	
Unattributable	
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js.map
Error: Failed fetching source map (null)	



## SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

## CONTENT BEST PRACTICES

- ⚠ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app's content.

## ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid

^

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data.](#)

Unscored

Run these additional validators on your site to check additional SEO best practices.

## PASSED AUDITS (9)

Hide

- Page isn't blocked from indexing

^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

- Document has a `<title>` element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- Page has successful HTTP status code

^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

- Links have descriptive text

^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

- Links are crawlable

^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered.

[Learn how to make links crawlable](#)

● robots.txt is valid ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

● Image elements have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

● Document has a valid hreflang ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

● Document has a valid rel=canonical ^

Canonical links suggest which URL to show in search results. [Learn more about canonical links](#).

📅 Captured at Jan 16, 2026, 3:50 PM

GMT+5:30

⌚ Initial page load

💻 Emulated Desktop with Lighthouse

13.0.1

⚡ Custom throttling

🌐 Single page session

devtools

🌐 Using Chromium 143.0.0.0 with

Generated by **Lighthouse** 13.0.1 | [File an issue](#)