






MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql SQL File 12
Limit to 1000 rows
12
13 • SELECT region, SUM(sales_amount) AS total_sales
14 FROM sales_analysis_dataset
15 GROUP BY region;
16
17 • SELECT product,
18 SUM(quantity) AS total_quantity_sold
19 FROM sales_analysis_dataset
20 GROUP BY product
21 ORDER BY total_quantity_sold DESC;
22
Result Grid Filter Rows: Export: Wrap Cell Content:
region total_sales
North 128900
South 113500
East 198800
West 53100
Result 57
Read Only
Output
Action Output
Time Action Message Duration / Fetch
27 19:53:17 SELECT order_id, product, sales_amount FROM sales_analysis_dataset WHERE sales_amount > (SELEC... 8 row(s) returned 0.000 sec / 0.000 sec
28 19:57:33 SELECT product, SUM(sales_amount) AS total_sales, RANK() OVER (ORDER BY SUM(sales_a... 6 row(s) returned 0.000 sec / 0.000 sec
29 19:58:57 WITH product_sales AS (SELECT product, SUM(sales_amount) AS total_sales FROM sales_a... 6 row(s) returned 0.016 sec / 0.000 sec
30 20:04:12 SELECT COUNT(*) AS total_orders, SUM(sales_amount) AS total_sales, AVG(sales_amount) AS avera... 1 row(s) returned 0.000 sec / 0.000 sec
31 21:26:26 SELECT MAX(sales_amount) AS highest_sales, MIN(sales_amount) AS lowest_sales FROM sales_analysis_d... 1 row(s) returned 0.000 sec / 0.000 sec
32 10:54:23 select * from sales_analysis_dataset LIMIT 0, 1000 20 row(s) returned 0.016 sec / 0.000 sec
33 10:56:24 SELECT region, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY region LIMIT 0... 4 row(s) returned 0.016 sec / 0.000 sec



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql SQL File 12
Limit to 1000 rows
use derss_store;
select * from sales_analysis_dataset;
select COUNT(*) AS total_orders
FROM sales_analysis_dataset;
SELECT SUM(sales_amount) AS Total_sales
FROM sales_analysis_dataset;
SELECT SUM(quantity) AS total_quantity_quantity
FROM sales_analysis_dataset;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id order_date region product category quantity unit_price sales_amount sales_channel
1001 2026-01-03 North Laptop Electronics 1 55000 55000 Online
1002 2026-01-03 South Mouse Accessories 3 700 2100 Store
1003 2026-01-04 East Keyboard Accessories 2 1500 3000 Online
1004 2026-01-05 West Monitor Electronics 1 12000 12000 Online
1005 2026-01-06 North Headphones Accessories 2 2200 4400 Store
sales_analysis_dataset 66
Result Grid
Read Only
Output
Action Output
Time Action Message Duration / Fetch
26 19:50:18 SELECT order_id, product, IFNULL(sales_amount, 0) AS sales_amount FROM sales_analysis_dataset ... 20 row(s) returned 0.000 sec / 0.000 sec
27 19:53:17 SELECT order_id, product, sales_amount FROM sales_analysis_dataset WHERE sales_amount > (SELEC... 8 row(s) returned 0.000 sec / 0.000 sec
28 19:57:33 SELECT product, SUM(sales_amount) AS total_sales, RANK() OVER (ORDER BY SUM(sales_a... 6 row(s) returned 0.000 sec / 0.000 sec
29 19:58:57 WITH product_sales AS (SELECT product, SUM(sales_amount) AS total_sales FROM sales_a... 6 row(s) returned 0.016 sec / 0.000 sec
30 20:04:12 SELECT COUNT(*) AS total_orders, SUM(sales_amount) AS total_sales, AVG(sales_amount) AS avera... 1 row(s) returned 0.000 sec / 0.000 sec
31 21:26:26 SELECT MAX(sales_amount) AS highest_sales, MIN(sales_amount) AS lowest_sales FROM sales_analysis_d... 1 row(s) returned 0.000 sec / 0.000 sec
32 10:54:23 select * from sales_analysis_dataset LIMIT 0, 1000 20 row(s) returned 0.016 sec / 0.000 sec



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql SQL File 12
Limit to 1000 rows
23 SELECT category,
24 SUM(sales_amount) AS total_sales
25 FROM sales_analysis_dataset
26 GROUP BY category
27 ORDER BY total_sales DESC;
28
29 SELECT sales_channel,
30 SUM(sales_amount) AS total_sales
31 FROM sales_analysis_dataset
32 GROUP BY sales_channel
33 ORDER BY total_sales DESC;
Result Grid Filter Rows: Export: Wrap Cell Content:
category total_sales
Electronics 463000
Accessories 31300
Result 68
Read Only
Output
Action Output
Time Action Message Duration / Fetch
28 19:57:33 SELECT product, SUM(sales_amount) AS total_sales, RANK() OVER (ORDER BY SUM(sales_a... 6 row(s) returned 0.000 sec / 0.000 sec
29 19:58:57 WITH product_sales AS (SELECT product, SUM(sales_amount) AS total_sales FROM sales_a... 6 row(s) returned 0.016 sec / 0.000 sec
30 20:04:12 SELECT COUNT(*) AS total_orders, SUM(sales_amount) AS total_sales, AVG(sales_amount) AS avera... 1 row(s) returned 0.000 sec / 0.000 sec
31 21:26:26 SELECT MAX(sales_amount) AS highest_sales, MIN(sales_amount) AS lowest_sales FROM sales_analysis_d... 1 row(s) returned 0.000 sec / 0.000 sec
32 10:54:23 select * from sales_analysis_dataset LIMIT 0, 1000 20 row(s) returned 0.016 sec / 0.000 sec
33 10:56:24 SELECT region, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY region LIMIT 0... 4 row(s) returned 0.016 sec / 0.000 sec
34 10:57:11 SELECT category, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY category O... 2 row(s) returned 0.000 sec / 0.000 sec
Rain coming
In about 2 hours
Search
10:57 AM
10/21/2026



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
68 SELECT order_date,
69 SUM(sales_amount) AS daily_sales
70 FROM sales_analysis_dataset
71 GROUP BY order_date
72 ORDER BY order_date;
73
74 SELECT * FROM sales_analysis_dataset
75 WHERE sales_amount > 10000;
76
77 SELECT
78 product,
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id order_date region product category quantity unit_price sales_amount sales_channel
1001 2026-01-03 North Laptop Electronics 1 55000 55000 Online
1004 2026-01-05 West Monitor Electronics 1 12000 12000 Online
1006 2026-01-07 South Phone Electronics 1 28000 28000 Online
1007 2026-01-08 East Laptop Electronics 2 55000 110000 Store
1010 2026-01-10 South Monitor Electronics 2 12000 24000 Online
sales_analysis_dataset 90
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 11:06:21 SELECT order_id, product, sales_amount FROM sales_analysis_dataset ORDER BY sales_amount DESC LIMIT 1 1 row(s) returned 0.000 sec / 0.000 sec
2 11:06:26 SELECT AVG(sales_amount) AS average_sales FROM sales_analysis_dataset LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
3 11:06:34 SELECT region, COUNT(*) AS total_orders FROM sales_analysis_dataset GROUP BY region ORDER BY total_... 4 row(s) returned 0.000 sec / 0.000 sec
4 11:06:42 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product ... 6 row(s) returned 0.000 sec / 0.000 sec
5 11:06:59 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_d... 18 row(s) returned 0.000 sec / 0.000 sec
6 11:07:50 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_d... 18 row(s) returned 0.000 sec / 0.000 sec
7 11:07:56 SELECT * FROM sales_analysis_dataset WHERE sales_amount > 10000 LIMIT 0, 1000 11 row(s) returned 0.016 sec / 0.000 sec



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
54 SELECT
55 MAX(sales_amount) AS highest_sales,
56 MIN(sales_amount) AS lowest_sales
57 FROM sales_analysis_dataset;
58
59 SELECT
60 product,
61 SUM(sales_amount) AS total_sales
62 FROM sales_analysis_dataset
63 GROUP BY product
64 ORDER BY total_sales DESC;
Result Grid Filter Rows: Export: Wrap Cell Content:
product total_sales
Laptop 275000
Phone 140000
Monitor 48000
Headphones 15400
Mouse 8400
Result 80
Read Only
Output
Action Output
Time Action Message Duration / Fetch
3 11:02:06 SELECT sales_channel, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY sales_... 2 row(s) returned 0.000 sec / 0.000 sec
4 11:02:14 SELECT category, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY category O... 2 row(s) returned 0.000 sec / 0.000 sec
5 11:02:20 SELECT product, SUM(quantity) AS total_quantity_sold FROM sales_analysis_dataset GROUP BY product O... 6 row(s) returned 0.000 sec / 0.000 sec
6 11:02:28 SELECT region, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY region LIMIT 0... 4 row(s) returned 0.000 sec / 0.000 sec
7 11:03:28 SELECT region, COUNT(*) AS total_orders FROM sales_analysis_dataset GROUP BY region ORDER BY total... 4 row(s) returned 0.015 sec / 0.000 sec
8 11:04:06 SELECT MAX(sales_amount) AS highest_sales, MIN(sales_amount) AS lowest_sales FROM sales_analysis_d... 1 row(s) returned 0.000 sec / 0.000 sec
9 11:04:20 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product... 6 row(s) returned 0.000 sec / 0.000 sec
25°C
Partly sunny
Search
11:04 AM
10/21/2026



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
45 SELECT AVG(sales_amount) AS average_sales
46 FROM sales_analysis_dataset;
47
48 SELECT region,
49 COUNT(*) AS total_orders
50 FROM sales_analysis_dataset
51 GROUP BY region
52 ORDER BY total_orders DESC;
53
54 SELECT
55 MAX(sales_amount) AS highest_sales,
Result Grid Filter Rows: Export: Wrap Cell Content:
region total_orders
North 5
South 5
East 5
West 5
Result 78
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 11:01:54 SELECT DATE_FORMAT(order_date, '%Y-%m') AS sales_amount, SUM(sales_amount) AS total_sales FROM sal... 1 row(s) returned 0.000 sec / 0.000 sec
2 11:01:59 SELECT order_id, product, sales_amount FROM sales_analysis_dataset ORDER BY sales_amount DESC LIMIT 1 1 row(s) returned 0.000 sec / 0.000 sec
3 11:02:06 SELECT sales_channel, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY sales_c... 2 row(s) returned 0.000 sec / 0.000 sec
4 11:02:14 SELECT category, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY category ORD... 2 row(s) returned 0.000 sec / 0.000 sec
5 11:02:20 SELECT product, SUM(quantity) AS total_quantity_sold FROM sales_analysis_dataset GROUP BY product ORD... 5 row(s) returned 0.000 sec / 0.000 sec
6 11:02:28 SELECT region, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY region LIMIT 0, ... 4 row(s) returned 0.000 sec / 0.000 sec
7 11:03:28 SELECT region, COUNT(*) AS total_orders FROM sales_analysis_dataset GROUP BY region ORDER BY total_... 4 row(s) returned 0.015 sec / 0.000 sec
25°C
11:03 AM



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
35 SELECT DATE_FORMAT(order_date, '%Y-%m') AS sales_amount,
36 SUM(sales_amount) AS total_sales
37 FROM sales_analysis_dataset
38 GROUP BY DATE_FORMAT(order_date, '%Y-%m')
39 ORDER BY sales_amount;
40
41 SELECT order_id, product, sales_amount
42 FROM sales_analysis_dataset
43 ORDER BY sales_amount DESC LIMIT 1;
44
45 SELECT AVG(sales_amount) AS average_sales
Result Grid Filter Rows: Export: Wrap Cell Content:
region total_sales
North 128900
South 113500
East 198800
West 55100
Result 77
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 11:01:54 SELECT DATE_FORMAT(order_date, '%Y-%m') AS sales_amount, SUM(sales_amount) AS total_sales FROM sal... 1 row(s) returned 0.000 sec / 0.000 sec
2 11:01:59 SELECT order_id, product, sales_amount FROM sales_analysis_dataset ORDER BY sales_amount DESC LIMIT 1 1 row(s) returned 0.000 sec / 0.000 sec
3 11:02:06 SELECT sales_channel, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY sales_c... 2 row(s) returned 0.000 sec / 0.000 sec
4 11:02:14 SELECT category, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY category ORD... 2 row(s) returned 0.000 sec / 0.000 sec
5 11:02:20 SELECT product, SUM(quantity) AS total_quantity_sold FROM sales_analysis_dataset GROUP BY product ORD... 6 row(s) returned 0.000 sec / 0.000 sec
6 11:02:28 SELECT region, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY region LIMIT 0, ... 4 row(s) returned 0.000 sec / 0.000 sec
25°C
Partly sunny
Search
11:02 AM
10/21/2026



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_dataset
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
85 SELECT
86 order_id,
87 sales_amount,
88 CASE
89 WHEN sales_amount >= 10000 THEN 'High'
90 WHEN sales_amount >= 5000 THEN 'Medium'
91 ELSE 'Low'
92 END AS sales_category
93 FROM sales_analysis_dataset;
94
95 SELECT DISTINCT region
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id sales_amount sales_category
1001 55000 High
1002 2100 Low
1003 3000 Low
1004 12000 High
1005 4400 Low
Result 92
Output
Action Output
Time Action Message Duration / Fetch
3 11:06:34 SELECT region, COUNT(*) AS total_orders FROM sales_analysis_dataset GROUP BY region ORDER BY total... 4 row(s) returned 0.000 sec / 0.000 sec
4 11:06:42 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product... 6 row(s) returned 0.000 sec / 0.000 sec
5 11:06:59 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_... 18 row(s) returned 0.000 sec / 0.000 sec
6 11:07:50 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_... 18 row(s) returned 0.000 sec / 0.000 sec
7 11:07:56 SELECT * FROM sales_analysis_dataset WHERE sales_amount > 10000 LIMIT 0, 1000 11 row(s) returned 0.016 sec / 0.000 sec
8 11:10:21 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product ... 2 row(s) returned 0.015 sec / 0.000 sec
9 11:11:12 SELECT order_id, sales_amount, CASE WHEN sales_amount >= 10000 THEN 'High' WHE... 20 row(s) returned 0.000 sec / 0.000 sec
25°C
Partly sunny
Search
11:11 AM
10/21/2026



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
77 • SELECT
78 product,
79 SUM(sales_amount) AS total_sales
80 FROM sales_analysis_dataset
81 GROUP BY product
82 HAVING SUM(sales_amount) > 50000
83 ORDER BY total_sales DESC;
84
85 • SELECT
86 order_id,
87 sales_amount,
Result Grid Filter Rows: Export: Wrap Cell Content:
product total_sales
Laptop 275000
Phone 140000
Result 91
Read Only
Output
Action Output
Time Action Message Duration / Fetch
2 11:06:26 SELECT AVG(sales_amount) AS average_sales FROM sales_analysis_dataset LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
3 11:06:34 SELECT region, COUNT(*) AS total_orders FROM sales_analysis_dataset GROUP BY region ORDER BY total... 4 row(s) returned 0.000 sec / 0.000 sec
4 11:06:42 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product ... 6 row(s) returned 0.000 sec / 0.000 sec
5 11:06:59 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_... 18 row(s) returned 0.000 sec / 0.000 sec
6 11:07:50 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_... 18 row(s) returned 0.000 sec / 0.000 sec
7 11:07:56 SELECT * FROM sales_analysis_dataset WHERE sales_amount > 10000 LIMIT 0, 1000 11 row(s) returned 0.016 sec / 0.000 sec
8 11:10:21 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product ... 2 row(s) returned 0.015 sec / 0.000 sec



MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
95 SELECT DISTINCT region
96 FROM sales_analysis_dataset;
97
98 SELECT DISTINCT category
99 FROM sales_analysis_dataset;
100
101 SELECT
102 product,
103 SUM(sales_amount) AS total_sales,
104 ROUND(
105 SUM(sales_amount) * 100.0 /
Result Grid Filter Rows: Export: Wrap Cell Content:
category
Electronics
Accessories
sales_analysis_dataset 94
Read Only
Output
Action Output
Time Action Message Duration / Fetch
5 11:06:59 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_... 18 row(s) returned 0.000 sec / 0.000 sec
6 11:07:50 SELECT order_date, SUM(sales_amount) AS daily_sales FROM sales_analysis_dataset GROUP BY order_... 18 row(s) returned 0.000 sec / 0.000 sec
7 11:07:56 SELECT * FROM sales_analysis_dataset WHERE sales_amount > 10000 LIMIT 0, 1000 11 row(s) returned 0.016 sec / 0.000 sec
8 11:10:21 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product ... 2 row(s) returned 0.015 sec / 0.000 sec
9 11:11:12 SELECT order_id, sales_amount, CASE WHEN sales_amount >= 10000 THEN 'High' WHE... 20 row(s) returned 0.000 sec / 0.000 sec
10 11:11:52 SELECT DISTINCT region FROM sales_analysis_dataset LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
11 11:11:57 SELECT DISTINCT category FROM sales_analysis_dataset LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
142 USE derss_store;
143
144 SELECT
145 product,
146 SUM(sales_amount) AS total_sales,
147 RANK() OVER (
148 ORDER BY SUM(sales_amount) DESC
149) AS sales_rank
150 FROM sales_analysis_dataset
151 GROUP BY product;
152
Result Grid Filter Rows: Export: Wrap Cell Content:
product total_sales sales_rank
Laptop 275000 1
Phone 140000 2
Monitor 48000 3
Headphones 15400 4
Mouse 8400 5
Result 105
Read Only
Output
Action Output
Time Action Message Duration / Fetch
5 11:18:40 SELECT product, SUM(sales_amount) AS total_sales, ROUND(SUM(sales_amount) * 100.0 / ... 6 row(s) returned 0.000 sec / 0.000 sec
6 11:19:01 SELECT product, SUM(sales_amount) AS total_sales, ROUND(SUM(sales_amount) * 100.0 / ... 6 row(s) returned 0.000 sec / 0.000 sec
7 11:20:05 SELECT order_id, product, IFNULL(sales_amount, 0) AS sales_amount FROM sales_analysis_dataset ... 20 row(s) returned 0.000 sec / 0.000 sec
8 11:20:25 SELECT order_id, product, sales_amount FROM sales_analysis_dataset WHERE sales_amount > (SELEC... 8 row(s) returned 0.000 sec / 0.000 sec
9 11:20:43 SELECT order_id, product, IFNULL(sales_amount, 0) AS sales_amount FROM sales_analysis_dataset ... 20 row(s) returned 0.000 sec / 0.000 sec
10 11:21:55 USE derss_store 0 row(s) affected 0.000 sec
11 11:22:12 SELECT product, SUM(sales_amount) AS total_sales, RANK() OVER (ORDER BY SUM(sales_a... 6 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_dataset
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
128 SELECT
129 order_id,
130 product,
131 IFNULL(sales_amount, 0) AS sales_amount
132 FROM sales_analysis_dataset;
133
134 SELECT order_id, product, sales_amount
135 FROM sales_analysis_dataset
136 WHERE sales_amount > (
137 SELECT AVG(sales_amount)
138 FROM sales_analysis_dataset
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id product sales_amount
1001 Laptop 55000
1002 Mouse 2100
1003 Keyboard 3000
1004 Monitor 12000
1005 Headphones 4400
Result 104
Read Only
Output
Action Output
Time Action Message Duration / Fetch
3 11:18:25 SELECT DISTINCT category FROM sales_analysis_dataset LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
4 11:18:31 SELECT DISTINCT category FROM sales_analysis_dataset LIMIT 0, 1000 2 row(s) returned 0.016 sec / 0.000 sec
5 11:18:40 SELECT product, SUM(sales_amount) AS total_sales, ROUND(SUM(sales_amount) * 100.0 / ... 6 row(s) returned 0.000 sec / 0.000 sec
6 11:19:01 SELECT product, SUM(sales_amount) AS total_sales, ROUND(SUM(sales_amount) * 100.0 / ... 6 row(s) returned 0.000 sec / 0.000 sec
7 11:20:05 SELECT order_id, product, IFNULL(sales_amount, 0) AS sales_amount FROM sales_analysis_dataset ... 20 row(s) returned 0.000 sec / 0.000 sec
8 11:20:25 SELECT order_id, product, sales_amount FROM sales_analysis_dataset WHERE sales_amount > (SELEC... 8 row(s) returned 0.000 sec / 0.000 sec
9 11:20:43 SELECT order_id, product, IFNULL(sales_amount, 0) AS sales_amount FROM sales_analysis_dataset ... 20 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
localhost
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
114 • SELECT
115 product,
116 SUM(sales_amount) AS total_sales,
117 ROUND(
118 SUM(sales_amount) * 100.0 /
119 (SELECT SUM(sales_amount)
120 FROM sales_analysis_dataset),
121 2
122) AS sales_percentage
123 FROM sales_analysis_dataset
124 GROUP BY product
Result Grid Filter Rows: Export: Wrap Cell Content:
product total_sales sales_percentage
Laptop 275000 55.63
Phone 140000 28.32
Monitor 48000 9.71
Headphones 15400 3.12
Mouse 8400 1.70
Result 101
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 11:18:05 SELECT product, SUM(sales_amount) AS total_sales, ROUND(SUM(sales_amount) * 100.0 / ... 6 row(s) returned 0.000 sec / 0.000 sec
2 11:18:15 SELECT DISTINCT region FROM sales_analysis_dataset LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
3 11:18:25 SELECT DISTINCT category FROM sales_analysis_dataset LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
4 11:18:31 SELECT DISTINCT category FROM sales_analysis_dataset LIMIT 0, 1000 2 row(s) returned 0.016 sec / 0.000 sec
5 11:18:40 SELECT product, SUM(sales_amount) AS total_sales, ROUND(SUM(sales_amount) * 100.0 / ... 6 row(s) returned 0.000 sec / 0.000 sec
6 11:19:01 SELECT product, SUM(sales_amount) AS total_sales, ROUND(SUM(sales_amount) * 100.0 / ... 6 row(s) returned 0.000 sec / 0.000 sec


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
167
168 • SELECT
169 COUNT(*) AS total_orders,
170 SUM(sales_amount) AS total_sales,
171 AVG(sales_amount) AS average_sales,
172 MAX(sales_amount) AS highest_sale,
173 MIN(sales_amount) AS lowest_sale
174 FROM sales_analysis_dataset;
175
176
177
Result Grid Filter Rows: Export: Wrap Cell Content:
total_orders total_sales average_sales highest_sale lowest_sale
20 494300 24715.0000 110000 1500
Result Grid
Result 115
Read Only
Output
Action Output
Time Action Message Duration / Fetch
2 11:29:39 SELECT COUNT(*) AS total_orders, SUM(sales_amount) AS total_sales, AVG(sales_amount) AS avera... 1 row(s) returned 0.000 sec / 0.000 sec
3 11:29:57 SELECT order_id, product, IFNULL(sales_amount, 0) AS sales_amount FROM sales_analysis_dataset ... 20 row(s) returned 0.016 sec / 0.000 sec
4 11:30:07 SELECT DISTINCT category FROM sales_analysis_dataset LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
5 11:30:12 SELECT DISTINCT region FROM sales_analysis_dataset LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
6 11:30:25 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product ... 2 row(s) returned 0.000 sec / 0.000 sec
7 11:30:43 WITH product_sales AS (SELECT product, SUM(sales_amount) AS total_sales FROM sales_a... 6 row(s) returned 0.000 sec / 0.000 sec
8 11:31:43 SELECT COUNT(*) AS total_orders, SUM(sales_amount) AS total_sales, AVG(sales_amount) AS avera... 1 row(s) returned 0.000 sec / 0.000 sec
25°C
11:31 AM


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
derss_store
Tables
sales_analysis_datas
Columns
Indexes
Foreign Keys
Triggers
shirts
stocks
Views
Stored Procedures
Functions
practice_db
Tables
Views
Administration Schemas
Information
Schema: derss_store
Object Info Session
sql_query1 SQL File 10 sql* SQL File 12
Limit to 1000 rows
155 WITH product_sales AS (
156 SELECT
157 product,
158 SUM(sales_amount) AS total_sales
159 FROM sales_analysis_dataset
160 GROUP BY product
161)
162 SELECT *
163 FROM product_sales
164 ORDER BY total_sales DESC;
165
Result Grid Filter Rows: Export: Wrap Cell Content:
product total_sales
Laptop 275000
Phone 140000
Monitor 48000
Headphones 15400
Mouse 8400
Result 114
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 11:29:23 WITH product_sales AS (SELECT product, SUM(sales_amount) AS total_sales FROM sales_an... 6 row(s) returned 0.016 sec / 0.000 sec
2 11:29:39 SELECT COUNT(*) AS total_orders, SUM(sales_amount) AS total_sales, AVG(sales_amount) AS averag... 1 row(s) returned 0.000 sec / 0.000 sec
3 11:29:57 SELECT order_id, product, IFNULL(sales_amount, 0) AS sales_amount FROM sales_analysis_dataset LI... 20 row(s) returned 0.016 sec / 0.000 sec
4 11:30:07 SELECT DISTINCT category FROM sales_analysis_dataset LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
5 11:30:12 SELECT DISTINCT region FROM sales_analysis_dataset LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec
6 11:30:25 SELECT product, SUM(sales_amount) AS total_sales FROM sales_analysis_dataset GROUP BY product H... 2 row(s) returned 0.000 sec / 0.000 sec
7 11:30:43 WITH product_sales AS (SELECT product, SUM(sales_amount) AS total_sales FROM sales_an... 6 row(s) returned 0.000 sec / 0.000 sec
25°C
Partly sunny
Search
11:30 AM
10/21/2026