A PROJECT REPORT ON

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENT FOR AWARD OF DIPLOMA IN COMPUTER ENGINEERING

SUBMITTED TO

MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION

SUBMITTED BY

Sr. No.	Student Name	Enrollment No.	Seat No.
1	Jadhav Jyoti Madhukar	23510240130	423932
2	Jadhav Shital Rajabhau	23510240132	423934
3	More Gayatri Madhav	23510240143	423940
4	Narsale Mayuri Laxman	23510240145	423942

Guided By

Mr. M.A ZAHED

(Lecturer In Computer Engineering)

GOVERNMENT POLYTECHNIC JINTUR DISTRICT PARBHANI, STATE- MAHARASHTRA

Academic Year: 2025-2026

GOVERNMENT POLYTECHNIC JINTUR
DISTRICT - PARBHANI
CERTIFICATE

This is to certify that the project report entitled "E-Book Store WebApp" was successfully completed by student of sixth semester Diploma in computer Engineering.

Roll No	Name of group members	Enrollment No	Seat Number
319	Jadhav Jyoti Madhukar	23510240130	423932
321	Jadhav Shital Rajabhau	23510240132	423934
327	More Gayatri Madhav	23510240143	423940
328	Narsale Mayuri Laxman	23510240145	423942

In partial fulfillment of the requirements for the award of the Diploma in Computer Engineering and submitted to the Department of Computer Engineering of Government Polytechnic Jintur. Work carried out during a period for the academic year 2025-2026 as per curriculum.

Mr. M.A Zahed
Project Guide

Mr. R.D Kokre
Head Of Department

External Examiner

Principal

PROGRESSIVE ASSESSMENT (PA) OF CAPSTONE PROJECT EXECUTION AND REPORT WRITING

Evaluation Sheet for Internal Assessment

Name of Student: JADHAV JYOTI, JADHAV SHITAL, MORE GAYATRI ,NARSALE MAYURI.

Name of Program: Computer Engineering Semester: Sixth

Course Title: Capstone Project: Execution and Report Writing Code:316004

Title of the Capstone Project: E- Book Store Webapp

A. POs addressed by the Capstone Project (Mention only those predominant POs)

a) Design/Development of Solutions: The design and development of the E-Book Store Webapp involves several stages, ranging from user interface design to backend development and deployment.
b) Modern Tool Usage: Intellij Idea , Tomcat Software, workbench Database,
c) Individual and Team Work: Work independently and collaboratively to design, develop, and test the application.
d) Project Management and Finance: Plan project timelines, allocate resources, and manage development efficiently.

B. COs addressed by the Capstone Project (Mention only those predominant Pos)

a) Implement the planned activity individually and/or as team.
b) Select, collect and use required information/knowledge to solve the identified problem.

c) Take appropriate decisions based on collected and analyzed information.
d) Ensure quality in product.
h) Communicate effectively and confidently as a member and leader of team.

C. OTHER LEARNING OUTCOMES ACHIEVED THROUGH THIS PROJECT

a) Innovation and Creativity: Encourage innovative thinking and creativity in designing unique game concepts and mechanics.
b) Adaptability: Develop the ability to adapt to new tools, technologies, and methodologies in web development.
c) Critical Thinking: Enhance problem-solving skills by addressing challenges encountered during the development process.
d) User-Centric Design: Emphasize the importance of designing with the end-user in mind, focusing on usability and user experience.

1. unit Outcomes (Cognitive Domain)

a) Understanding Web Development Concepts
b) Analyzing User Requirements
c) Problem-Solving and Debugging
d) Webapp Optimization
e) Integration of E-Book Store

2. Practical Outcomes (in Psychomotor Domain)

a) User Interface (UI) Design – Develop user-friendly and intuitive interfaces for the E-Book Store Webapp using HTML, CSS, and JavaScript. Create interactive elements such as book cards, category filters, and product detail pages to enhance the browsing experience.

b) E-Commerce Logic Implementation – Write backend code (using Node.js, Express, or Django) to handle various e-commerce features, such as user

authentication, product catalog management, shopping cart functionality, and order processing.

c) Application Deployment – Compile, debug, and test the E-Book Store Webapp on different devices and web browsers. Ensure that the application is responsive, optimized, and free of bugs, providing a smooth experience across desktop and mobile platforms.

d) Version Control Usage – Use Git and GitHub (or similar version control tools) to manage the project's source code, track changes, and collaborate with team members on updates and new features for the webapp.

3. Affective Domain Outcomes

a) Collaboration and Teamwork – Work efficiently in a team environment, assigning and managing tasks among team members.
b) Communication Skills – Present project ideas, write documentation, and explain technical concepts effectively.
c) Time Management – Plan and execute the project within given deadlines while managing multiple game development tasks.
d) Adaptability and Continuous Learning – Stay updated with new web development tools and best practices in Databse and Intellij software .

ACKNOWLEDGEMENT

The entire session of final project completion was a great experience, providing us a great insight and innovation into learning various software engineering concepts and benefits of teamwork. As is rightly said, for the successful completion of any software project, people are the most important asset. Our project would not be materialized without the cooperation of many of the people involved.

First and foremost, we are very much thankful to our respected project guide MR. M.A.Zahed For his leading guidance and sincere efforts in finalizing this topic .he took a deep interest in correcting the minor problems and guided us through whole project. Also he has been persistent source of inspiration for us.

We are also very thankful to our H.O.D. MR.R.D.Kokre for the systematic guidance and providing necessary facilities and we express our deep gratitude to all the staff members and our department's technical staff for providing us needed help.

Finally we express our thanks to our PRINCIPAL. MR. S.B. WESLEY , parents and friends, who always encouraged us whenever afraid of failing. You all have always helped keep our feet planted firmly on the ground; with you all we are truly blessed.

NAMES OF STUDENTS:	SIGNATURES:
1) Jadhav Jyoti Madhukar	……..
2) Jadhav Shital Rajabhau	…….
3) More Gayatri Madhav	……..
4) Narsale Mayuri Laxman	……..

ABSTRACT

The E-BOOK STORE project that aims to design and develop an online book store management web application. The main objective of this project is to provide an efficient and reliable platform for customers to search, purchase, and manage books online. The system will allow customers to browse through various categories of books, view book details, add books to the shopping cart, make payments, and review books. The application will also provide features for administrators to manage books, vendors, and orders.

Overview of Online E- Book Store Application:

The online book store application enables customers to purchase books online, vendors to set up online book stores, and system administrators to approve and reject requests for new books and maintain lists of book categories.

Objectives:

The main objective of "Online Book Store" is to provide an essence of online book store via a simple and yet powerful medium.

The project has been designed to simulate the working of an actual online book store.

Functional Requirements:

1. Browse Books: An user logging into the site can browse through the books both by category or in a random manner.
2. View Details: An user can also view the details of the books (e.g., price, author, title).

Add to cart: The user can add the books of his choice to the shopping cart.

3. Make payments: The user ultimately visits his cart and makes the payments.

Review for Books: Users can give reviews for books.

Keywords: Reviews Books , Pick Your Categories, Browse Books, View Details, Checkout Cart

TABLE OF CONTENTS

1. INTRODUCTION

1.1 Browse a Wide Range of E-Books 8

1.2 Make Secure Purchases 9

1.3 Download and Read Books 10

1.4 Book Recommendations and Reviews 11

2. LITERATURE SURVEY

2.1 Limited Personalization 13

2.2 Device Compatibility Issues 15

2.3 Complicated User Interfaces 16

2.4 Limited Payment Methods 19

3. SCOPE OF THE PROJECT

3.1 Online shopping web sites for retail sales direct to consumers. 24

3.2 Business-to-businees Buying and Selling 24

3.3 Gathering and using demographic data through web contacts 26

3.4 Marketing to prospective and established customers by e-mail 28

4. METHODOLOGY

4.1 Requirement Analysis 31

4.2 Design Phase 31

4.3 Development Phase 32

4.4 Testing Phase 35

4.4 Deployment Phase 36

4.5 Maintenance & Updates 37

5. DETAILS DESIGN & WORKING PROCESS

5.1 User Interface Design 39

5.2 Webapp Mechanics 39

5.3 _____Technology Stack 40

6. RESULT AND APPLICATIONS : TheWeb application successfully integrates multiple Books into as Multiple platform 40

7. CONCLUSIONG AND FUTURE SCOPE: The E-Book Store Webapp provides a robust platform for users to easily browse, purchase, and download e-books in a seamless and secure manner 40

APPENDIX..... 40

REFERENCE AND BIBILOGRAPHY 40

Chapter 1:

INTRODUCTION

The digital transformation of the book industry has revolutionized how people consume literature and educational materials. E-books, in particular, have emerged as a highly convenient and accessible way for readers to access a wide variety of content. An E-Book Store WebApp aims to provide a seamless platform for users to browse, purchase, and download e-books across multiple genres, including fiction, non-fiction, educational, and more. The goal of this capstone project is to design and develop a fully functional and user-friendly web application that not only facilitates e-book transactions but also offers additional features like book recommendations, user reviews, and integration with multiple payment systems.

This project will focus on delivering an intuitive, responsive, and secure e-book store that enhances the reading experience by leveraging the power of modern web technologies. It will enable users to:

1.1: Browse a Wide Range of E-Books: Users can explore a large catalog of books, sorted by genre, popularity, or recent releases.

1.2 : Make Secure Purchases: The platform will feature integration with reliable payment gateways for easy and secure transactions.

1.3: Download and Read Books: After purchasing, users can easily download e- books in multiple formats compatible with various devices and reading platforms.

1.4: Book Recommendations and Reviews: Personalized recommendations based on user preferences and ratings, as well as user-generated reviews to help other buyers make informed decisions.

1.5: Account Management: Users can create accounts to track purchase history, manage downloaded content, and customize their reading preferences.

Chapter 2:

LITERATURE SURVEY

An E-Book Store Web Application involves reviewing and summarizing existing research, technologies, and trends in the domain of e-book stores, digital content distribution, and web app development. This can include studies on user preferences, security features, payment integration, data management, and the latest trends in e-commerce and web app design.

Existing Systems: Currently, many mobile applications focus on individual games like Tic-Tac-Toe, Chess, or Snake Game. While these apps offer quality gameplay, they lack variety, forcing users to install multiple applications to enjoy different games.

Problem Identification:

From the insights gathered, several core problems can be identified that the proposed E-Book Store WebApp seeks to solve:

2.1: Limited Personalization: Most platforms offer limited or generic recommendations, making it harder for users to find books that match their unique tastes and preferences.

2.2: Device Compatibility Issues: Proprietary formats (such as AZW) restrict cross-platform and cross-device usage, creating friction for users who want to access their books on multiple devices.

2.3: Complicated User Interfaces: Many e-book

platforms are difficult to navigate, particularly for new users or those unfamiliar with digital books. A streamlined, user-friendly
interface is essential to ensure that users can quickly browse and make purchases.

2.4: Limited Payment Methods: A lack of support for diverse payment options, especially in international markets, reduces the accessibility and inclusivity of existing platforms.

2.5Discovery Challenges: Despite large book catalogs, many platforms struggle with discoverability. Effective search tools, personalized recommendations, and advanced filtering options are essential for helping users find books that align with their interests.

Problem Statement: The E-BOOK STORE project that aims to design and develop an online book store management web application. The main objective of this project is to provide an efficient and reliable platform for customers to search, purchase, and manage books online.

Chapter 3:

Scope of the Project

The primary objective of the E-Book Store Webapp is to provide users with a platform to browse, purchase, and download digital e-books. The platform aims to offer a seamless and user-friendly experience for readers and publishers while addressing the needs of both.

3.1: Online shopping web sites for retail sales direct to consumers.

3.2: Providing or participation in online marketplaces, which process third- party business-to-consumers or consumers-to-consumers sales.

3.3: Business-to-business buying and selling.

3.4: Gathering and using demographic data through web contacts

3.5: Business-to-business electronic data interchange.

3.6: Marketing to prospective and established customers by e-mail

3.6: Engaging in partial for launching new products and services.

Chapter 4:

Methodology

The development process follows the Agile methodology, which allows continuous improvements and feedback integration. The steps include:

4.1: Requirement Analysis: Identifying key features and user needs.
4.2: Design Phase: Creating Frontend for E-Book store webapp.
4.3: Development Phase: Coding the Webapp for E-Book store using Java and designing the interface using html and Css.
4.4: Testing Phase: Conducting unit testing, UI testing, and gathering user feedback.
4.5: Deployment Phase: Releasing the application for Android users.
4.6: Maintenance & Updates: Fixing bugs, improving performance, and adding new features over time.

Chapter 5:

Details of Design, Working, and Processes

5.1: User Interface Design:

1. Home Page: The landing page of the e-book store displays a clean, visually appealing layout with sections for featured e-books, new arrivals, bestsellers, and promotional offers. A prominent search bar at the top allows users to quickly find specific e-books by title, author, or genre.
2. Category and Genre Pages: Separate pages for various genres (e.g., Fiction, Non- fiction, Science, Romance) are designed to make browsing easy. Each category page contains filters such as price range, ratings, and publication date, enabling users to refine their search and find the perfect e-book.
3. Product Detail Pages: Each e-book has its own product page with essential information, including the title, author

5.2: Webapp Mechanics:

- User Authentication: User can login on website of e-book.
- E-book Browsing: The e-book store showcases a wide variety of books across different categories, such as Fiction, Non-fiction, Mystery, Romance, and more. o Shopping Cart and Checkout: Users can add e-books to their shopping cart, review selected books.
- Order Confirmation and Download: Increasing difficulty levels with progressive speed. o Brick Breaker: Multiple levels with different challenges. o Rock-Paper-Scissors: AI-based opponent for single-player mode.

5.3: Technology Stack:

- Programming Language: Java o UI Development: CSS o Backend (optional): (Sql) Workbench, Java,Tomcat.springboot o Development Environment: Intellij Idea

Chapter 6:

Results and Applications

- The Web application successfully integrates multiple Books into as Multiple platform.
- Users can Purchase the Books from Store.
- A smooth UI enhances the User experience.
- The Web app can be used for Purchasing books, Oredring books etc..

Program:

~~JSP:~~

Add-Books.JSP:

```
<%--
Document : add_books
Created on : Mar 9, 2022, 12:12:25 AM Author          : MeGa
--%>
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@page isELIgnored="false" %>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Add Book Page - E-Book</title>
<%@include file="all_css.jsp" %>
</head>
<body style="background-color: #f0f1f2">
```

```
<%@include file="navbar.jsp" %>
<c:if test="${empty userobj}">
<c:redirect url="../login.jsp" />
</c:if>
<h3 class="text-center">Hello, Admin</h3>
<div class="container mt-3">


<div class="row">
<div class="col-md-6 offset-md-3">
<div class="card">
<div class="card-body">
<c:if test="${not empty succMsg}">
<div class="container text-center">
<div class="alert alert-success" role="alert"> ${succMsg}
</div>
</div>
<c:remove var="succMsg" />
</c:if>
<c:if test="${not empty failedMsg}">
<div class="container text-center">
<div class="alert alert-danger" role="alert"> ${failedMsg}
</div>
</div>
<c:remove var="failedMsg" />
</c:if>
<h3 class="text-center">Add Books</h3>
<form action="../add_book" method="post" enctype="multipart/form-data"> <div class="form-group">
<label>Book Name *</label>
<input type="text" name="bookName" class="form-control" aria-  describedby="emailHelp"
required>
</div>
```

```
<div class="form-group">
<label>Author Name *</label>
<input type="text" name="authorName" class="form-control" aria-  describedby="emailHelp"
required>
</div>

<div class="form-group">
<label>Book Price *</label>
<input type="number" name="bookPrice" class="form-control" aria-  describedby="emailHelp"
required>
</div>
<div class="form-group">
<label>Book Category *</label>
<select id="category" class="form-control" name="bCategory" required>
<option selected disabled>--- Select ---</option>
<option value="New">New Book</option> </select>



</div>
<div class="form-group">
<label>Book Status *</label>
<select id="status" class="form-control" name="bStatus" required>
<option selected disabled>--- Select ---</option>
<option value="Active">Active</option>
<option value="Inactive">Inactive</option> </select>
</div>
<div class="form-group">
<label>Upload Image</label>
<input type="file" name="bImage" class="form-control" required>
</div>
```

```
<button type="submit" class="btn btn-primary badge-pill btn-block">Add Book</button>
</form>
</div>
</div>
</div>
</div>
</div>
<div style="margin-top: 20px;">
<%@include file="footer.jsp" %> </div>
</body>
</html>
```

Home.JSP:

```
<%--
Document : Home
Created on : Mar 8, 2022, 10:56:51 PM
            Author  : MeGa
--%>
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@page isELIgnored="false" %>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Admin User Page - E-Books</title>


<%@include file="all_css.jsp" %>
```

```
<style>  a{    text-decoration: none;
color: black;
} a:hover{ text-decoration: none;

}
.crd-ho:hover{ background-color: #f0f1f2; }

</style>
</head>
<body style="background-color: #f0f1f2">
<%@include file="navbar.jsp" %>
<c:if test="${empty userobj}">
<c:redirect url="../login.jsp" />
</c:if>
<div class="container mt-3">
<h1 class="text-center">Hello,Admin</h1>
<div class="row p-5">

                    <div class="col-md-3">
                    <a href="add_books.jsp">

                    <div class="card crd-ho" style="height: 180px;">
                    <div class="card-body text-center">
                   <br>
 <i class="fas fa-plus-square fa-3x text- primary"></i>
<h4>Add Books</h4>

                    </div>
            </div>
</a>
</div>
```

```
<div class="col-md-3">
<a href="all_books.jsp">
<div class="card crd-ho" style="height: 180px;">
<div class="card-body text-center">
<br>


 <i class="fa-solid fa-book-open fa-3x text- danger"></i>
<h4>All Books</h4>

</div>
  </div>
   </a>
  </div>

 <div class="col-md-3">
 <a href="orders.jsp">

<div class="card crd-ho" style="height: 180px;">
 <div class="card-body text-center">
<br>
 <i class="fas fa-box-open fa-3x text- warning"></i>
<h4>Orders</h4>

</div>
</div>
</a>
</div>

<div class="col-md-3">
<a data-toggle="modal" data-target="#exampleModalCenter" >
<div class="card crd-ho" style="height: 180px;">
```

```
<div class="card-body text-center">
<br>
<i class="fa-solid fa-right-to-bracket fa-3x
text-primary"></i>  <h4>Logout</h4>

</div>
</div>
</a>
</div>
</div>
</div>
<!--logout model-->
<!-- Button trigger modal -->

<!-- Modal -->
<div class="modal fade" id="exampleModalCenter" tabindex="-1"  role="dialog"
aria-labelledby="exampleModalCenterTitle" aria-hidden="true">
<div class="modal-dialog modal-dialog-centered" role="document">


<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="exampleModalLongTitle">E-
Books Management System</h5>
<button type="button" class="close" data-dismiss="modal"  aria-label="Close">
<span aria-hidden="true">&times;</span> </button>
</div>
<div class="modal-body">
<div class="text-center">
<h4>Do you want logout?</h4>
<button type="button" class="btn btn-secondary" data-  dismiss="modal">No</button>
<a href="../logout" class="btn btn-primary text-  white">Yes</a>
```

```
</div>
</div>
<div class="modal-footer">

</div>
</div>
</div>
</div>
<!--end of logout model-->
<div style="margin-top: 100px;">
<%@include file="footer.jsp" %> </div>

</body>
</html>
```

NavBars.JSP:

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@page isELIgnored="false" %>
<div class="container-fluid" style="height: 10px; background-color: #303f9f">

</div>
<div class="container-fluid p-3 btn-light"> <div class="row">
<div class="col-md-3 text-success">
<h3><i class="fa-solid fa-book"></i> E-Book Store</h3>
</div>
<div class="col-md-6">




</div>
<div class="col-md-3">
<c:if test="${not empty userobj}">
```

```
<a href="#" class="btn btn-success"><i class="fas fa-user"></i>
${userobj.name}</a>
<a data-toggle="modal" data-target="#exampleModalCenter"  class="btn btn-
primary text-white"><i class="fa-solid fa-right-to-bracket"></i>
Logout</a>
</c:if>
<c:if test="${empty userobj}">
<a href="../login.jsp" class="btn btn-success"><i class="fa-solid  fa-right-to-bracket"></i>
Login</a>
<a href="../register.jsp" class="btn btn-primary text-white"><i  class="fa-solid
fa-user-plus"></i> Register</a> </c:if>

</div>
</div>
</div>
<!--logout model-->
<!-- Button trigger modal -->

<!-- Modal -->
<div class="modal fade" id="exampleModalCenter" tabindex="-1" role="dialog" aria-
labelledby="exampleModalCenterTitle" aria-hidden="true">
<div class="modal-dialog modal-dialog-centered" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="exampleModalLongTitle">E-Books
Management System</h5>
<button type="button" class="close" data-dismiss="modal" aria-  label="Close">
<span aria-hidden="true">&times;</span> </button>
</div>
<div class="modal-body">
<div class="text-center">
<h4>Do you want logout?</h4>
<button type="button" class="btn btn-secondary" data-  dismiss="modal">No</button>
```

```
<a href="../logout" class="btn btn-primary text-  white">Yes</a>
</div>
</div>


<div class="modal-footer">

</div>
</div>
</div>
</div>
<!--end of logout model-->
<nav class="navbar navbar-expand-lg navbar-dark bg-custom">
<a class="navbar-brand" href="Home.jsp"><i class="fa-solid fa-house"></i></a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data- target="#navbarSupportedContent"
ariacontrols="navbarSupportedContent" aria- expanded="false" aria-label="Toggle navigation">  <span
class="navbar-toggler-icon"></span> </button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="Home.jsp">Home <span class="sr-  only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link active" href="contact.jsp"><i class="fa-solid  fa-circle-phone"></i>
Contact Us</a>
</li>
<li class="nav-item">
<a class="nav-link active" href="about.jsp"><i class="fa-solid  fa-circle-phone"></i>
About Us</a>
</li>
</ul>
```

```
</div>
</nav>
```

Order Page:

```
<%--
Document : show_single_order
Created on : Mar 13, 2022, 10:28:36 PM
            Author  : MeGa
--%>
<%@page import="com.model.BookOrder"%>
<%@page import="com.connection.DBConnection"%>
<%@page import="com.daoImpl.BookOrderDaoImpl"%>
<%@page import="com.dao.BookOrderDao"%>


<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>  <%@page isELIgnored="false" %>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Show Single Order Page - EBook</title>
<%@include file="all_css.jsp" %>
</head>
<body style="background-color: #f0f1f2">

<%@include file="navbar.jsp" %>
<c:if test="${empty userobj}">
<c:redirect url="../login.jsp" />
</c:if>
```

```
<div class="container">
<%
String orderId = request.getParameter("orderId"); BookOrderDao bookOrderDao = new
BookOrderDaoImpl(DBConnection.getConnection());
BookOrder b = bookOrderDao.getBookByOrderId(orderId);
%>
<div class="row">
<div class="col-md-12">
<div class="text-center text-success mt-3">
<i class="fa-solid fa-eye fa-3x"></i>
<h1>View Order</h1>
</div>
<div class="card mt-2">
<div class="card-body">
<div class="text-center text-primary">
<i class="fa-solid fa-eye fa-2x"></i>
</div>
<br>
<div class="form-row">
<div class="form-group col-md-3">  <input type="text"
class="form-control form-  control-sm" value="Order ID: <%=
b.getOrderId() %>" readonly>
</div>
<div class="form-group col-md-3">
<input type="text" class="form-control form-  control-sm" value="Book
Name: <%= b.getBookName()%>" readonly>
</div>
<div class="form-group col-md-3">



<input type="text" class="form-control form-  control-sm"
value="Author: <%= b.getAuthorName() %>" readonly>
```

```
</div>
<div class="form-group col-md-3">  <input type="text" class="form-control form-
control-sm" value="Book Price: &#8360;. <%= b.getPrice()%>" readonly> </div>
</div>
<div class="form-row">
<div class="form-group col-md-3">  <input type="text" class="form-
control form-  control-sm" value="Username: <%= b.getUserName()
%>" readonly>
</div>
<div class="form-group col-md-3">  <input type="text"
class="form-control form-  control-sm" value="Email: <%=
b.getEmail() %>" readonly>
</div>
<div class="form-group col-md-3">
<input type="text" class="form-control form-  control-sm" value="Phone
Number: <%= b.getPhoneNumber()%>" readonly>  </div>

<div class="form-group col-md-3">  <input type="text" class="form-control form-
control-sm" value="Payment Type: <%= b.getPaymentType()%>" readonly> </div>
</div>
<div class="form-row">
<div class="form-group col-md-12">  <input type="text" class="form-control
form-  control-sm" value="User Address: <%= b.getFullAddress()%>" readonly>
</div>

</div>
<div class="form-row">

<div class="form-group col-md-3">  <input type="text" class="form-
control form-  control-sm" value="Order Date: <%= b.getOrderTime()
%>" readonly>
</div>
</div>
```

```
<div class="text-center">
<a href="Home.jsp" class="btn btn-sm bg-success  text-white">Back
To Home</a>
</div>
</div>



</div>

</div>
</div>
</div>
<%@include file="footer.jsp" %>
</body>
        </html>
```

ViewBookDetails.JSP:

```
<%--
Document : view_book_details
Created on : Mar 11, 2022, 4:57:53 PM
         Author  : MeGa
--%>

<%@page import="com.model.Books"%>
<%@page import="com.connection.DBConnection"%>
<%@page import="com.daoImpl.BookDaoImpl"%>
<%@page import="com.dao.BookDao"%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title>View Book Details Page - EBook</title>
<%@include file="all_component/all_css.jsp" %> </head>
<body style="background: #f0f1f2">
<%@include file="all_component/navbar.jsp" %>

<%
Integer id = Integer.parseInt(request.getParameter("id"));
BookDao bookDao = new BookDaoImpl(DBConnection.getConnection());
Books b = bookDao.getBookById(id);
%>
<div class="container p-3">
<div class="row">
<div class="col-md-6 text-center p-5 border bg-white">
<img src="book/<%= b.getPhotoName()%>" style="width: 150px;  height:
150px;" />
<h4 class="mt-2">Book Name: <span class="text-success"><%= b.getBookName()%></span></h4>


<h4>Author Name: <span class="text-success"><%=
b.getAuthor()%></span></h4>
<h4>Category: <span class="text-success"><%=
b.getBookCategory()%></span></h4>
</div>
<div class="col-md-6 text-center p-5 border bg-white">
<h4><%= b.getBookName()%></h4>
<% if ("Old".equals(b.getBookCategory())) {
%>
<h5 class="text-primary">Contact to Seller</h5>
<h5 class="text-primary">
<i class="far fa-envelope"></i> Email: <%= b.getEmail()%>
</h5>
<%
```

```
} else {
%>
<h5 class="text-primary">Contact to Admin</h5>
<h5 class="text-primary">
<i class="far fa-envelope"></i> Email: <%= b.getEmail()%>
</h5> <%
}
%>
<div class="row">
<div class="col-md-4 text-danger text-center p-2">
<i class="fas fa-money-bill-wave fa-3x"></i>
<p><b>Cash on Delivery</b></p>
</div>
<div class="col-md-4 text-danger text-center p-2">
<i class="fas fa-undo-alt fa-3x"></i>
<p><b>Return Available</b></p>
</div>
<div class="col-md-4 text-danger text-center p-2">
<i class="fas fa-truck-moving fa-3x"></i>
<p><b>Free Shipping</b></p>
</div>
</div>
<% if ("Old".equals(b.getBookCategory())) { %>
<div class="text-center p-3">


<a href="index.jsp" class="btn btn-success"><i class="fa-  solid
fa-cart-plus"></i> Continue Shopping</a>
<button class="btn btn-danger">&#8360;. <%= b.getPrice()%></button>
</div>
<%
} else {
```

```
%>

<div class="text-center p-3">
<a href="#" class="btn btn-primary"><i class="fa-solid  fa-cart-plus"></i>
Add Cart</a>
<button href="#" class="btn btn-danger">&#8360;. <%= b.getPrice()%></button>
</div>
<%
}
%>

</div>
</div>
</div>
<div style="margin-top: 45px;">
<%@include file="all_component/footer.jsp" %>
</div>

</body>
</html>
```

Maven (Pom.xml file)

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>

<groupId>com.ebook</groupId>
<artifactId>EBook</artifactId>
<version>1</version>
<packaging>war</packaging>

<name>EBook</name>
```

```
<properties>
<endorsed.dir>${project.build.directory}/endorsed</endorsed.dir>
<project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>  </properties>

<dependencies>
<dependency>
<groupId>javax</groupId>
<artifactId>javaee-web-api</artifactId>
<version>7.0</version>
<scope>provided</scope>
</dependency>
<!-- https://mvnrepository.com/artifact/jstl/jstl -->
<dependency>
<groupId>jstl</groupId>
<artifactId>jstl</artifactId>
<version>1.2</version>
</dependency>
<!-- https://mvnrepository.com/artifact/mysql/mysql-connector-java --> <dependency>
<groupId>mysql</groupId>
<artifactId>mysql-connector-java</artifactId>
<version>8.0.25</version>
</dependency>
</dependencies>

<build>
<plugins>
<plugin>
<groupId>org.apache.maven.plugins</groupId>  <artifactId>maven-compiler-plugin</artifactId>
<version>3.1</version>
<configuration>
```

```
<source>1.7</source>
<target>1.7</target>
<compilerArguments>
<endorseddirs>${endorsed.dir}</endorseddirs>
</compilerArguments>
</configuration>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-war-plugin</artifactId>
<version>2.3</version>
<configuration>


<failOnMissingWebXml>false</failOnMissingWebXml> </configuration>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-dependency-plugin</artifactId>
<version>2.6</version>
<executions>
<execution>
<phase>validate</phase>
<goals>
<goal>copy</goal>
</goals>
<configuration>
<outputDirectory>${endorsed.dir}</outputDirectory>
<silent>true</silent>
<artifactItems>
<artifactItem>
<groupId>javax</groupId>
```

```
<artifactId>javaee-endorsed-api</artifactId>
<version>7.0</version>
<type>jar</type>
</artifactItem>
</artifactItems>
</configuration>
</execution>
</executions>
</plugin>
</plugins>
</build>

</project>
```

base.html

```
<!DOCTYPE html>
<html lang="en" data-bs-theme="dark">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Game Hub</title>


<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0- alpha1/dist/css/bootstrap.min.css" rel="stylesheet">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap- icons@1.11.1/font/bootstrap-icons.css">
<link rel="stylesheet" href="{{ url_for('static', filename='css/styles.css')
}}">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js
"></script>
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
```

```
<div class="container">
<a class="navbar-brand" href="{{ url_for('dashboard') }}">Game Hub</a>
                    {% if current_user.is_authenticated %}
                    <div class="navbar-nav ms-auto">
                    <span class="nav-item nav-link">Welcome, {{ current_user.username  }}</span>
<a class="nav-item nav-link" href="{{ url_for('logout')
}}">Logout</a>
</div>
{% endif %}
</div>
</nav>

<div class="container mt-4">
{% with messages = get_flashed_messages() %}
{% if messages %}
{% for message in messages %}
<div class="alert alert-info">{{ message }}</div> {% endfor %}
{% endif %}
{% endwith %}

{% block content %}{% endblock %} </div>

</body>
</html>
</body>
</html>
```

Cart.html

```
{% extends "base.html" %}
```

```
{% block content %}
<div class="row">
<div class="col-12 text-center mb-4">
<h2>Welcome to Game Hub</h2>
<p>Select Your Favorite Game</p> </div>
</div>

<div class="row justify-content-center">
<div class="col-md-4 mb-4">
<div class="card">
<div class="card-body text-center">
<h5 class="card-title">Chess</h5>
<p class="card-text">High Score: {{ scores.get('chess', 0) }}</p>
<a href="{{ url_for('chess') }}" class="btn btn-primary">Play</a>
</div>
</div>
</div>

<div class="col-md-4 mb-4">
<div class="card">
<div class="card-body text-center">
<h5 class="card-title">Tic-Tac-Toe</h5>
<p class="card-text">High Score: {{ scores.get('tictactoe', 0)
}}</p>
<a href="{{ url_for('tictactoe') }}" class="btn btn-  primary">Play</a>
</div>
</div>
</div>

<div class="col-md-4 mb-4">
<div class="card">
```

```
<div class="card-body text-center">
<h5 class="card-title">Snake</h5>
<p class="card-text">High Score: {{ scores.get('snake', 0) }}</p>
<a href="{{ url_for('snake') }}" class="btn btn-primary">Play</a>
</div>
</div>
</div>

<div class="col-md-4 mb-4">
<div class="card">



<div class="card-body text-center">
<h5 class="card-title">Rock Paper Scissors</h5> <p class="card-text">High Score: {{  scores.get('rockpaperscissors', 0)
}}</p>
<a href="{{ url_for('rockpaperscissors') }}" class="btn btn-  primary">Play</a>
</div>
</div>
</div>
<div class="col-md-4 mb-4">
<div class="card">
<div class="card-body text-center">
<h5 class="card-title">Ludo</h5>
<p class="card-text">High Score: {{ scores.get('ludo', 0) }}</p>
<a href="{{ url_for('ludo') }}" class="btn btn-primary">Play</a>
</div>
</div>
</div>
<div class="col-md-4 mb-4">
<div class="card">
<div class="card-body text-center">
<h5 class="card-title">Brick Breaker</h5>
```

```
<p class="card-text">High Score: {{ scores.get('brickbreaker', 0)
}}</p>
<a href="{{ url_for('brickbreaker') }}" class="btn btn-  primary">Play</a>
</div>
</div>
</div>
</div>
{% endblock %}
```

login.html

```
{% extends "base.html" %}

{% block content %}
<div class="row justify-content-center">
<div class="col-md-6">
<div class="card">
<div class="card-header">
<h2 class="text-center">Log in</h2>
</div>
<div class="card-body">
<form method="POST" action="{{ url_for('login') }}">


{{ form.hidden_tag() }}
<div class="mb-3">
{{ form.username.label(class="form-label") }}
{{ form.username(class="form-control") }}
</div>
<div class="mb-3">
{{ form.password.label(class="form-label") }}
<div class="input-group">
```

```
{{ form.password(class="form-control") }} <button class="btn btn-outline-secondary"  type="button"
onclick="togglePassword('{{ form.password.id }}')">
<i class="bi bi-eye"></i>
</button>
</div>
</div>
{{ form.submit(class="btn btn-primary w-100", value="Log in")
}}
</form>
<div class="mt-3 text-center">
<p>Don't have an account? <a href="{{ url_for('register')
}}">Sign up here</a></p>
</div>
</div>
</div>
</div>
</div>

<script> function togglePassword(fieldId) { const passwordField = document.getElementById(fieldId); const button =
event.currentTarget; const icon = button.querySelector('i');
 if (passwordField.type === 'password') { passwordField.type = 'text'; icon.classList.remove('bi-eye'); icon.classList.add('bi-
eye-slash');
} else { passwordField.type = 'password'; icon.classList.remove('bi-eye-slash'); icon.classList.add('bi-eye'); }
}
</script>
{% endblock %}
```

register.html

```
{% extends "base.html" %}
```

```
{% block content %}
<div class="row justify-content-center">
<div class="col-md-6">
<div class="card">
<div class="card-header">
<h2 class="text-center">Sign up</h2>
</div>
<div class="card-body">
<form method="POST" action="{{ url_for('register') }}">
{{ form.hidden_tag() }}
<div class="mb-3">
{{ form.username.label(class="form-label") }}
{{ form.username(class="form-control") }}
</div>
<div class="mb-3">
{{ form.password.label(class="form-label") }}
<div class="input-group">
{{ form.password(class="form-control") }} <button class="btn btn-outline-secondary"  type="button"
onclick="togglePassword('{{ form.password.id }}')">
<i class="bi bi-eye"></i>
</button>
</div>
</div>
{{ form.submit(class="btn btn-primary w-100", value="Sign
            up") }}
</form>
<div class="mt-3 text-center">
<p>Already have an account? <a href="{{ url_for('login')
}}">Log in here</a></p>
</div>
</div>
</div>
```

```
</div>
</div>

<script> function togglePassword(fieldId) { const passwordField = document.getElementById(fieldId); const button =
event.currentTarget; const icon = button.querySelector('i');



 if (passwordField.type === 'password') { passwordField.type = 'text'; icon.classList.remove('bi-eye'); icon.classList.add('bi-
eye-slash');
} else { passwordField.type = 'password'; icon.classList.remove('bi-eye-slash'); icon.classList.add('bi-eye'); }  }
</script> {% endblock %}
from flask_wtf import FlaskForm from wtforms import StringField, PasswordField, SubmitField from wtforms.validators
import DataRequired, Length   class LoginForm(FlaskForm):
username = StringField('Username', validators=[DataRequired(), Length(min=3,  max=20)]) password =
PasswordField('Password', validators=[DataRequired()]) submit = SubmitField('Log in')   class
RegisterForm(FlaskForm):
username = StringField('Username', validators=[DataRequired(), Length(min=3,  max=20)])
password = PasswordField('Password', validators=[DataRequired(),  Length(min=6)]) submit
= SubmitField('Sign up')

 class Score:
def  init (self, user_id, game, score):
self.user_id = user_id self.game = game self.score = score

# Initialize scores with the new game scores = {
1: {'tictactoe': 0, 'snake': 0, 'rockpaperscissors': 0, 'chess': 0, 'ludo':
0, 'brickbreaker': 0}
}
```

Output:


Home Page - EBook
Admin User Page - E-Books
localhost:8080/EBook-1/
Google Chrome isn't your default browser
Set as default
E-Book Store
Search
Search
Login
Register
Home
Recent Books
New Books
Old Books
Setting
Contact Us
E-Book Management System
Recent Book


Recent Book
Name: Novels
Author: john David
Category: New
Add Cart
Details
Rs. 789
Name: Novels
Author: john David
Category: New
Add Cart
Details
Rs. 980
Name: Graphics Design
Author: Marks burgen
Category: New
Add Cart
Details
Rs. 600
Name: Core Java
Author: Cay S. Horstmann
Category: New
Add Cart
Details
Rs. 980
View All


New Book
Name: Novels
Author: john David
Category: New
Add Cart
Details
Rs. 789
Name: Novels
Author: john David
Category: New
Add Cart
Details
Rs. 980
Name: Graphics Design
Author: Marks burgen
Category: New
Add Cart
Details
Rs. 600
Name: Core Java
Author: Cay S. Horstmann
Category: New
Add Cart
Details
Rs. 980
View All


Google Chrome isn't your default browser
Set as default
E-Book Store
java
Search
Sumit Nilwarn
Logout
Home
Recent Books
New Books
Old Books
Setting
Contact Us
Recent Books
Name: Java Programming
Author: Marks burgen
Category: New
Add Cart
Details
Rs. 800
Name: JavaScript programming
Author: john David
Category: New
Add Cart
Details
Rs. 995
Name: Core Java
Author: Cay S. Horstmann
Category: New
Add Cart
Details
Rs. 980


Google Chrome isn't your default browser
Set as default
E-Book Store
Search
Search
Sumit Nilwarn
Logout
Home
Recent Books
New Books
Old Books
Setting
Contact Us
JAVA PROGRAMMING Simplified
Book Name: Java Programming
Author Name: Marks burgen
Category: New
Java Programming
Contact to Admin
Email: Admin
Cash on Delivery
Return Available
Free Shipping
Add Cart
₹: 800


E-Book Store
Search
Search
Sumit Nilwarn
Logout
Home
Recent Books
New Books
Old Books
Setting
Contact Us
All New Books
RICH DAD POOR DAD
ROBERT T. KIYOSAKI
Name: Novels
Author: john David
Category: New
Add Cart
Details
₹: 789
THE DREAMING ARTS
Name: Novels
Author: john David
Category: New
Add Cart
Details
₹: 980
Name: Graphics Design
Author: Marks burgen
Category: New
Add Cart
Details
₹: 600
CORE JAVA
Name: Core Java
Author: Cay S. Horstmann
Category: New
Add Cart
Details
₹: 980
ARTIFICIAL INTELLIGENCE
Programming Kotlin


E-Book Store
Search
Search
Sumit Nilwarn
Logout
Home
Recent Books
New Books
Old Books
Setting
Contact Us
Hello, Sumit Nilwarn
Sell Old Book
Old Book
Login & Security (Edit Profile)
My Order
Track Your Order
Help Center
24^7 Service


Downloads
Search Downloads
Organize
New folder
rohit - Personal
Downloads
Music
Videos
FinalYearProj
Google Drive
Documents
management_4
MAN_4 cwipedia.in
MAN_3 cwipedia.in
Impact_of_Motivation_MAN
Thank ypou
Impact_of_Motivation_on_Employees
Last week
PPT34
File name:
All Files
Open
Cancel
Admin
Books
Book Price *
1780
Book Category *
New Book
Book Status *
Active
Upload Image
Choose File
No file chosen


Google Chrome isn't your default browser
Set as default
E-Book Store
Sumit Nilwarn
Logout
Home
Contact Us
About Us
Hello,Admin
Add Books
All Books
Orders
Logout


Google Chrome isn't your default browser
Set as default
Home
Contact Us
About Us
Hello, Admin
Add Books
Book Name *
Java Programming
Author Name *
Marks burgen
Book Price *
1780
Book Category *
New Book
Book Status *
Active
Upload Image
Choose File
No file chosen

Chapter 7:

Conclusion and Future Scope

The E-Book Store Webapp provides a robust platform for users to easily browse, purchase, and download e-books in a seamless and secure manner. With its user-friendly interface, personalized recommendations, and integrated payment gateways, the platform offers an excellent e-commerce experience. The webapp also ensures data security through encryption and optional two-factor authentication, protecting users' personal and financial information. Instant access to e-books in multiple formats allows for a flexible reading.

References:

- IntelliJ IDEA:

- Official Website: https://www.jetbrains.com/idea/
- Download page: https://www.jetbrains.com/idea/download/ Documentation: https://www.jetbrains.com/idea/documentation/

- Tomcat:

- Official Website: https://tomcat.apache.org/
- Download page: https://tomcat.apache.org/download-90.cgi
- Documentation: https://tomcat.apache.org/tomcat-9.0-doc/ Workbench SQL

  (MySQL Workbench):

- Official Website: https://www.mysql.com/products/workbench/
- Download page: https://dev.mysql.com/downloads/workbench/
- Documentation: https://dev.mysql.com/doc/workbench/en/