

Cucumber Report

Jul 18, 2022, 3:54:56 PM

Start : Jul 18, 3:54:22.763 PM

End : Jul 18, 3:54:53.647 PM

Duration : 30.884 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To create Folder in webpage</u>	30.884 s	1	0	1	0	5	0	1	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@CreateFolder	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To create Folder in webpage</u>	1	0	1	0	30.884 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To create Folder in webpage</u>	<u>To check if folder is uploaded</u>	5	0	1	4	30.839 s

To create Folder in webpage

FAILED	DURATION - 30.884 s	Scenarios		Steps	
/ 3:54:22.763 PM // 3:54:53.647 PM /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

To check if folder is uploaded

<div>FAILED</div> <div>DURATION - 30.839 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 3:54:22.808 PM // 3:54:53.647 PM /</div>				
<div>To create Folder in webpage</div>				
<div>@CreateFolder</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User login</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='popup-wrap lightgray-bg alert-wrap-pop']/child::div[3]/a"} (Session info: chrome=103.0.5060.53) (Driver info: chromedriver=103.0.5060.24 (e47b049c438cd0a74dc95a011fceb27db18cb080-refs/branch-heads/5060@{#232}),platform=Windows NT 10.0.10586 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.2.2', revision: '683ccb65d6' System info: host: 'DESKTOP-TP2FQ4I', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [218971194817414892a2481c4f4def0e, findElement {using=xpath, value=//div[@class='popup-wrap lightgray-bg alert-wrap-pop']/child::div[3]/a}] Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 103.0.5060.24 (e47b049c438c..., userDataDir: C:\Users\ADMINI~1\AppData\L..., cssSelectorsEnabled: true, databaseEnabled: false, goog:chromeOptions: {debuggerAddress: localhost:51394}, handlesAlerts: true, hasMetadata: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: Windows, platformName: ANY, proxy: Proxy(), rotatable: false, setWindowRect: true, strictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignore, unhandledPromptBehavior: ignore, version: 103.0.5060.53, webStorageEnabled: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true, webdriver.remote.sessionid: 218971194817414892a2481c4f4...} Session ID: 218971194817414892a2481c4f4def0e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>	FAILED	30.731 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:217) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:169) at org.openqa.selenium.remote.codec.jwp.JsonHttpResponseBodyCodec.reconstructValue(JsonHttpResponseBodyCodec.java:41) at org.openqa.selenium.remote.codec.AbstractHttpResponseBodyCodec.decode(AbstractHttpResponseBodyCodec.java:83) at org.openqa.selenium.remote.codec.AbstractHttpResponseBodyCodec.decode(AbstractHttpResponseBodyCodec.java:47) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:406) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:398) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy25.click(Unknown Source) at pages.digiLoginPage.click_login(digiLoginPage.java:51) at stepDefinitions.createFolderStepDef.user_login(createFolderStepDef.java:49) at ?.User login(file:///C:/Users/sethi/eclipse-workspace/DigiBoxxWeb/Feature/createfolder.feature:4) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User click on add	SKIPPED	0.002 s
3	Then User click on create folder	SKIPPED	0.001 s
4	And User enter name for folder	SKIPPED	0.001 s
5	Then User click on create	SKIPPED	0.000 s