# Cucumber Report

| *Start : Jul 07, 9:35:22.607 AM* | *End : Jul 07, 9:35:46.638 AM* | *Duration : 24.031 s* |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 4 |

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *To create Folder in webpage* | *24.031 s* | *1* | *0* | *1* | *0* | *5* | *0* | *1* | *4* |

| Tag | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @CreateFolder | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To create Folder in webpage | 1 | 0 | 1 | 0 | 24.031 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To create Folder in webpage | To check if folder is uploaded | 5 | 0 | 1 | 4 | 24.022 s |

## To create Folder in webpage

| FAILED | DURATION - 24.031 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 9:35:22.607 AM // 9:35:46.638 AM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 5<br>Pass - 0<br>Fail - 1<br>Skip - 4 | 5 |

## To check if folder is uploaded

| FAILED | DURATION - 24.022 s | | Steps | |
|---|---|---|---|---|
| / 9:35:22.616 AM // 9:35:46.638 AM / | | | Total - 5<br>Pass - 0<br>Fail - 1<br>Skip - 4 | 5 |
| To create Folder in webpage | | | | |
| @CreateFolder | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User login | FAILED | 23.989 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='popup-wrap lightgray-bg alert-wrap-pop']/child::div[3]/a"}   (Session info: chrome=103.0.5060.66) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.2.2', revision: '683ccb65d6' System info: host: 'DESKTOP-TP2FQ4I', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c661689330321da9251b7d9ef18e476d, findElement {using=xpath, value=//div[@class='popup-wrap lightgray-bg alert-wrap-pop']/child::div[3]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 103.0.5060.66, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\sethi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52493}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52493/devtoo..., se:cdpVersion: 103.0.5060.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c661689330321da9251b7d9ef18e476d<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:406)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:398)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)<br>at pages.digiLoginPage.click_login(digiLoginPage.java:51)<br>at stepDefinitions.createFolderStepDef.user_login(createFolderStepDef.java:49)<br>at ?.User login(file:///C:/Users/sethi/git/repository/DigiBoxWeb/DigiBoxxWeb/Feature/createfolder.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | When User click on add | SKIPPED | 0.002 s |
| 3 | Then User click on create folder | SKIPPED | 0.001 s |
| 4 | And User enter name for folder | SKIPPED | 0.001 s |
| 5 | Then User click on create | SKIPPED | 0.001 s |