

Your AI helper has a big problem: it has no hands

MCP gives it a safe way to ask other
helpers.



A waiter carries your request to the right helper



You ask.

**The waiter knows
where to take it.**

**The right helper
brings the result
back.**

MCP is a common way for AI and helpers to talk

A large, bold, red capital letter 'M'.

Model

A large, bold, teal capital letter 'C'.

Context

A large, bold, yellow capital letter 'P'.


Protocol

A shared set of rules - like agreeing how to pass notes in class.

Without a common plug, every helper needs a new cable



One common plug makes the mess disappear



MCP offers three kinds of help: look, do, and guide

LOOK

Resources

Read a file, record,
or calendar.

DO

Tools

Search, calculate,
send, or change.

GUIDE

Prompts

Reuse a helpful
way to ask.

Three teammates keep the conversation organized



The host creates one client connection for each server it uses.

A request goes out - and an answer comes back



The helper shows its menu before the AI chooses

1

HELLO

They agree what each side understands.

2

MENU

The server lists its tools and resources.

Then the AI can choose a helper on purpose - not by guessing.

You stay in charge of the gate



See the request.

Choose what to share.

Stop actions you do not want.

MCP is the bridge, not the brain



It carries context and actions. It does not decide how the model thinks.

If you remember one thing...

ONE

shared language

MANY

useful helpers

YOU

hold the gate

That is MCP.

For grown-ups who want to peek behind the curtain

START HERE

<https://modelcontextprotocol.io/docs/getting-started/intro>

HOW IT WORKS

<https://modelcontextprotocol.io/docs/learn/architecture>

THE HELPERS

<https://modelcontextprotocol.io/docs/learn/server-concepts>

SAFETY

<https://modelcontextprotocol.io/specification/2025-06-18/basic/authorization>

All four are official Model Context Protocol documentation pages.