Exp 10: EXPERIMENT TO UNDERSTAND ARRAY FUNCTION IN DATA SCIENCE.

AIM: Understand array function using Numpy library.

SAMPLE CODE:

```
import numpy as np

array = np.random.randint(1, 100, 9)
array

np.sqrt(array)

array.ndim

new_array = array.reshape(3, 3)
new_array

new_array.ndim

new_array.ravel()

newm = new_array.reshape(3, 3)
newm

newm[2, 1:3]
```

newm[1:2, 1:3]

new_array[:3, 0:0]

new_array[0:2, 0:1]

new_array[0:3, 0:1]

new_array[1:3]

OUTPUT:

```
import numpy as np
array=np.random.randint(1,100,9)
array
```

```
array([83, 25, 19, 47, 62, 15, 96, 39, 51])
```

```
np.sqrt(array)
```

```
array([9.11043358, 5.        , 4.35889894, 6.8556546 , 7.87400787,
       3.87298335, 9.79795897, 6.244998  , 7.14142843])
```

```
array.ndim
```

```
1
```

```
new_array=array.reshape(3,3)
```

```
new_array
```

```
array([[83, 25, 19],
       [47, 62, 15],
       [96, 39, 51]])
```

```
new_array.ndim
```

```
2
```

```
new_array.ravel()
```

```
array([83, 25, 19, 47, 62, 15, 96, 39, 51])
```

```
newm=new_array.reshape(3,3)
```

```
newm
```

```
array([[83, 25, 19],
       [47, 62, 15],
       [96, 39, 51]])
```

```
newm[2,1:3]
```

```
array([39, 51])
```

```
newm[1:2,1:3]
```

```
array([[62, 15]])
```

```
new_array[0:3,0:0]
```

```
array([], shape=(3, 0), dtype=int64)
```

```
new_array[0:2,0:1]
```

```
array([[83],
       [47]])
```

```
new_array[0:3,0:1]
```

```
array([[83],
       [47],
       [96]])
```

```
new_array[1:3]
```

```
array([[47, 62, 15],
       [96, 39, 51]])
```

RESULT:

Thus, the experiment to understand array function in data science is completed.