

Week 2: Recitation: Programming Intro

Dr. Joseph P. Yurko

1/13/2020

Big section

Sub section

sub sub section

4th section

Load packages

```
library(dplyr)
library(ggplot2)
```

Practice dataset

Work with the `mtcars` data set. A new sentence.

A new paragraph.

```
### mtcars is available in base R
mtcars
```

##	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
## Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
## Mazda RX4 Wag	21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
## Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
## Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
## Hornet Sportabout	18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2
## Valiant	18.1	6	225.0	105	2.76	3.460	20.22	1	0	3	1
## Duster 360	14.3	8	360.0	245	3.21	3.570	15.84	0	0	3	4
## Merc 240D	24.4	4	146.7	62	3.69	3.190	20.00	1	0	4	2
## Merc 230	22.8	4	140.8	95	3.92	3.150	22.90	1	0	4	2
## Merc 280	19.2	6	167.6	123	3.92	3.440	18.30	1	0	4	4
## Merc 280C	17.8	6	167.6	123	3.92	3.440	18.90	1	0	4	4
## Merc 450SE	16.4	8	275.8	180	3.07	4.070	17.40	0	0	3	3
## Merc 450SL	17.3	8	275.8	180	3.07	3.730	17.60	0	0	3	3
## Merc 450SLC	15.2	8	275.8	180	3.07	3.780	18.00	0	0	3	3
## Cadillac Fleetwood	10.4	8	472.0	205	2.93	5.250	17.98	0	0	3	4
## Lincoln Continental	10.4	8	460.0	215	3.00	5.424	17.82	0	0	3	4
## Chrysler Imperial	14.7	8	440.0	230	3.23	5.345	17.42	0	0	3	4
## Fiat 128	32.4	4	78.7	66	4.08	2.200	19.47	1	1	4	1
## Honda Civic	30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
## Toyota Corolla	33.9	4	71.1	65	4.22	1.835	19.90	1	1	4	1
## Toyota Corona	21.5	4	120.1	97	3.70	2.465	20.01	1	0	3	1
## Dodge Challenger	15.5	8	318.0	150	2.76	3.520	16.87	0	0	3	2
## AMC Javelin	15.2	8	304.0	150	3.15	3.435	17.30	0	0	3	2
## Camaro Z28	13.3	8	350.0	245	3.73	3.840	15.41	0	0	3	4
## Pontiac Firebird	19.2	8	400.0	175	3.08	3.845	17.05	0	0	3	2

```
## Fiat X1-9          27.3   4  79.0  66 4.08 1.935 18.90  1  1   4   1
## Porsche 914-2     26.0   4 120.3  91 4.43 2.140 16.70  0  1   5   2
## Lotus Europa      30.4   4  95.1 113 3.77 1.513 16.90  1  1   5   2
## Ford Pantera L    15.8   8 351.0 264 4.22 3.170 14.50  0  1   5   4
## Ferrari Dino      19.7   6 145.0 175 3.62 2.770 15.50  0  1   5   6
## Maserati Bora     15.0   8 301.0 335 3.54 3.570 14.60  0  1   5   8
## Volvo 142E        21.4   4 121.0 109 4.11 2.780 18.60  1  1   4   2
```

Use the `glimpse()` function to “look” at a data set.

```
glimpse(mtcars)
```

```
## Observations: 32
## Variables: 11
## $ mpg <dbl> 21.0, 21.0, 22.8, 21.4, 18.7, 18.1, 14.3, 24.4, 22.8, 19....
## $ cyl <dbl> 6, 6, 4, 6, 8, 6, 8, 4, 4, 6, 6, 8, 8, 8, 8, 8, 4, 4, ...
## $ disp <dbl> 160.0, 160.0, 108.0, 258.0, 360.0, 225.0, 360.0, 146.7, 1...
## $ hp <dbl> 110, 110, 93, 110, 175, 105, 245, 62, 95, 123, 123, 180, ...
## $ drat <dbl> 3.90, 3.90, 3.85, 3.08, 3.15, 2.76, 3.21, 3.69, 3.92, 3.9...
## $ wt <dbl> 2.620, 2.875, 2.320, 3.215, 3.440, 3.460, 3.570, 3.190, 3...
## $ qsec <dbl> 16.46, 17.02, 18.61, 19.44, 17.02, 20.22, 15.84, 20.00, 2...
## $ vs <dbl> 0, 0, 1, 1, 0, 1, 0, 1, 1, 1, 1, 0, 0, 0, 0, 0, 1, 1, ...
## $ am <dbl> 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, ...
## $ gear <dbl> 4, 4, 4, 3, 3, 3, 3, 4, 4, 4, 4, 3, 3, 3, 3, 3, 4, 4, ...
## $ carb <dbl> 4, 4, 1, 1, 2, 1, 4, 2, 2, 4, 4, 3, 3, 3, 4, 4, 1, 2, ...
```

```
mtcars %>% glimpse()
```

```
## Observations: 32
## Variables: 11
## $ mpg <dbl> 21.0, 21.0, 22.8, 21.4, 18.7, 18.1, 14.3, 24.4, 22.8, 19....
## $ cyl <dbl> 6, 6, 4, 6, 8, 6, 8, 4, 4, 6, 6, 8, 8, 8, 8, 8, 4, 4, ...
## $ disp <dbl> 160.0, 160.0, 108.0, 258.0, 360.0, 225.0, 360.0, 146.7, 1...
## $ hp <dbl> 110, 110, 93, 110, 175, 105, 245, 62, 95, 123, 123, 180, ...
## $ drat <dbl> 3.90, 3.90, 3.85, 3.08, 3.15, 2.76, 3.21, 3.69, 3.92, 3.9...
## $ wt <dbl> 2.620, 2.875, 2.320, 3.215, 3.440, 3.460, 3.570, 3.190, 3...
## $ qsec <dbl> 16.46, 17.02, 18.61, 19.44, 17.02, 20.22, 15.84, 20.00, 2...
## $ vs <dbl> 0, 0, 1, 1, 0, 1, 0, 1, 1, 1, 1, 0, 0, 0, 0, 0, 1, 1, ...
## $ am <dbl> 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, ...
## $ gear <dbl> 4, 4, 4, 3, 3, 3, 3, 4, 4, 4, 4, 3, 3, 3, 3, 3, 4, 4, ...
## $ carb <dbl> 4, 4, 1, 1, 2, 1, 4, 2, 2, 4, 4, 3, 3, 3, 4, 4, 1, 2, ...
```

Check data types.

```
class(mtcars$mpg)
```

```
## [1] "numeric"
```

```
class(mtcars)
```

```
## [1] "data.frame"
```

```
mtcars %>%
```

```
tbl_df() %>%
```

```
class()
```

```
## [1] "tbl_df"      "tbl"        "data.frame"
```

```
mtcars %>%
  tbl_df() %>%
  tibble::rownames_to_column("my_rowname") %>%
  tibble::rowid_to_column() %>%
  mutate(car_name = rownames(mtcars),
         mpg_2 = 2 * mpg)
```

```
## # A tibble: 32 x 15
##   rowid my_rowname  mpg   cyl  disp    hp  drat    wt   qsec    vs  am
##   <int> <chr>      <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1     1 1 1         21     6  160   110  3.9   2.62  16.5    0   1
## 2     2 2 2         21     6  160   110  3.9   2.88  17.0    0   1
## 3     3 3 3        22.8    4  108    93  3.85  2.32  18.6    1   1
## 4     4 4 4        21.4    6  258   110  3.08  3.22  19.4    1   0
## 5     5 5 5        18.7    8  360   175  3.15  3.44  17.0    0   0
## 6     6 6 6        18.1    6  225   105  2.76  3.46  20.2    1   0
## 7     7 7 7        14.3    8  360   245  3.21  3.57  15.8    0   0
## 8     8 8 8        24.4    4  147.    62  3.69  3.19  20      1   0
## 9     9 9 9        22.8    4  141.    95  3.92  3.15  22.9    1   0
## 10    10 10 10       19.2    6  168.   123  3.92  3.44  18.3    1   0
## # ... with 22 more rows, and 4 more variables: gear <dbl>, carb <dbl>,
## #   car_name <chr>, mpg_2 <dbl>
```

```
mtcars

##           mpg cyl  disp  hp drat    wt  qsec vs am gear carb
## Mazda RX4      21.0   6 160.0 110 3.90 2.620 16.46 0 1   4   4
## Mazda RX4 Wag  21.0   6 160.0 110 3.90 2.875 17.02 0 1   4   4
## Datsun 710      22.8   4 108.0  93 3.85 2.320 18.61 1 1   4   1
## Hornet 4 Drive  21.4   6 258.0 110 3.08 3.215 19.44 1 0   3   1
## Hornet Sportabout 18.7   8 360.0 175 3.15 3.440 17.02 0 0   3   2
## Valiant        18.1   6 225.0 105 2.76 3.460 20.22 1 0   3   1
## Duster 360     14.3   8 360.0 245 3.21 3.570 15.84 0 0   3   4
## Merc 240D      24.4   4 146.7  62 3.69 3.190 20.00 1 0   4   2
## Merc 230       22.8   4 140.8  95 3.92 3.150 22.90 1 0   4   2
## Merc 280       19.2   6 167.6 123 3.92 3.440 18.30 1 0   4   4
## Merc 280C      17.8   6 167.6 123 3.92 3.440 18.90 1 0   4   4
## Merc 450SE     16.4   8 275.8 180 3.07 4.070 17.40 0 0   3   3
## Merc 450SL     17.3   8 275.8 180 3.07 3.730 17.60 0 0   3   3
## Merc 450SLC    15.2   8 275.8 180 3.07 3.780 18.00 0 0   3   3
## Cadillac Fleetwood 10.4   8 472.0 205 2.93 5.250 17.98 0 0   3   4
## Lincoln Continental 10.4   8 460.0 215 3.00 5.424 17.82 0 0   3   4
## Chrysler Imperial 14.7   8 440.0 230 3.23 5.345 17.42 0 0   3   4
## Fiat 128       32.4   4  78.7  66 4.08 2.200 19.47 1 1   4   1
## Honda Civic     30.4   4  75.7  52 4.93 1.615 18.52 1 1   4   2
## Toyota Corolla  33.9   4  71.1  65 4.22 1.835 19.90 1 1   4   1
## Toyota Corona  21.5   4 120.1  97 3.70 2.465 20.01 1 0   3   1
## Dodge Challenger 15.5   8 318.0 150 2.76 3.520 16.87 0 0   3   2
## AMC Javelin    15.2   8 304.0 150 3.15 3.435 17.30 0 0   3   2
## Camaro Z28     13.3   8 350.0 245 3.73 3.840 15.41 0 0   3   4
## Pontiac Firebird 19.2   8 400.0 175 3.08 3.845 17.05 0 0   3   2
## Fiat X1-9      27.3   4  79.0  66 4.08 1.935 18.90 1 1   4   1
## Porsche 914-2  26.0   4 120.3  91 4.43 2.140 16.70 0 1   5   2
## Lotus Europa   30.4   4  95.1 113 3.77 1.513 16.90 1 1   5   2
## Ford Pantera L 15.8   8 351.0 264 4.22 3.170 14.50 0 1   5   4
```

```
## Ferrari Dino      19.7   6 145.0 175 3.62 2.770 15.50 0 1   5   6
## Maserati Bora     15.0   8 301.0 335 3.54 3.570 14.60 0 1   5   8
## Volvo 142E       21.4   4 121.0 109 4.11 2.780 18.60 1 1   4   2
```

```
mtcars_b <- mtcars %>%
  tbl_df() %>%
  tibble::rownames_to_column("my_rowname") %>%
  tibble::rowid_to_column() %>%
  mutate(car_name = rownames(mtcars),
         mpg_2 = 2 * mpg)
```

Data manipulation

Select columns

Use the `select()` to subset columns.

```
mtcars_b %>%
  dplyr::select(mpg)
```

```
## # A tibble: 32 x 1
##       mpg
##   <dbl>
## 1    21
## 2    21
## 3   22.8
## 4   21.4
## 5   18.7
## 6   18.1
## 7   14.3
## 8   24.4
## 9   22.8
## 10  19.2
## # ... with 22 more rows
```

```
mtcars_b %>%
  select(mpg, cyl, my_rowname)
```

```
## # A tibble: 32 x 3
##       mpg   cyl my_rowname
##   <dbl> <dbl> <chr>
## 1    21     6 1
## 2    21     6 2
## 3   22.8     4 3
## 4   21.4     6 4
## 5   18.7     8 5
## 6   18.1     6 6
## 7   14.3     8 7
## 8   24.4     4 8
## 9   22.8     4 9
## 10  19.2     6 10
## # ... with 22 more rows
```

```
mtcars_b %>%
  select(mpg) %>%
  class()
```

```
## [1] "tbl_df"      "tbl"          "data.frame"
```

```
mtcars_b %>%  
  select(1:4)
```

```
## # A tibble: 32 x 4  
##   rowid my_rowname  mpg   cyl  
##   <int> <chr>      <dbl> <dbl>  
## 1     1 1 1          21     6  
## 2     2 2 2          21     6  
## 3     3 3 3         22.8     4  
## 4     4 4 4         21.4     6  
## 5     5 5 5         18.7     8  
## 6     6 6 6         18.1     6  
## 7     7 7 7         14.3     8  
## 8     8 8 8         24.4     4  
## 9     9 9 9         22.8     4  
## 10    10 10 10        19.2     6  
## # ... with 22 more rows
```

```
mtcars_b %>%  
  select(c("mpg", "cyl", "disp", "car_name"))
```

```
## # A tibble: 32 x 4  
##   mpg   cyl disp car_name  
##   <dbl> <dbl> <dbl> <chr>  
## 1  21     6  160 Mazda RX4  
## 2  21     6  160 Mazda RX4 Wag  
## 3 22.8     4  108 Datsun 710  
## 4 21.4     6  258 Hornet 4 Drive  
## 5 18.7     8  360 Hornet Sportabout  
## 6 18.1     6  225 Valiant  
## 7 14.3     8  360 Duster 360  
## 8 24.4     4  147. Merc 240D  
## 9 22.8     4  141. Merc 230  
## 10 19.2     6  168. Merc 280  
## # ... with 22 more rows
```

```
mtcars_b %>%  
  select(starts_with("m"))
```

```
## # A tibble: 32 x 3  
##   my_rowname  mpg mpg_2  
##   <chr>      <dbl> <dbl>  
## 1 1          21    42  
## 2 2          21    42  
## 3 3         22.8  45.6  
## 4 4         21.4  42.8  
## 5 5         18.7  37.4  
## 6 6         18.1  36.2  
## 7 7         14.3  28.6  
## 8 8         24.4  48.8  
## 9 9         22.8  45.6  
## 10 10        19.2  38.4  
## # ... with 22 more rows
```

Filtering

```
mtcars_b %>%  
  filter(mpg > 20)
```

```
## # A tibble: 14 x 15  
##   rowid my_rowname   mpg   cyl  disp    hp  drat    wt   qsec    vs  am  
##   <int> <chr>     <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>  
## 1     1 1 1         21     6  160    110  3.9   2.62  16.5    0   1  
## 2     2 2 2         21     6  160    110  3.9   2.88  17.0    0   1  
## 3     3 3 3        22.8     4  108     93  3.85   2.32  18.6    1   1  
## 4     4 4 4        21.4     6  258    110  3.08   3.22  19.4    1   0  
## 5     8 8 8        24.4     4  147.     62  3.69   3.19   20     1   0  
## 6     9 9 9        22.8     4  141.     95  3.92   3.15  22.9    1   0  
## 7    18 18 18       32.4     4   78.7     66  4.08   2.2   19.5    1   1  
## 8    19 19 19       30.4     4   75.7     52  4.93   1.62  18.5    1   1  
## 9    20 20 20       33.9     4   71.1     65  4.22   1.84  19.9    1   1  
## 10   21 21 21       21.5     4  120.     97  3.7    2.46  20.0    1   0  
## 11   26 26 26       27.3     4    79      66  4.08   1.94  18.9    1   1  
## 12   27 27 27       26      4  120.     91  4.43   2.14  16.7    0   1  
## 13   28 28 28       30.4     4   95.1    113  3.77   1.51  16.9    1   1  
## 14   32 32 28       21.4     4   121     109  4.11   2.78  18.6    1   1  
## # ... with 4 more variables: gear <dbl>, carb <dbl>, car_name <chr>,  
## #   mpg_2 <dbl>
```

```
mtcars_b %>%  
  filter(mpg > 20 & cyl == 4)
```

```
## # A tibble: 11 x 15  
##   rowid my_rowname   mpg   cyl  disp    hp  drat    wt   qsec    vs  am  
##   <int> <chr>     <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>  
## 1     3 3 3        22.8     4  108     93  3.85   2.32  18.6    1   1  
## 2     8 8 8        24.4     4  147.     62  3.69   3.19   20     1   0  
## 3     9 9 9        22.8     4  141.     95  3.92   3.15  22.9    1   0  
## 4    18 18 18       32.4     4   78.7     66  4.08   2.2   19.5    1   1  
## 5    19 19 19       30.4     4   75.7     52  4.93   1.62  18.5    1   1  
## 6    20 20 20       33.9     4   71.1     65  4.22   1.84  19.9    1   1  
## 7    21 21 21       21.5     4  120.     97  3.7    2.46  20.0    1   0  
## 8    26 26 26       27.3     4    79      66  4.08   1.94  18.9    1   1  
## 9    27 27 27       26      4  120.     91  4.43   2.14  16.7    0   1  
## 10   28 28 28       30.4     4   95.1    113  3.77   1.51  16.9    1   1  
## 11   32 32 28       21.4     4   121     109  4.11   2.78  18.6    1   1  
## # ... with 4 more variables: gear <dbl>, carb <dbl>, car_name <chr>,  
## #   mpg_2 <dbl>
```

Grouping

```
mtcars %>%  
  distinct(cyl)
```

```
##   cyl  
## 1    6  
## 2    4  
## 3    8
```

```
mtcars %>%
  count(cyl)
```

```
## # A tibble: 3 x 2
##   cyl     n
##   <dbl> <int>
## 1     4    11
## 2     6     7
## 3     8    14
```

```
mtcars_b %>%
  group_by(cyl)
```

```
## # A tibble: 32 x 15
## # Groups:   cyl [3]
##   rowid my_rowname  mpg   cyl  disp    hp  drat    wt   qsec    vs  am
##   <int> <chr>      <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1     1 1 1         21     6  160   110  3.9   2.62  16.5    0    1
## 2     2 2 2         21     6  160   110  3.9   2.88  17.0    0    1
## 3     3 3 3        22.8    4  108    93  3.85   2.32  18.6    1    1
## 4     4 4 4        21.4    6  258   110  3.08   3.22  19.4    1    0
## 5     5 5 5        18.7    8  360   175  3.15   3.44  17.0    0    0
## 6     6 6 6        18.1    6  225   105  2.76   3.46  20.2    1    0
## 7     7 7 7        14.3    8  360   245  3.21   3.57  15.8    0    0
## 8     8 8 8        24.4    4  147.    62  3.69   3.19   20     1    0
## 9     9 9 9        22.8    4  141.    95  3.92   3.15  22.9    1    0
## 10    10 10 10       19.2    6  168.   123  3.92   3.44  18.3    1    0
## # ... with 22 more rows, and 4 more variables: gear <dbl>, carb <dbl>,
## #   car_name <chr>, mpg_2 <dbl>
```

```
mtcars_b %>%
  group_by(cyl) %>%
  summarise(num_rows = n())
```

```
## # A tibble: 3 x 2
##   cyl num_rows
##   <dbl>   <int>
## 1     4     11
## 2     6      7
## 3     8     14
```

```
mtcars_b %>%
  group_by(cyl) %>%
  summarise(num_rows = n(),
            avg_mpg = mean(mpg),
            sd_mpg = sd(mpg))
```

```
## # A tibble: 3 x 4
##   cyl num_rows avg_mpg sd_mpg
##   <dbl>   <int>   <dbl> <dbl>
## 1     4     11    26.7  4.51
## 2     6      7    19.7  1.45
## 3     8     14    15.1  2.56
```