







A



Single writer. Twin readers. 216 tests (194 R + 22 Python) lock the contract.

B



C

studyID	n_cells	n_genes	bundle MB	shard MB	prepare s	load s	fetch ms	TF edges	SIG edges
2326	4,373	14,712	295.1	306.1	3,226	8.02	62	1,549,003	1,531,394
2327	8,464	9,861	77.1	457.6	3,015	2.2	92	429,516	314,348
2332	10,537	26,040	73.4	167.5	11,593	2.1	117	263,440	424,897
2319	10,965	11,778	785.6	748.9	7,104	19.62	109	3,286,884	4,685,586
2325	13,605	8,846	314.9	602.8	3,671	8.58	125	666,244	2,696,465
2318	14,675	11,147	482.1	930.4	6,879	11.13	124	1,938,848	2,884,379
2331	15,400	21,481	73.4	169.5	10,501	2	141	263,440	424,897
2339	50,435	15,718	812	3,918.90	31,663	19.36	403	4,173,419	4,068,560
2203	53,958	33,645	576.9	3,427.30	56,663	14.23	409	2,144,370	3,778,244
2342	56,751	13,772	775.5	4,258.20	32,067	20.23	449	3,904,489	4,005,173
2338	96,305	15,778	1,363.30	7,427.70	70,729	34.25	827	6,557,601	6,973,009
2341	104,905	12,982	743.2	6,579.70	43,117	12.75	655	2,900,665	4,723,739
2333	138,268	18,274	105.8	3,149.10	9,375	2.77	1,208	384,817	528,311

D

Studies

13 studies available

Bcell Dev b-cell dev - Homo sapiens - 53,958 cells x 13,645 genes x 13 clusters Single-cell regulatory network and gene activity landscape during human B-cell development	Hepatoblastoma study hepatoblastoma - Mus musculus/Homo sapiens - 14,537 cells x 14,712 genes x 7 clusters A developmentally promiscuous niche in neonatal liver to hepatoblastoma mediated by Ccnc/Cux2 Axis	ICCA icca - Homo sapiens - 10,805 cells x 11,778 genes x 13 clusters Single-cell transcriptomic analysis suggests two molecularly distinct subtypes of intrahepatic cholangiocarcinoma
PBMC14k PBMC14k - Homo sapiens - 13,835 cells x 8,846 genes x 7 clusters Single-cell RNA sequencing of human peripheral blood mononuclear cells of 7 sorted cell populations	Tregs Tregs - Homo sapiens - 4,373 cells x 14,712 genes x 7 clusters Single-cell RNA sequencing of regulatory T cells (Tregs) of a mouse non-lymphoid tissues	Tex tex - Mus musculus - 8,464 cells x 9,861 genes x 13 clusters Single-cell RNA sequencing of progenitor, intermediate and terminally exhausted CD8+ T cells from tumors and chronic viral infection
Glutamatergic lineage Glutamatergic lineage - Homo sapiens - 10,481 cells x 21,481 genes x 7 clusters Human Cerebellum Glutamatergic Neuron Lineage Developmental	GSE155446 GSE155446 - Homo sapiens - 10,537 cells x 20,040 genes x 13 clusters Medulloblastoma patient GSE155446	ATRT ATRT - Homo sapiens - 18,274 cells x 18,274 genes x 13 clusters An atypical teratoid rhabdoid tumor (ATRT) is a very rare, aggressive tumor of the central nervous system, occurring mostly in the cerebellum.
BreastCaWu2021 BreastCaWu2021 - Homo sapiens - 16,305 cells x 13,778 genes x 13 clusters A single-cell and spatially resolved atlas of human breast cancers	sc-atlas-liver-cancer sc-atlas-liver-cancer - Homo sapiens - 10,435 cells x 13,778 genes x 13 clusters sc-atlas liver cancer	liver-cancer2-scrRNA-seq liver-cancer2-scrRNA-seq - Homo sapiens - 104,905 cells x 13,778 genes x 13 clusters liver-cancer2-scrRNA-seq

+ Back to studies

Single-cell Regulatory Network and Gene Activity Landscape during Human B-cell Development

