

### References

- Aert, R. C. M. van. (2022). Analyzing data of a multilab replication project with individual participant data meta-analysis: A tutorial. *Zeitschrift Für Psychologie*, 230(1), 60–72. <https://doi.org/10.1027/2151-2604/a000483>
- Ahmed, I., Sutton, A. J., & Riley, R. D. (2012). Assessment of publication bias, selection bias, and unavailable data in meta-analyses using individual participant data: A database survey. *BMJ*, 344, d7762. <https://doi.org/10.1136/bmj.d7762>
- Baker, R., Camosso-Stefinovic, J., Gillies, C., Shaw, E. J., Cheater, F., Flottorp, S., Robertson, N., Wensing, M., Fiander, M., Eccles, M. P., Godycki-Cwirko, M., Lieshout, J. van, & Jäger, C. (2015). Tailored interventions to address determinants of practice. *The Cochrane Database of Systematic Reviews*, 2015(4), CD005470. <https://doi.org/10.1002/14651858.CD005470.pub3>
- Bauer, D. J., & Hussong, A. M. (2009). Psychometric approaches for developing commensurate measures across independent studies: Traditional and new models. *Psychological Methods*, 14(2), 101–125. <https://doi.org/10.1037/a0015583>
- Borenstein, M., Hedges, L. V., Higgins, J. P. T., & Rothstein, H. R. (2009). How a Meta-Analysis Works. In *Introduction to Meta-Analysis* (pp. 1–7). John Wiley & Sons, Ltd. <https://doi.org/https://doi.org/10.1002/9780470743386.ch1>
- Borenstein, M., Hedges, L. V., Higgins, J. P. T., & Rothstein, H. R. (2010). A basic introduction to fixed-effect and random-effects models for meta-analysis. *Research Synthesis Methods*, 1(2), 97–111. <https://doi.org/10.1002/jrsm.12>
- Bowden, J., Tierney, J. F., Simmonds, M., Copas, A. J., & Higgins, J. P. (2011). Individual patient data meta-analysis of time-to-event outcomes: One-stage versus two-stage approaches for estimating the hazard ratio under a random effects model. *Research Synthesis Methods*, 2(3), 150–162. <https://doi.org/10.1002/jrsm.45>
- Brown, C. H., Brincks, A., Huang, S., Perrino, T., Cruden, G., Pantin, H., Howe, G., Young, J. F., Beardslee, W., Montag, S., & Sandler, I. (2018). Two-Year Impact of Prevention Programs on Adolescent Depression: An Integrative Data Analysis Approach. *Prevention Science*, 19(1),

- 74–94. <https://doi.org/10.1007/s11121-016-0737-1>
- Brunner, M., Keller, L., Stallach, S. E., Kretschmann, J., Hasl, A., Preckel, F., Lüdtke, O., & Hedges, L. V. (2023). Meta-Analyzing Individual Participant Data from Studies with Complex Survey Designs: A Tutorial on Using the Two-Stage Approach for Data from Educational Large-Scale Assessments. *Research Synthesis Methods*, 14(1), 5–35. <https://doi.org/10.1002/jrsm.1584>
- Burdett, S., & Stewart, L. A. (2002). [A comparison of the results of checked versus unchecked individual patient data meta-analyses](#). *International Journal of Technology Assessment in Health Care*, 18(3), 619–624.
- Burke, D. L., Ensor, J., & Riley, R. D. (2017). Meta-analysis using individual participant data: One-stage and two-stage approaches, and why they may differ. *Statistics in Medicine*, 36(5), 855–875. <https://doi.org/10.1002/sim.7141>
- Campos, D. G., Cheung, M. W.-L., & Scherer, R. (2025). A primer on synthesizing individual participant data obtained from complex sampling surveys: A two-stage IPD meta-analysis approach. *Psychological Methods*, 30(1), 83–111. <https://doi.org/10.1037/met0000539>
- Cipriano, C. (2024). *Executing a registered report for systematic review and meta-analysis: An illustration*. Paper presentation at the Annual Meeting of the American Educational Research Association, Philadelphia, PA.
- Cohen, J. (2013). *Statistical Power Analysis for the Behavioral Sciences* (2nd ed.). Routledge. <https://doi.org/10.4324/9780203771587>
- Cooper, H., & Hedges, L. V. (2009). Research Synthesis as a Scientific Process. In H. Cooper, L. V. Hedges, & J. C. Valentine (Eds.), *Handbook of Research Synthesis and Meta-Analysis, The* (pp. 3–16). Russell Sage Foundation. <http://www.jstor.org/stable/10.7758/9781610441384.5>
- Cooper, H., & Patall, E. A. (2009). The relative benefits of meta-analysis conducted with individual participant data versus aggregated data. *Psychological Methods*, 14(2), 165–176. <https://doi.org/10.1037/a0015565>
- Curran, P. J., Cole, V., Giordano, M., Georgeson, A. R., Hussong, A. M., & Bauer, D. J. (2018).

Advancing the Study of Adolescent Substance Use Through the Use of Integrative Data Analysis. *Evaluation & the Health Professions*, 41(2), 216–245.

<https://doi.org/10.1177/0163278717747947>

Curran, P. J., & Hussong, A. M. (2009). Integrative Data Analysis: The Simultaneous Analysis of Multiple Data Sets. *Psychological Methods*, 14(2), 81–100. <https://doi.org/10.1037/a0015914>

Dahabreh, I. J., Petito, L. C., Robertson, S. E., Hernán, M. A., & Steingrimsson, J. A. (2020).

Toward Causally Interpretable Meta-analysis: Transporting Inferences from Multiple Randomized Trials to a New Target Population. *Epidemiology (Cambridge, Mass.)*, 31(3), 334–344. <https://doi.org/10.1097/EDE.0000000000001177>

Debray, T. P. A., Moons, K. G. M., Abo-Zaid, G. M. A., Koffijberg, H., & Riley, R. D. (2013).

Individual Participant Data Meta-Analysis for a Binary Outcome: One-Stage or Two-Stage? *PLoS ONE*, 8(4), e60650. <https://doi.org/10.1371/journal.pone.0060650>

Debray, T. P. A., Moons, K. G. M., Valkenhoef, G. van, Efthimiou, O., Hummel, N., Groenwold, R. H. H., & Reitsma, J. B. (2015). Get real in individual participant data (IPD) meta-analysis: A review of the methodology. *Research Synthesis Methods*, 6(4), 293–309.

<https://doi.org/10.1002/jrsm.1160>

Degtiar, I., & Rose, S. (2023). A Review of Generalizability and Transportability. *Annual Review of Statistics and Its Application*, 10(Volume 10, 2023), 501–524.

<https://doi.org/10.1146/annurev-statistics-042522-103837>

Donegan, S., Williamson, P., D'Alessandro, U., Garner, P., & Smith, C. T. (2013). Combining individual patient data and aggregate data in mixed treatment comparison meta-analysis:

Individual patient data may be beneficial if only for a subset of trials. *Statistics in Medicine*, 32(6), 914–930. <https://doi.org/10.1002/sim.5584>

Dunst, C. J., Simkus, A., & Hamby, D. W. (2012). Effects of reading to infants and toddlers on their early language development. *CELLreviews*, 5(4).

Eisenhauer, J. G. (2021). Meta-analysis and mega-analysis: A simple introduction. *Teaching Statistics*, 43(1), 21–27. <https://doi.org/10.1111/test.12242>

- Fisher, D. J., Copas, A. J., Tierney, J. F., & Parmar, M. K. B. (2011). A critical review of methods for the assessment of patient-level interactions in individual participant data meta-analysis of randomized trials, and guidance for practitioners. *Journal of Clinical Epidemiology*, 64(9), 949–967. <https://doi.org/10.1016/j.jclinepi.2010.11.016>
- Friedrich, J. O., Adhikari, N. K., & Beyene, J. (2008). The ratio of means method as an alternative to mean differences for analyzing continuous outcome variables in meta-analysis: A simulation study. *BMC Medical Research Methodology*, 8(1), 32. <https://doi.org/10.1186/1471-2288-8-32>
- Glass, G. V. (1976). Primary, Secondary, and Meta-Analysis of Research. *Educational Researcher*, 5(10), 3–8. <https://doi.org/10.2307/1174772>
- Goldstein, H., Browne, W., & Rasbash, J. (2002). Multilevel modelling of medical data. *Statistics in Medicine*, 21(21), 3291–3315. <https://doi.org/10.1002/sim.1264>
- Goldstein, H., Yang, M., Omar, R., Turner, R., & Thompson, S. (2000). Meta-Analysis Using Multilevel Models with an Application to the Study of Class Size Effects. *Journal of the Royal Statistical Society. Series C (Applied Statistics)*, 49(3), 399–412. <https://www.jstor.org/stable/2680773>
- Hall, D. B. (2000). Zero-Inflated Poisson and Binomial Regression with Random Effects: A Case Study. *Biometrics*, 56(4), 1030–1039. <https://doi.org/10.1111/j.0006-341X.2000.01030.x>
- Harrer, M., Miguel, C., Luo, Y., Ostinelli, E. G., Karyotaki, E., Leucht, S., Furukawa, T. A., & Cuijpers, P. (2025). Standardized effect sizes are far from “Standardized”: A primer and empirical illustration in depression psychotherapy meta-analyses. *PLOS Mental Health*, 2(7), e0000347. <https://doi.org/10.1371/journal.pmen.0000347>
- Hedges, L. V. (1981). Distribution Theory for Glass’s Estimator of Effect size and Related Estimators. *Journal of Educational Statistics*, 6(2), 107–128. <https://doi.org/10.3102/10769986006002107>
- Hedges, L. V., Gurevitch, J., & Curtis, P. S. (1999). The Meta-Analysis of Response Ratios in Experimental Ecology. *Ecology*, 80(4), 1150–1156.

[https://doi.org/10.1890/0012-9658\(1999\)080%5B1150:TMAORR%5D2.0.CO;2](https://doi.org/10.1890/0012-9658(1999)080%5B1150:TMAORR%5D2.0.CO;2)

Hedges, L. V., & Vevea, J. L. (1998). Fixed- and random-effects models in meta-analysis.

*Psychological Methods*, 3(4), 486–504. <https://doi.org/10.1037/1082-989X.3.4.486>

Hensums, M., Mooij, B. de, Kuijper, S. C., BIRC: the anti-Bullying Interventions Research Consortium, Fekkes, M., & Overbeek, G. (2023). What Works for Whom in School-Based Anti-bullying Interventions? An Individual Participant Data Meta-analysis. *Prevention Science: The Official Journal of the Society for Prevention Research*, 24(8), 1435–1446.

<https://doi.org/10.1007/s11121-022-01387-z>

Hernández, A. V., Eijkemans, M. J. C., & Steyerberg, E. W. (2006). Randomized Controlled Trials With Time-to-Event Outcomes: How Much Does Prespecified Covariate Adjustment Increase Power? *Annals of Epidemiology*, 16(1), 41–48.

<https://doi.org/10.1016/j.annepidem.2005.09.007>

Higgins, J. P., Whitehead, A., Turner, R. M., Omar, R. Z., & Thompson, S. G. (2001).

Meta-analysis of continuous outcome data from individual patients. *Statistics in Medicine*, 20(15), 2219–2241. <https://doi.org/10.1002/sim.918>

Hofer, S. M., & Piccinin, A. M. (2009). Integrative data analysis through coordination of measurement and analysis protocol across independent longitudinal studies. *Psychological Methods*, 14(2), 150–164. <https://doi.org/10.1037/a0015566>

Hopkins, W. G., & Rowlands, D. S. (2024). Standardization and other approaches to meta-analyze differences in means. *Statistics in Medicine*, 43(16), 3092–3108.

<https://doi.org/10.1002/sim.10114>

Hornburg, C. B., Wang, L., & McNeil, N. M. (2018). Comparing meta-analysis and individual person data analysis using raw data on children's understanding of equivalence. *Child Development*, 89(6), 1983–1995. <https://doi.org/10.1111/cdev.13058>

Huang, M., & Anderson, C. (2021). A Bayesian Solution to Non-convergence of Crossed Random Effects Models. In M. Wiberg, D. Molenaar, J. González, U. Böckenholt, & J.-S. Kim (Eds.), *Quantitative Psychology* (pp. 297–307). Springer International Publishing.

[https://doi.org/10.1007/978-3-030-74772-5\\_27](https://doi.org/10.1007/978-3-030-74772-5_27)

- Ioannidis, J. P. A. (2017). Next-generation systematic reviews: Prospective meta-analysis, individual-level data, networks and umbrella reviews. *British Journal of Sports Medicine*, 51(20), 1456–1458. <https://doi.org/10.1136/bjsports-2017-097621>
- Ioannidis, J. P. A., Rosenberg, P. S., Goedert, J. J., O'Brien, T. R., & International Meta-analysis of HIV Host Genetics. (2002). Commentary: Meta-analysis of individual participants' data in genetic epidemiology. *American Journal of Epidemiology*, 156(3), 204–210. <https://doi.org/10.1093/aje/kwf031>
- Jackson, C., Best, N., & Richardson, S. (2006). Improving ecological inference using individual-level data. *Statistics in Medicine*, 25(12), 2136–2159. <https://doi.org/10.1002/sim.2370>
- Jackson, C., Best, Nicky, & Richardson, S. (2008). Hierarchical related regression for combining aggregate and individual data in studies of socio-economic disease risk factors. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 171(1), 159–178. <https://doi.org/10.1111/j.1467-985X.2007.00500.x>
- Jansen, J. P. (2012). Network meta-analysis of individual and aggregate level data. *Research Synthesis Methods*, 3(2), 177–190. <https://doi.org/10.1002/jrsm.1048>
- Jeng, G. T., Scott, J. R., & Burmeister, L. F. (1995). A comparison of meta-analytic results using literature vs individual patient data. Paternal cell immunization for recurrent miscarriage. *Journal of the American Medical Association*, 274(10), 830–836.
- Jones, A. P., Riley, R. D., Williamson, P. R., & Whitehead, A. (2009). Meta-analysis of individual patient data versus aggregate data from longitudinal clinical trials. *Clinical Trials (London, England)*, 6(1), 16–27. <https://doi.org/10.1177/1740774508100984>
- Kaufmann, E., Reips, U.-D., & Maag Merki, K. (2016). Avoiding methodological biases in meta-analysis: Use of online versus offline individual participant data (IPD) in educational psychology. *Zeitschrift Für Psychologie*, 224(3), 157–167. <https://doi.org/10.1027/2151-2604/a000251>

- Kontopantelis, E. (2018). A comparison of one-stage vs two-stage individual patient data meta-analysis methods: A simulation study. *Research Synthesis Methods*, 9(3), 417–430. <https://doi.org/10.1002/jrsm.1303>
- Koopman, L., Heijden, G. J. M. G. van der, Hoes, A. W., Grobbee, D. E., & Rovers, M. M. (2008). Empirical comparison of subgroup effects in conventional and individual patient data meta-analyses. *International Journal of Technology Assessment in Health Care*, 24(3), 358–361. <https://doi.org/10.1017/S0266462308080471>
- Kvarven, A., Strømmland, E., & Johannesson, M. (2020). Comparing meta-analyses and preregistered multiple-laboratory replication projects. *Nature Human Behaviour*, 4(4), 423–434. <https://doi.org/10.1038/s41562-019-0787-z>
- Lambert, P. C., Sutton, A. J., Abrams, K. R., & Jones, D. R. (2002). A comparison of summary patient-level covariates in meta-regression with individual patient data meta-analysis. *Journal of Clinical Epidemiology*, 55(1), 86–94. [https://doi.org/10.1016/s0895-4356\(01\)00414-0](https://doi.org/10.1016/s0895-4356(01)00414-0)
- Lee, A. H., Wang, K., Scott, J. A., Yau, K. K. W., & McLachlan, G. J. (2006). Multi-level zero-inflated Poisson regression modelling of correlated count data with excess zeros. *Statistical Methods in Medical Research*, 15(1), 47–61. <https://doi.org/10.1191/0962280206sm429oa>
- Li, Z., & Meredith, M. P. and. (2003). Exploring the Relationship Between Surrogates and Clinical Outcomes: Analysis of Individual Patient Data vs. Meta-regression on Group-Level Summary Statistics. *Journal of Biopharmaceutical Statistics*, 13(4), 777–792. <https://doi.org/10.1081/BIP-120024209>
- Lyman, G. H., & Kuderer, N. M. (2005). The strengths and limitations of meta-analyses based on aggregate data. *BMC Medical Research Methodology*, 5(1), 14. <https://doi.org/10.1186/1471-2288-5-14>
- Marcoulides, K. M., & Grimm, K. J. (2017). Data Integration Approaches to Longitudinal Growth Modeling. *Educational and Psychological Measurement*, 77(6), 971–989. <https://doi.org/10.1177/0013164416664117>



- Martineau, A. R., Jolliffe, D. A., Hooper, R. L., Greenberg, L., Aloia, J. F., Bergman, P., Dubnov-Raz, G., Esposito, S., Ganmaa, D., Ginde, A. A., Goodall, E. C., Grant, C. C., Griffiths, C. J., Janssens, W., Laaksi, I., Manaseki-Holland, S., Mauger, D., Murdoch, D. R., Neale, R., ... Camargo, C. A. (2017). Vitamin D supplementation to prevent acute respiratory tract infections: Systematic review and meta-analysis of individual participant data. *BMJ (Clinical Research Ed.)*, 356, i6583. <https://doi.org/10.1136/bmj.i6583>
- Massell, D., Goertz, M. E., & Barnes, C. A. (2012). State Education Agencies' Acquisition and Use of Research Knowledge for School Improvement. *Peabody Journal of Education*, 87(5), 609–626. <https://doi.org/10.1080/0161956X.2012.723506>
- Mathew, T., & Nordström, K. (1999). On the equivalence of meta-analysis using literature and using individual patient data. *Biometrics*, 55(4), 1221–1223. <https://doi.org/10.1111/j.0006-341x.1999.01221.x>
- Mathur, M. B. (2022). *Statistical methods for evidence synthesis* [PhD thesis, ProQuest Dissertations & Theses Global]. <https://www.proquest.com/pqdtglobal/docview/2457305565/782F027256784558PQ/2?accountid=465>
- Maynard, R. (2024). Improving the Usefulness and Use of Meta-Analysis to Inform Policy and Practice. *Evaluation Review*, 48(3), 515–543. <https://doi.org/10.1177/0193841X241229885>
- McArdle, J. J., Grimm, K. J., Hamagami, F., Bowles, R. P., & Meredith, W. (2009). Modeling life-span growth curves of cognition using longitudinal data with multiple samples and changing scales of measurement. *Psychological Methods*, 14(2), 126–149. <https://doi.org/10.1037/a0015857>
- Michiels, S., Baujat, B., Mahé, C., Sargent, D. J., & Pignon, J. P. (2005). Random effects survival models gave a better understanding of heterogeneity in individual patient data meta-analyses. *Journal of Clinical Epidemiology*, 58(3), 238–245. <https://doi.org/10.1016/j.jclinepi.2004.08.013>
- Morris, T. P., Fisher, D. J., Kenward, M. G., & Carpenter, J. R. (2018). Meta-analysis of Gaussian individual patient data: Two-stage or not two-stage? *Statistics in Medicine*, 37(9), 1419–1438.



<https://doi.org/10.1002/sim.7589>

Nevitt, S. J., Marson, A. G., Davie, B., Reynolds, S., Williams, L., & Smith, C. T. (2017).

Exploring changes over time and characteristics associated with data retrieval across individual participant data meta-analyses: Systematic review. *BMJ (Clinical Research Ed.)*, 357, j1390. <https://doi.org/10.1136/bmj.j1390>

Olkin, I. (1995). Statistical and theoretical considerations in meta-analysis. *Journal of Clinical Epidemiology*, 48(1), 133–146; discussion 147.

[https://doi.org/10.1016/0895-4356\(94\)00136-e](https://doi.org/10.1016/0895-4356(94)00136-e)

Olkin, I., & Sampson, A. (1998). Comparison of Meta-Analysis Versus Analysis of Variance of Individual Patient Data. *Biometrics*, 54(1), 317–322. <https://doi.org/10.2307/2534018>

Papadimitropoulou, K., Stijnen, T., Dekkers, O. M., & Cessie, S. le. (2019). One-stage random effects meta-analysis using linear mixed models for aggregate continuous outcome data. *Research Synthesis Methods*, 10(3), 360–375. <https://doi.org/10.1002/jrsm.1331>

Peko-Spicer, S. (2024a). *Maximizing scientific impact and optimizing review resources through a collaborative approach to evidence synthesis*. Paper presentation at the Annual Meeting of the American Educational Research Association, Philadelphia, PA.

Peko-Spicer, S. (2024b). *Methodological approaches for equity-oriented evidence synthesis*. Paper presentation at the Annual Meeting of the American Educational Research Association, Philadelphia, PA.

Piepho, H. P., Williams, E. R., & Madden, L. V. (2012). The use of two-way linear mixed models in multitreatment meta-analysis. *Biometrics*, 68(4), 1269–1277. <https://doi.org/10.1111/j.1541-0420.2012.01786.x>

Pigott, T. D. (2012). Including Individual Participant Data in Meta-analysis. In T. D. Pigott (Ed.), *Advances in Meta-Analysis* (pp. 109–131). Springer US. [https://doi.org/10.1007/978-1-4614-2278-5\\_8](https://doi.org/10.1007/978-1-4614-2278-5_8)

Pigott, T. D., Williams, R., & Polanin, J. (2012). Combining individual participant and aggregated data in a meta-analysis with correlational studies. *Research Synthesis Methods*,

- 3(4), 257–268. <https://doi.org/10.1002/jrsm.1051>
- Pinheiro, J., Bates, D., DebRoy, S., Sarkar, D., & R Core Team, the. (2022). *Nlme: Linear and nonlinear mixed effects models*. <https://CRAN.R-project.org/package=nlme>
- Polanin, J. R. (2018). Efforts to retrieve individual participant data sets for use in a meta-analysis result in moderate data sharing but many data sets remain missing. *Journal of Clinical Epidemiology*, 98, 157–159. <https://doi.org/10.1016/j.jclinepi.2017.12.014>
- Polanin, J. R. (2024). *Examining specific group effects through differential effects meta-analysis*. Paper presentation at the Annual Meeting of the American Educational Research Association, Philadelphia, PA.
- Polanin, J. R., & Terzian, M. (2019). A data-sharing agreement helps to increase researchers' willingness to share primary data: Results from a randomized controlled trial. *Journal of Clinical Epidemiology*, 106, 60–69. <https://doi.org/10.1016/j.jclinepi.2018.10.006>
- Pustejovsky, J. E., & Tipton, E. (2022). Meta-analysis with Robust Variance Estimation: Expanding the Range of Working Models. *Prevention Science*, 23(3), 425–438. <https://doi.org/10.1007/s11121-021-01246-3>
- Raudenbush, S. W., & Bryk, A. S. (2002). Estimating the effects of individual organizations. In *Hierarchical linear models: Applications and data analysis methods* (2nd ed., pp. 161–201). Sage Publications.
- Ravva, P., Karlsson, M. O., & French, J. L. (2014). A linearization approach for the model-based analysis of combined aggregate and individual patient data. *Statistics in Medicine*, 33(9), 1460–1476. <https://doi.org/10.1002/sim.6045>
- Riley, R. D., Abrams, K. R., Sutton, A. J., Lambert, P. C., & Thompson, J. R. (2007). Bivariate random-effects meta-analysis and the estimation of between-study correlation. *BMC Medical Research Methodology*, 7, 3. <https://doi.org/10.1186/1471-2288-7-3>
- Riley, R. D., Burke, D. L., & Morris, T. (2021). One-stage versus Two-stage Approach to IPD Meta-Analysis. In *Individual Participant Data Meta-Analysis* (pp. 199–217). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781119333784.ch8>

- Riley, R. D., Debray, T. P. A., Fisher, D., Hattle, M., Marlin, N., Hoogland, J., Gueyffier, F., Staessen, J. A., Wang, J., Moons, K. G. M., Reitsma, J. B., & Ensor, J. (2020). Individual participant data meta-analysis to examine interactions between treatment effect and participant-level covariates: Statistical recommendations for conduct and planning. *Statistics in Medicine*, 39(15), 2115–2137. <https://doi.org/10.1002/sim.8516>
- Riley, R. D., Dodd, S. R., Craig, J. V., Thompson, J. R., & Williamson, P. R. (2008). Meta-analysis of diagnostic test studies using individual patient data and aggregate data. *Statistics in Medicine*, 27(29), 6111–6136. <https://doi.org/10.1002/sim.3441>
- Riley, R. D., Ensor, J., Hattle, M., Papadimitropoulou, K., & Morris, T. P. (2023). Two-stage or not two-stage? That is the question for IPD meta-analysis projects. *Research Synthesis Methods*, 14(6), 903–910. <https://doi.org/10.1002/jrsm.1661>
- Riley, R. D., Lambert, P. C., & Abo-Zaid, G. (2010). Meta-analysis of individual participant data: Rationale, conduct, and reporting. *BMJ*, 340, c221. <https://doi.org/10.1136/bmj.c221>
- Riley, R. D., Lambert, P. C., Staessen, J. A., Wang, J., Gueyffier, F., Thijs, L., & Bouët, F. (2008). Meta-analysis of continuous outcomes combining individual patient data and aggregate data. *Statistics in Medicine*, 27(11), 1870–1893. <https://doi.org/10.1002/sim.3165>
- Riley, R. D., Simmonds, M., & Look, M. (2007). Evidence synthesis combining individual patient data and aggregate data: A systematic review identified current practice and possible methods. *Journal of Clinical Epidemiology*, 60 5, 431–439. <https://doi.org/10.1016/J.JCLINEPI.2006.09.009>
- Riley, R. D., Stewart, L. A., & Tierney, J. F. (2021). Individual Participant Data Meta-Analysis for Healthcare Research. In *Individual Participant Data Meta-Analysis* (pp. 1–6). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781119333784.ch1>
- Robitaille, A., Hout, A. van den, Machado, R. J. M., Bennett, D. A., Čukić, I., Deary, I. J., Hofer, S. M., Hoogendijk, E. O., Huisman, M., Johansson, B., Koval, A. V., Noordt, M. van der, Piccinin, A. M., Rijnhart, J. J. M., Singh-Manoux, A., Skoog, J., Skoog, I., Starr, J., Vermunt, L., ... Muniz Terrera, G. (2018). Transitions across cognitive states and death among older

- adults in relation to education: A multistate survival model using data from six longitudinal studies. *Alzheimer's & Dementia*, 14(4), 462–472. <https://doi.org/10.1016/j.jalz.2017.10.003>
- Roisman, G. I., & IJzendoorn, M. H. van. (2018). Meta-analysis and Individual Participant Data Synthesis in Child Development: Introduction to the Special Section. *Child Development*, 89(6), 1939–1942. <https://www.jstor.org/stable/45047064>
- Rott, K. W., Clark, J. M., Murad, M. H., Hodges, J. S., & Huling, J. (2024). Causally interpretable meta-analysis combining aggregate and individual participant data. *American Journal of Epidemiology*, kwae371. <https://doi.org/10.1093/aje/kwae371>
- Royston, P., & Sauerbrei, W. (2004). A new approach to modelling interactions between treatment and continuous covariates in clinical trials by using fractional polynomials. *Statistics in Medicine*, 23(16), 2509–2525. <https://doi.org/10.1002/sim.1815>
- Saramago, P., Sutton, A. J., Cooper, N. J., & Manca, A. (2012). Mixed treatment comparisons using aggregate and individual participant level data. *Statistics in Medicine*, 31(28), 3516–3536. <https://doi.org/10.1002/sim.5442>
- Sargent, D. J. (1998). A general framework for random effects survival analysis in the Cox proportional hazards setting. *Biometrics*, 54(4), 1486–1497.
- Scherer, R., & Teo, T. (2020). A tutorial on the meta-analytic structural equation modeling of reliability coefficients. *Psychological Methods*, 25(6), 747–775. <https://doi.org/10.1037/met0000261>
- Schmid, C. H., Stark, P. C., Berlin, J. A., Landais, P., & Lau, J. (2004). Meta-regression detected associations between heterogeneous treatment effects and study-level, but not patient-level, factors. *Journal of Clinical Epidemiology*, 57(7), 683–697. <https://doi.org/10.1016/j.jclinepi.2003.12.001>
- Simmonds, M. C., & Higgins, J. P. T. (2007). Covariate heterogeneity in meta-analysis: Criteria for deciding between meta-regression and individual patient data. *Statistics in Medicine*, 26(15), 2982–2999. <https://doi.org/10.1002/sim.2768>
- Simmonds, M. C., Higgins, J. P. T., Stewart, L. A., Tierney, J. F., Clarke, M. J., & Thompson, S. G.

- (2005). Meta-analysis of individual patient data from randomized trials: A review of methods used in practice. *Clinical Trials*, 2(3), 209–217. <https://doi.org/10.1191/1740774505cn087oa>
- Smith, C. T., Williamson, P. R., & Marson, A. G. (2005a). An overview of methods and empirical comparison of aggregate data and individual patient data results for investigating heterogeneity in meta-analysis of time-to-event outcomes. *Journal of Evaluation in Clinical Practice*, 11(5), 468–478. <https://doi.org/10.1111/j.1365-2753.2005.00559.x>
- Smith, C. T., Williamson, P. R., & Marson, A. G. (2005b). Investigating heterogeneity in an individual patient data meta-analysis of time to event outcomes. *Statistics in Medicine*, 24(9), 1307–1319. <https://doi.org/10.1002/sim.2050>
- Steinberg, K. K., Smith, S. J., Stroup, D. F., Olkin, I., Lee, N. C., Williamson, G. D., & Thacker, S. B. (1997). Comparison of effect estimates from a meta-analysis of summary data from published studies and from a meta-analysis using individual patient data for ovarian cancer studies. *American Journal of Epidemiology*, 145(10), 917–925. <https://doi.org/10.1093/oxfordjournals.aje.a009051>
- Stewart, G. B., Altman, D. G., Askie, L. M., Duley, L., Simmonds, M. C., & Stewart, L. A. (2012). Statistical analysis of individual participant data meta-analyses: A comparison of methods and recommendations for practice. *PloS One*, 7(10), e46042. <https://doi.org/10.1371/journal.pone.0046042>
- Stewart, L. A., & Tierney, J. F. (2002). To IPD or not to IPD?: Advantages and Disadvantages of Systematic Reviews Using Individual Patient Data. *Evaluation & the Health Professions*, 25(1), 76–97. <https://doi.org/10.1177/0163278702025001006>
- Stijnen, T., Hamza, T. H., & Ozdemir, P. (2010). Random effects meta-analysis of event outcome in the framework of the generalized linear mixed model with applications in sparse data. *Statistics in Medicine*, 29(29), 3046–3067. <https://doi.org/10.1002/sim.4040>
- Sutton, A., Kendrick, D., & Coupland, C. (2008). Meta-analysis of individual- and aggregate-level data. *Statistics in Medicine*, 27, null. <https://doi.org/10.1002/SIM.2916>
- Therrien, W. J., Zaman, M., & Banda, D. R. (2011). How Can Meta-Analyses Guide Practice? A

- Review of the Learning Disability Research Base. *Remedial and Special Education*, 32(3), 206–218. <https://doi.org/10.1177/0741932510361266>
- Thomas, D., Radji, S., & Benedetti, A. (2014). Systematic review of methods for individual patient data meta-analysis with binary outcomes. *BMC Medical Research Methodology*, 14(1), 79. <https://doi.org/10.1186/1471-2288-14-79>
- Thompson, A. (2009). Thinking big: Large-scale collaborative research in observational epidemiology. *European Journal of Epidemiology*, 24(12), 727–731. <https://doi.org/10.1007/s10654-009-9412-1>
- Thompson, S. G., & Higgins, J. P. T. (2002). How should meta-regression analyses be undertaken and interpreted? *Statistics in Medicine*, 21(11), 1559–1573. <https://doi.org/10.1002/sim.1187>
- Thompson, S. G., Turner, R. M., & Warn, D. E. (2001). Multilevel models for meta-analysis, and their application to absolute risk differences. *Statistical Methods in Medical Research*, 10(6), 375–392. <https://doi.org/10.1177/096228020101000602>
- Tierney, J. F., Clarke, M., & Stewart, L. A. (2000). Is there bias in the publication of individual patient data meta-analyses? *International Journal of Technology Assessment in Health Care*, 16(2), 657–667. <https://doi.org/10.1017/s0266462300101217>
- Tierney, J. F., Vale, C., Riley, R., Smith, C. T., Stewart, L., Clarke, M., & Rovers, M. (2015). Individual Participant Data (IPD) Meta-analyses of Randomised Controlled Trials: Guidance on Their Use. *PLOS Medicine*, 12(7), e1001855. <https://doi.org/10.1371/journal.pmed.1001855>
- Tipton, E. (2014). Generalizability to what? How generalizability theory can advance our understanding of the external validity of experiments. *Journal of Educational and Behavioral Statistics*, 39(6), 1–26. <https://doi.org/10.3102/1076998614558486>
- Tipton, E., Bryan, C., Murray, J., McDaniel, M., Schneider, B., & Yeager, D. S. (2023). Why Meta-Analyses of Growth Mindset and Other Interventions Should Follow Best Practices for Examining Heterogeneity: Commentary on Macnamara and Burgoyne (2023) and Burnette et al. (2023). *Psychological Bulletin*, 149(3-4), 229–241. <https://doi.org/10.1037/bul0000384>

- Tipton, E., & Olsen, R. B. (2022). *Enhancing the generalizability of impact studies in education* (NCEE 2022-003). U.S. Department of Education, Institute of Education Sciences, National Center for Education Evaluation; Regional Assistance.
- Toste, J. R., Farris, E., Shero, J., Logan, J., Hart, S., & Lindo, E. (2024). *Data integration to advance evidence in special education research: Exploring racial differences in reading intervention effectiveness*. Poster presentation at the Society for Research on Educational Effectiveness, Baltimore, MD.
- Trusheim, M. R., Berndt, E. R., & Douglas, F. L. (2007). Stratified medicine: Strategic and economic implications of combining drugs and clinical biomarkers. *Nature Reviews. Drug Discovery*, 6(4), 287–293. <https://doi.org/10.1038/nrd2251>
- Tudur, C., Williamson, P. R., Khan, S., & Best, L. Y. (2001). The Value of the Aggregate Data Approach in Meta-Analysis with Time-to-Event Outcomes. *Journal of the Royal Statistical Society Series A: Statistics in Society*, 164(2), 357–370. <https://doi.org/10.1111/1467-985X.00207>
- Tudur Smith, C., & Williamson, P. R. (2007). A comparison of methods for fixed effects meta-analysis of individual patient data with time to event outcomes. *Clinical Trials (London, England)*, 4(6), 621–630. <https://doi.org/10.1177/1740774507085276>
- Turner, R. M., Omar, R. Z., Yang, M., Goldstein, H., & Thompson, S. G. (2000). A multilevel model framework for meta-analysis of clinical trials with binary outcomes. *Statistics in Medicine*, 19(24), 3417–3432. [https://doi.org/10.1002/1097-0258\(20001230\)19:24%3C3417::aid-sim614%3E3.0.co;2-1](https://doi.org/10.1002/1097-0258(20001230)19:24%3C3417::aid-sim614%3E3.0.co;2-1)
- Viechtbauer, W., & López-López, J. A. (2022). Location-scale models for meta-analysis. *Research Synthesis Methods*, 13(6), 697–715. <https://doi.org/10.1002/jrsm.1562>
- Wagenmakers, E.-J., Beek, T., Dijkhoff, L., Gronau, Q. F., Acosta, A., Adams Jr., R. B., Albohn, D. N., Allard, E. S., Benning, S. D., Blouin-Hudon, E.-M., Bulnes, L. C., Caldwell, T. L., Calin-Jageman, R. J., Capaldi, C. A., Carfagno, N. S., Chasten, K. T., Cleeremans, A., Connell, L., DeCicco, J. M., ... Zwaan, R. A. (2016). Registered Replication Report: Strack,



- Martin, & Stepper (1988). *Perspectives on Psychological Science*, 11(6), 917–928.  
<https://doi.org/10.1177/1745691616674458>
- Walraven, C. van. (2010). Individual patient meta-analysis—rewards and challenges. *Journal of Clinical Epidemiology*, 63(3), 235–237. <https://doi.org/10.1016/j.jclinepi.2009.04.001>
- Whitehead, A., Omar, R. Z., Higgins, J. P., Savaluny, E., Turner, R. M., & Thompson, S. G. (2001). Meta-analysis of ordinal outcomes using individual patient data. *Statistics in Medicine*, 20(15), 2243–2260. <https://doi.org/10.1002/sim.919>
- Wilcox, K. T., & Wang, L. (2023). Modeling approaches for cross-sectional integrative data analysis: Evaluations and recommendations. *Psychological Methods*, 28(1), 242–261.  
<https://doi.org/10.1037/met0000397>
- Yamaguchi, T., Ohashi, Y., & Matsuyama, Y. (2002). Proportional hazards models with random effects to examine centre effects in multicentre cancer clinical trials. *Statistical Methods in Medical Research*, 11(3), 221–236. <https://doi.org/10.1191/0962280202sm284ra>
- Yau, K. K. W., & Lee, A. H. (2001). Zero-inflated Poisson regression with random effects to evaluate an occupational injury prevention programme. *Statistics in Medicine*, 20(19), 2907–2920. <https://doi.org/10.1002/sim.860>
- Zettersten, M., Cox, C., Bergmann, C., Tsui, A. S. M., Soderstrom, M., Mayor, J., Lundwall, R. A., Lewis, M., Kosie, J. E., Kartushina, N., Fusaroli, R., Frank, M. C., Byers-Heinlein, K., Black, A. K., & Mathur, M. B. (2024). Evidence for Infant-directed Speech Preference Is Consistent Across Large-scale, Multi-site Replication and Meta-analysis. *Open Mind*, 8, 439–461. [https://doi.org/10.1162/opmi\\_a\\_00134](https://doi.org/10.1162/opmi_a_00134)