

Frame-to-Event Conversion Framework

José Antonio Zarco Romero

Technische Hochschule Ingolstadt

July 13, 2026

Table of Contents

- ① Background
- ② Literature Review
- ③ Framework Implementation
- ④ Evaluation
- ⑤ Conclusions

Background

Motivation

- ▶ Spiking Neural Networks (SNNs) work best with **asynchronous events** instead of RGB frames.
- ▶ Large RGB datasets are widely available, while **event-camera datasets are limited**.
- ▶ Goal: reuse existing RGB videos for event-based learning.
- ▶ Enable future models compatible with **both RGB and event cameras**.

Project Objective

Develop a lightweight, classical framework that converts RGB video into an event stream

$$(x, y, t, p)$$

- ▶ No deep learning
- ▶ Low computational cost
- ▶ Validated using DSEC ground truth

Table of Contents

- ① Background
- ② Literature Review
- ③ Framework Implementation
- ④ Evaluation
- ⑤ Conclusions

Literature Review

ESIM

Simulates DVS events using **3D rendering** and **adaptive sampling** based on optical flow.

High physical realism at the expense of **high computational cost**.

v2e

Converts video into events using **Super-SloMo interpolation**.

Includes **sensor non-idealities** for more realistic event generation.

Our Approach


Inspired by v2e, but designed as a **lightweight classical framework**.

Uses temporal intensity differences without interpolation or sensor simulation.

Table of Contents

- 1 Background
- 2 Literature Review
- 3 Framework Implementation
- 4 Evaluation
- 5 Conclusions

Framework Implementation



Event Generation

For every pixel, calculate the intensity change:

$$\Delta L = L_t - L_{t-1}$$

Generate an event if the change exceeds θ :

$$p = \begin{cases} +1, & \text{if } \Delta L > \theta \\ -1, & \text{if } \Delta L < -\theta \end{cases}$$

```
$ uv run python -m framework.cli \
  -i input.mp4 -o results \
  -t 0.1 --resize 640 480 --video
```


Table of Contents

- ① Background
- ② Literature Review
- ③ Framework Implementation
- ④ Evaluation
 - Visual Comparison
 - Quantitative Results
 - Object Detection
- ⑤ Conclusions

Visual Comparison

Evaluation on **Zurich City 13** a sequence (50 ms temporal windows).

Original DSEC Event Camera



Generated Synthetic Events





Table of Contents

- ① Background
- ② Literature Review
- ③ Framework Implementation
- ④ Evaluation
 - Visual Comparison
 - Quantitative Results
 - Object Detection
- ⑤ Conclusions

Quantitative Results

Event Count Correlation



Pearson Correlation: **0.709**
Tracks scene activity accurately.

Sparsity Yield

18.3%

Events retained with respect to ground-truth events.

Spatial Precision

93.5%

Spatial F1-score **0.86**
Events happen in the correct regions.


Table of Contents

- ① Background
- ② Literature Review
- ③ Framework Implementation
- ④ Evaluation
 - Visual Comparison
 - Quantitative Results
 - Object Detection
- ⑤ Conclusions

Object Detection

Tested with pre-trained **TWL SpikeYOLO**

DSEC Events



Synthetic Events



The detector successfully identifies several vehicles and pedestrians when using the original DSEC event stream. In contrast, when using the generated events, only a small number of detections remain.

Conclusions

Achievements

- ✓ Lightweight: Avoids expensive rendering & sub-frame interpolation
- ✓ Preserves scene dynamics and spatial event locations.
- ✓ Strong correlation with real event activity ($r = 0.709$).
- ✓ Reduces redundant events while maintaining moving structures.

Thank you!

github.com/jzarcoo/Frame-to-Event-Conversion-Framework

Bibliography

-  Delbruck, T., Hu, Y., & Liu, S. (2021). *v2e: From Video Frames to Realistic DVS Events*. Institute of Neuroinformatics, University of Zürich and ETH Zürich, Switzerland.
-  Gehrig, M., Aarents, W., Gehrig, D., Scaramuzza, D. (2021). DSEC: A stereo event camera dataset for driving scenarios. IEEE Robotics and Automation Letters.
<https://doi.org/10.1109/LRA.2021.3068942>
-  Gehrig, D., Rebecq, H., & Scaramuzza, D. (2018). *ESIM: an Open Event Camera Simulator*. Robotics and Perception Group, Depts. Informatics and Neuroinformatics, University of Zurich and ETH Zurich. https://rpg.ifi.uzh.ch/docs/CORL18_Rebecq.pdf

Bibliography



Gehrig, D., Scaramuzza, D. (2024). Low latency automotive vision with event cameras. Nature.



Khitushkin, K.S., Isakov, T.T., Bakhshiev, A.V. (2026). Using Spiking Neural Networks for Event and Multimodal Data Processing in Object Detection Tasks. In: Kryzhanovsky, B., Dunin-Barkowski, W., Redko, V., Tiumentsev, Y., Klimov, V.V. (eds) Advances in Neural Computation, Machine Learning, and Cognitive Research IX. NEUROINFORMATICS 2025. Studies in Computational Intelligence, vol 1241. Springer, Cham.

https://doi.org/10.1007/978-3-032-07690-8_10