

# **DEFAULT OS X KEYMAP**

## **Editing**

Class, method or variable)  ^\text{Space} Class name completion (the name of any projectclass independently of current imports)  # ↑ → Complete statement  # P Parameter info (within method call arguments)  ^ J, Middle button click Quick documentation lookup  ⑥ F1 External Doc  # + mouse over code Brief Info  # F1 Show descriptions of error or warning at caret one of the complete	^ Space	Basic code completion (the name of any
Class name completion (the name of any projectclass independently of current imports)  **↑ Complete statement  **P Parameter info (within method call arguments of parameter code  ****T Surround with  ****C Comment/uncomment with block comment of parameter select successively increasing code blocks of parameter info of parameter increasing code blocks of parameter increasing code block of parameter increase current selection to previous state of parameter increase current selected lines of parameter increase of	Space	- · · · · · · · · · · · · · · · · · · ·
projectclass independently of current imports)  # ☆ → Complete statement  # P Parameter info (within method call arguments ^ J, Middle button click Quick documentation lookup  ☆ F1 External Doc  # + mouse over code Brief Info  # F1 Show descriptions of error or warning at caret ^ → , ^ N, # N Generate code  # O Override methods  # \ \tau \tau \tau \tau \tau \tau \tau \tau	^ \ <sup>-</sup> Space	
#↑ Complete statement #P Parameter info (within method call arguments ^J, Middle button click Quick documentation lookup  fl External Doc #+ mouse over code Brief Info #F1 Show descriptions of error or warning at caret ^J,^N, #N Generate code  O Override methods  T Surround with  // Comment/uncomment with line comment // Comment/uncomment with block comment // Select successively increasing code blocks // Decrease current selection to previous state // Select till code block end // Select till code block start // Show intention actions and quick-fixes // Show intention actions and quick-fixes // Decrease current selection to previous state // Select till code block start // Decrease current selection to previous state // Select till code block end // Will Select till code block to clipboard // Comment/uncomment with block comment // Decrease current selection to previous state // Select till code block end // Will Select till code block to clipboard // Comment/uncomment with block to clipboard // Decrease current line or selected block to clipboard // Decrease current line or selected block // Decrease current line or	Copace	-
#分・ Complete statement  ***********************************		
#P Parameter info (within method call arguments ^ J, Middle button click Quick documentation lookup ① F1 External Doc #+ mouse over code Brief Info #F1 Show descriptions of error or warning at care!	90 ^ >	
↑J, Middle button click Quick documentation lookup ①F1 External Doc  ※+ mouse over code Brief Info  ※F1 Show descriptions of error or warning at caret ↑→, ↑N, ※N Generate code  ※O Override methods  ※ 下T Surround with  ※/ Comment/uncomment with line comment  ※①/ Comment/uncomment with block comment  下①/ Select successively increasing code blocks  下↓ Decrease current selection to previous state  下※①] Select till code block end  下①※[ Select till code block start  下→ Show intention actions and quick-fixes  ※下L Reformat code  ※下O Optimize imports  ※下I Auto-indent line(s)  → Indent selected lines  ① → Unindent selected lines  ※ X Cut current line or selected block to clipboard  ※ X Cut current line or selected block to clipboard  ※ C Copy current line or selected block  *** ** ** ** ** ** ** ** ** **  *** **		· · · · · · · · · · · · · · · · · · ·
☆F1 External Doc  ※+ mouse over code Brief Info  ※F1 Show descriptions of error or warning at caret  ^→, ^N, *N Generate code  ※O Override methods  ※ YT Surround with  ※/ Comment/uncomment with line comment  ※①/ Comment/uncomment with block comment  Y1 Select successively increasing code blocks  Y2 Decrease current selection to previous state  Y3 3 Select till code block end  Y3 4 Select till code block start  Y4 Show intention actions and quick-fixes  ※ YL Reformat code  ※ YO Optimize imports  ※ YI Auto-indent line(s)  → Indent selected lines  ☆ → Unindent selected lines  ※ X Cut current line or selected block to clipboard  ※ X Cut current line or selected block to clipboard  ※ Y Paste from clipboard  ※ Y Paste from recent buffers  ※ D Duplicate current line or selected block  ★ OJ Smart line join  ※ → Smart line split  ☆ → Start new line  ※ ↑ U Toggle case for word at caret or selected block  Y ② Delete to word end  Y ③ Delete to word end  Y ③ Delete to word start  ※ +/ ※ - Expand/collapse code block  ※ ↑ + Expand all  ※ ↑ - Collapse all		, , ,
#+mouse over code Brief Info  #F1 Show descriptions of error or warning at caref	•	·
#F1 Show descriptions of error or warning at caref へみ, ^N, #N Generate code  ***O Override methods  ***T Surround with  ***/ Comment/uncomment with line comment  ***********************************		
↑→, ^N, 業N Generate code  ※O Override methods  ※ \tau Surround with  ※/ Comment/uncomment with line comment  ※介/ Comment/uncomment with block comment  \tau O Select successively increasing code blocks  \tau Decrease current selection to previous state  \tau \tau Select till code block end  \tau \tau Show intention actions and quick-fixes  \tau \tau Show intention actions and quick-fixes  \tau \tau Show intention actions and quick-fixes  \tau \tau Decrease current line(s)  \tau \tau Show intention actions and quick-fixes  \tau \tau Department		
#O Override methods  ***\T Surround with  **/ Comment/uncomment with line comment  **☆/ Comment/uncomment with block comment  **☆/ Select successively increasing code blocks  **\*\*  Decrease current selection to previous state  **☆/ Select till code block end  **☆/ Select till code block start  **☆/ Show intention actions and quick-fixes  **\*\*\*\ ***  Reformat code  **\*\*\ **\*\ Show intention actions and quick-fixes  **\*\ **\*\ Show intention actions and quick-fixes  **\*\ **\  No Optimize imports  **\*\ **\  No Optimize imports  **\*\  No Unindent selected lines  **\*\  Unindent selected lines  **\*\  Unindent selected lines  **\*\  Unindent selected block to clipboard  **\*\  **\  **\  **\  **\  **\  **\	****	
#\text{Y} Surround with  #/ Comment/uncomment with line comment  #命/ Comment/uncomment with block comment  Your Select successively increasing code blocks  Your Decrease current selection to previous state  Your Select till code block end  Your Select till code block start  Your Show intention actions and quick-fixes  #Your Optimize imports  #Your Auto-indent line(s)  Indent selected lines  Your Unindent selected lines  #X Cut current line or selected block to clipboard  #Your Paste from clipboard  #Your Paste from recent buffers  #D Duplicate current line or selected block  #Your Duplicate current line or selected block  #Your Paste from recent buffers  #D Duplicate current line or selected block  #Your Delete line at caret  Your Smart line join  #Your Start new line  #Your Toggle case for word at caret or selected block  Your Delete to word end  Your Delete to word end  Your Delete to word start  ##+/#-  Expand/collapse code block  ### Expand all  ### Collapse all		
#/ Comment/uncomment with line comment #命/ Comment/uncomment with block comment T1 Select successively increasing code blocks T1 Decrease current selection to previous state T3 Select till code block end T3 #6 Select till code block start T4 Show intention actions and quick-fixes #T1 Reformat code #T0 Optimize imports #T1 Auto-indent line(s) HIND Indent selected lines Unindent selected lines  T2 Copy current line or selected block to clipboard #T0 Copy current line or selected block to clipboard #T0 Paste from clipboard #T0 Paste from recent buffers #T1 Duplicate current line or selected block #T1 Toggle case for word at caret or selected block  T2 Smart line split  T3 Opelete to word end T4 Delete to word end T5 Delete to word start ## + /# - Expand/collapse code block ## Collapse all		
#命/ Comment/uncomment with block comment V1 Select successively increasing code blocks V1 Decrease current selection to previous state V第命] Select till code block end V分衆[ Select till code block start V2 Show intention actions and quick-fixes 第 VL Reformat code 第 V0 Optimize imports MV1 Auto-indent line(s) Indent selected lines Unindent selected lines Unindent selected block to clipboard 第 V Paste from clipboard 第 V Paste from recent buffers  # V Paste from recent buffers  # D Duplicate current line or selected block Delete line at caret 公子 Smart line join Smart line split 公子 Start new line Toggle case for word at caret or selected block Toggle case for word end Delete to word end Delete to word start # +/ # - Expand/collapse code block # Collapse all		
지 Select successively increasing code blocks 지나 Decrease current selection to previous state 지		,
T↓ Decrease current selection to previous state  T\$\frac{\pi}{2}\$ Select till code block end  T\$\frac{\pi}{2}\$ Select till code block start  T\$\frac{\pi}{2}\$ Select till code block start  T\$\frac{\pi}{2}\$ Show intention actions and quick-fixes  #TL Reformat code  #TO Optimize imports  #TL Auto-indent line(s)  #Indent selected lines  #Indent selected lines  Unindent selected lines  #TX Cut current line or selected block to clipboard  #TX Cut current line or selected block to clipboard  #TX Paste from clipboard  #TY Paste from recent buffers  #TY Duplicate current line or selected block  #TY Smart line join  #TY Smart line split  #TY Start new line  #TY Opelete to word at caret or selected block  TY Delete to word end  TY Delete to word end  TY Delete to word start  #TY Start new line  #TY Delete to word start  #TY Expand/collapse code block  #TY Expand all  #TY Collapse all		
下幾分		
Select till code block start  Y→ Show intention actions and quick-fixes  **YL Reformat code  **YO Optimize imports  **YI Auto-indent line(s)  → Indent selected lines  Unindent selected lines  **X Cut current line or selected block to clipboard  **X Cut current line or selected block to clipboard  **Y Paste from clipboard  **Y Paste from recent buffers  **D Duplicate current line or selected block  **X Delete line at caret  **A' Delete line at caret  **A' Delete line at caret  **A' Delete line split  **A' Delete to word at caret or selected block  **YO Delete to word end  **YO Delete to word end  **YO Delete to word start  **YO Expand all  **A' Collapse all	:	•
Show intention actions and quick-fixes  # ``L Reformat code  # ``C Optimize imports  # ``L Auto-indent line(s)  Indent selected lines  Unindent selected lines  * ``X Cut current line or selected block to clipboard  # ``C Copy current line or selected block  to clipboard  # ``V Paste from clipboard  # ``A V Paste from recent buffers  # ``D Duplicate current line or selected block  # ``G Delete line at caret  ``A ``J Smart line join  # ``P Smart line split  \[ \forall \cup \]  \$ ``Start new line  # ``A ``U Toggle case for word at caret or selected block  \[ \forall \cup \]  \[ \forall \cup \]  Delete to word end  \[ \forall \cup \]  Delete to word start  # * / * * Expand/collapse code block  # `\forall \cup \cup \cup \cup \cup \cup \cup \cup		
第下L Reformat code 第下O Optimize imports 第下I Auto-indent line(s) Indent selected lines 分→I Unindent selected lines 第X Cut current line or selected block to clipboard 第C Copy current line or selected block to clipboard 第V Paste from clipboard 第企V Paste from recent buffers 第D Duplicate current line or selected block 第金 Delete line at caret 介 J Smart line join 第 中 Smart line split 介 中 Start new line 第介 U Toggle case for word at caret or selected block 下函 Delete to word end 下函 Delete to word start 第十/第 - Expand/collapse code block 第 中 Expand all 第 Collapse all		
第下O Optimize imports 第下I Auto-indent line(s) ・ Indent selected lines 分・ Unindent selected lines ※X Cut current line or selected block to clipboard 第C Copy current line or selected block to clipboard 第V Paste from clipboard 第企V Paste from recent buffers 第D Duplicate current line or selected block ※② Delete line at caret 今少 Smart line join ※・ Smart line split 分・ Start new line 第令 U Toggle case for word at caret or selected block 下函 Delete to word end 下函 Delete to word end 下函 Delete to word start ※・ Expand/collapse code block ※分・ Expand all ※分・ Collapse all		
# VI Auto-indent line(s)  Indent selected lines  ① → Unindent selected lines  # X Cut current line or selected block to clipboard  # C Copy current line or selected block to clipboard  # V Paste from clipboard  # ① V Paste from recent buffers  # D Duplicate current line or selected block  # ② Delete line at caret  ^ ① J Smart line join  # → Start new line # ① Toggle case for word at caret or selected block  N ② Delete to word end  N ② Delete to word end  N ② Delete to word start  # + / # - Expand/collapse code block  # ② Expand all  # ② Collapse all		
Indent selected lines   O→1		·
①→I Unindent selected lines  策X Cut current line or selected block to clipboard  策C Copy current line or selected block to clipboard  策V Paste from clipboard  策ひ Paste from recent buffers  策D Duplicate current line or selected block  繁図 Delete line at caret  ^① J Smart line join  策→ Smart line split  ① → Start new line  第① Toggle case for word at caret or selected block  下図 Delete to word end  下図 Delete to word end  下図 Delete to word start  策+/第- Expand/collapse code block  ※①+ Expand all  %①- Collapse all	#7I	Auto-indent line(s)
<ul> <li>業X Cut current line or selected block to clipboard</li> <li>業V Paste from clipboard</li> <li>業 ↑ Paste from recent buffers</li> <li>業 D Duplicate current line or selected block</li> <li>業 ② Delete line at caret</li> <li>介 J Smart line join</li> <li>業 → Start new line</li> <li>業 ↑ U Toggle case for word at caret or selected block</li> <li>下 ② Delete to word end</li> <li>下 ② Delete to word start</li> <li>業 +/業 - Expand/collapse code block</li> <li>業 ↑ + Expand all</li> <li>業 ↑ - Collapse all</li> </ul>	<b>→</b> I	
#C Copy current line or selected block to clipboard  **V Paste from clipboard  *********  **C Copy current line or selected block to clipboard  *********  **C Paste from recent buffers  **D Duplicate current line or selected block  *******  **D Duplicate current line or selected block  *****  **D Smart line join  *****  ****  ****  ****  ****  ****  ****	<del>।</del>	
to clipboard    **V Paste from clipboard   **OV Paste from recent buffers   **D Duplicate current line or selected block   ***	жx	Cut current line or selected block to clipboard
<ul> <li>※ V Paste from clipboard</li> <li>※ ↑ V Paste from recent buffers</li> <li>※ D Duplicate current line or selected block</li> <li>※ △ Delete line at caret</li> <li>^ ↑ ↑ J Smart line join</li> <li>※ → Smart line split</li> <li>↑ ← Start new line</li> <li>※ ↑ U Toggle case for word at caret or selected block</li> <li>▼ △ Delete to word end</li> <li>▼ △ Delete to word start</li> <li>※ + / ※ - Expand/collapse code block</li> <li>※ ↑ + Expand all</li> <li>※ ↑ - Collapse all</li> </ul>	<b></b> ₩ C	Copy current line or selected block
<ul> <li>第分V Paste from recent buffers</li> <li>第D Duplicate current line or selected block</li> <li>第金 Delete line at caret</li> <li>^分J Smart line join</li> <li>第中 Smart line split</li> <li>分中 Start new line</li> <li>第分U Toggle case for word at caret or selected block</li> <li>下函 Delete to word end</li> <li>下函 Delete to word start</li> <li>第十/第一 Expand/collapse code block</li> <li>第分中 Expand all</li> <li>第分中 Collapse all</li> </ul>		to clipboard
#D Duplicate current line or selected block  # ② Delete line at caret  ^ ① J Smart line join  # → Smart line split  ① → Start new line  # ① U Toggle case for word at caret or selected block  ▼ ② Delete to word end  ▼ ② Delete to word start  # + / # - Expand/collapse code block  # ② Collapse all	₩V	Paste from clipboard
#☑ Delete line at caret  ^û J Smart line join  #↓ Smart line split  û ↓ Start new line  #û U Toggle case for word at caret or selected block  V☑ Delete to word end  ∇☑ Delete to word start  #+/#- Expand/collapse code block  #û + Expand all  #û - Collapse all	<b>Ж</b> û <b>V</b>	Paste from recent buffers
^ ① J Smart line join  第 → Smart line split  ① → Start new line  第 ① U Toggle case for word at caret or selected block  V図 Delete to word end  ∇ ② Delete to word start  第 + / 第 - Expand/collapse code block  ※ ① + Expand all  ※ ① - Collapse all	₩D	Duplicate current line or selected block
<ul> <li>第→ Smart line split</li> <li>☆→ Start new line</li> <li>第分U Toggle case for word at caret or selected block</li> <li>▼図 Delete to word end</li> <li>▼図 Delete to word start</li> <li>第+/第- Expand/collapse code block</li> <li>第分 Collapse all</li> </ul>	#≪	Delete line at caret
分→     Start new line       第分U     Toggle case for word at caret or selected block       NE     Delete to word end       NE     Delete to word start       第十/第一     Expand/collapse code block       第分+     Expand all       第分-     Collapse all	^쇼 <b>J</b>	Smart line join
<ul> <li>第企U Toggle case for word at caret or selected block</li> <li>下図 Delete to word end</li> <li>下図 Delete to word start</li> <li>※+/※- Expand/collapse code block</li> <li>※企+ Expand all</li> <li>※企- Collapse all</li> </ul>	#₽	Smart line split
block  ▼ Delete to word end  ▼ Delete to word start  # + / # - Expand/collapse code block  # ☆ + Expand all  # ☆ - Collapse all	<b>⊕</b> ↔	Start new line
N®       Delete to word end         N®       Delete to word start         ₩+/%-       Expand/collapse code block         ₩↑+       Expand all         ₩↑-       Collapse all	<b>ж</b> û U	Toggle case for word at caret or selected
T☑       Delete to word start         ##+/#-       Expand/collapse code block         #û+       Expand all         #û-       Collapse all		block
第+/第-Expand/collapse code block第分+Expand all第分-Collapse all	∖⊠	Delete to word end
<ul><li>第☆+ Expand all</li><li>第☆- Collapse all</li></ul>	N/W	Delete to word start
<b>業☆-</b> Collapse all	₩+/₩-	Expand/collapse code block
2.5 34555	<b>%</b>	Expand all
	₩û-	Collapse all
ж vv Close active editor tab	₩W	Close active editor tab

#### Running

^~R	Select configuration and run
^\t\ <b>D</b>	Select configuration and debug
^R/^D	Run/Debug
^ûR,^ûD	Run context configuration from editor
₹R	Run manage.py task

#### Debugging

F8/F7	Step over / step into
<b>☆ F8</b>	Step out
₹ <b>F9</b>	Run to cursor
₹ <b>F8</b>	Evaluate expression
# <b>₹ F8</b>	Quick evaluate expression
F9	Resume program
<b></b>	Toggle breakpoint
₩ûF8	View breakpoints

## Navigation

Navigation	
₩O	Go to class
#ûO	Go to file
07#	Go to symbol
^-	Go to next editor tab
^-	Go to previous editor tab
F12	Go back to previous tool window
0	Go to editor (from tool window)
合め	Hide active or last active window
₩ û <b>F4</b>	Close active run/messages/find/ tab
₩L	Go to line
₩E	Recent files popup
→7 <b>%</b>	Navigate back
# \_ →	Navigate forward
Ж৫≪	Navigate to last edit location
∵ <b>F1</b>	Select current file or symbol in any view
₩B, ₩Click	Go to declaration
₩∠B	Go to implementation(s)
∑Space, #Y	Open quick definition lookup
^ûB	Go to type declaration
жU	Go to super-method/super-class
^ <b>†</b> / <b>^</b> ↓	Go to previous/next method
<b>#</b> ]	Move to code block end
₩[	Move to code block start
₩ F12	File structure popup
^H	Type hierarchy
₩ûH	Method hierarchy
H 7^	Call hierarchy
F2 / ☆ F2	Next/previous highlighted error
F4	Edit source
<b>ж</b> ↓	View source
∵Home	Show navigation bar
F3	Toggle bookmark
₹ <b>F3</b>	Toggle bookmark with mnemonic
^0^9	Go to numbered bookmark
₩ F3	Show bookmarks

## Search/Replace

#F/#R	Find / Replace
#G/#ûG	Find next/previous
Ж☆F	Find in path
# û R	Replace in path

#### **Usage Search**

∵ F7/%F7	Find usages / Find usages in file
<b></b> # <b>○ F7</b>	Highlight usages in file
<b>%</b> ₹ <b>F7</b>	Show usages

#### Refactoring

Copy / Move
Safe Delete
Rename
Change Signature
Inline
Extract Method
Extract Variable
Extract Field
Extract Constant
Extract Parameter

## VCS/Local History

жĸ	Commit project to VCS
жT	Update project from VCS
℃企C	View recent changes
^ V	'VCS' quick popup

## **Live Templates**

#∠7	Surround with Live Template
₩J	Insert Live Template

#### General

<b>#0</b> #9	Open corresponding tool window
₩S	Save all
Yô	Synchronize
¥ û F12	Toggle maximizing editor
<b>₹</b>	Add to Favorites
T企I	Inspect current file with current profile
^§,^`	Quick switch current scheme
₩,	Open Settings dialog
<b>☆ Ж A</b>	Find Action
^ <b>→</b> I	Switch between tabs and tool window

To find any action inside the IDE use Find Action (  $\mathring{\Omega}$  # A )





