

MATH 215 FALL 2023
Homework Set 2: §12.4 – 13.1
Zhengyu James Pan (jzpan@umich.edu)

1. (a) Find the equations of all planes parallel to the plane $y = 2$ and 4 units away from it.

Solution: The plane $y = 2$ has a normal of $\langle 0, 1, 0 \rangle$. □

- (b) Find the equations of all planes parallel to the plane $2x - y + z = 0$ and 3 units away from it. Hint: Think about what it means for two planes to be parallel, and how to find the distance between two planes.

2. Last week you found the surface equidistant between two points and arrived at an equation for a plane. This week, find an equation for the surface consisting of all points equidistant from the point $(5, 0, 0)$ and the plane $y = 2$. Identify what type of surface this is and sketch it (do not use a plotting tool to generate the surface – I want to see that you can sketch a surface from an equation. This might be a good skill to practice for a test, *hint hint*).

3. Find parametric equations which describe the curve defined by intersecting the cylinder $x^2 + y^2 = 64$ with the paraboloid of revolution $x^2 + y^2 + 18z = 0$.

4. Find the equation of the line consisting of the points equidistant from the three points $(2, 1, 1)$, $(-1, -1, 10)$, and $(1, 3, -4)$.

5. (a) Describe and sketch the part of the first octant where $x + 2y + 3z \leq 4$. (The first octant is the region where $x, y, z \geq 0$).
- (b) Describe and sketch the region given by $|x| + 2, |y| + 3, |z| \leq 4$. It may help to look at the equation in each of the eight octants separately.

6. Do Exercises 23-30 of section 12.6 of Stewart's *Multivariable Calculus*.

Solutions:

23.

7. (a) Sketch the curve defined by $r(t) = \langle 5t \sin(3t), 6t \cos(3t), t^2 \rangle$. Find a quadratic surface on which this curve lives.
- (b) Sketch the curve defined by $r(t) = \langle 3 + 5 \sin(t^4), 2 - 6 \sin(t^4), 3 + 7 \sin(t^4) \rangle$. Find a two-dimensional surface on which this curve lives (there are an infinite number).

8. A cooling tower for a power plant is to be constructed in the shape of a hyperboloid of one sheet, with equation given by $x^2/a^2 + y^2/b^2 - z^2/c^2 = 1$. The diameter of the circular base of the tower is 80m, and the minimum diameter is 40m, located 30m above the ground.
- (a) Sketch the tower. Make sure to label your sketch with relevant diameters, heights, and the location of the origin.
 - (b) Find an equation of the tower, i.e., find a , b , and c .

9. Two jets travel simultaneously according to the vector equations

$$\mathbf{r}_1(t) = \langle 2, -1, 3 \rangle + t\langle 4, 2, 8 \rangle \text{ and } \mathbf{r}_2(t) = \langle -1, -3, 1 \rangle + t\langle 1, 4, -2 \rangle$$

Let time t be measured in seconds and positions measured in kilometers.

- (a) Find the shortest distance between the jets, and the time at which this occurs.
- (b) Find the shortest distance between the trajectories of the jets.

10. Two people are located in space at the points $(0, -2, 1)$ and $(1, 0, 2)$, respectively.
- (a) Find a parametric equation for the line of sight between the two people.
 - (b) Between the two people is a hot air balloon in the shape of a sphere, centered at $(0, -1, 1)$ and with radius 2. Can the two people see each other, or is the line of sight blocked by the sphere? If the line of sight is blocked, find the points on the sphere that each person sees.