

## 第2章参考文献

- [1] TOLHURST D J, TADMOR Y, CHAO T. Amplitude spectra of natural images[J]. Ophthalmic and Physiological Optics, 1992, 12(2): 229-232.

## 第3章参考文献

- [1] TOMASI C, MANDUCHI R. Bilateral filtering for gray and color images[C]//Sixth International Conference on Computer Vision, 1998: 839-846.
- [2] HE K, SUN J, TANG X. Guided image filtering[J]. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 35(6): 1397-1409.
- [3] DABOV K, FOI A, KATKOVNIK V, et al. Image denoising by sparse 3-D transform-domain collaborative filtering[J]. IEEE Transactions on Image Processing, 2007, 16(8): 2080-2095.
- [4] ZHANG K, ZUO W, CHEN Y, et al. Beyond a gaussian denoiser: Residual learning of deep CNN for image denoising[J]. IEEE Transactions on Image Processing, 2017, 26(7): 3142-3155.
- [5] ZHANG K, ZUO W, ZHANG L. FFDNet: Toward a fast and flexible solution for CNN-based image denoising[J]. IEEE Transactions on Image Processing, 2018, 27(9): 4608-4622.
- [6] GUO S, YAN Z, ZHANG K, et al. Toward convolutional blind denoising of real photographs[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2019: 1712-1722.
- [7] LIU P, ZHANG H, ZHANG K, et al. Multi-level wavelet-CNN for image restoration[C] //Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops, 2018: 773-782.
- [8] TASSANO M, DELON J, VEIT T. Dvdnet: A fast network for deep video denoising[C]//2019 IEEE International Conference on Image Processing, 2019: 1805-1809.
- [9] TASSANO M, DELON J, VEIT T. Fastdvdnet: Towards real-time deep video denoising without flow estimation[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2020: 1354-1363.
- [10] CHEN H, WANG Y, GUO T, et al. Pre-trained image processing transformer[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2021: 12299-12310.
- [11] LIANG J, CAO J, SUN G, et al. Swinir: Image restoration using swin transformer[C] //Proceedings of the IEEE/CVF International Conference on Computer Vision, 2021: 1833-1844.
- [12] LEHTINEN J, MUNKBERG J, HASSELGREN J, et al. Noise2Noise: Learning image restoration without clean data[J]. ArXiv Preprint ArXiv:1803.04189, 2018.

- [13] KRULL A, BUCHHOLZ T O, JUG F. Noise2void-learning denoising from single noisy images[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2019: 2129-2137.
- [14] ZHANG Y, TIAN Y, KONG Y, et al. Residual dense network for image super-resolution[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2018: 2472-2481.
- [15] BROOKS T, MILDENHALL B, XUE T, et al. Unprocessing images for learned raw denoising[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2019: 11036-11045.
- [16] ZAMIR S W, ARORA A, KHAN S, et al. Cycleisp: Real image restoration via improved data synthesis[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2020: 2696-2705.

#### 第 4 章参考文献

- [1] ZAMIR S W, ARORA A, KHAN S, et al. Cycleisp: Real image restoration via improved data synthesis[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2020: 2696-2705.
- [2] HUANG J B, SINGH A, AHUJA N. Single image super-resolution from transformed self-exemplars[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2015: 5197-5206.
- [3] YANG J, WRIGHT J, HUANG T S, et al. Image super-resolution via sparse representation[J]. IEEE Transactions on Image Processing, 2010, 19(11): 2861-2873.
- [4] DONG C, LOY C C, HE K, et al. Image super-resolution using deep convolutional networks[J]. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2015, 38(2): 295-307.
- [5] DONG C, LOY C C, TANG X. Accelerating the super-resolution convolutional neural network[C]//Computer Vision—ECCV 2016: 14th European Conference, 2016: 391-407.
- [6] SHI W, CABALLERO J, HUSZÁR F, et al. Real-time single image and video super-resolution using an efficient sub-pixel convolutional neural network[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2016: 1874-1883.
- [7] LIM B, SON S, KIM H, et al. Enhanced deep residual networks for single image super-resolution[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops, 2017: 136-144.
- [8] ZHANG Y, TIAN Y, KONG Y, et al. Residual dense network for image super-resolution [C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2018: 2472-2481.
- [9] LEDIG C, THEIS L, HUSZÁR F, et al. Photo-realistic single image super-resolution using a generative adversarial network[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2017: 4681-4690.
- [10] WANG X, YU K, WU S, et al. Esrgan: Enhanced super-resolution generative adversarial

- networks[C]//Proceedings of the European Conference on Computer Vision (ECCV) Workshops, 2018: 63-79.
- [11] ZHANG Y, LI K, LI K, et al. Image super-resolution using very deep residual channel attention networks[C]//Proceedings of the European Conference on Computer Vision (ECCV), 2018: 286-301.
  - [12] SHOCHER A, COHEN N, IRANI M. Zero-shot super-resolution using deep internal learning[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2018: 3118-3126.
  - [13] BELL-KLIGLER S, SHOCHER A, IRANI M. Blind super-resolution kernel estimation using an internal-GAN[C]//Proceedings of the 33rd International Conference on Neural Information Processing Systems, 2019:284-293.
  - [14] ZHANG K, LIANG J, VAN GOOL L, et al. Designing a practical degradation model for deep blind image super-resolution[C]//Proceedings of the IEEE/CVF International Conference on Computer Vision, 2021: 4791-4800.
  - [15] WANG X, XIE L, DONG C, et al. Real-esrgan: Training real-world blind super-resolution with pure synthetic data[C]//Proceedings of the IEEE/CVF International Conference on Computer Vision, 2021: 1905-1914.
  - [16] BULAT A, YANG J, TZIMIROPOULOS G. To learn image super-resolution, use a gan to learn how to do image degradation first[C]//Proceedings of the European Conference on Computer Vision (ECCV), 2018: 185-200.
  - [17] YUAN Y, LIU S, ZHANG J, et al. Unsupervised image super-resolution using cycle-in-cycle generative adversarial networks[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops, 2018: 701-710.
  - [18] WANG J, YUE Z, ZHOU S, et al. Exploiting diffusion prior for real-world image super-resolution[J]. ArXiv Preprint ArXiv:2305.07015, 2023.
  - [19] HUI Z, GAO X, YANG Y, et al. Lightweight image super-resolution with information multi-distillation network[C]//Proceedings of the 27th ACM International Conference on Multimedia, 2019: 2024-2032.
  - [20] LIU J, TANG J, WU G. Residual feature distillation network for lightweight image super-resolution[C]//Computer Vision–ECCV 2020 Workshops, 2020: 41-55.
  - [21] ZHANG X, ZENG H, ZHANG L. Edge-oriented convolution block for real-time super resolution on mobile devices[C]//Proceedings of the 29th ACM International Conference on Multimedia, 2021: 4034-4043.
  - [22] NIE Y, HAN K, LIU Z, et al. Ghostsr: Learning ghost features for efficient image super-resolution[J]. ArXiv Preprint ArXiv:2101.08525, 2021.
  - [23] MICHELINI P N, LU Y, JIANG X. Edge-SR: Super-resolution for the masses[C]//Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision, 2022: 1078-1087.
  - [24] CHAN K C K, WANG X, YU K, et al. Basicvsr: The search for essential components in

video super-resolution and beyond[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2021: 4947-4956.

- [25] CHAN K C K, ZHOU S, XU X, et al. Basicvsr++: Improving video super-resolution with enhanced propagation and alignment[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2022: 5972-5981.
- [26] CHAN K C K, ZHOU S, XU X, et al. Investigating tradeoffs in real-world video super-resolution[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2022: 5962-5971.
- [27] XIE W, SONG D, XU C, et al. Learning frequency-aware dynamic network for efficient super-resolution[C]//Proceedings of the IEEE/CVF International Conference on Computer Vision, 2021: 4308-4317.
- [28] KONG X, ZHAO H, QIAO Y, et al. Classsr: A general framework to accelerate super-resolution networks by data characteristic[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2021: 12016-12025.
- [29] WANG S, LIU J, CHEN K, et al. Adaptive patch exiting for scalable single image super-resolution[C]//European Conference on Computer Vision, 2022: 292-307.
- [30] WANG X, YU K, DONG C, et al. Recovering realistic texture in image super-resolution by deep spatial feature transform[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2018: 606-615.
- [31] YANG F, YANG H, FU J, et al. Learning texture transformer network for image super-resolution[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2020: 5791-5800.
- [32] HE J, DONG C, QIAO Y. Interactive multi-dimension modulation with dynamic controllable residual learning for image restoration[C]//Computer Vision—ECCV 2020: 16th European Conference, 2020: 53-68.
- [33] HE J, DONG C, QIAO Y. Modulating image restoration with continual levels via adaptive feature modification layers[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2019: 11056-11064.

## 第5章参考文献

- [1] FATTAL R. Single image dehazing[J]. ACM Transactions on Graphics (TOG), 2008, 27(3): 1-9.
- [2] HE K, SUN J, TANG X. Single image haze removal using dark channel prior[J]. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2010, 33(12): 2341-2353.
- [3] ZHU Q, MAI J, SHAO L. A fast single image haze removal algorithm using color attenuation prior[J]. IEEE Transactions on Image Processing, 2015, 24(11): 3522-3533.
- [4] CAI B, XU X, JIA K, et al. Dehazenet: An end-to-end system for single image haze removal[J]. IEEE Transactions on Image Processing, 2016, 25(11): 5187-5198.
- [5] LI B, PENG X, WANG Z, et al. Aod-net: All-in-one dehazing network[C]//Proceedings of the IEEE International Conference on Computer Vision, 2017: 4770-4778.

- [6] LI R, PAN J, LI Z, et al. Single image dehazing via conditional generative adversarial network[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2018: 8202-8211.
- [7] ENGIN D, GENÇ A, EKENEL H K. Cycle-dehaze: Enhanced cyclegan for single image dehazing[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops, 2018: 825-833.
- [8] ZHANG H, PATEL V M. Densely connected pyramid dehazing network[C]//Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2018: 3194-3203.
- [9] QIN X, WANG Z, BAI Y, et al. FFA-Net: Feature fusion attention network for single image dehazing[C]//Proceedings of the AAAI Conference on Artificial Intelligence, 2020, 34(7): 11908-11915.

## 第 6 章参考文献

- [1] MERTENS T, KAUTZ J, VAN REETH F. Exposure fusion[C]//The 15th Pacific Conference on Computer Graphics and Applications, 2007: 382-390.
- [2] PARIS S, HASINOFF S W, KAUTZ J. Local Laplacian filters: Edge-aware image processing with a Laplacian pyramid[J]. ACM Transactions on Graphics, 2011, 30(4): 68.
- [3] REINHARD E, STARK M, SHIRLEY P, et al. Photographic tone reproduction for digital images[J]. Pushing the Boundaries, 2023, 2: 661-670.
- [4] DURAND F, DORSEY J. Fast bilateral filtering for the display of high-dynamic-range images[C]//Proceedings of the 29th Annual Conference on Computer Graphics and Interactive Techniques, 2002: 257-266.
- [5] PRABHAKAR K R, SRIKAR V S, BABU R V. Deepfuse: A deep unsupervised approach for exposure fusion with extreme exposure image pairs[C]//Proceedings of the IEEE International Conference on Computer Vision, 2017: 4714-4722.
- [6] MA K, DUANMU Z, ZHU H, et al. Deep guided learning for fast multi-exposure image fusion[J]. IEEE Transactions on Image Processing, 2019, 29: 2808-2819.
- [7] YAN Q, GONG D, SHI Q, et al. Attention-guided network for ghost-free high dynamic range imaging[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2019: 1751-1760.
- [8] MARNERIDES D, BASHFORD-ROGERS T, HATCHETT J, et al. Expandnet: A deep convolutional neural network for high dynamic range expansion from low dynamic range content[J]. Computer Graphics Forum, 2018, 37(2): 37-49.

## 第 7 章参考文献

- [1] PÉREZ P, GANGNET M, BLAKE A. Poisson image editing[J]. Pushing the Boundaries, 2023, 2: 577-582.
- [2] CUN X, PUN C M. Improving the harmony of the composite image by spatial-separated

attention module[J]. IEEE Transactions on Image Processing, 2020, 29: 4759-4771.

- [3] CONG W, ZHANG J, NIU L, et al. Dovenet: Deep image harmonization via domain verification[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2020: 8394-8403.
- [4] CONG W, NIU L, ZHANG J, et al. Bargainnet: Background-guided domain translation for image harmonization[C]//2021 IEEE International Conference on Multimedia and Expo, 2021: 1-6.
- [5] LING J, XUE H, SONG L, et al. Region-aware adaptive instance normalization for image harmonization[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2021: 9361-9370.

## 第 8 章参考文献

- [1] DONG X, WANG G, PANG Y, et al. Fast efficient algorithm for enhancement of low lighting video[C]//2011 IEEE International Conference on Multimedia and Expo, 2011: 37-53.
- [2] PETRO A B, SBERT C, MOREL J M. Multiscale retinex[J]. Image Processing On Line, 2014, 4: 71-88.
- [3] WEI C, WANG W, YANG W, et al. Deep retinex decomposition for low-light enhancement[J]. ArXiv Preprint ArXiv:1808.04560, 2018.
- [4] GHARBI M, CHEN J, BARRON J T, et al. Deep bilateral learning for real-time image enhancement[J]. ACM Transactions on Graphics, 2017, 36(4): 1-12.
- [5] GUO C, LI C, GUO J, et al. Zero-reference deep curve estimation for low-light image enhancement[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2020: 1780-1789.
- [6] HE J, LIU Y, QIAO Y, et al. Conditional sequential modulation for efficient global image retouching[C]//Computer Vision—ECCV 2020: 16th European Conference, 2020: 679-695.
- [7] ZENG H, CAI J, LI L, et al. Learning image-adaptive 3D lookup tables for high performance photo enhancement in real-time[J]. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2020, 44(4): 2058-2073.
- [8] CONDE M V, VAZQUEZ-CORRAL J, BROWN M S, et al. NILUT: Conditional neural implicit 3D lookup tables for image enhancement[J]. ArXiv Preprint ArXiv:2306.11920, 2023.
- [9] LÊ H, JEONG T, ABDELHAMED A, et al. GamutNet: Restoring wide-gamut colors for camera-captured images[C]//International Conference On Communications in Computing, 2021: 7-12.
- [10] LE H M, PRICE B, COHEN S, et al. GamutMLP: A lightweight MLP for color loss recovery[C]//Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 2023: 18268-18277.