

Cucumber Report

Nov 6, 2023, 12:47:55 PM

Start : Nov 06, 12:47:31.419 PM

End : Nov 06, 12:47:50.726 PM

Duration : 19.307 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to HRM Application</u>	19.307 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	<u>Login to HRM Application</u>	<u>Login with valid credentials</u>





#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	1	0	1	0	19.307 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to HRM Application</u>	<u>Login with valid credentials</u>	4	3	1	0	19.302 s

Login to HRM Application

FAILED	DURATION - 19.307 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:47:31.419 PM // 12:47:50.726 PM /					

Login with valid credentials

<div><div>FAILED</div><div>DURATION - 19.302 s</div></div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:47:31.424 PM // 12:47:50.726 PM /				
Login to HRM Application				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page	PASSED	4.067 s
2	When User enters valid username and password	PASSED	1.393 s
3	And User clicks login button	PASSED	0.084 s
4	Then User should be able to login sucessfully and Home page opens org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b71f18ae41bedc7e7536ad4f6fe4fcca, findElement {using=xpath, value=//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KMURAL~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64730}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64730/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b71f18ae41bedc7e7536ad4f6fe4fcca at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	10.037 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source) at cucumber_ExtendsReport.OrangeHRMHomePageActions.getVerifyText(OrangeHRMHomePageActions.java:14) at cucumber_ExtendsReport.StepDefinition.user_should_be_able_to_login_sucessfully_and_home_page_opens(StepDefinition.java:39) at ?.User should be able to login sucessfully and Home page opens(file:///C:/Users/kmuralidharan/eclipse-workspace/Project_Extends_Report/src/test/resources/Feature/login.feature:7) * Not displayable characters are replaced by '?'. </p>		
	AFTER - cucumber_ExtendsReport.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.525 s
	Login with valid credentials		
	