

STUDENT REPORT

CAO

1823

008

47B

# DETAILS

Kamalay Indrani

# 108 F185 Roll Number &

KUB23MCA008

# **EXPERIMENT**

# Title

CANDIES

### **Description**

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where  $1 \le x \le N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

**Note:** Each child receives only 1 candy.

### **Input Format:**

The first line of input contains 3 space seperated integers N, K and A.

### **Output Format:**

Print the friend who will be the final recipient of the candy.

### **Constraints:**

## 1<=N<=K<=10^8

Sample Input:

521

Sample Output:

2

YOUS TIS

Source Code: def last\_candy\_recipient(N,K,A): last\_child=(A-1+K-1)%N+1 return last\_child N,K,A=map(int,input().strip().split()) print(last\_candy\_recipient(N,K,A))

### **RESULT**

F18534

1008 F18

9/26/24, 9:29 PM KUB23MCA008-Candies

6 / 6 Test Cases Passed | 100 %

178

ROU

(823)

08,580

3K ROO

8 1853h