Requirement Documentation - Revision 0Mech-APEX Zero

Prepared by: Tian Guo Saim Zahid Jonathan Yu Yicheng Chen Yanting Zhang

> Professor: Dr. Jacques Carette Team Name: Chicken and Sausages Course: Software Engineering 4GP6 Date: September 26, 2017

Contents

| 1 | Purpose of the Project | 3 |
|----------|--|----------|
| | a Background | |
| | b Goals | . 4 |
| 2 | Stakeholders | 4 |
| | a Development Team | . 4 |
| | b Instructor | . 4 |
| | c Game Critics | . 4 |
| | d User Participation | . 4 |
| | e Judges | . 4 |
| 3 | Mandated Constraints | 4 |
| J | a Solution Constraints | _ |
| | b Implementation Environment of the Current System | |
| | c Partner or Collaborative Applications | |
| | d Off-the-Shelf Software | |
| | e Schedule Constraints | |
| | f Budget Constraints | |
| | | |
| 4 | Naming Conventions and Terminology | 5 |
| 5 | Relevant Facts and Assumptions | 6 |
| | a Relevant Facts | 6 |
| | b Assumptions | . 6 |
| 6 | The Scope of the Work | 6 |
| U | a Existing Inspirations | |
| | b Context of the Work | |
| | Context of the Work | . 0 |
| 7 | The Scope of the Product | 7 |
| | a Product Boundary | |
| | b Product Use Case (PUC) Table | |
| | c Individual Product Use Cases(PUCs) | . 11 |
| 8 | Functional Requirements | 24 |
| | a Core Mechanic | . 24 |
| | b Primary Gameplay Mode | |
| | c Alternate Game Modes | |
| | | |
| 9 | Look and Feel Requirements | 44 |
| | a Appearance Requirements | |
| | b Style Requirements | |
| | c Requisite Assets | |
| | c.1 Audio | |
| | c.2 Visual | 46 |

| 10 | Usability and Humanity Requirements | 46 |
|----|---|-----------|
| | a Ease of Use Requirements | 46 |
| | b Personalization Requirements | 47 |
| | c Learning Requirements | 47 |
| | d Understandability and Politeness Requirements | 48 |
| | e Accessibility Requirements | 48 |
| 11 | Performance Requirements | 49 |
| | a Speed and Latency Requirements | 49 |
| | b Precision or Accuracy Requirements | 49 |
| | c Reliability and Availability Requirements | 50 |
| | d Robustness or Fault Tolerance Requirements | 50 |
| | e Capacity Requirements | 51 |
| 12 | 2 Scalability and Extensibility Requirements | 51 |
| 13 | Longevity Requirements | 52 |
| 14 | Operational and Environmental Requirements | 52 |
| 15 | Cultural Requirements | 53 |
| 16 | Legal Requirements | 53 |
| 17 | Standard Requirements | 54 |
| 18 | Release Requirements | 54 |
| 19 | Project Schedule | 54 |
| 20 | Risks | 55 |
| 21 | . Costs | 55 |
| 22 | User Documentation and Training | 55 |
| 23 | Waiting List | 55 |
| 24 | Ideas for Solution | 56 |

1 Purpose of the Project

The purpose of this project is to produce the game designed by the team: Mech-APEX Zero. Mech-APEX Zero is the combination of classical 2D games like Metroid, Castlevania, and Street Fighter. This game will reinvigorate the love for such classics and the modern spin of new combat mechanics will attract new players.

a Background

The concept of this game was conceived to revitalize a very saturated genre of video games: Platformer. Currently on Steam, new releases of the Platformer Genre has 1167 results. The motivation of the team is to make a game that would stand out amongst the over one thousand

competitors. In order to achieve our goal, we have examined the classics and commercial successes to create our project.

b Goals

The goals of Team Chicken Sausage is to produce an entertaining game to satisfies the needs of our clients. We want our audience to get the enjoyment of playing a platformer and to be dazzled and surprised by our creative story and universe.

2 Stakeholders

a Development Team

Prepared by team Chicken and Sausages. Team members: Tian Guo, Saim Zahid, Jonathan Yu, Yicheng Chen and Yanting Zhang.

b Instructor

Dr. Jacques Carette Professor for the Software Engineering (Game Design) capstone course (SE4GP6). Dr. Carette approves of the project content and final grades. Any requirements that he provides must be accommodated.

c Game Critics

- Dr. Jacques Carette Professor for the Software Engineering (Game Design) capstone course (SE4GP6). Dr. Carette approves of the project content and final grades. Any requirements that he provides must be accommodated.
- Daniel Szymczak Teaching assistant for the Software Engineering (Game Design) capstone course(SE4GP6). Mr. Szymczak grades the project content and provides feedback for improvements. He reports directly to Dr. Carette.

d User Participation

Player - The players who enjoy platformers and beat em up games.

${f e}$ Judges

3 Mandated Constraints

a Solution Constraints

- Any requirements that Dr. Carette describes must be met. Currently, he has mandated that the game engine must be Unity and Unity Assets are free to use with references.
- Any feedbacks and comments from Mr. Szymczak should be adjust and fix in the next revision.

b Implementation Environment of the Current System

- The final product will be able to run on Windows, Mac OS, and Linux systems, as the Unity library allows to build project for all three platforms.
- Due to the nature of the game being a combo focused action platformer, control methods such as mouse control or touch screen will not be ideal. The development team will focus its effort on establishing keyboard as the main method of controls. Controllers such as Dualshock 4 and Xbox Controller are options, but do not have plans to implement these currently.

c Partner or Collaborative Applications

- The product of this project will comply with all policies of the Unity Free User's Licence Agreement.
- This product will not be used for commercial purposes as the assets used were of other Games.

d Off-the-Shelf Software

• Unity

Usable as a free license for individual work.

e Schedule Constraints

• The deadline of the Project must be within the 2017-2018 Capstone Course terms. Revision 0 of the product must be completed by December of 2017.

f Budget Constraints

• No funding for the project will be provided. Any expenses that occur will be paid individually

4 Naming Conventions and Terminology

• Unity

A cross-platform game engine developed by Unity Technologies, which is primarily used to develop video games and simulations for computers, consoles and mobile devices.

• Platformer

A type of video game that involves the player jumping from platform to platform to cross the environment.

RPG

RPG stands for role playing game is a type of video game in which players assume the roles of characters in a fictional setting.

• Mobile Suit a robotic suit • Respawn

The recreation of an entity after its death or destruction

• Check Point

The location where respawning takes place

• Product Use Case (PUC)

A product use case elaborates on a scenario, showing event name, trigger, preconditions, system requirements, and outcome.

- Input (IN)
- Output (OUT)

5 Relevant Facts and Assumptions

a Relevant Facts

- The game will follow the standard RPG progression where the player starts with the barebones necessary to complete the initial levels and will be rewarded with better armor/weapons/upgrades as they progress. The player can also scavenge for better loot.
- As with most games that utilize combos; combos that do more damage will require more keys to be pressed.

b Assumptions

- The player meets minimum hardware requirements to run the game.
- The player is running the latest version of Windows or Mac OS.
- The player is familiar with a mouse and keyboard setup.
- The player is able-bodied.
- The player has enough dexterity to hit multiple keys in quick succession to perform combos.
- The user can read English.

6 The Scope of the Work

a Existing Inspirations

The biggest inspiration for this project is the Metroid and Castlevania franchises. The cohesive aesthetics and level design are areas that this project will attempt to achieve the same level of competence as the classics of this Genre. The fighting mechanics of Super Smash Bros Franchise will be used to inspire the combat mechanics of this game to introduce new elements of the old platformer formula.


b Context of the Work

The player should be motivated by the story, gameplay, and the gameplay rewards. In order to know what happens next, the player must play through the levels. The player can unlock achievements and other Mobile Suits through playing the game.

7 The Scope of the Product

a Product Boundary

Project boundaries identify what should be included in the project as well as what should not be included.



The focus will be to complete the fighting mechanic, various character sprite movesets, level design, and Story. Implementing elements of RPG should not be worked on at this time, when the core mechanics are not functional. Features such as combo meter, score system, achievements, and unlockables should be be focused on at later dates if enough development time is available.

b Product Use Case (PUC) Table

| PUC No. | PUC Name | Actor(s) | Input/Output |
|---------|--------------------------------|----------|---|
| 1 | Moving in game | Player | Key Input(IN), x-axis position vector(IN/OUT) |
| 2 | Jumping in game | Player | KeyInput(IN), y-axis position vector(IN/OUT) |
| 3 | Interacting with items | Player | Key Input(IN), success Boolean(OUT) |
| 4 | Viewing Player and Gear Status | Player | Key Input(IN), Player information(OUT) |
| 5 | Viewing Items | Player | Key Input(IN), items menu(OUT) |
| 6 | Performing a melee Attack | Player | Key Input(IN), character sprite Int,(OUT) |
| 7 | Performing a ranged Attack | Player | Key Input(IN), character sprite Int,(OUT) |
| 8 | Performing a combo Attack | Player | Key Input(IN), character sprite Int,(OUT) |
| 9 | Interacting with shop | Player | Key Input(IN), shop menu(OUT) |
| 10 | Pausing Game | Player | Key Input(IN), game menu(OUT) |
| 11 | Unpausing game | Player | Key Input(IN), current game level(OUT) |
| 12 | Use items | Player | Key Input(IN), success Boolean(OUT) |
| 13 | Starting a new game | Player | Key Input(IN), success Boolean(OUT) |
| 14 | Reaching Checkpoint | Player | Key Input(IN), success Message(OUT) |
| 15 | Defeating Boss | Player | Key Input(IN), success Message(OUT) |
| 16 | Defeating All Enemies | Player | Key Input(IN), success Message(OUT) |
| 17 | Loading next level | Player | Key Input(IN), success Boolean(OUT) |
| 18 | Player Death | Player | health <0 (In), reload checkpoint (OUT) |

| PUC No. | PUC Name | Actor(s) | Input/Output |
|---------|-------------------------------------|----------|---|
| 19 | Interacting with Gundam Gear | Player | Key Input(IN), success Boolean(OUT) |
| 20 | View level objectives | Player | Key Input(IN), current Objectives(OUT) |
| 21 | Entering a new Environment | Player | 2d velocity vector(IN), 2d position vector(OUT) |
| 22 | Viewing achievements | Player | Key Input(IN), Achievement Menu(OUT) |
| 23 | Exit game | Player | Key Input(IN) |
| 24 | Selecting new playable character | Player | Key Input(IN), success Message(OUT) |
| 25 | Displaying the Game Settings | Player | Key Input(IN), current game settings(OUT) |
| 26 | Changing the Game Settings | Player | Key Input(IN), current game settings(OUT) |
| 27 | Moving the Camera | Player | 2D position vector(IN/OUT) |
| 28 | Interacting with Gundam Maintenance | Player | Key Input(IN), Gear upgrading Menu(OUT) |

c $\,$ Individual Product Use Cases(PUCs)

| PUC No.1 | Event: Moving in game |
|---------------|---|
| Trigger | The player presses a key to indicate the direction of the avatar |
| Preconditions | The player is in control of their avatar; Player is in the game world. |
| | 1. Add a positive force in the horizontal direction if the right key was pressed. |
| Procedure | Conversely a negative force if the left key was pressed |
| Frocedure | 2. Set the animation to walk |
| | 3. If the force is negative flip the direction the character is facing |
| Outcome | The character moves in a horizontal direction |

| PUC No.2 | Event: Jumping in the game | | |
|---|--|--|--|
| Trigger The player presses the UP/W on their keyboard | | | |
| Preconditions The player is in control of their avatar; Player is in the game world | | | |
| | 1. Move the player's character upwards along the y-axis for the predetermined | | |
| Procedure | jump height | | |
| Procedure | 2.Bring the player's characters back down, calculating the speed according to | | |
| | gravity, until they collide with a surface. | | |
| Outcome | The players character moves in a positive direction along the y-axis and comes back down | | |

| PUC No.3 | Event: Interacting with Items | |
|---------------|--|--|
| Trigger | The player presses a key to pick the items | |
| Preconditions | The player is in control of their avatar; Player is in the game world | |
| | 1. Determine the if the item is within the player's range | |
| | 2. Determine the type of the item: | |
| | a. If the item is a melee weapon, replace the current melee weapon with the | |
| | new one, if the current melee weapon is a non - starting weapon, then the old | |
| Procedure | one will drop out. | |
| Procedure | b. If the item is a ranged weapon, replace the current ranged weapon with the | |
| | new one, if the old one is a non - starting weapon, then the old one will drop | |
| | out. | |
| | c. If the item is a passive item(Power ups), put it in the player's item bag. | |
| | d. If the item is a hp potion, recover player character's health bar. | |
| Outcome | The player puts the item in the item bag or recover health bar or get a new weapon | |

| PUC No.4 | Event: Viewing Player and Gear Status | |
|---------------|--|--|
| Trigger | The player presses the button to open the status menu. | |
| Preconditions | The player is in control of their avatar; Player is in the game world | |
| Procedure | 1.Display the current status of the player and their gear. Clearly labelling all | |
| Tioccure | information the player needs (current health, ammo count, gundam status etc.) | |
| Outcome | The players can see the current status of their character and all the gear they have equipped. | |

| PUC No.5 | Event: Viewing Items | |
|--|--|--|
| Trigger | The player presses i on their keyboard to open up an item's menu | |
| Preconditions The player must be in the game world | | |
| Procedure | 1. Game pauses the current environment and scene | |
| Trocedure | 2. An item's menu is on top of the current environment | |
| Outcome | An item's menu appears to a player | |

| PUC No.6 | Event: Performing a melee Attack | | |
|---------------|---|--|--|
| Trigger | The player presses the button to perform a melee attack | | |
| Preconditions | The player is in control of their avatar; Player is in the game world | | |
| | 1. Determine which type of melee attack the player performed and trigger its | | |
| | animation. | | |
| Procedure | 2. Determine if the attack is successful by calculating if an enemies hitbox is | | |
| Trocedure | within range | | |
| | of the attack. | | |
| | 3. Calculate how much HP the enemy will lose | | |
| Outcome | The players performs a melee attack on the enemy, resulting them in losing a predetermined amount of HP | | |

| PUC No.7 Event: Performing a ranged attack | |
|--|--|
| Trigger | The player presses a button to attack |
| Preconditions | The player is in control of their avatar; Player is in the game world |
| | 1. Check if any special items are collect that modify the player's attack |
| Procedure | 2. Instantiate a projectile prefab (projectile has its own script) in front of the |
| Trocedure | player |
| | 3. Add a force to the projectile |
| Outcome | The players shoots a projectile |

| PUC No.8 | Event: Performing a combo Attack | |
|---|---|--|
| Trigger The player presses the buttons mapped to a combo attack | | |
| Preconditions The player is in control of their avatar; Player is in the game world | | |
| | 1. Determine which type of combo attack the player performed and trigger its | |
| | animation. | |
| Procedure | 2. Determine if the attack is successful by calculating if an enemies hit-box is | |
| | within range of the attack. | |
| | 3. Calculate how much HP the enemy will lose | |
| Outcome | The players performs a combo attack on the enemy, resulting them in losing a predetermined amount of HP | |

| PUC No.9 | Event: Interacting with shop |
|---------------|---|
| Trigger | The player presses the button to interact with the shop |
| Preconditions | The player is in control of their avatar; Player is in the game world |
| | 1. Determine if the player is within the range of the shop. |
| Procedure | 2. A menu list of the shop is on top of the current environment. |
| | 3. Calculate how much gold would spend on the selected item. |
| Outcome | The player puts the item in the item bag. |

| PUC No.10 | Event: Pausing the game |
|---------------|---|
| Trigger | The player pressing ESC button on keyboard |
| Preconditions | The player is in control of their avatar; Player is in the game world |
| Procedure | 1. Set time scale to zero 2. Open a pause menu |
| Outcome | The game is paused |

| PUC No.11 | Event: Unpausing the game |
|---------------|--|
| Trigger | The player pressing ESC button on keyboard while game is paused. |
| Preconditions | The player is in control of pause menu. Does not control avatar. |
| | 1. Restore time scale to default |
| Procedure | 2. Close pause menu |
| | 3. Return to game |
| Outcome | The game is paused |

| PUC No.12 | Event: Use Items |
|---------------|--|
| Trigger | The player press a button mapped to use items |
| Preconditions | The player is in control of their avatar; Player is in the game world. |
| | 1. Player enters item menu |
| Procedure | 2. Player highlights the item they want to use |
| | 3. Player presses to button to use the highlighted items |
| Outcome | The player will get hp recovered if they used a potion. |

| PUC No.13 | Event: Starting a new game |
|---------------|---|
| Trigger | The player chooses the "New Game" option from the title screen. |
| Preconditions | The player is not currently in an active game session. |
| Procedure | 1. Determine if the start new game button has been selected |
| | 2. Display available avatars to choose |
| Outcome | The player start the new game and has control of the avatar. |

| PUC No.14 | Event: Reaching Checkpoint |
|---------------|--|
| Trigger | Having the player avatar collided with an in-game checkpoint, reaching the next level or defeating certain type of enemy |
| Preconditions | The player is in control of their avatar; Player is in the game world. |
| | 1.Determine if the player controls avatar to perform a collision with the |
| Procedure | checkpoint |
| | 2. Set player checkpoint to the most recent checkpoint |
| Outcome | A message display "Progress has been saved successfully" |

| PUC No.15 | Event: Defeating Boss |
|---------------|---|
| Trigger | Boss's health is reduced to zero |
| Preconditions | The player is in control of their character; Located in the game world. |
| Procedure | 1.Determine the chances for boss drops any scrap and gold. |
| Outcome | The player controls avatar to pick up any loot that the Boss was hoarding |

| PUC No.16 | Event: Defeating All Enemies |
|---------------|--|
| Trigger | Enemy's health is reduced to zero |
| Preconditions | The player is in control of their character; Located in the game world. |
| Procedure | 1.Determine the chances for enemy drops any scrap. |
| Outcome | The player controls avatar to pick up any loot that the enemies was hoarding |

| PUC No.17 | Event: Loading next level |
|---------------|--|
| Trigger | The player controls avatar reach the destination |
| Preconditions | The player is in control of their character; Located in the game world |
| Procedure | 1.Determine and save the inventory and attribute of the player |
| | 2.Load the next level and the saved information |
| Outcome | The player start the new level and has control of the avatar |

| PUC No.18 | Event: Player Death |
|---------------|---|
| Trigger | The player character's health is zero |
| Preconditions | The player is in control of their character; Located in the game world. |
| Procedure | 1. Determine the last saved checkpoint. |
| | 2. Restore the player's avatar to full HP. |
| Outcome | The player's avatar is respawned at the last checkpoint. |

| PUC No.19 | Event: Interacting with Gundam Gear |
|---------------|---|
| Trigger | Player hits a button mapped to interact with gundum gear |
| Preconditions | The player is in control of their character; Located in the game world. |
| Procedure | 1. Determine the if the gear is within the player's range |
| | 2. Get in the gear and play gear transformation animation. |
| Outcome | The main character is replaced with a new sprite |

| PUC No.20 | Event: View level objectives |
|---------------|--|
| Trigger | Player hits a button while highlighting in the pause menu |
| Preconditions | Player must be in the pause menu associated with the gameworld |
| | 1. Check what the level the player is on |
| Procedure | 2. Grab the level objective text |
| | 3. Show level objective text |
| Outcome | Objective text is shown to the player |

| PUC No.21 | Event: Entering a new Environment | |
|---------------|--|--|
| Trigger | Player waits for 5 seconds | |
| Preconditions | The player is in control of their character; Located in the game world, all enemies are defeated and boss is cleared | |
| Procedure | 1. Kill all enemies and boss or complete puzzle objectives | |
| | 2. Wait 5 seconds. | |
| Outcome | Game will load next level. | |

| PUC No.22 | Event: Viewing Achievements | |
|---------------|--|--|
| Trigger | The player hits a button while highlighting "View Achievements" in the "Main Menu" | |
| Preconditions | The player is in the "Main Menu" | |
| Procedure | 1. Get achievement list | |
| | 2. Generate achievement list for print | |
| | 3. Print achievement list | |
| Outcome | Achievement list | |

| PUC No.23 | Event: Exit game | |
|---------------|---|--|
| Trigger | The player hits "ESC" button and select "Return to main menu" or press "alt" $+$ "F4" | |
| Preconditions | Player must be in the pause menu associated with the gameworld | |
| Procedure | 1. The player selects "Return to main menu" in the pause menu. | |
| Outcome | Game exits and main menu shows up | |

| PUC No.24 | Event: Selecting new playable character | |
|---------------|--|--|
| Trigger | Player hits button "Enter" while highlighting Playable character | |
| Preconditions | Player must be in the character selection menu. | |
| Procedure | 1. The player presses "Enter" in the character selection menu. | |
| Outcome | Player enters the game with the character selected. | |

| PUC No.25 | Event: Displaying the Game Settings | |
|---------------|---|--|
| Trigger | Player hits "Options" option. | |
| Preconditions | Player must be in the main menu/pause menu. | |
| Procedure | 1. Player hits "Options" option in main menu/pause menu | |
| Outcome | The game settings menu shows up | |

| PUC No.26 | Event: Changing the Game Settings | | |
|---------------|--|--|--|
| Trigger | Player selects the setting options | | |
| Preconditions | Player must be in the game setting menu | | |
| Procedure | Player selects the setting options. a. If the player hits "Apply", then the settings changed will be saved. b. If the player did not hit apply and player hits "cancel", then the settings change will not be saved. | | |
| Outcome | The game settings are changed/unchanged depends on player's action | | |

| PUC No.27 | Event: Moving the Camera | |
|---------------|--|--|
| Trigger | Player movement | |
| Preconditions | The player is in control of their character; Located in the game world, and the camera is fixed on the player character. | |
| Procedure | 1. The player moves, and the camera is fixed on the player character. | |
| Outcome | The camera moves as player moves | |

| PUC No.28 | Event: Interacting with Gundam Maintenance | | | |
|---------------|--|--|--|--|
| Trigger | The player hits a button mapped to "Interact" | | | |
| Preconditions | The player is in control of their character; Located in the game world | | | |
| Procedure | 1. Determine if the player is within the range of the Gundam Maintenance. | | | |
| | 2. A menu list of the gear is on top of the current environment.3. Calculate how much scraps would spend on the selected gear for mobile suit | | | |
| | upgrade. 4. New mobile suit preview will be present. | | | |
| Outcome | The menu of mobile suit upgrade preview will show up | | | |

8 Functional Requirements

a Core Mechanic

| ID:001 | Type:Functional Requirement | |
|---------------|--|--|
| PUC: 1 | Originator:Jonathan Yu | |
| Description | The player's avatar should be able to move along the horizontal axis, in the postive direction | |
| Rationale | Avatar should be able to explore the level with the ability to move horizontally, in the postive direction. | |
| Fit Criterion | Avatar moves towards the right when the "Right" key is pressed, which is the positive direction in our game. | |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:002 | Type:Functional Requirement | |
|-----------------|--|--|
| PUC: 1 | Originator: Saim Zahid | |
| Description | The player's avatar should be able to move along the horizontal axis, in the negative direction | |
| Rationale | Avatar should be able to explore the level with the ability to move horizontally, in the negative direction. | |
| Fit Criterion | Avatar moves towards the left when the "Left" key is pressed, which is the negative direction in our game. | |
| Satisfaction: 4 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:003 | Type:Functional Requirement | | |
|-----------------|--|-------------------------|--|
| PUC: 1 | Originator: Jonatha | Originator: Jonathan Yu | |
| Description | The player's avatar should be able to jump, achieved by adding a vertical force in the positive Y direction. | | |
| Rationale | Avatar should be able to explore the level with the ability to move Vertically. | | |
| Fit Criterion | Avatar gains positive Y velocity when the "Space" key is pressed. Velocity decreases overtime due to gravity, eventually returning the player to back to the ground. | | |
| Satisfaction: 4 | Dissatisfaction: 5 | Priority: Very High | |
| Conflicts:N/A | Supporting Material:N/A | | |

| ID:004 | Type:Functional Requirement | |
|-----------------|--|---------------------|
| PUC: 2 | Originator:Jonathan Yu | |
| Description | All characters in the game screen will be subjected to gravity, a downward force in the negative Y direction every ms. | |
| Rationale | Define one constant rate of downward motion. | |
| Fit Criterion | Use Rigid Body property of Unity | |
| Satisfaction: 5 | Dissatisfaction: 5 | Priority: Very High |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:005 | Type:Functional Requirement | | |
|-----------------|---|--|--|
| PUC:3 | Originator:Jonathan Yu | | |
| Description | After picking up an item, ensure that the attributes that the items modifies are accurate,in conjunction with a formula | | |
| Rationale | It gives the player a feel of progression, making his machine stronger the longer he plays, also gives him a sub goal. The main idea is to destroy your enemies and take their gear to bolster your own | | |
| | When the player collides with an item his attributes are changed depending on the type of item. For example if he collects and attack upgrade, he will do a larger % of damage. | | |
| | 1. There will be damage upgrade items. When Avatar collides with item, there will be a multiplier to attack value. | | |
| Fit Criterion | 2. There will be speed upgrade items. When Avatar collides with item, there will be multiplier to movement speed and jump velocity value. | | |
| | 3. There will be health upgrade items. When Avatar collides with item, maximum health value will be increased. | | |
| | 4. There will be usable items. When Avatar collides with item, item will be added to inventory, can be used by pressing the designated button and item will no longer be in inventory. | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | |
| Conflicts:N/A | Supporting Material:N/A | | |

| ID:006 | Type:Functional Requirement | | |
|-----------------|---|--|--|
| PUC:4 | Originator: Yanting Zhang | | |
| Description | The player must be able to view their avatar's status | | |
| Rationale | The player will want to check the current status of their avatar(current health, ammo count, etc.) | | |
| Fit Criterion | The player will be able to open the status menu by pressing the player status menu button. This will display current attributes of both the avatar. | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | |
| Conflicts:N/A | Supporting Material:N/A | | |

| ID:007 | Type:Functional Requirement | | | |
|-----------------|---|---------------------------|--|--|
| PUC:4 | Originator: Yanting | Originator: Yanting Zhang | | |
| Description | The player must be able to view the avatar's gear's status | | | |
| Rationale | The player will want to check the current status of their avatar gear.) | | | |
| Fit Criterion | The player will be able to open the status menu by pressing the player gear status menu button. This will display current attributes the avatar's gear. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:008 | Type:Functional Requirement | | | |
|-----------------|--|---------------------------|--|--|
| PUC:5 | Originator:Yanting Z | Originator: Yanting Zhang | | |
| Description | The player must be able to view the item's menu. | | | |
| Rationale | The player will want to check current items of the avatar. | | | |
| Fit Criterion | The player will be able to open the item's menu by pressing the view item's menu button. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:009 | Type:Functional Requirement | | | |
|-----------------|--|--------------------------|--|--|
| PUC:4,5 | Originator:Yanting Z | Originator:Yanting Zhang | | |
| Description | The system must be able to calculate and display the avatar's current attributes modified by the used items. | | | |
| Rationale | If the system cannot calculate and display the avatar's current attributes including the equipped items, the player will not know what effect has been applied by a consumed item. | | | |
| Fit Criterion | The avatar's modified attributes are calculated and displayed according to the used items. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:010 | Type:Functional Requirement | | |
|-----------------|--|--|--|
| PUC:4,5 | Originator:Yanting Zhang | | |
| Description | The player must be able to change the avatar's gears. | | |
| Rationale | The player must be able to change avatar's gear as well as view current gear attributes. | | |
| Fit Criterion | The player will be able to change avatar's gear by selecting the item from item's menu | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | |
| Conflicts:N/A | Supporting Material:N/A | | |

| ID:011 | Type:Functional Requirement | | | |
|-----------------|--|--|--|--|
| PUC:4,5 | Originator: Yanting Zhang | | | |
| Description | The system must be able to calculate and display the avatar's current attributes modified by the used items. | | | |
| Rationale | If the system cannot calculate and display the avatar's current attributes including the equipped items, the player will not know what effect has applied on with the new used item. | | | |
| Fit Criterion | The avatar's modified attributes are calculated and displayed according to the the used items. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:012 | Type:Functional Requirement | | | |
|-----------------|--|--------------------------|--|--|
| PUC:6 | Originator:Yanting | Originator:Yanting Zhang | | |
| Description | The player must be able to perform a melee attack | | | |
| Rationale | Since the game is based around fighting and defeating enemies, being able to perform a melee attack is crucial to the game. Melee attacks are the backbone of most fighting games. | | | |
| Fit Criterion | The player will press the button to perform a melee attack, the players avatar will display the attack on the screen. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:013 | Type:Functional Requirement | | | |
|-----------------|---|--|--|--|
| PUC:7 | Originator:Saim Zah | Originator:Saim Zahid | | |
| Description | The player must be | The player must be able to perform a ranged attack | | |
| Rationale | Since the game is based around fighting and defeating enemies, being able to perform a ranged attack is crucial to the game. Almost all successful fighting games supplment melee fighting with ranged attacks. | | | |
| Fit Criterion | The player will press the button to perform a ranged attack, the players avatar will display the ranged attack on the screen. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:014 | Type:Functional Requirement | | | |
|-----------------|--|------|--|--|
| PUC:8 | Originator:Saim Za | shid | | |
| Description | The player must be able to perform a combo attack | | | |
| Rationale | One of the main selling points of our game is being able to perform combo moves. It also adds a new dimension to our games fighting elements. It also keeps it fresher for longer for players because learning and executing them takes a while. | | | |
| Fit Criterion | The player will press the buttons mapped to a combo attack, the players avatar will display the combo attack on the screen. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:015 | Type:Functional Requirement | | | |
|-----------------|--|--|--|--|
| PUC:6,7,8 | Originator:Yanting Zhang | | | |
| Description | The system must be able to calculate the damage for obstacles according to the selected attack performed. | | | |
| Rationale | When player performs an attack on obstacles, the system should be able to determine how much damage will be applied against the obstacles. | | | |
| Fit Criterion | When player performs an attack on obstacles, the system should be able to determine how much health the obstacles must lose from different types of attacks. | | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | | |
| Conflicts:N/A | Supporting Material:N/A | | | |

| ID:016 | Type:Functional Requirement | | |
|-----------------|--|--|--|
| PUC:10 | Originator: Yanting Zhang | | |
| Description | The player must be able to pause the game | | |
| Rationale | If the player wishes to do something while in game, they should be able to pause the game. | | |
| Fit Criterion | If the player press the pause button, the gameplay will be paused. | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | | |
| Conflicts:N/A | Supporting Material:N/A | | |

| ID:017 | Type:Functional Requirement | |
|-----------------|---|--|
| PUC:11 | Originator:Yanting Zhang | |
| Description | The player must be able to resume the paused the game | |
| Rationale | If the game is paused, the player must be able to resume the game. | |
| Fit Criterion | If the player press the unpause button, the gameplay will be resumed. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Medium | |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:018 | Type:Functional Requirement | |
|-----------------|---|--|
| PUC: 16 | Originator:Jonathan Yu | |
| Description | When the player's avatar enters a level, a fixed amount of enemies are created. If all enemies are destroyed than, the game will load, to the next level. | |
| Rationale | The player requires a win condition to complete the level. | |
| | 1. Fixed number of enemies will be spawned when level is loaded. Enemy will | |
| Fit Criterion | spawn at fixed locations. Enemies aggro when player is within range. | |
| | 2. When enemy counter reaches zero, level completes. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:019 | Type:Functional Requirem | ent |
|-----------------|--|--|
| PUC: 18 | Originator:Jonathan Yu | |
| Description | 1 0 | with an invisible preset boundary, the game reloads the are decremented by one, if the the players lives are less s the game over scene. |
| Rationale | To prevent the player from boundary for the intended | m accessing a part of the level and creating a natural game world. |
| Fit Criterion | Assert if the instance of the object and the player that collided with each other are still within the scene | |
| Satisfaction: 5 | Dissatisfaction: 5 | Priority: Very High |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:020 | Type:Functional Requirement | |
|-----------------|--|--|
| PUC: 18 | Originator:Jonathan Yu | |
| Description | When the player's collides with an enemy, the player loses a percentage of their total health depending on what enemy he collided with, if the player's health reaches below zero than the game reloads the current level and the player's lives are decremented by one, if the the players lives are less than 0 then the game loads the game over scene. | |
| Rationale | One of the primary fail conditions for the player | |
| Fit Criterion | Assert if the instance of the object and the player that collided with each other are still within the scene | |
| Satisfaction: 4 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:021 | Type:Functional Requirement | |
|-----------------|--|---------------------|
| PUC: 18 | Originator:Jonathan Yu | |
| Description | All characters will have their own health pool. | |
| Rationale | Mobiles suits can only sustain so much damage before they are destroyed, health points are used as a representation of the about of damage they can take. For game play experience and real life representation, different machines will have various amounts of hp. Boss characters will have the most. | |
| Fit Criterion | Set various HP amount for characters. | |
| Satisfaction: 5 | Dissatisfaction: 5 | Priority: Very High |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:022 | Type:Functional Requirement | |
|-----------------|--|--|
| PUC: 18 | Originator:Jonathan Yu | |
| Description | When the player attacks, he will instantiate a new box collider that covers the range of his attack, if that box collides with another object it loses a percentage of their health that is scaled by the player's attack, if their health goes below zero than play the death animation and destroy the object. | |
| Rationale | The rides in a mobile suit as a weapon the player needs a means to destroy the enemy mobile suits | |
| Fit Criterion | New box collider for select animation frames. On collision with enemy box, decrease enemy health. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:023 | Type:Functional Requirement | |
|-----------------|---|--|
| PUC: 23 | Originator: Yanting Zhang | |
| Description | The system must be able to return the game state to the title screen. | |
| Rationale | There must be a way for the player to exit the game from within it. | |
| Fit Criterion | If the player enters the pause menu and selects the quit game option, they will be asked to confirm they wish to quit. If they select yest, they will be brought to the title screen. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts:N/A | Supporting Material:N/A | |

| ID:024 | Type:Functional Requirement | |
|--------------------|---|--|
| PUC:10, 11, 25, 26 | Originator: Tian Guo | |
| Description | During game missions the player can open the pause menu to pause the game. The menu will consist of "Resume" to unpause the game from pause menu, Options to change certain settings, and Back to Title to return to main menu. | |
| Rationale | During missions, player should have the ability to open pause menu if need be. Play can change settings in this screen if adjustments are needed. | |
| | 1.During mission player shall be able to open pause menu by pressing "ESC" key. | |
| Fit Criterion | 2. Pause menu shall pause the game until the menu is closed. | |
| | 3. Pause menu shall have resume, options, and back to title buttons. | |
| | 4. Pressing "ESC" again while in pause menu shall resume the game as well. | |
| Satisfaction: | Dissatisfaction: Priority: High | |
| Conflicts: | Supporting Material: | |

| ID:0025 | Type:Functional Requirement | | |
|--------------------|---|---|---------------|
| PUC:10, 11, 25, 26 | Originator: Tian | Guo | |
| Description | to return to their | During game missions if the player has paused the game the player will have ability to return to their game session by pressing the "Resume" button. They could also use the "Back to Title" button to return to main menu. | |
| Rationale | During missions while the game is paused, the player should have the ability to return to the game. | | |
| Fit Criterion | The pause menu should have a button called "Resume" which gives the player the ab | | bility to ret |
| Satisfaction: | Dissatisfaction: | Priority: High | |
| Conflicts: | Supporting Material: | | |

| ID:026 | Type:Functional | Type:Functional Requirement | | |
|---------------|--|---|-------------------|--|
| PUC: | Originator: Saim | Originator: Saim Zahid | | |
| Description | Enemies will acti | Enemies will actively try to harm the player's avatar, potentially even kill the avatar. | | |
| Rationale | this is knowing to make it more ma | Every game needs an element that is thrilling to the player, more often than not this is knowing that fact that their avatar can die. Adding this to our game will make it more marketable and will keep players intrested for longer. This will also make the game more challenging which is appealing to most gamers. | | |
| Fit Criterion | When the player encounters an enemy, the enemy will use their equipped weapon to har | | harm/kill the pla | |
| Satisfaction: | Dissatisfaction: | Priority: High | | |
| Conflicts: | Supporting Mater | | | |

| ID:027 | Type:Functional | Type:Functional Requirement | | |
|---------------|---|---|--------------------|--|
| PUC: | Originator: Saim | ı Zahid | | |
| Description | will do the same | As the player progess's in the game and meets newer enemies, the players weapons will do the same amount of damage but the enemies will lose less health then the player's weapon's base damage, as the newer enemies will have better armor. | | |
| Rationale | The game should feel progressively harder, in terms of defeating enemies, to make it more challenging. Rather than weakening the players weapons or giving them worse gear, giving the ememies better armor will give the player a better challenge, all the while not making them feel like they regressed by weakening their weapons. | | | |
| Fit Criterion | As the player encounters stronger enemies as the progress in the game, the enemies | | will have better a | |
| Satisfaction: | Dissatisfaction: | Priority: High | | |
| Conflicts: | Supporting Material: | | | |

| ID:028 | Type:Functional Requirement | |
|---------------|--|-------------------|
| PUC: | Originator: Saim Zahid | |
| Description | When the player defeats the main boss of each level the enemy should give the player feedback that it has been defeated. This feedback includes an empty hp bar and a distinct death animation. | |
| Rationale | The player needs to know when they have deafted the main boss. A depleting HP bar shows how much more damage the boss can sustain and also when players see they have an alomst empty HP bar on a tough boss fight it gives them the extra push to succeed. A death animation is good feedback to the player that the boss has ben defeated. | |
| Fit Criterion | When the player defeats a boss, the boss' sprite will show a distinct death animation | n marking the end |
| Satisfaction: | Dissatisfaction: Priority: High | |
| Conflicts: | Supporting Material: | |

| ID:029 | Type:Functional Requirement | | | |
|---------------|---|--|-------------------|--|
| PUC: | Originator: Saim | Originator: Saim Zahid | | |
| Description | 1 2 | When the player defeats an enemy, the enemy should give the player feedback that it has been defeated. This feedback includes an empty hp bar and a death animation. | | |
| Rationale | The player needs to know when they have deafted an enemy A depleting HP bar shows how much more damage the enemy can sustain. A death animation is good feedback to the player that the enemy has ben defeated. | | | |
| Fit Criterion | When the player defeats an enemy, the enemy's sprite will show a death animation r | | marking the end o | |
| Satisfaction: | Dissatisfaction: | Priority: High | | |
| Conflicts: | Supporting Material: | | | |

| ID:030 | Type:Functional | Type:Functional Requirement | | |
|---------------|--|--|------------------|--|
| PUC: | Originator: Saim | Originator: Saim Zahid | | |
| Description | When the player | When the player defeats an enemy, there a chance they will drop scrap. | | |
| Rationale | Rewarding the player after defeating an enemy is crucial for them to like the game. Making the player work hard to acieve an objective then not rewarding them is not a good requirement. This also increases the longevity of the game as the player will want to play more to collect more scrap to upgrade their suit. | | | |
| Fit Criterion | When the player defeats an enemy, they might drop a piece of scrap that can be walked over to p | | ked over to pick | |
| Satisfaction: | Dissatisfaction: | Priority: High | | |
| Conflicts: | Supporting Material: | | | |

| ID:031 | Type:Functional Requirement | | |
|---------------|--|--|---------|
| PUC: | Originator: Saim | Originator: Saim Zahid | |
| Description | When the player | When the player defeats a boss, the boss will drop scrap | |
| Rationale | Rewarding the player after defeating a boss is crucial for them to like the game. Making the player work hard to acieve an objective then not rewarding them is not a good requirement. This also increases the longevity of the game as the player will want to play more to collect more scrap to upgrade their suit. | | |
| Fit Criterion | When the player defeats a boss, the boss will drop scrap that can be walked over to pi | | pick up |
| Satisfaction: | Dissatisfaction: | Priority: High | |
| Conflicts: | Supporting Material: | | |

| ID:032 | Type:Functional | Type:Functional Requirement | | |
|---------------|--|--|--------------------|--|
| PUC: | Originator: Saim | Originator: Saim Zahid | | |
| Description | When the player | When the player encounters a useable weapon they can pick it up to use it. | | |
| Rationale | When the player collides with a weapon they can pick it up. This is will keep the combot fresh as they will get to use newer/better weapon. This will also allow them to personalize their avatar as they can use which ever type of wepaon they like. | | | |
| Fit Criterion | When a player picks up a weapon it becomes their currently equipped weapon and they ca | | hey can use it fre | |
| Satisfaction: | Dissatisfaction: | Priority: High | | |
| Conflicts: | Supporting Material: | | | |

b Primary Gameplay Mode

| ID:010 | Type:Functional Requirement | | |
|---------------|--|---|--|
| PUC: 21 | Originator: | | |
| Description | 1 00 | The primary gameplay mode will be Story Mission Mode where players shall complete the each levels of the game. The win condition is to complete all levels. | |
| Rationale | Primary mode should be able to explore all levels by sequence and present the story. | | |
| Fit Criterion | | | |
| Satisfaction: | Dissatisfaction: | Priority: Very High | |
| Conflicts: | Supporting Material: | | |

c Alternate Game Modes

| ID:011 | Type:Functional Requirement | | |
|---------------|--|---|--|
| PUC: 24, 26 | Originator: | | |
| Description | | Free Mission Mode allows player can choose which playable character to use and which level to play. After select level is completed, return to mission select screen. | |
| Rationale | Alternate mode grants player more freedom. | | |
| Fit Criterion | | | |
| Satisfaction: | Dissatisfaction: | Priority: Medium | |
| Conflicts: | Supporting Material: | | |

| ID:012 | Type:Functional Requirement | |
|---------------|---|--|
| PUC: 25, 26 | Originator: Tian Guo | |
| Description | A start menu that allows the player to select Story Mission Mode, Free Mission Mode, Options to change game settings, and Exit to terminate the game. | |
| Rationale | Game should begin at menu to give player option to choose how to play and options to change settings. | |
| | 1. Game will boot into start menu. | |
| Fit Criterion | 2. Start menu shall contain Story Mission, Free Mission, Option, and Exit buttons. | |
| | 3. Each button will execute the relevant functions. | |
| Satisfaction: | Dissatisfaction: Priority: Very High | |
| Conflicts: | Supporting Material: | |

| ID:013 | Type:Functional Requirement | |
|--------------------|---|--|
| PUC:10, 11, 25, 26 | Originator: Tian Guo | |
| Description | During game missions the player can open the pause menu to pause the game. The menu will consist of "Resume" to unpause the game from pause menu, Options to change certain settings, and Back to Title to return to main menu. | |
| Rationale | During missions, player should have the ability to open pause menu if need be. Play can change settings in this screen if adjustments are needed. | |
| | 1.During mission player shall be able to open pause menu by pressing "ESC" key. | |
| Fit Criterion | 2. Pause menu shall pause the game until the menu is closed. | |
| The Children | 3. Pause menu shall have resume, options, and back to title buttons. | |
| | 4. Pressing "ESC" again while in pause menu shall resume the game as well. | |
| Satisfaction: | Dissatisfaction: Priority: High | |
| Conflicts: | Supporting Material: | |

9 Look and Feel Requirements

a Appearance Requirements

| ID:101 | Non-Functional Requirement(Appearance) | | |
|-----------------------|--|--|--|
| PUC: 1, 2, 10, 25, 26 | Originator: Tian Guo | | |
| Description | Characters must look distinct from each other. Player must be able to tell difference between the player avatar and enemy easily. Foreground and background must differentiate easily. | | |
| Rationale | Object on screen must represent itself clearly | | |
| Fit Criterion | 1.Player can easily distinguish self from others. 2. Player can easily distinguish foreground and background | | |
| Satisfaction: | Dissatisfaction: Priority: High | | |
| Conflicts: | Supporting Material: | | |

b Style Requirements

| ID:101 | Type:Non-Functional Requirement(Look and Feel - Style) | |
|---------------|--|----------------|
| PUC: 19, 21 | Originator: Tian Guo | |
| Description | Objects in the game must exert futuristic style | |
| Rationale | The look of the game should reflect the Sci-Fi setting | |
| Fit Criterion | Objects should look mechanical, has electronics, or seems to be made from metal. | |
| Satisfaction: | Dissatisfaction: | Priority: High |
| Conflicts: | Supporting Material: | |

| ID:102 | Type:Non-Functional Requirement(Look and Feel - Style) | | |
|-----------------|--|----------------|--|
| PUC: 2, 6, 7, 8 | Originator: Tian Guo | | |
| Description | Playing the game must feel like mix of action and platforming | | |
| Rationale | Playing the game should feel like brawler or fighting game from the combat mechanic. Traversing the game should feel like platformer and Metroidvania games. | | |
| Fit Criterion | Game should have solid fighting game mechanics and platformer level design. | | |
| Satisfaction: | Dissatisfaction: | Priority: High | |
| Conflicts: | Supporting Material: | | |

c Requisite Assets

c.1 Audio

| Asset Type | Number Required | Rationale |
|-------------------------------|-----------------|--|
| Character Sound Effect | 2 | Require minimum two sets for playable characters' sound effects |
| Enemy Character Sound Effects | 6 | Require minimum 6 different sets of sound effects for enemy types and bosses |
| Background Sound Track | 6 | Require minimum 6 Tracks for different scenery |

c.2 Visual

| Asset Type | Number Required | Rationale |
|------------------------|-----------------|---|
| Main Character Sprite | 2 Sets | Require minimum two sets for playable |
| Enemy Character Sprite | 6 Sets | Require minimum 6 different enemy types and bosses |
| Background Sprite | 6 Sets | Require minimum 6 sets for different scenery |
| Foreground Sprite | 6 Sets | Require minimum 6 sets for foreground objects and platforms |

10 Usability and Humanity Requirements

a Ease of Use Requirements

| ID:201 | Type: Non-Functional Requirement(Ease of Use) | |
|-----------------|--|--|
| PUC: 1, 2, 20 | Originator: Tian Guo | |
| Description | Requirement on how easily player can play the game physically. | |
| Rationale | Player should not be hindered by the controls while playing | |
| Fit Criterion | Button layout for controlling player avatar must be intuitive and similar to other games of the genre. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts: N/A | Supporting Material: N/A | |

b Personalization Requirements

| ID:202 | Type: Non-Functional Requirement(Personalization) | | |
|-----------------|--|---|--|
| PUC: 26 | Originator: Saim Zahid | | |
| Description | Customization requirements | | |
| Rationale | Player should be able to play the game as per personal preference. | | |
| Fit Criterion | Player must be able to change the video and audio settings, pausing and unpausing the game, and changing the mobile suit of the character as per preference. | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | 1 | |
| Conflicts: N/A | Supporting Material: N/A | | |

c Learning Requirements

| ID:203 | Type:Non-Functional Requirement(Learning) | |
|-----------------|--|--|
| PUC: | Originator: Tian Guo | |
| Description | Requirement of how easily a new player should be able to pick up the game | |
| Rationale | Player should not spend large amount of time to learn to play the game | |
| Fit Criterion | The main control and concept of the game must be very intuitive and easy to learn. Player must be able to grasp the control of the game within few minutes of first stage. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts: N/A | Supporting Material: N/A | |

d Understandability and Politeness Requirements

| ID:204 | Type:Non-Functional Requirement(Understandability and Politeness) | | |
|-------------------------------|---|--|--|
| PUC:1, 2, 6, 7, 8, 14, 15, 16 | Originator: Yicheng Chen | | |
| Description | Requirement of how easily a player understand the game and in what level of politeness that the language of the game is representing. | | |
| Rationale | Players should not have a hard time understanding the language of the game. The dialogue and context should not contain hate speech | | |
| Fit Criterion | The conversation, subtitles, naming, lores must be in English and have appropriate grammar. And they should not contain hate speech at all. Players must have a comfortable gaming environment during the game. | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | | |
| Conflicts: N/A | Supporting Material: N/A | | |

e Accessibility Requirements

| ID:205 | Type:Non-Functional Requirement(Accessibility) | | |
|-----------------|--|--|--|
| PUC: 1 | Originator: Tian Guo | | |
| Description | How easily targeted audience can get ahold of the product | | |
| Rationale | Game should be playable on common hardware and platforms. | | |
| Fit Criterion | The program must be able to run on PC, Mac, and Linux platforms. | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | | |
| Conflicts: N/A | Supporting Material: N/A | | |

11 Performance Requirements

a Speed and Latency Requirements

| ID:206 | Type:Non-Functional Requirement(Performance - Speed and Latency) | |
|--------------------|---|--|
| PUC: 1, 2, 6, 7, 8 | Originator: Tian Guo | |
| Description | Requirement of how fast and responsive the game should be. | |
| Rationale | Due to the game's genre as a platformer and the focus on combos, the game must feel very responsive. The game's theme is Sci-Fi and Mecha, therefore the speed does not need to be very fast. | |
| Fit Criterion | Players input must not have large latency. The latency should be below 90ms and unnoticeable to the player. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts: N/A | Supporting Material: N/A | |

b Precision or Accuracy Requirements

| ID:207 | $\label{type:Non-Functional Requirement} Type: Non-Functional \ Requirement (Performance - Precision \ or \ Accuracy)$ | | |
|-----------------|--|--|--|
| PUC: 6, 7, 8 | Originator: Tian Guo | | |
| Description | Requirement of how accurate and precise hitboxes are. | | |
| Rationale | Unlike traditional fighting games, there will not be high, mid, and low strikes and blocks. The hitbox of characters will be more lenient than games such as Tekken, Street Fighter, or Mortal Kombat. | | |
| Fit Criterion | If the attack appears to have landed on enemies, the hit must register. | | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | | |
| Conflicts: N/A | Supporting Material: N/A | | |

c Reliability and Availability Requirements

| ID:208 | Type:Non-Functional | al Requirement(Performance - Reliability and Availability) |
|-----------------|--|--|
| PUC: All | Originator: Yicheng Chen | |
| Description | Requirement for part | ty of liability and availability of the party. |
| Rationale | Game should have re | eliable party. And game should have available support. |
| Fit Criterion | Development team must be liable for all issues of the game. Dev team must be available to solve issues before April 28th 2018. | |
| Satisfaction: 5 | Dissatisfaction: 5 I | Priority: Very High |
| Conflicts: N/A | Supporting Material: N/A | |

d Robustness or Fault Tolerance Requirements

| ID:209 | Type:Non-Functional Requirement(Performance - Robustness or Fault Tolerance) | |
|-----------------|--|--|
| PUC: All | Originator: Tian Guo | |
| Description | Requirement of the frequency of crashes and unexpected errors. | |
| Rationale | Any crashes or unexpected errors that disrupts gameplay should not be occuring. | |
| Fit Criterion | The game will not crash unexpectedly under normal circumstances. The game will perform at acceptable level on all platform and machines that it is running on. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts: N/A | Supporting Material: N/A | |

e Capacity Requirements

| ID:210 | Type:Non-Functional Requirement(Performance - Capacity) | |
|-----------------|---|--|
| PUC:1, 17, 21 | Originator: Yichneg Chen | |
| Description | The system should be able to create and maintain at most thirty(30) characters in one game level, and at most ten(10) characters on the screen. | |
| Rationale | With too many characters showing up on one screen could dramtically affect game performance. | |
| Fit Criterion | The game must allow thirty characters to show up in one level, ten characters show up while system performance is not affected too much. | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts: N/A | Supporting Material: N/A | |

12 Scalability and Extensibility Requirements

| ID:211 | Type:Scalability | |
|-----------------|--|--|
| PUC: All | Originator: Yichneg Chen | |
| Description | The game should be coded in a way where adding new levels are possible without changing previously written code | |
| Rationale | The game can be expanded upon later, downloadable content could be added, most importantly code can be reused for different games. | |
| Fit Criterion | The player must be able to play the game for at least fifteen minutes, and the player must be able to explore | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts: N/A | Supporting Material: N/A | |

13 Longevity Requirements

| ID:212 | Type:Non-Functional Requirement(Performance - Longevity) | |
|-----------------|---|--|
| PUC: All | Originator: Yichneg Chen | |
| Description | Requirement of a minimum of Fifteen(15) minutes game play to be played by the players. | |
| Rationale | The final product should be able to be played for a minimum of fifteen(15) minutes for graded demonstration. | |
| Fit Criterion | The player must be able to play the game for at least fifteen minutes. And the player must be able to explore | |
| Satisfaction: 5 | Dissatisfaction: 5 Priority: Very High | |
| Conflicts: N/A | Supporting Material: N/A | |

14 Operational and Environmental Requirements

| ID:213 | Type:Operational and Environmental Requirements |
|---------------|---|
| PUC: All | Originator: Jonathan Yu |
| Description | The game will not overuse the CPU or overheat the power supply |
| Rationale | This could cause an explosion potentially harming the user and the surrounding environment. |
| Fit Criterion | If CPU temperature reaches its threshold the game should terminate. |
| Priority: Low | |

15 Cultural Requirements

| ID:214 | Type:Non-Functional Requirement(Performance - Longevity) |
|---------------|---|
| PUC: 21 | Originator: Jonahtan Yu |
| Description | The product shall not have offensive symbols to any religious or ethnic group. |
| Rationale | Although I believe that game should not be censored in any form but having our game potential banned within our country is harmful. |
| Fit Criterion | The product must pass through Canadian cultural policy |
| Priority | Low |

16 Legal Requirements

| ID:215 | Type:Legal Requirements |
|---------------|--|
| PUC: All | Originator: Jonahtan Yu |
| Description | The product shall adhere to all terms and conditions set out by Unity. |
| Rationale | Breaking Unity's term and conditions allows them the right to deny us the usage of their engine. |
| Fit Criterion | The product will not break any of the terms and conditions set by Unity. |
| Priority | Very High |

17 Standard Requirements

| ID:216 | Type:Standard Requirements |
|---------------|--|
| PUC: All | Originator: Jonahtan Yu |
| Description | The product shall adhere to the standards set by the professor |
| Rationale | The professor grades our product, not following standards can affect our grades in a negative way. |
| Fit Criterion | Product must receive passing grade |
| Priority | Very High |

18 Release Requirements

Desktop: OS: Windows XP SP2+, Mac OS X 10.9+, Ubuntu 12.04+, SteamOS+. Graphics card: DX9 (shader model 3.0) or DX11 with feature level 9.3 capabilities

CPU: SSE2 instruction set support.

Audio levels: Recommended to be listened to at a comfortable level.

Lighting levels: Recommended 200 lux or a lit room.

19 Project Schedule

The project will follow the guide up on the courses webpage. The work will be done before the deadline of every task set up by Dr. Carette.

• Main Character Sprite Animation: Nov 3

• Character Sprite Animation: Nov 10

• Behaviour of Enemies: Nov 4

• Button Mapping and Hitbox set up: Nov 17

• Level Design and Platform set up: Nov 24

• Finalization and Testing: Dec 1

Schedule subject to change based on progress.

20 Risks

- The product demands a large portion of time and commitment, once the project has been started, future commitments and opportunity are now lost.
- If the game is a massive hit with the community there could be potential copyright claims.
- if the project isn't implement up to standard than our course grade will be affected

21 Costs

- The entire product will be funded by team. As of now the free version of Unity is being utilized coupled with free, open-source assets. In the future we might have to buy certain assets that fit the theme of the game better. The financial costs will be limited to purchases of assets.
- The game should be completed by the end of April 2018. Considering the level design, multiple playable characters, multiple weapons, combo based attacks which require a unique animation the game will take entire alloted time to complete.

22 User Documentation and Training

- User Documentation Requirements.
 - The game will include a user manual outlining all basic movement controls, basic attacks, environment interaction keys, and all combos included in the game. This manual can be accessed by the start menu and the pause menu.
- Training Requirements
 - The game will be very easy to learn and understand, accordingly we intend for the player to learn as they go. They should be familiar with the the basic movement and attacking commands within the completion of the first level of the game. We encourage player autonomy therefore the player can learn which ever combos they wish to use by looking them up in the user manual. As of now we do not intend to put in a standalone training level before the game actually starts.

23 Waiting List

- Expansions to the game introducing new weapons and even more combos.(PUC No.8)
- Achievement list(PUC No.22)
- Mobile suit upgrade and Gundam Maintenance(PUC No.28)
- Interact with Gundam Gear(PUC No.19)
- Use items and items pick up(PUC No.3)

24 Ideas for Solution

Enemy Ai is very large and difficult problem within many games. There are many ways in order to implement the ai within the game and here are some ideas. The first idea, that will apply to many enemies, is to have the Ai constantly grab the location of the player's avatar and a add force in the direction of the player, if the player location is close enough than the enemy should attack. If the enemy is a ranged enemy and they share the same y coordinate with the player, then the enemy should shoot a bullet in the direction of the player.

The second idea is enemies can have few attacks that can be cycled through against the player. Enemies once within aggression range will move towards the player. Enemy can shoot at the player while moving, and can also start using melee attack cycles when close enough to the player.

The third idea is to have predetermined movement for enemies. Enemies will move in the same direction regardless of the player.