

Estimating Treatment Effects - Regression

February 25, 2025

Estimating Treatment Effects Review

- $ATE =$

Estimating Treatment Effects Review

- $ATE = Avg_n[Y^1 - Y^0]$

Estimating Treatment Effects Review

- $ATE = Avg_n[Y^1 - Y^0]$
- $ATE_{est} =$

Estimating Treatment Effects Review

- $ATE = Avg_n[Y^1 - Y^0]$
- $ATE_{est} = Avg_n[Y^1|D = 1] - Avg_n[Y^0|D = 0]$

Estimating Treatment Effects Review

- $ATE = Avg_n[Y^1 - Y^0]$
- $ATE_{est} = Avg_n[Y^1|D = 1] - Avg_n[Y^0|D = 0]$
- When $(Y^1, Y^0) \not\perp D$:

Estimating Treatment Effects Review

- $ATE = Avg_n[Y^1 - Y^0]$
- $ATE_{est} = Avg_n[Y^1|D = 1] - Avg_n[Y^0|D = 0]$
- When $(Y^1, Y^0) \not\perp D$:

$$ATE_{est} = ATE + \underbrace{\{Avg_n[Y^0|D = 1] - Avg_n[Y^0|D = 0]\}}_{\text{Selection Bias}} \\ + \underbrace{(1 - \pi)(ATT - ATU)}_{\text{Heterogeneous Treatment Effect Bias}}$$

Estimating Treatment Effects Review

- $ATE = Avg_n[Y^1 - Y^0]$
- $ATE_{est} = Avg_n[Y^1|D = 1] - Avg_n[Y^0|D = 0]$
- When $(Y^1, Y^0) \not\perp D$:

$$ATE_{est} = ATE + \underbrace{\{Avg_n[Y^0|D = 1] - Avg_n[Y^0|D = 0]\}}_{\text{Selection Bias}} \\ + \underbrace{(1 - \pi)(ATT - ATU)}_{\text{Heterogeneous Treatment Effect Bias}}$$

- Solution?

Estimating Treatment Effects Review

- Randomize treatment exposure so that $(Y^1, Y^0) \perp\!\!\!\perp D$.

- Randomize treatment exposure so that $(Y^1, Y^0) \perp\!\!\!\perp D$.

$$\begin{aligned}ATE_{est} = ATE + & \underbrace{\{Avg_n[Y^0|D=1] - Avg_n[Y^0|D=0]\}}_{\text{Selection Bias} = 0} \\ & + \underbrace{(1 - \pi)(ATT - ATU)}_{\text{Heterogeneous Treatment Effect Bias} = 0}\end{aligned}$$

Estimating Treatment Effects Review

- Randomize treatment exposure so that $(Y^1, Y^0) \perp\!\!\!\perp D$.

$$\begin{aligned}ATE_{est} = ATE + & \underbrace{\{Avg_n[Y^0|D=1] - Avg_n[Y^0|D=0]\}}_{\text{Selection Bias} = 0} \\ & + \underbrace{(1 - \pi)(ATT - ATU)}_{\text{Heterogeneous Treatment Effect Bias} = 0}\end{aligned}$$

- Added bonus when LLNs applies:

Estimating Treatment Effects Review

- Randomize treatment exposure so that $(Y^1, Y^0) \perp\!\!\!\perp D$.

$$\begin{aligned} ATE_{est} = ATE &+ \underbrace{\{Avg_n[Y^0|D=1] - Avg_n[Y^0|D=0]\}}_{\text{Selection Bias} = 0} \\ &+ \underbrace{(1 - \pi)(ATT - ATU)}_{\text{Heterogeneous Treatment Effect Bias} = 0} \end{aligned}$$

- Added bonus when LLNs applies: Sample ATE = Population ATE

Estimating Treatment Effects Review

- Randomize treatment exposure so that $(Y^1, Y^0) \perp\!\!\!\perp D$.

$$\begin{aligned}ATE_{est} = ATE &+ \underbrace{\{Avg_n[Y^0|D=1] - Avg_n[Y^0|D=0]\}}_{\text{Selection Bias} = 0} \\ &+ \underbrace{(1 - \pi)(ATT - ATU)}_{\text{Heterogeneous Treatment Effect Bias} = 0}\end{aligned}$$

- Added bonus when LLNs applies: Sample ATE = Population ATE

$$\{Avg_n[Y^1|D=1] - Avg_n[Y^0|D=0]\} = \{E[Y^1|D=1] - E[Y^0|D=0]\}$$

Policy Evaluation - Randomization

- So randomization is the ideal and the “gold standard” of research methodologies.

Policy Evaluation - Randomization

- So randomization is the ideal and the “gold standard” of research methodologies.
- But...in policy analysis it's often (though not always) impossible to randomize individuals in our sample into treatment?

Policy Evaluation - Randomization


- So randomization is the ideal and the “gold standard” of research methodologies.
- But...in policy analysis it's often (though not always) impossible to randomize individuals in our sample into treatment?
- How can we attempt to identify causal effects of policy when randomization is infeasible?

Comparison of Key Characteristics by Insurance Status					
Insurance Status	Mean Age	% Female	% Smoker	% Binge Drinker	% Earning Below \$50K
Uninsured	40.3	42.8%	21.1%	20.3%	52.2%
Medicaid	42.0	65.5%	24.7%	13.7%	67.1%

- If Medicaid were randomly assigned and our sample size was sufficiently large, what would we expect to see in this comparison of key characteristics by insurance status?


Policy Evaluation - Review

Exhibit 4 Medicaid Take-Up Rates Among Eligible Adults, By State




Policy Evaluation - Review

Exhibit 4 Medicaid Take-Up Rates Among Eligible Adults, By State



- ATE?, ATT?, ATU?

Exhibit 4 Medicaid Take-Up Rates Among Eligible Adults, By State



- ATE?, ATT?, ATU?
- If we were able to calculate the true ATE of Medicaid coverage on health, do you expect that it would differ from the ATT?

- **Regression Analysis**

- **Regression Analysis**

- ▶ Assume that when key observed variables have been “made equal” across treatment and control groups, omitted variable bias from unobserved confounders will also be eliminated.

- **Regression Analysis**

- ▶ Assume that when key observed variables have been “made equal” across treatment and control groups, omitted variable bias from unobserved confounders will also be eliminated.
- ▶ Even if D is not randomly assigned, we can still *hope* that $(Y^1, Y^0) \perp\!\!\!\perp D$.

● Regression Analysis


- ▶ Assume that when key observed variables have been “made equal” across treatment and control groups, omitted variable bias from unobserved confounders will also be eliminated.
- ▶ Even if D is not randomly assigned, we can still *hope* that $(Y^1, Y^0) \perp\!\!\!\perp D$.
- ▶ And that $ATE_{est} = ATE$.

● Regression Analysis

- ▶ Assume that when key observed variables have been “made equal” across treatment and control groups, omitted variable bias from unobserved confounders will also be eliminated.
- ▶ Even if D is not randomly assigned, we can still *hope* that $(Y^1, Y^0) \perp\!\!\!\perp D$.
- ▶ And that $ATE_{est} = ATE$.
- ▶ BUT THIS NOT “GUARANTEED” LIKE IT IS WITH RANDOMIZATION AND DEPENDS ON A STRONG (UNTESTABLE) ASSUMPTION.


Policy Evaluation - Regression

- So how does regression actually work?




Policy Evaluation - Regression

- So how does regression actually work?




- Note that we have not randomized people into X in this case. We simply observe an individual's value of X in our sample.

Policy Evaluation - Regression



Policy Evaluation - Regression



- Most popular method for drawing the regression line involves minimizing the squared sum of the residuals. (Why the squared sum and not just the sum?)

- Suppose that we estimate a linear regression model of the following form: $y_{it} = \beta_0 + \beta_1 Edu_{it} + \varepsilon_{it}$

Where y is the number of times that individual i visits the emergency department in year t


Edu is individual i 's education in years (e.g. a value of 12 represents a high school education, a value of 14 represents a college education, etc.).

Our coefficient estimates are as follows: $\hat{\beta}_0=4.0$ and $\hat{\beta}_1=-0.25$.


How do we interpret these coefficient estimates?

Policy Evaluation - Regression

- But suppose the *population* distribution is...



Policy Evaluation - Regression



Policy Evaluation - Regression

- $\hat{\beta}_1$ is an estimate of the true β_1 , the relationship between X (the independent variable) and Y (the dependent variable)

Policy Evaluation - Regression

- $\hat{\beta}_1$ is an estimate of the true β_1 , the relationship between X (the independent variable) and Y (the dependent variable)
- How do we know how reliable our *estimate* is likely to be?

Policy Evaluation - Regression

- $\hat{\beta}_1$ is an estimate of the true β_1 , the relationship between X (the independent variable) and Y (the dependent variable)
- How do we know how reliable our *estimate* is likely to be?
 - ▶ Even if we eliminate selection bias, we're still only estimating effects for a sample and not the entire population.

Policy Evaluation - Regression

- $\hat{\beta}_1$ is an estimate of the true β_1 , the relationship between X (the independent variable) and Y (the dependent variable)
- How do we know how reliable our *estimate* is likely to be?
 - ▶ Even if we eliminate selection bias, we're still only estimating effects for a sample and not the entire population.
- 1 Calculate a “standard error” for each regression coefficient (estimate of the standard deviation)

Policy Evaluation - Regression

- $\hat{\beta}_1$ is an estimate of the true β_1 , the relationship between X (the independent variable) and Y (the dependent variable)
- How do we know how reliable our *estimate* is likely to be?
 - ▶ Even if we eliminate selection bias, we're still only estimating effects for a sample and not the entire population.
- ① Calculate a “standard error” for each regression coefficient (estimate of the standard deviation)
- ② Use the standard error to calculate a t-statistic and corresponding *p*-value
 - ▶ $C.I.\hat{\beta} = \hat{\beta} \pm t^* \times SE(\hat{\beta})$

Policy Evaluation - Regression

- $\hat{\beta}_1$ is an estimate of the true β_1 , the relationship between X (the independent variable) and Y (the dependent variable)
- How do we know how reliable our *estimate* is likely to be?
 - ▶ Even if we eliminate selection bias, we're still only estimating effects for a sample and not the entire population.
- ① Calculate a “standard error” for each regression coefficient (estimate of the standard deviation)
- ② Use the standard error to calculate a t-statistic and corresponding p -value
 - ▶ $C.I._{\hat{\beta}} = \hat{\beta} \pm t^* \times SE(\hat{\beta})$
- Suppose you estimate the regression model above and find that the coefficient estimate of β_1 has a p -value of 0.115 from a two-sided t-test. What does that mean and what would you conclude about the statistical significance of the relationship between education and emergency department use?


Policy Evaluation - Regression

- At this point, regression doesn't look all that different from randomization.


- At this point, regression doesn't look all that different from randomization.
 - ▶ In both cases we're just comparing means of treated and control groups from a sample.

- At this point, regression doesn't look all that different from randomization.
 - ▶ In both cases we're just comparing means of treated and control groups from a sample.
- Where these methods begin to diverge is when we add additional covariates to our regression model to “control” for potential confounders.

- Medicaid Expansion and Mortality




Policy Evaluation - Regression



UNINSURED IN THE UNITED STATES

NON-ELDERLY POPULATION (AGE 0-64), NUMBER AND RATE




Source: Kaiser Family Foundation, analysis of 1-year ACS data


EconoFact

econofact.org

Policy Evaluation - Regression



Policy Evaluation - Regression




Policy Evaluation - Regression

MARKETS | CHART OF THE DAY

UNEMPLOYMENT RATE


Percent of civilian labor force




SOURCE: Bureau of Labor Statistics via FRED

BUSINESS INSIDER


Policy Evaluation - Regression




Policy Evaluation - Regression




Policy Evaluation - Regression




Policy Evaluation - Regression




Policy Evaluation - Regression




Policy Evaluation - Regression




Policy Evaluation - Regression




Policy Evaluation - Regression



Policy Evaluation - Regression



Policy Evaluation - Regression



- Regression model estimating the effect of Medicaid coverage on mortality:

$$y_{it} = \beta_0 + \beta_1 D_{it} + \varepsilon_{it}$$

- Regression model estimating the effect of Medicaid coverage on mortality:

$$y_{it} = \beta_0 + \beta_1 D_{it} + \varepsilon_{it}$$

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \varepsilon_{it}$$

- Regression model estimating the effect of Medicaid coverage on mortality:

$$y_{it} = \beta_0 + \beta_1 D_{it} + \varepsilon_{it}$$

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \varepsilon_{it}$$

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \beta_3 Age_{it} + \varepsilon_{it}$$

- Regression model estimating the effect of Medicaid coverage on mortality:

$$y_{it} = \beta_0 + \beta_1 D_{it} + \varepsilon_{it}$$

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \varepsilon_{it}$$

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \beta_3 Age_{it} + \varepsilon_{it}$$

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \beta_3 Age_{it} + \dots \beta_k X_{it} + \varepsilon_{it}$$

Policy Evaluation - Regression

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \beta_3 Age_{it} + \dots \beta_k X_{it} + \varepsilon_{it}$$

- Our goal is to “control” for as many characteristics (X) as we can that could be related to insurance coverage and morality (i.e., confounders).

Policy Evaluation - Regression


$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \beta_3 Age_{it} + \dots \beta_k X_{it} + \varepsilon_{it}$$

- Our goal is to “control” for as many characteristics (X) as we can that could be related to insurance coverage and morality (i.e., confounders).
- Estimate the effect of Medicaid coverage on mortality *conditional* on education, age, etc.

Policy Evaluation - Regression

$$y_{it} = \beta_0 + \beta_1 D_{it} + \beta_2 Edu_{it} + \beta_3 Age_{it} + \dots \beta_k X_{it} + \varepsilon_{it}$$

- Our goal is to “control” for as many characteristics (X) as we can that could be related to insurance coverage and morality (i.e., confounders).
- Estimate the effect of Medicaid coverage on mortality *conditional* on education, age, etc.



Policy Evaluation - Regression

- Remember, as long as we have eliminated all relevant confounders, our regression estimate will be equal to the average treatment effect:


$$ATE_{est} = ATE$$

Policy Evaluation - Regression

- Remember, as long as we have eliminated all relevant confounders, our regression estimate will be equal to the average treatment effect:

$$ATE_{est} = ATE$$

- But then there's this...



Policy Evaluation - Regression

- What happens if we fail to account for an observed or unobserved confounder?

Policy Evaluation - Regression

- What happens if we fail to account for an observed or unobserved confounder?
- Our estimate of the effect of Medicaid coverage on mortality will be *biased*.

Policy Evaluation - Regression

- What happens if we fail to account for an observed or unobserved confounder?
- Our estimate of the effect of Medicaid coverage on mortality will be *biased*.
- We think we're estimating the effect of Medicaid coverage on mortality, but we're actually estimating the combined effect of Medicaid coverage and risk aversion on mortality.

Policy Evaluation - Regression

- What happens if we fail to account for an observed or unobserved confounder?
- Our estimate of the effect of Medicaid coverage on mortality will be *biased*.
- We think we're estimating the effect of Medicaid coverage on mortality, but we're actually estimating the combined effect of Medicaid coverage and risk aversion on mortality.
- Sometimes we can determine which direction that bias is likely to take.

Policy Evaluation - Regression

- What happens if we fail to account for an observed or unobserved confounder?
- Our estimate of the effect of Medicaid coverage on mortality will be *biased*.
- We think we're estimating the effect of Medicaid coverage on mortality, but we're actually estimating the combined effect of Medicaid coverage and risk aversion on mortality.
- Sometimes we can determine which direction that bias is likely to take.
 - ▶ Suppose that those who are more risk averse are more likely to sign up for Medicaid coverage when eligible and are more likely to be in better health.

Policy Evaluation - Regression

- What happens if we fail to account for an observed or unobserved confounder?
- Our estimate of the effect of Medicaid coverage on mortality will be *biased*.
- We think we're estimating the effect of Medicaid coverage on mortality, but we're actually estimating the combined effect of Medicaid coverage and risk aversion on mortality.
- Sometimes we can determine which direction that bias is likely to take.
 - ▶ Suppose that those who are more risk averse are more likely to sign up for Medicaid coverage when eligible and are more likely to be in better health.
 - Then our estimate of the effect of Medicaid coverage on mortality will be biased *away from zero*.

Policy Evaluation - Regression

- Moral of the story:

- Moral of the story:
 - ▶ Regression analysis is often used in place of randomization when randomization is infeasible.

- Moral of the story:
 - ▶ Regression analysis is often used in place of randomization when randomization is infeasible.
 - ▶ The goal is to compare statistically identical people who differ only in their exposure to treatment.

- Moral of the story:
 - ▶ Regression analysis is often used in place of randomization when randomization is infeasible.
 - ▶ The goal is to compare statistically identical people who differ only in their exposure to treatment.
 - ▶ Under certain conditions, regression can return causal estimates of our relationship of interest.

- Moral of the story:

- ▶ Regression analysis is often used in place of randomization when randomization is infeasible.
- ▶ The goal is to compare statistically identical people who differ only in their exposure to treatment.
- ▶ Under certain conditions, regression can return causal estimates of our relationship of interest.
- ▶ But omitted variable bias is a serious threat when exposure to treatment is non-random.

- Moral of the story:
 - ▶ Regression analysis is often used in place of randomization when randomization is infeasible.
 - ▶ The goal is to compare statistically identical people who differ only in their exposure to treatment.
 - ▶ Under certain conditions, regression can return causal estimates of our relationship of interest.
 - ▶ But omitted variable bias is a serious threat when exposure to treatment is non-random.
- So what do we do if randomization is infeasible and we're not confident that regression estimates will be unbiased?

- Moral of the story:
 - ▶ Regression analysis is often used in place of randomization when randomization is infeasible.
 - ▶ The goal is to compare statistically identical people who differ only in their exposure to treatment.
 - ▶ Under certain conditions, regression can return causal estimates of our relationship of interest.
 - ▶ But omitted variable bias is a serious threat when exposure to treatment is non-random.
- So what do we do if randomization is infeasible and we're not confident that regression estimates will be unbiased?
 - ▶ Natural experiments and quasi-experimental research design.