

```

1  <?xml version="1.0" encoding="UTF-8"?>
2  <!DOCTYPE reference PUBLIC "-//OASIS//DTD DITA Reference//EN" "reference.dtd">
3  <reference id="r_roacday_customer_defined_aid_year_control" xml:lang=en-US/>
4      <title>Customer Defined Aid Year Control (ROACDAY)</title>
5      <shortdesc>Use this page to control <keyword keyref="bnrFinAid"/> aid year
6      configurations specific to your institution.</shortdesc>
7      <prolog>
8          <critdates>
9              <revised modified="2025-11-20"/>
10             <critdates/>
11         <prolog/>
12         <refbody>
13             <section>
14                 <p>When you load this page for the first time, the <uicontrol>Customer
15                 Defined Aid Years Enabled</uicontrol> check box will be the only field
16                 enabled, and the check box will be cleared. All other fields within the page
17                 are disabled until you select the check box. You can define the use of a
18                 prefix or suffix for the aid year, and you can define when to start using
19                 the customer-defined aid year by entering an aid year end year. For example,
20                 if you want to start using Customer Defined Aid Years for the 2026-2027 aid
21                 year, you would enter 2027.</p>
22                 <p>In the Prefix or Suffix for Aid Year section, you can enter your own
23                 two-character code and description to be used as a prefix or suffix. You
24                 cannot modify a code after it is saved, but you can modify the description.
25                 </p>
26                 <note type="note">If you enable Customer Defined Aid Years, you must enter
27                 data in all fields on the page.</note>
28             </section>
29             <section>
30                 <table frame="topbot" colsep="1" rowsep="1">
31                     <tgroup align="left" cols="2">
32                         <colspec colname="c1" column="1"/>
33                         <colspec colname="c2" column="2"/>
34                         <thead valign="bottom">
35                             <row>
36                                 <entry>Fields</entry>
37                                 <entry>Descriptions</entry>
38                             </row>
39                         </thead>
40                         <tbody>
41                             <row>
42                                 <entry>Customer Defined Aid Years Enabled</entry>
43                                 <entry>(ROBCDAY_ENABLE_IND) This is the Customer Defined Aid
44                                 Years Enabled check box. When selected, Customer Defined Aid
45                                 Years are enabled.</entry>
46                             </row>
47                             <row>
48                                 <entry>Use Prefix or Suffix</entry>
49                                 <entry>(ROBCDAY_PREFIX_SUFFIX_IND) <p>These option buttons
50                                     determine how custom-defined aid years are formatted by
51                                     default—either with a Prefix or a Suffix.</p>
52                                     <p>Prefix: The aid year code is placed before the ending aid
53                                     year.</p><p>Suffix: The ending aid year is placed after the
54                                     aid year code.</p>
55                                     <p>Example:</p><p>If the ending aid year is 2027 and the
56                                     code is MA:</p><p>Selecting Prefix will generate MA27</p><p>
57                                     Selecting Suffix will generate 27MA</p>
58                                 </entry>
59                             </row>
60                             <row>
61                                 <entry>Beginning Aid Year End Year</entry>
62                                 <entry>(ROBCDAY_START_YEAR) This is the field that you
63                                     define the end year that the Customer Defined Aid Year
64                                     should begin. For example, if you want to start using
65                                     Customer Defined Aid Years for the 2026-2027 aid year, you
66                                     would enter 2027.</p>
67                             </entry>
68                         </tbody>
69                     </tgroup>
70                 </table>
71             </section>
72         </refbody>
73     </reference>

```

```
44          </row>
45      </tbody>
46  </tgroup>
47  </table>
48</section>
49<section>
50    <title>Prefix or Suffix for Aid Year section</title>
51    <table frame="topbot" colsep="1" rowsep="1">
52      <tgroup align="left" cols="2">
53        <colspec colname="c1" colnum="1"/>
54        <colspec colname="c2" colnum="2"/>
55        <thead valign="bottom">
56          <row>
57            <entry>Fields</entry>
58            <entry>Descriptions</entry>
59          </row>
60        </thead>
61        <tbody>
62          <row>
63            <entry>Code</entry>
64            <entry>(RTVCDAY_CODE) Defines the prefix or suffix code used
65              to identify the aid year.</entry>
66          </row>
67          <row>
68            <entry>Description</entry>
69            <entry>(RTVCDAY_DESCRIPTION) Describes the customer-defined
70              aid year prefix or suffix code.</entry>
71          </row>
72        </tbody>
73      </tgroup>
74    </table>
75  </section>
76</refbody>
77</reference>
```