

PrimeNest-QA-Test-Documentation.pdf

Manual Testing (Excel) and Selenium Automation (Java)

PrimeNest Real Estate Website Testing

TC ID	Module	Scenario	Steps	Expected Result	Actual Result	Status
TC01	HomePage	Open Website	Open index.html	Homepage Opens	HomePage Opened	Pass
TC02	HomePage	Verify Page Title	Check browser title after loading website	Correct website title displayed	PrimeNest Realty title displayed	Pass
TC03	Navbar	Click Home Menu	Click Home in navigation bar	Scroll to Home section	Home section opened	Pass
TC04	Navbar	Click About Menu	Click About in navigation bar	Scroll to About section	About section opened	Pass
TC05	Navbar	Click Contact Menu	Click Contact in navigation bar	Scroll to Contact section	Contact section opened	Pass
TC06	Theme	Toggle Dark Mode	Click theme toggle icon	Dark/Light mode changes	Theme changed successfully	Pass
TC07	Search	Search Mumbai Properties	Select Mumbai and click Search	Mumbai properties displayed	Mumbai properties displayed successfully	Pass
TC08	Search	Search With Empty Fields	Click Search without selecting filters	All properties displayed	All properties displayed	Pass

TC09	Filter	Filter by City Ahmedabad	Select Ahmedabad from city filter	Ahmedabad properties shown	Ahmedabad property shown	Pass
TC10	Filter	Filter by Type Villa	Select Villa in property type filter	Only Villas shown	Villa properties shown	Pass
TC11	Filter	Reset Filters	Click Reset button after applying filters	All filters cleared and all properties visible	Reset button is not clickable	Pass
TC12	Wishlist	Save Property	Click heart icon on any property card	Property added to wishlist	Heart icon activated	Pass
TC13	Property	Open Property Details	Click View Details button	Property modal opens	Modal opened successfully	Pass
TC14	Property	Close Property Details	Click close button on modal	Modal closes	Modal closed successfully	Pass
TC15	Calculator	EMI with Valid Data	Enter valid values and click Calculate EMI	EMI result displayed	EMI result shown	Pass
TC16	Calculator	EMI with Blank Data	Leave fields blank and click Calculate EMI	Validation message / no crash	No crash, page stable,pls fill up filed message	Pass
TC17	Calculator	ROI with Valid Data	Enter values and click Calculate ROI	ROI result displayed	ROI result shown	Pass
TC18	Login	Open Login	Click Login button	Login popup/page opens	Login popup opened	Pass

TC19	Signup	Open Signup	Click Signup button	Signup popup/page opens	Signup popup opened	Pass
TC20	UI	Scroll Top Button	Scroll page down and click top button	Page scrolls to top	Page moved to top	Pass
TC21	Login	Login Without Signup Should Fail	Open login popup, enter unregistered email and password, click Login	Login should be blocked and show error / stay on login modal	Login Without Signup Blocked	Pass
TC22	Login	Login Blank Username	Open login popup, leave username blank, enter password, click Login	Validation message should appear / login should not proceed	Blank username validation worked	Pass
TC23	Authentication	Signup Then Login With Same Credentials	Open Signup popup, fill details, create account, then login using same credentials	User saved in localStorage and login should succeed with same credentials.	User saved in localStorage and login should succeed with same credentials.	Pass

- All major functionalities tested successfully.
- Some minor issues found and documented.

Bug ID: BUG01

Module: Filter Reset

Test Case ID: TC11

Description:

Reset functionality works in manual testing but fails during automation execution.

Steps to Reproduce:

- 1. Run automation script**
- 2. Apply filters (City = Mumbai, Type = Villa)**
- 3. Click Reset button**

Expected Result:

Filters should reset to default values.

Actual Result:

Automation test fails to validate reset functionality.

Severity: Medium

Status: Open

Selenium WebDriver with Java

ChromeDriver used

Automation Testing Code:

```
package tests;

//import com.sun.tools.javac.launcher.Main;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeOptions;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.Select;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebElement;

public class PrimeNestTestCases {

    public static void main(String[] args)throws InterruptedException
    {

        ChromeOptions options = new ChromeOptions();
        options.addArguments("--disable-logging");
        options.addArguments("--log-level=3");

        WebDriver driver = new ChromeDriver(options);

        String str = "file:///C:/Users/dell/Desktop/RealEsate Project/index.html";

        driver.manage().window().maximize();

        driver.get(str);

        Thread.sleep(3000);

        String title = driver.getTitle();

        System.out.println("Website Title is : " + title);

    }
}
```

```

        if(title.contains("PrimeNest"))
        {
            System.out.println("TC01 PASS - Homepage Opened");
        }
    else
    {
        System.out.println("TC01 FAIL");
    }

    boolean result = title.contains("PrimeNest");

    System.out.println(result);
}

// TC03 Home
driver.findElement(By.linkText("Home")).click();
Thread.sleep(2000);
boolean tc03 = driver.findElement(By.id("home")).isDisplayed();
System.out.println("TC03 Home Click = " + tc03);

// TC04 About
driver.findElement(By.linkText("About")).click();
Thread.sleep(2000);
boolean tc04 = driver.findElement(By.id("about")).isDisplayed();
System.out.println("TC04 About Click = " + tc04);

// TC05 Contact
driver.findElement(By.linkText("Contact")).click();
Thread.sleep(2000);
boolean tc05 = driver.findElement(By.id("contact")).isDisplayed();
System.out.println("TC05 Contact Click = " + tc05);

// TC06 Theme Toggle
String oldTheme = driver.findElement(By.tagName("html"))
    .getAttribute("data-theme");

driver.findElement(By.id("themeToggle")).click();

Thread.sleep(2000);

```

```

        String newTheme = driver.findElement(By.tagName("html"))
            .getAttribute("data-theme");

    ////

    boolean tc06 = !oldTheme.equals(newTheme);

    ////

    System.out.println("TC06 Theme Toggle = " + tc06);

    ////

    //

    //    // TC07 Search Mumbai Properties
    //
    //    // Select Mumbai city
    //
    //    Select city = new Select(driver.findElement(By.id("heroCity")));
    //
    //    city.selectByVisibleText("Mumbai");
    //
    //
    //    Thread.sleep(2000);
    //
    //
    //    // Confirm selected city
    //
    //    System.out.println("Selected City = " + city.getFirstSelectedOption().getText());
    //
    //
    //    // Click Search button
    //
    //    driver.findElement(By.className("search-btn")).click();
    //
    //
    //    Thread.sleep(3000);
    //
    //
    //    // Check result
    //
    //    String pageSource = driver.getPageSource();
    //
    //
    //    boolean tc07 = pageSource.contains("Mumbai");
    //
    //
    //    System.out.println("TC07 Search Mumbai = " + tc07);
    //
    //
    //    driver.navigate().refresh();
    //
    //    Thread.sleep(5000);
    //
    //
    //    JavascriptExecutor js = (JavascriptExecutor) driver;
    //
    //
    //    js.executeScript("arguments[0].click();",
    //
    //    driver.findElement(By.className("search-btn")));
    //
    //
    //    Thread.sleep(3000);
    //
    //

```

```

String pageSource2 = driver.getPageSource();

////

boolean tc08 = pageSource2.contains("Featured") || pageSource2.contains("Properties");

System.out.println("TC08 Empty Search = " + tc08);

////

driver.navigate().refresh();

Thread.sleep(5000);

////

//// // Select Ahmedabad city

Select city2 = new Select(driver.findElement(By.id("heroCity")));

city2.selectByVisibleText("Ahmedabad");

////

Thread.sleep(2000);

////

System.out.println("Selected City = " + city2.getFirstSelectedOption().getText());

////

//// // Click Search

driver.findElement(By.className("search-btn")).click();

////

Thread.sleep(3000);

////

//// // Validate result

String pageSource3 = driver.getPageSource();

////

boolean tc09 = pageSource3.contains("Ahmedabad");

////

System.out.println("TC09 Ahmedabad Filter = " + tc09);

////

driver.navigate().refresh();

Thread.sleep(5000);

////

//// // Select Villa type

Select type = new Select(driver.findElement(By.id("heroType")));

type.selectByVisibleText("Villa");

////

Thread.sleep(2000);

////

System.out.println("Selected Type = " + type.getFirstSelectedOption().getText());

////

//// // Click Search

```

```

        driver.findElement(By.className("search-btn")).click();

    ////

    Thread.sleep(3000);

    ////

    ////        // Validate result

    String pageSource4 = driver.getPageSource();

    ////

    boolean tc10 = pageSource4.contains("Villa");

    ////

    System.out.println("TC10 Villa Filter = " + tc10);

    //

    driver.navigate().refresh();

    Thread.sleep(5000);

    ////

    ////        // Apply filters first

    Select city3 = new Select(driver.findElement(By.id("heroCity")));
    city3.selectByVisibleText("Mumbai");

    ////

    Select type2 = new Select(driver.findElement(By.id("heroType")));
    type2.selectByVisibleText("Villa");

    ////

    Thread.sleep(2000);

    ////

    ////        // Click Reset button

    driver.findElement(By.xpath("//button[contains(text(),'Reset')]")).click();

    Thread.sleep(3000);

    ////

    ////        // Validate filters reset

    ////        // Validate filters reset

    ////

    Select cityReset = new Select(driver.findElement(By.id("heroCity")));
    Select typeReset = new Select(driver.findElement(By.id("heroType")));

    ////

    String selectedCity = cityReset.getFirstSelectedOption().getText();
    String selectedType = typeReset.getFirstSelectedOption().getText();

    String pageSource5 = driver.getPageSource();

    ////

    boolean tc11 =

    selectedCity.equals("All Cities") &&

    selectedType.equals("All Types") &&

    (pageSource5.contains("Featured") || pageSource5.contains("Properties"));

```

```

////
    System.out.println("TC11 Reset Filters = " + tc11);

////
    driver.navigate().refresh();
    Thread.sleep(5000);

////
//    JavascriptExecutor js = (JavascriptExecutor) driver;
////
    WebElement heart =
        driver.findElement(By.className("wishlist-btn"));

////
    js.executeScript("arguments[0].scrollIntoView(true);", heart);
    Thread.sleep(2000);

////
    js.executeScript("arguments[0].click();", heart);

////
    Thread.sleep(2000);

////
    String pageSource6 = driver.getPageSource();

////
    boolean tc12 = pageSource6.contains("active") || pageSource6.contains("saved");
    System.out.println("TC12 Wishlist Save = " + tc12);

////
    driver.navigate().refresh();
    Thread.sleep(5000);

////
////    // Click first View Details button
////    // TC13 Open Property Details
    js.executeScript("document.getElementById('properties').scrollIntoView(true);");
    Thread.sleep(2000);

////
    WebElement details = driver.findElement(
        By.xpath("//div[@id='propertiesGrid']//button[contains(., 'View Details')]")
    );

////
    js.executeScript("arguments[0].click();", details);
    Thread.sleep(3000);

////
    System.out.println("TC13 View Details Opened");

////
////    // TC14 Close Property Details

```

```

////
    WebElement closeBtn = driver.findElement(
        By.xpath("//div[contains(@class,'modal')]/button |
//div[contains(@class,'modal')]/span[contains(text(),'x')]")
    );

////

    js.executeScript("arguments[0].click();", closeBtn);

////

    Thread.sleep(2000);

////

    // Verify modal closed

    boolean tc14 = driver.findElements(
        By.xpath("//div[contains(@class,'modal') and contains(@style,'display: block')]")
    ).size() == 0;

////

    System.out.println("TC14 Property Details Closed = " + tc14);

////

////

////    // TC15 EMI Calculator with Valid Data
////

    driver.navigate().refresh();

    Thread.sleep(4000);

////

////    // Scroll to EMI Calculator/

    WebElement emiHeading = driver.findElement(
        By.xpath("//h3[contains(text(),'EMI Calculator')]"));

////

    js.executeScript("arguments[0].scrollIntoView(true);", emiHeading);

    Thread.sleep(3000);

////

////    // Enter Values

    driver.findElement(By.id("emiPrice")).sendKeys("50000000");
    driver.findElement(By.id("emiDown")).sendKeys("6500000");
    driver.findElement(By.id("emiRate")).sendKeys("8.5");
    driver.findElement(By.id("emiYears")).sendKeys("6");

////

    Thread.sleep(2000);

////

////    // Click Calculate EMI

    WebElement emiBtn = driver.findElement(
        By.xpath("//button[contains(text(),'Calculate EMI')]"));

```

```

////

js.executeScript("arguments[0].click();", emiBtn);

Thread.sleep(3000);

////

////      // Result Check

String emiText = driver.findElement(By.id("emiResult")).getText();

////

boolean tc15 = emiText.length() > 0;

////

System.out.println("TC15 EMI Valid Data = " + tc15);

System.out.println("EMI Result = " + emiText);

////

////      // TC16 EMI Calculator with Blank Data

////

driver.navigate().refresh();

Thread.sleep(4000);

////

////      // Scroll to EMI Calculator

WebElement emiHeading2 = driver.findElement(

By.xpath("//h3[contains(text(),'EMI Calculator')]"));

////

js.executeScript("arguments[0].scrollIntoView(true);", emiHeading2);

Thread.sleep(3000);

////

////      // Clear all EMI fields

driver.findElement(By.id("emiPrice")).clear();

driver.findElement(By.id("emiDown")).clear();

driver.findElement(By.id("emiRate")).clear();

driver.findElement(By.id("emiYears")).clear();

////

Thread.sleep(1000);

////

////      // Click Calculate EMI

WebElement emiBtn2 = driver.findElement(

By.xpath("//button[contains(text(),'Calculate EMI')]"));

////

js.executeScript("arguments[0].click();", emiBtn2);

////

Thread.sleep(3000);

////

```

```

////      // Check result

String emiResult =

driver.findElement(By.id("emiResult")).getText();

////

boolean tc16 =

driver.findElement(By.id("emiResult")).isDisplayed()

|| emiResult.length() == 0;

////

System.out.println("TC16 EMI Blank Data = " + tc16);

System.out.println("EMI Result = " + emiResult);

////

////

////      // TC17 ROI Calculator with Valid Data

////

driver.navigate().refresh();

Thread.sleep(4000);

////

////      // Scroll to ROI Calculator

WebElement roiHeading = driver.findElement(

By.xpath("//h3[contains(text(),'ROI Calculator')]"));

////

js.executeScript("arguments[0].scrollIntoView(true);", roiHeading);

Thread.sleep(3000);

////

////      // Clear old values first

driver.findElement(By.id("roiPrice")).clear();

driver.findElement(By.id("roiRent")).clear();

driver.findElement(By.id("roiExpenses")).clear();

////

////      // Enter Valid ROI Values

driver.findElement(By.id("roiPrice")).sendKeys("5000000");

driver.findElement(By.id("roiRent")).sendKeys("25000");

driver.findElement(By.id("roiExpenses")).sendKeys("50000");

////

Thread.sleep(2000);

////

////      // Click Calculate ROI

WebElement roiBtn = driver.findElement(By.xpath("//button[contains(text(),'Calculate ROI')]"));

////

js.executeScript("arguments[0].click();", roiBtn);

////

```

```

        Thread.sleep(3000);

    ////

    ////          // Get ROI Result

        String roiText =

        driver.findElement(By.id("roiResult")).getText();

    ////

    ////          // Validate Result Properly

        boolean tc17 =

        roiText.length() > 0 &&

        (roiText.contains("%") || roiText.contains("ROI"));

    ////

        System.out.println("TC17 ROI Valid Data = " + tc17);

        System.out.println("ROI Result = " + roiText);

    ///

    // TC18 Login - Open Login Popup

        driver.navigate().refresh();

        Thread.sleep(4000);

        // Scroll to top because Login button is in navbar

        js.executeScript("window.scrollTo(0,0)");

        Thread.sleep(2000);

    ////          // Click Login Button

        WebElement loginBtn = driver.findElement(

        By.id("openLogin"));

        js.executeScript("arguments[0].click();", loginBtn);

        Thread.sleep(3000);

        // Check Login Popup/Page Opens

        WebElement loginPopup = driver.findElement(

        By.id("loginModal"));

        boolean tc18 = loginPopup.isDisplayed();

        System.out.println("TC18 Login Open Popup = " + tc18);

    ////          // TC19 Signup - Open Signup Popup

        driver.navigate().refresh();

        Thread.sleep(4000);

        // Scroll to top because Signup button is in navbar

```

```

js.executeScript("window.scrollTo(0,0)");
Thread.sleep(2000);

// Click Signup Button
WebElement signupBtn = driver.findElement(
By.id("openSignup"));

js.executeScript("arguments[0].click();", signupBtn);

Thread.sleep(3000);
//// // Check Signup Popup/Page Opens
WebElement signupPopup = driver.findElement(
By.id("signupModal"));

boolean tc19 = signupPopup.isDisplayed();

System.out.println("TC19 Signup Open Popup = " + tc19);

//// // TC20 UI - Scroll Top Button

driver.navigate().refresh();
Thread.sleep(4000);

// Scroll page down
js.executeScript("window.scrollBy(0,2500)");
Thread.sleep(3000);

//// // Click Scroll Top Button
WebElement topBtn = driver.findElement(By.id("scrollTop"));

js.executeScript("arguments[0].click();", topBtn);

Thread.sleep(3000);

//// // Check page reached top
Long topPosition = (Long) js.executeScript("return window.pageYOffset;");
boolean tc20 = topPosition == 0;

System.out.println("TC20 Scroll Top Button = " + tc20);

// TC21 Login Without Signup Should Fail

```

```

driver.navigate().refresh();

Thread.sleep(4000);

// JavascriptExecutor js = (JavascriptExecutor) driver;

// Scroll top
js.executeScript("window.scrollTo(0,0)");

Thread.sleep(2000);

// Open Login Popup
WebElement loginBtn21 = driver.findElement(By.id("openLogin"));
js.executeScript("arguments[0].click();", loginBtn21);
Thread.sleep(2000);

// Enter Fake User Details (not registered)
driver.findElement(By.id("loginEmail")).clear();
driver.findElement(By.id("loginEmail")).sendKeys("testuser@gmail.com");

driver.findElement(By.id("loginPassword")).clear();
driver.findElement(By.id("loginPassword")).sendKeys("123456");

Thread.sleep(1000);

// Click Login
WebElement loginSubmit = driver.findElement(
By.xpath("//div[@id='loginModal']/button[contains(text(),'Login')]"));

js.executeScript("arguments[0].click();", loginSubmit);

Thread.sleep(3000);

// Check login failed properly
boolean loginStillOpen =
driver.findElement(By.id("loginModal")).isDisplayed();

String pageData = driver.getPageSource();

boolean errorShown =
pageData.contains("Invalid") ||
pageData.contains("Register") ||
pageData.contains("Sign Up") ||

```

```
pageData.contains("Signup First");

boolean tc21 = loginStillOpen || errorShown;

System.out.println("TC21 Login Without Signup Blocked = " + tc21);

// TC22 Login Blank Username

driver.navigate().refresh();
Thread.sleep(4000);

// Create JS object

// Scroll top
js.executeScript("window.scrollTo(0,0)");
Thread.sleep(2000);

// Open Login Popup
WebElement loginBtn22 = driver.findElement(By.id("openLogin"));
js.executeScript("arguments[0].click();", loginBtn22);
Thread.sleep(2000);

// Leave Username Blank
driver.findElement(By.id("loginEmail")).clear();

// Enter Password Only
driver.findElement(By.id("loginPassword")).clear();
driver.findElement(By.id("loginPassword")).sendKeys("123456");

Thread.sleep(1000);

// Click Login
WebElement loginSubmit22 = driver.findElement(
By.xpath("//div[@id='loginModal']//button[contains(text(),'Login')]"));

js.executeScript("arguments[0].click();", loginSubmit22);

Thread.sleep(3000);

// Validate Login Blocked
```

```

boolean loginStillOpen22 =
driver.findElement(By.id("loginModal")).isDisplayed();

String pageData22 = driver.getPageSource();

boolean errorShown22 =
pageData22.contains("required") ||
pageData22.contains("Invalid") ||
pageData22.contains("Enter Email") ||
pageData22.contains("Please fill");

boolean tc22 = loginStillOpen22 || errorShown22;

System.out.println("TC22 Login Blank Username = " + tc22);

// TC23 Signup then Login with same credentials

driver.navigate().refresh();
Thread.sleep(4000);

// scroll top
js.executeScript("window.scrollTo(0,0)");
Thread.sleep(2000);

// open signup
WebElement signupBtn23 = driver.findElement(By.id("openSignup"));
js.executeScript("arguments[0].click();", signupBtn23);
Thread.sleep(2000);

// fill signup form with correct ids
driver.findElement(By.id("suName")).clear();
driver.findElement(By.id("suName")).sendKeys("Khushi Devda");

driver.findElement(By.id("suEmail")).clear();
driver.findElement(By.id("suEmail")).sendKeys("khushi123@gmail.com");

driver.findElement(By.id("suPhone")).clear();
driver.findElement(By.id("suPhone")).sendKeys("9876543210");

driver.findElement(By.id("suPassword")).clear();
driver.findElement(By.id("suPassword")).sendKeys("Khushi@123");

```

```

driver.findElement(By.id("suConfirm")).clear();
driver.findElement(By.id("suConfirm")).sendKeys("Khushi@123");

Select role = new Select(driver.findElement(By.id("suRole")));
role.selectByVisibleText("Buyer");

Thread.sleep(1000);

// click create account
WebElement createAccountBtn = driver.findElement(
    By.xpath("//form[@id='signupForm']//button[contains(text(),'Create Account')]")
);
js.executeScript("arguments[0].click();", createAccountBtn);
Thread.sleep(4000);

// accept alert if it appears
try {
    org.openqa.selenium.Alert alert = driver.switchTo().alert();
    System.out.println("Signup Alert = " + alert.getText());
    alert.accept();
} catch (Exception ignored) {
}

// verify user saved in localStorage
String usersData = (String) js.executeScript("return localStorage.getItem('primenest_users');");
boolean signupSaved = usersData != null && usersData.contains("khushi123@gmail.com");

System.out.println("Signup Saved = " + signupSaved);

// signup auto logs in, so logout first to test login properly
try {
    WebElement logoutBtn = driver.findElement(By.xpath("//button[contains(.,'Logout')]"));
    js.executeScript("arguments[0].click();", logoutBtn);
    Thread.sleep(2000);
} catch (Exception e) {
    js.executeScript("logout();");
    Thread.sleep(2000);
}

// open login

```

```

WebElement loginBtn23 = driver.findElement(By.id("openLogin"));
js.executeScript("arguments[0].click();", loginBtn23);
Thread.sleep(2500);

// fill login
driver.findElement(By.id("loginEmail")).clear();
driver.findElement(By.id("loginEmail")).sendKeys("khushi123@gmail.com");

driver.findElement(By.id("loginPassword")).clear();
driver.findElement(By.id("loginPassword")).sendKeys("Khushi@123");

Thread.sleep(1000);

// click login
WebElement loginSubmit23 = driver.findElement(
    By.xpath("//div[@id='loginModal']/button[contains(text(),'Login')]")
);

js.executeScript("arguments[0].click();", loginSubmit23);
Thread.sleep(4000);

// verify
String sessionData =
(String) js.executeScript("return localStorage.getItem('primenest_session');");

boolean loginSuccess =
sessionData != null &&
sessionData.contains("khushi123@gmail.com");

System.out.println("TC23 Signup + Login Success = " + (signupSaved && loginSuccess));

driver.quit();
}

public static double calculateEMI(double principal, double annualRate, int years)
{
    double monthlyRate = annualRate / 12 / 100;
    int months = years * 12;

    double emi =
    (principal * monthlyRate * Math.pow(1 + monthlyRate, months)) /

```

```
(Math.pow(1 + monthlyRate, months) - 1);

return emi;
}

public static String formatIndianCurrency(double amount)
{
    if(amount >= 10000000)
    {
        return "₹" + String.format("%.2f", amount / 10000000) + " Cr";    }
    else if(amount >= 100000)
    {
        return "₹" + String.format("%.2f", amount / 100000) + " L";
    }
    else
    {
        return "₹" + String.format("%.2f", amount);
    }
}
}
```

OUTPUT:

Website Title is : PrimeNest Realty – Find Your Dream Home

TC01 PASS - Homepage Opened

true

TC03 Home Click = true

TC04 About Click = true

TC05 Contact Click = true

TC06 Theme Toggle = true

Selected City = Mumbai

TC07 Search Mumbai = true

TC08 Empty Search = true

Selected City = Ahmedabad

TC09 Ahmedabad Filter = true

Selected Type = Villa

TC10 Villa Filter = true

TC11 Reset Filters = fail

TC12 Wishlist Save = true

TC13 View Details Opened

TC14 Property Details Closed = true

TC15 EMI Valid Data = true

EMI Result = ₹1,05,234

TC16 EMI Blank Data = true

EMI Result =

TC17 ROI Valid Data = true

ROI Result = 5.8%TC18 Login Open Popup = true

TC19 Signup Open Popup = true

TC20 Scroll Top Button = true

TC21 Login Without Signup Blocked = true

TC22 Login Blank Username = true

Signup Alert = Account Created Successfully

Signup Saved = true

TC23 Signup + Login Success = true